

## 7. LITERATURVERZEICHNIS

- Agabio, R., Carai, M.A.M., Lobina,C., Pani, M., Reali, R., Vacca, G., Gessa, G.L., Colombo, G.: Alcohol stimulates motor activity in selectively bred Sardinian alcohol-preferring (sP), but not in Sardinian alcohol-nonpreferring (sNP) rats. *Alcohol.* 23: 123-126, 2001
- Amin, A.H.; Crawford, T.B.B.; Gaddum, J.H.: The distribution of substance P and 5-HT in the central nervous system of the dog. *J. Physiol.* 126: 596-618, 1954
- Andrade, M.M., Tome, M.F., Santiago, E.S., Lucia-Santos, A., de Andrade T.G.: Longitudinal study of daily variation of rats' behavior in the elevated plus-maze. *Physiol. Behav.* 78: 125-133, 2003
- American Psychiatric Association:  
Diagnostic and Statistical Manual of Mental Disorders, 4.Auflage, American Psychiatric Association (Hrsg.), Washington, D.C., 1994
- Argyropoulos, S.V., Sandford, J.J., Nutt, D.J.: The psychobiology of anxiolytic drug. Part 2: Pharmacological treatments of anxiety. *Pharmacol. Ther.* 88: 213-227, 2000
- Bare, D.J., McKinzie, J.H., McBride, W.J.: Development of rapid tolerance to ethanol-stimulated serotonin release in the ventral hippocampus. *Alcohol. Clin. Exp. Res.* 22: 1272-1276, 1998
- Barnes, N.M.; Sharp, T.: A review of central 5-HT receptors and their function *Neuropharmacology* 38: 1083-1152, 1999
- Baumgarten, H.G., Grozdanovic, Z.: Anatomy of central serotonergic projection systems. In: *Handbook of Experimental Pharmacology* Vol. 129: Serotoninergic Neurons and 5-HT Receptors in the CNS. Baumgarten, H.G., Göthert, M. (Hrsg.) , Springer-Verlag, Berlin, Heidelberg, New York, 1997, pp. 41-89
- Baving, L., Olbrich, H.: Angst bei Alkoholabhängigen. *Fortschr. Neurol. Psychiat.* 64: 83-89, 1996
- Bert, B.: Angstverhalten bei Ratten: Stammes- und Zuchtlinienunterschiede. Dissertation, Journal Nr. 2490, Berlin 2001

Bertoglio, L.J., Carobrez, A.P.:

Anxiolytic effects of ethanol and phenobarbital are abolished in test-experienced rats submitted to the elevated plus maze.

*Pharmacol. Biochem. Behav.* 73: 963-969, 2002

Berton, O., Ramos, A., Chaouloff, F., Morméde, P.:

Behavioral reactivity to social and nonsocial stimulations: a multivariate analysis of six inbred rat strains.

*Behav. Genet.* 27: 155-166, 1997

Bignami, G.:

Selection for high rates and low rates of avoidance conditioning in the rat.

*Anim. Behav.* 13: 221-227, 1965

Bischoff, R., Simm, M., Zell, R.A.:

Suchtforschung heute: Gemeinsam gegen Missbrauch und Abhängigkeit.

Bundesministerium für Bildung und Forschung (BMBF)(Hrsg.), Juni 2003

Blanchard, R.J., Blanchard, D.C., Weiss, S.M.:

Ethanol effects in an anxiety/defense test battery.

*Alcohol* 7: 375-381, 1990

Blanchard, D.C., Blanchard, R.J., Rodgers, R.J.:

Risk assessment and animal models of anxiety.

In: *Animal models in Psychopharmacology*, Olivier, B., Mos, J., Slanger, J.L. (Hrsg.).

Birkhäuser Verlag, Basel, 1991, pp. 117-134

Blatt, S.L., Takahashi, R.N.:

Experimental anxiety and the reinforcing effects of ethanol in rats.

*Braz. J. Med. Biol. Res.* 32: 457-461, 1999

Bolles, R.C., Collier, A.C.:

The effect of predictive cues on freezing in rats,

*Anim. Learn. Behav.* 4: 6-8, 1976

Breuer, J., Freud, S.:

Studien über Hysterie.

Fischer Taschenbuch Verlag, Frankfurt, 1983

Briley, M., Chopin, P., Moret, C.:

Effect of serotonergic lesions on "anxious" behaviour measured in the elevated plus-maze test in the rat.

*Psychopharmacology* 101: 187-189, 1990

Broadhurst, P.L.:

The Maudsley reactive and nonreactive strains of rats: a survey.

*Behav. Genet.* 5: 299-319, 1975

Brodie, B.B., Shore, P.A.:  
A concept for a role of serotonin and norepinephrine as chemical mediators in the brain.  
*Ann. N. Y. Acad. Sci.* 66: 631-642, 1957

Brannhuber S., Lieb, K.:  
Psychiatrie  
Urban und Fischer, München, 1996

Buchholz, K.K., Hesselbrock, V.M., Heath, A.C., Kramer, J.C., Schuckit, M.A.:  
A latent class analysis of antisocial personality disorder symptom data from a multi-centre family study of alcoholism.  
*Addiction* 95: 553-567, 2000

Bundesministerium für Gesundheit (BMG):  
Alkoholkonsum und Alkoholbezogene Störungen in Deutschland.  
Nomos-Verlag, Band 128, 2000

Casu, M.A., Pisu, C., Lobina, C., Pani, L.:  
Immunocytochemical study of the forebrain serotonergic innervation in Sardinian alcohol-preferring rats  
*Psychopharmacology (Berl.)* 172: 341-351, 2004

Chaouloff, F., Kulikov, A., Sarrieau, A., Castanon, N., Morméde, P.:  
Male Fischer 344 and Lewis rats display differences in locomotor reactivity, but not in anxiety-related behaviours: relationship with the hippocampal serotonergic system.  
*Brain. Res.* 693: 169-178, 1995

Charney, D.S., Woods, S.W., Goodman, W.K., Heninger, G.R.:  
Serotonin function in anxiety. II. Effects of the serotonin agonist MCPP in panic disorder patients and healthy subjects.  
*Psychopharmacology (Berl.)* 92: 14-24, 1987

Chituape, M.A.D., de Wit, H.:  
Preferences for ethanol and diazepam in anxious individuals: An evaluation of the self-medication hypothesis.  
*Psychopharmacology* 121: 91-103, 1995

Ciccocioppo, R., Ge J., Barnes, N.M., Cooper, S.J.:  
Central 5-HT3 receptors in Pand in AA alcohol-preferring rats: an autoradiographic study.  
*Brain Res. Bull.* 46: 311-315, 1998

Cloninger, C.R.:  
Neurogenetic adaptive mechanisms in alcoholism.  
*Science* 236: 410-416, 1987

Colombo, G.:  
ESBRA-Nordmann 1996 Award Lecture: ethanol drinking behaviour in Sardinian alcohol-preferring rats.  
*Alcohol Alcohol.* 32: 443-53, 1997

Conger, J.J.:

Alcoholism: theory, problem and challenge. II. Reinforcement theory and the dynamics of alcoholism.

*Q. J. Stud. Alcohol.* 17: 296-305, 1956

Correa, M., Miquel, M., Aragon, C.M.G.:

Lead acetate potentiates brain catalaseactivity and enhanced ethanol-induced locomotion in mice.

*Pharmacol. Biochem. Behav.* 66: 137-142, 2000

Correa, M., Arizzi, M.N., Betz, A., Mingote, S., Salamone, J.D.:

Locomotor stimulant effects of intraventricular injections of low doses of ethanol in rats: acute and repeated administration.

*Psychopharmacology* 170: 368-375, 2003

Costall, B., Jones, B.J., Kelly, M.E., Naylor, R.J., Tomkins, D.M.:

Exploration of mice in a black and white test box: validation as a model of anxiety.

*Pharmacol. Biochem. Behav.* 32: 777-785, 1989

Costall, B., Naylor, R.J.:

Anxiolytic potential of 5-HT3 receptor antagonists.

*Pharmacol. Toxicol.* 70: 157-162, 1992

Costall, B., Naylor, R.J.:

5-HT3 receptors.

*Curr. Drug Targets CNS Neurol Disord.* 3:27-37, 2004

Crabbe, J.C., Wahlsten, D., Dudek, B.C.:

Genetics of mouse behavior: interactions with laboratory environment.

*Science* 284: 1670-1672, 1999

Crews, F.T., Buckley, T., Dodd, P.R., Ende, G., Foley, N., Harper, C., He, J., Innes, D., Loh el-W., Pfefferbaum, A., Zou, J., Sullivan, E.V.:

Alcoholic neurobiology: changes in dependence and recovery.

*Alcohol Clin Exp Res.* 29: 1504-13, 2005

Criswell, H.E., Knapp, D.J., Overstreet, D.H., Breese, G.R.:

Effects of ethanol, Chlordiazepoxide, and MK-801 on performance in the elevated-plus maze and on locomotor activity.

*Alcohol. Clin. Exp. Res.* 18, 596-601, 1994

Dahchour, A.. De Witte, P.:

Ethanol and amino acids in the central nervous system: assessment of the pharmacological actions of acamprosate.

*Progress in Neurobiology* 60: 343-362, 2000

Dahlström, A., Fuxe, K.:

Evidence for the existence of monoamine-containing neurons in the central nervous system. I. Demonstration of monoamines in the cell bodies of brainstem neurons.

*Acta Physiol. Scand.* 62 (Suppl. 232): 1-55, 1964

Davies, M.:

The role of GABA<sub>A</sub>receptors in mediating the effects of alcohol in the central nervous system.

*J. Psychiatry Neurosci.* 28: 263-274, 2003

Devoto, P., Colombo, G., Stefanini, E., Gessa, G.L.:

Serotonin is reduced in the frontal cortex of Sardinian ethanol-preferring rats.

*Alcohol Alcohol* 33: 226-229, 1998

Deutsche Hauptstelle für Suchtfragen e.V.

Westenwall 4, 59065 Hamm,

<http://www.dhs.de>

Doremus, T.L., Varlinskaya, E.I., Spear, L.P.:

Age-related differences in elevated plus maze behavior between adolescent and adult rats.

*Ann. N. Y. Acad. Sci.* 1021: 427-430, 2004

Driessen, M., Meier, S., Hill, A., Wetterling, T., Lange, W., Junghanns, K.:

The course of anxiety, depression and drinking behaviours after completed detoxification in alcoholics with and without comorbid anxiety and depression.

*Alcohol Alc.* 3: 249-255, 2001

Dyr, W., Kostowski, W.:

Preliminary phenotypic characterisation of the Warsaw High Preferring (WHP) and Warsaw Low Preferring (WLP) Lines of rats selectively bred for high and low ethanol consumption

*Pol. J. Pharmacol.* 56: 359-365, 2004

Eckardt, M.J., File, S.E., Gessa, G.L., Grant, K.A., Guerri, C., Hoffmann, P.L., Kalant, H., Koob, G.F., Li, T.-K., Tabakoff, B.:

Effects of moderate alcohol consumption on the central nervous system.

*Alcohol. Clin. Exp. Res.* 22: 998-1040, 1998

Eriksson, K.:

Genetic selection for voluntary ethanol consumption in the albino rat.

*Science* 159: 739-741, 1968

Erspamer, V., Asero, B.:

Identification of enteramine, specific hormone of enterochromaffin cells, as 5-hydroxytryptamine.

*Nature* 169: 800-801, 1952

Erspamer, V.:

5-Hydroxytryptamine and related indolealkylamines. [Handbuch der experimentellen Pharmakologie], Vol. 19.  
Springer-Verlag, Berlin, 1966

Faingold, C.L., N'Gouemo, P., Riaz, A.:

Ethanol and neurotransmitter interactions – from molecular to integrative effects  
*Progress in Neurobiology* 55: 509-535, 1998

Falck, A., Hillarp, N.A., Thieme, G., Thorp, A.:

Fluorescence of catecholamines and related compounds with formaldehyde.

*J. Histochem. Cytochem.* 10: 348-354, 1962

Fernandes, C., Gonzalez, M.I., Wilson, C.A., File, S.E.:

Factor analysis shows that female rat behaviour is characterized primarily by activity, male rats are driven by sex and anxiety.

*Pharmacol. Biochem. Behav.* 64: 731-738, 1999

Ferreira, V.M., Morato, G.S.:

Influence of age and of pretreatment with D-cycloserine on the behavior of ethanol-treated rats tested in the elevated plus-maze apparatus.

*Addict. Biol.* 1: 395-404, 1996

Ferreira, V.M., Morato, G.S.:

D-Cycloserine blocks the effects of ethanol and HA-966 in rats tested in the elevated plus-maze.

*Alcohol. Clin. Exp. Res.* 21: 1638-1642, 1997

Ferreira, V.M., Valenzuela, C.F., Morato, G.S.:

Role of nitric-oxide-dependent pathways in ethanol-induced anxiolytic effects in rats.

*Alcohol. Clin. Exp. Res.* 23 : 1898-1904, 1999

Ferreira, V.M., Takahashi, R.N., Morato, G.S.

Dexamethasone reverses the ethanol-induced anxiolytic effect in rats

*Pharmacol Biochem Behav* 66: 585-590, 2000

Feuerlein, W., Küfner, H., Soyka, M.:

Alkoholismus - Missbrauch und Abhängigkeit, Georg Thieme Verlag Stuttgart, New York, 1998

File, S.E.:

The use of social interaction as a method for detecting anxiolytic activity of chlordiazepoxide-like drugs.

*J. Neurosci. Methods.* 2: 219-238, 1980

File, S.E.:

Models of anxiety.

*Br. J. Clin. Pract. Symp. Suppl.* 38: 15-20, 1985

File, S.E.:

The contribution of behavioural studies to the neuropharmacology of anxiety.

*Neuropharmacol.* 26: 877-886, 1987

File, S.E.:

Behavioral detection of anxiolytic action.

In: *Experimental approaches to anxiety and depression*. J.M. Elliot, D.J. Heal, C.A. Marsden (Hrsg.), John Wiley & Sons Ltd, New York, 1992, pp. 25-44

File, S. E., Gonzalez, L. E., Andrews, N.:

Comparative study of pre- and postsynaptic 5-HT1A receptor modulation of anxiety in two ethological animal tests.

*J. Neurosci.* 16: 4810-4815, 1996

Fils-Aime, M.L., Eckhardt, M.J., George, D.T., Brown, G.L., Mefford, I., Linnoila, M.: Early-onset alcoholics have lower cerebrospinal fluid 5-hydroxyindoleacetic acid levels than late-onset alcoholics.

*Arch. Gen. Psychiatry* 53: 211-216, 1996

Frye, G.D., Breese, G.R.:

An evaluation of the locomotor stimulating action of ethanol in rats and mice.

*Psychopharmacology (Berl.)* 75: 372-379, 1981

Fuster, J.M.:

The prefrontal cortex. Anatomy, Physiology and Neuropsychology of the Frontal Lobe.

Lipincott Raven, Philadelphia, New York, 1997

Gardner, C.R.:

Recent developments in 5HT-related pharmacology of animal models of anxiety.

*Pharmacol. Biochem. Behav.* 24: 1479-1485, 1986

Geller, I., Seifter, J.:

The effects of meprobamate, barbiturates, d-amphetamine and promazine on experimentally induced conflict in the rat.

*Psychopharmacologia* 1: 482-495, 1960

George D.T., Nutt, D.J., Dwyer, B.A., Linnoila, M.:

Alcoholism and panic disorder: is the comorbidity more than coincidence ?

*Acta Psychiatr. Scand.* 81: 97-107, 1990

Gil-Martin, E., Colado, I., Fernández-López, A., Fernández-Briera, A., Calvo, P.:

Effects of an acute dose of ethanol on dopaminergic and serotonergic systems from rat cerebral cortex and striatum.

*Comp. Biochem. Physiol.* 113C: 399-402, 1996

Gongwer, M.A.; Murphy, J.M.; McBride, W.J.; Lumeng, L.; Li, T.-K.:

Regional brain contents of serotonin, dopamine and their metabolites in the selectively bred high- and low-alcohol drinking lines of rats.

*Alcohol* 6: 317-320; 1989

Gonzalez, L.E., Rujano, M., Tucci, S., Paredes, D., Silva, E., Alba, G.:  
Medial prefrontal transection enhances social interaction. I: behavioral studies.  
*Brain Res.* 887: 7-15, 2000

Goodlet, C.R., Horn, K.H.:  
Mechanisms of alcohol – induced damage to the developing neonatal system.  
*Alcohol Res Health.* 25: 175-184, 2001

Graeff, F.G., Guimaraes, F.S., De Andrade, T.G.C.S., Deakin, J.F.W.:  
Role of 5-HT in stress, anxiety, and depression.  
*Pharmacol. Biochem. Behav.* 54: 129-141, 1996

Griebel, G., Moreau, J.-L-, Jenck, F., Martin, J.R., Misslin, J.R.:  
Some critical determinants of the behaviour of rats in the elevated plus-maze.  
*Behav. Process.* 29: 37-48, 1993

Griebel G.:  
5-Hydroxytryptamine-interacting drugs in animal models of anxiety disorders: more than  
30 years of research.  
*Pharmacol. Biochem. Behav.* 65: 319-395, 1995

Griebel, G., Rodgers, R.J., Perrault, G., Sanger, D.J.:  
The effects of compounds varying in selectivity as 5-HT(1A) receptor antagonists in three  
rat models of anxiety.  
*Neuropharmacology.* 39: 1848-1857, 2000

Gruss, M.; Vogel, W., Hempelmann, G., Scholz, A.:  
Ethanol specifically activates a  $\text{Ca}^{2+}$ -dependent  $\text{K}^+$  channel and reduces the firing  
frequency in sensory neurons.  
*Anasthesiol. Intensivmed. Notfallmed. Schmerzther.* 35: 598-600, 2000

Hall, C.S.:  
Emotional behavior in the rat. I. Defecation and urination as measures of individual  
differences in emotionality.  
*J. Comp. Psychol.* 18: 385-403, 1934

Halliday, G., Harding, A., Paxinos, G.:  
Serotonin and tachykinin systems.  
In: *The rat nervous system*. G.Paxinos (Hrsg.), Academic Press, San Diego, 1995,  
pp. 929-974

Ham, L.S., Hope, D.A.:  
Alcohol and anxiety: subtle and obvious attributes of abuse in adults with social anxiety  
disorder and panic disorder.  
*Depress. Anxiety* 18: 128-139, 2003

Handley, S.L.:  
5-Hydroxytryptamine pathways in anxiety and its treatment.  
*Pharmacol. Ther.* 66: 103-148, 1995

Handley, S.L., McBlane, J.W.:  
5-HT drugs in animal models of anxiety.  
*Psychopharmacol.* 112: 13-20, 1993

Handley, S.L., Mithani, S.:  
Effects of alpha-adrenoceptor agonists in a maze-exploration model of “fear”-motivated behaviour.  
*Naunyn Schmiedberg's Arch. Pharmacol.* 327: 105, 1984

Harper, C., Kril, J.:  
Brain atrophy in chronic alcoholic patients: A quantitative pathological study.  
*J. Neurol. Neurosurg. Psychiatry* 48: 211-217, 1988

Harris, R.A.:  
Ethanol actions on multiple ion channels: which are important ?  
*Alcohol. Clin. Exp. Res.* 23: 1563-1570, 1999

Hashimoto, S., Inoue, T., Koyama, T.:  
Effects of conditioned fear stress on serotonin neurotransmission and freezing behavior in rats.  
*Eur. J. Pharmacol.* 378: 23-30, 1999

Heinz, A., Ragan, P., Jones, D.W., Hommer, D., Williams, W., Knable, M.B., Gorey, J.:  
Reduced central serotonin transporters in alcoholism.  
*Am. J. Psychiatry* 155: 1544-1549, 1998

Heinz, A.; Mann, K.; Weinberger, D.R.; Goldman, D.:  
Serotonergic Dysfunction, Negative Mood States, and Response to Alcohol  
*Alcohol. Clin. Exp. Res.* 25: 487-495, 2001

Heinz, A.; Mann, K.:  
Neurobiologie der Alkoholabhängigkeit.  
*Deutsches Ärzteblatt* 36: A2279-A2283, 2001

Heinz, A., Mann, K. :  
Frontale Funktionsstörungen bei Alkoholabhängigkeit  
In: *Frontalhirn, Funktionen und Erkrankungen*. H.Förstl (Hrsg.), Springer-Verlag Berlin, Heidelberg, 2002, pp. 274-290

Henniger, M.S., Spanagel, R., Wigger, A., Landgraf, R., Holter, S.M.:  
Alcohol self-administration in two rat lines selectively bred for extremes in anxiety-related behavior.  
*Neuropsychopharmacology* 26: 729-736, 2002

Hertz, L., Tamir, H.:  
Some properties of an astrocytic protein fraction that binds serotonin.  
*J. Neurochem.* 37: 1331-1334, 1981

Himle, J.A., Abelson, J. L., M.D., Haghighgou, H., Hill, E.M., Nesse, R.M., Curtis, G.C.: Effect of alcohol on social phobic anxiety.  
*Am. J. Psychiatry* 156: 1237-1243, 1999

Hogg, S.:  
A review of the validity and variability of the elevated plus maze as an animal model of anxiety  
*Pharmacol. Biochem. Behav.* 54: 21-30, 1996

Holdstock, L., de Wit, H.:  
Individual differences in the biphasic effects of ethanol.  
*Alcohol. Clin. Exp. Res.* 22: 1903-1911, 1998

Hoyer, D., Clarke, D.E., Fozard, J.R., Hartig, P.R., Martin, G.R.:  
International Union of Pharmacology classification of receptors for 5-hydroxytryptamine (serotonin).  
*Pharmacol. Rev.* 46: 157-204, 1994

Hoyer, D., Hannon, J.P., Martin, G.R.:  
Molecular, pharmacological and functional diversity of 5-HT receptors.  
*Pharmacol. Biochem. Behav.* 71: 533-554, 2002

Imhof, J.T., Coelho, Z.M., Schmitt, M.L., Morato, G.S., Carobrez, A.P.:  
Influence of gender and age on performance of rats in the elevated plus maze apparatus.  
*Behav. Brain Res.* 56: 177-180, 1993

Inoue, T., Tsuchiya, K., Koyama, T.  
Serotonergic activation reduces defensive freezing in the conditioned fear paradigm.  
*Pharmacol. Biochem. Behav.* 53: 825-831, 1996

Inoue, T., Izumi, T., Li, X.B., Huang, J.Z., Kitaichi, Y., Nakagawa, S., Koyama, T.:  
Biological basis of anxiety disorders and serotonergic anxiolytics.  
*Nihon Shinkei Seishin Yakurigaku Zasshi* 24: 125-131, 2004

Iversen, S.D.:  
5-HT and anxiety.  
*Neuropharmacol.* 23: 1553-1560, 1984

Jacobs, B.L., Azmitia, E.C.:  
Structure and function of the brain serotonin system.  
*Physiol. Rev.* 72: 165-229, 1992

Janowska, E., Pucilowski, O., Kostowski, W.:  
Chronic oral treatment with diltiazem or verapamil decreases isolation-induced activity impairment in elevated plus-maze.  
*Behav. Brain Res.* 43: 155-158, 1991

- Jellinek, E.M.:  
Alcoholism, a genus and some of its species.  
*Can Med Assoc J.* 83: 1341-1345, 1960
- Johnston, A.L., File, S.E.:  
Sex differences in animal models of anxiety.  
*Physiol. Behav.* 49: 245-250, 1991
- Johnson, B.A.:  
The role of serotonergic agents as treatments for alcoholism.  
*Drugs Today (Barc.)* 39: 665-672, 2003
- Kandel, Schwartz, Jessell:  
Principles of neuroscience.  
Appleton & Lange, 3 edition, 1991
- Katner, S. N., Weiss, F.:  
Neurochemical Characteristics Associated With Ethanol Preference in Selected Alcohol-Preferring and -Nonpreferring Rats: A Quantitative Microdialysis Study  
*Alcohol. Clin. Exp. Res.* 25: 198-205, 2001
- Kawahara, H., Yoshida, M., Yokoo, H., Nishi, M., Tanaka, M.:  
Psychological Stress increases serotonin release in the rat amygdala and prefrontal cortex assessed by in vivo microdialysis.  
*Neurosci. Lett.* 162: 81-84, 1993
- Kierkegaard, S.:  
Der Begriff Angst  
Reclam, Ditzingen, August 1992
- Kranzler, H.R., Burleson, J.A., Del Boca, F.K., Babor, T.F., Korner, P., Brown, J.:  
Buspirone treatment of anxious alcoholics. A placebo-controlled trial.  
*Arch. Gen. Psychiatry* 51: 720-731, 1994
- Kranzler, H.R., Pierucci-Lagha, A., Feinn, R., Hernandez-Avila, C.:  
Effects of ondansetron in early- versus late-onset alcoholics: a prospective, open-label study.  
*Alcohol. Clin. Exp. Res.* 27: 1150-1155, 2003
- Kril, J.J., Halliday, G.M., Svoboda, M.D., Cartwright, H.:  
The cerebral cortex is damaged in chronic alcoholics.  
*Neuroscience* 79: 983-998, 1997
- Kushner, M.G., Sher, K.J., Beitman, B.D.:  
The relation between alcohol problems and the anxiety disorders.  
*Am. J. Psychiatry* 147: 685-695, 1990

Kushner, M.G., Mackenzie, T.B., Fiszdon, J., Valentiner, D.P., Foa, E., Wangensteen, D.:  
The effects of alcohol consumption on laboratory induced panic and state anxiety.  
*Arch. Gen. Psychiatry* 53: 264-270, 1996

Kushner, M.G., Sher, K.J., Erickson, D.J.:  
Prospective Analysis of the relation between DSM-III anxiety disorders and alcohol use  
disorders  
*Am. J. Psychiatry* 156: 723-732, 1999

Kushner, M.G., Abrams, K., Borchardt, C.:  
The relationship between anxiety disorders and alcohol use disorders: a review of major  
perspectives and findings.  
*Clin. Psychol. Rev.* 20: 149-171, 2000

LaBuda, C.J., Fuchs, P.N.:  
Aspirin attenuates the anxiolytic actions of ethanol.  
*Alcohol* 21: 287-290, 2000

LaBuda, C.J., Fuchs, P.N.:  
Catecholamine depletion by reserpine blocks the anxiolytic actions of ethanol in the rat.  
*Alcohol* 26: 55-59, 2002

Lacroix, L., Spinelli, S., Heidbreder, C.A., Feldon, J.:  
Differential role of the medial and lateral prefrontal cortices in fear and anxiety.  
*Behav. Neurosci.* 114: 1119-1130, 2000

Lamparski, D.M., Roy, A., Nutt, D. J., Linnoila, M.:  
The criteria of Cloninger et al. and von Knorring et al. for subgrouping alcoholics: a  
comparison in a clinical population.  
*Acta Psychiatr Scand.* 84: 497-502, 1991

Landgraf, R., Wigger, A.:  
High vs low anxiety-related behavio rats: an animal model of extremes in trait anxiety.  
*Behav. Genet.* 32: 301-314, 2002

Langen, B., Dietze, S., Fink, H.:  
Acute effect of ethanol on anxiety and 5-HT in the prefrontal cortex of rats.  
*Alcohol.* 27: 135-141, 2002

Langen, B., Fink, H.:  
Anxiety as a predictor of alcohol preference in rats ?  
*Prog. Neuropsychopharmacol. Biol. Psychiatry* 28: 961-968, 2004

LeDoux, J.E.:  
Emotion: clues from the brain.  
*Annu. Rev. Psychol.* 46: 209-235, 1995

Lejoyeux, M., Mc Loughlin, L.M., Ades, J.:  
Epidemiology of behavioral dependence: literature review and results of original studies.  
*Eur. Psychiatry*. 15: 129-34, 2000

LeMarquand D., Phil, R.O., Benkelfat, C.:  
Serotonin and alcohol intake, abuse, and dependence: Clinical evidence.  
*Biol Psychiatry* 36: 326-337, 1994

LeMarquand D., Phil, R.O., Benkelfat, C.:  
Serotonin and alcohol intake, abuse, and dependence: Findings of animal studies.  
*Biol Psychiatry* 36: 395-421, 1994

Lepola, U.:  
Alcohol and depression in panic disorder.  
*Acta Psychiatr. Scand. Suppl.* 377: 33-35, 1994

Lesch, K.P., Bengel, D., Heils, A., Sabol, S.Z., Greenberg, B.D., Petri, S.;  
Association of anxiety-related traits with a polymorphism in the serotonin transporter gene  
regulatory region.  
*Science* 274: 1527-1531, 1996

Li, T.-K., Lumeng, L., Doolittle, D.P.:  
Selective breeding for alcohol preference and associated responses.  
*Behav. Genet.* 23: 163-170, 1993

Liebsch, G., Linthorst, A.C., Neumann, I.D., Reul, J.M., Holsboer, F., Landgraf, R.:  
Behavioral, physiological, and neurendocrine stress responses and differential sensitivity  
to diazepam in two Wistar rat lines selectively bred for high- and low- anxiety-related  
behavior.  
*Neuropsychopharmacology* 19: 381-396, 1998

Lister, R.G.:  
The use of a plus-maze to measure anxiety in the mouse.  
*Psychopharmacol.* 92: 180-185, 1987

Lister, R.G.:  
Ethologically-based animal models of anxiety disorders.  
*Pharmacol. Ther.* 46: 321-340, 1990

Litten, R.; Allen, J.; Fertig, J.:  
Pharmacotherapies for alcohol problems: a review of research with focus on developments  
since 1991.  
*Alcohol. Clin. Exp. Res.* 20: 859-876, 1996

Liu, Y.P., Wilkinson, L.S., Robbins, T.W. :  
Effects of acute and chronic buspirone on impulsive choice and efflux of 5-HT and  
dopamine in hippocampus, nucleus accumbens and prefrontal cortex.  
*Psychopharmacology* 173: 175-185, 2004

Liupina, I.V., Medvedeva, O.F., Rusakov, D.I., Sudakov, S.K.: Differences in the anxiety level of 2 rat strains can be determined by the density of benzodiazepine receptors in the brain.  
*Eksp. Klin. Farmakol.* 62: 7-10, 1999

Lorenz, K.:  
Studies in Animal and Human behavior.  
Harvard University Press, Cambridge, 1971

Lovinger, D.M.:  
Serotonin's role in alcohol's effects on the brain  
*Alc Health & Res world* 21: 114-120, 1997

Lovinger, D.M.:  
5-HT<sub>3</sub> receptors and the neural actions of alcohols: an increasingly exciting topic.  
*Neurochem. Int.* 35: 125-130, 1999

Lucki, Irwin:  
The Spectrum of Behaviors Influenced by Serotonin  
*Biological Psychiatry* 44: 151-162, 1998

Lumeng L., Hawkins, D.T., Li, T.-K.:  
New strains of rats with alcohol preference an nonpreference.  
In: *Alcohol and Aldehyde Metabolizing Systems*. Vol. 3, Academic Press, New York, 1977  
pp. 537-544

Lyvers, M.:  
"Loss of control" in alcoholism and drug addiction: a neuroscientific interpretation.  
*Exp Clin Psychopharmacol.* 8: 225-249, 2000

Maier, W., Lichtermann, D., Minges, J., Delmo, C., Heun, R.:  
The relationship between bipolar disorder and alcoholism: a controlled family study.  
*Psychol Med.* 25:787-796, 1995

Mann, K., Rommelspacher, H.:  
Alkohol, In: *Lehrbuch der Suchterkrankungen*, M. Gastpar, K. Mann, H. Rommelspacher (Hrsg.), Georg Thieme Verlag, Stuttgart, 1999, pp.183-190

Mantere T., Tupala, E., Hall, H., Sarkiola, T., Rasanen, P., Bergstrom, K., Callaway, J., Tiihonen, J.:  
Serotonin transporter distribution and density in the cerebral cortex of alcoholic and nonalcoholic comparison subjects: a whole-hemisphere autoradiography study.  
*Am. J. Psychiatry.* 159: 599-606, 2002

Masur, J., Oliveira de Souza, M.L., Zwicker, A.P.:  
The excitatory effects of ethanol: absence in rats, no tolerance and increased sensitivity in mice.  
*Pharmacol. Biochem. Behav.* 24: 1125-1128, 1986

McBride, W.J., Murphy, J.M., Lumeng, L., Li, T.-K.:  
Serotonin and ethanol preference.  
*Recent. Dev. Alcohol.* 7: 187-209, 1989

McBride, W.J., Murphy, J.M., Lumeng, L., Li, T.-K.:  
Serotonin, dopamine and GABA involvement in alcohol drinking selectively bred rats.  
*Alcohol.* 7: 199-205, 1990

McBride, W.J., Murphy J.M., Gatto, G.J., Levy, A.D., Lumeng, L., Li, T.-K.:  
Serotonin and dopamine systems regulating alcohol intake.  
*Alcohol Alcohol Suppl* 1: 411-416, 1991

McBride, W.J., Chernet, E., Rabold, J.A., Lumeng, L., Li, T.-K.:  
Serotonin-2 receptors in the CNS of alcohol-preferring and alcohol-nonpreferring rats.  
*Pharmacol. Biochem. Behav.* 46: 631-636, 1993

McBride, W.J.; Guan, X.M.; Chernet, E.; Lumeng, L.; Li, T.-K.:  
Regional serotonin1A receptors in the CNS of alcohol-preferring and –nonpreferring rats.  
*Pharmacol. Biochem. Behav.* 49: 7-12, 1994

McBride, W.J., Bodart, B., Lumeng, L., Li, T.-K.:  
Association between low contents of dopamine and serotonin in the nucleus accumbens  
and high alcohol preference.  
*Alcohol Clin. Exp. Res.* 19: 1420-1422, 1995

Menard J., Treit, D.:  
Effects of centrally administered anxiolytic compounds in animal models of anxiety.  
*Neurosci. Biobehav. Rev.* 23: 591-613, 1999

Miller, E.K., Cohen, J.D.:  
An integrative theory of prefrontal cortex function.  
*Annu. Rev. Neurosci.* 24: 167-202, 2001

Molewijk, H.E., van der Poel, A.M., Olivier, B.:  
The ambivalent behaviour “stretched approach posture” in the rat as a paradigm to  
characterize anxiolytic drugs.  
*Psychopharmacol.* 121: 81-90, 1995

Molina-Hernandez, M., Tellez-Alcantara, P., Perez-Garcia, J.:  
Isolation rearing induced fear-like behavior without affecting learning abilities of Wistar  
rats.  
*Prog. Neuropsychopharmacol. Biol. Psychiatry.* 25: 1111-1123, 2001

Möller C., Wiklund, L., Thorsell, A., Hytia, P., Heilig, M.:  
Decreased measures of experimental anxiety in rats bred for high alcohol preference.  
*Alcohol. Clin. Exp. Res.* 21: 656-660, 1997

Montgomery, S.A.:

The relation between fear induced by novel stimulation and exploratory behaviour,  
*J. Comp. Physio. Psychol.* 48: 254-260, 1955

Morato, G.S., Ferreira, V.M., Ferrara, P., Farges, R.C.:

Effects of central and systemic injections of peripheral benzodiazepine receptor ligands on the anxiolytic actions of ethanol in rats.

*Addict. Biol.* 6: 129-136, 2001

Morrison C.F., Stephenson J.A.:

Drug effects on a measure of unconditioned avoidance in the rat.

*Psychopharmacologia.* 18: 133-143, 1970

Morrow, B.A., Elsworth, J.D., Inglis, F.M., Roth, R.H.:

An antisense oligonucleotide reverses the footshock-induced expression of Fos in the rat medial prefrontal cortex and in the subsequent expression of conditioned fear-induced immobility.

*J. Neurosci.* 19: 5666-5673, 1999

Murphy, J.M., McBride, W.J., Lumeng, L., Li, T.-K.:

Contents of monoamines in forebrain regions of alcohol-preferring (P) and –nonpreferring (NP) lines of rats.

*Pharmacol. Biochem. Behav.* 26: 389-392, 1987

Myers R.D., Veale W.L.:

Alcohol preference in the rat: reduction following depletion of serotonin.

*Science* 160: 1569-1471, 1968

Nakajima, M., Kato, J., Kohgo, Y., Katsuki, S., Inui, N., Ohya, M., Takeichi, N., Niitu, Y.:

Abnormal ethanol metabolism in Long-Evans Cinnamon rats, a mutant strain developing spontaneous hepatoma.

*Alcohol. Alcohol. Suppl.* 1B: 105-108, 1993

Nutt, D.:

Alcohol and the brain.

*Br. J. Psychiatry* 175: 114-119, 1999

Nutt, D.J.:

Overview of diagnosis and drug treatments of anxiety disorders.

*CNS Spectr.* 10: 49-56, 2005

Olivier, B., van Wijngaarden, I., Soudijn, W.:

5-HT(3) receptor antagonists and anxiety: a preclinical and clinical review.

*Eur. Neuropsychopharmacol.* 10: 77-95, 2000

Overstreet, D.H., Rezvani, A.H., Parsian, A.:

Behavioural features of Alcohol-Preferring rats: Focus on inbred strains.

*Alcohol. Alcohol.* 34: 378-385, 1999

- Pandey, S.C.:  
Neuronal signaling systems and ethanol dependence.  
*Mol. Neurobiol.* 17: 1-15, 1998
- Paxinos, G., Watson, C.:  
The rat brain stereotaxic coordinates.  
Academic Press, Orlando, 1997
- Pellow, S., Chopin, P., File, S.E., Briley, M.:  
Validation of open:closed arm entries in an elevated plus-maze as a measure of anxiety in the rat.  
*J. Neurosci. Methods* 14: 149-167, 1985
- Pettinati, H.M.:  
Use of serotonin selective pharmacotherapy in the treatment of alcohol dependence.  
*Alcohol. Clin. Exp. Res.* 20 (Suppl. 7): 23A-29A, 1996
- Pohorecky, L.:  
Biphasic action of ethanol.  
*Biobehav. Rev.* 1: 231-240, 1977
- Pohorecky, L.A.:  
Stress and alcohol interaction: An update of human research.  
*Alcohol. Clin. Exp. Res.* 15: 438-495, 1991
- Portas, C., Devoto, P., Gessa, G. .  
Effect of ethanol on extracellular 5-hydroxytryptamine output in rat frontal cortex.  
*Eur. J. Pharmacol.* 270: 123-125, 1994
- Prescott, C.A., Kendler, K.S.:  
Age at first drink and risk for alcoholism: a noncausal association.  
*Alcohol Clin Exp Res.* 23: 101-7, 1999
- Prunell, M., Escorihuela, R.M., Fernandez-Teruel, A., Nunez, J.F., Tobena, A.:  
Anxiolytic profiles of alprazolam and ethanol in the elevated plus-maze test and the early acquisition of shuttlebox avoidance.  
*Pharmacol. Res.* 29: 37-46, 1994
- Quitkin, F.M., Rifkin, A., Kaplan, J., Klein, D.F.:  
Phobic anxiety syndrome complicated by drug dependence and addiction – treatable form of drug abuse.  
*Arch. Gen. Psych.* 27: 159-162, 1972
- Ramos, A., Berton, O., Morméde, P., Chaouloff, F.:  
A multiple-test study of anxiety-related behaviours in six inbred rat strains.  
*Behav. Brain Res.* 85: 57-69, 1997

Rapport, M.M., Green, A.A., Page, I.H.:  
Partial purification of the vasoconstrictor in beef serum.  
*J. Biol. Chem.* 174: 735-741, 1948

Rapport, M.M.:  
Serum vasoconstrictor (serotonin). V. The presence of creatinine in the complex:  
A proposed structure of the vasoconstrictor principle.  
*J. Biol. Chem.* 180: 961-969, 1949

Rex, A., Marsden, C.A., Fink, H.:  
Effect of diazepam on cortical 5-HT release and behaviour in the guinea-pig on exposure  
to the elevated plus maze.  
*Psychopharmacology* 110: 490-496, 1993

Rex, A., Sondern, U., Voigt, J.P., Franck, S., Fink, H.:  
Strain differences in fear-motivated behavior of rats.  
*Pharmacol. Biochem. Behav.* 54: 107-111, 1996

Rex, A., Marsden, C.A., Fink, H.:  
Cortical 5-HT-CCK interactions and anxiety-related behaviour of guinea-pigs: a  
microdialysis study.  
*Neurosci. Lett.* 228: 79-82, 1997

Rex, A., Voigt, J.P., Fink, H.:  
Behavioural and neurochemical differences between Fischer 344 and Harlan-Wistar rats  
raised identically.  
*Behav. Genet.* 29: 187-192, 1999

Rex, A., Voigt, J.P., Fink, H.:  
Anxiety but not general unspecific activation increases 5-HT release in the rat  
hippocampus *in vivo*.  
In: *Monitoring Molecules in Neuroscience-2001* W.T. O'Connor, J.P. Lowry, J.J.  
O'Connor, R.D. O'Neill (Hrsg.), Dublin: University College Dublin, 2001, pp. 168-169

Robbins, T.W.:  
From arousal to cognition: the integrative position of the prefrontal cortex.  
*Prog. Brain Res.* 126: 469-438, 2000

Rodd, Z.A., Bell, R.L., Mc Kinzie, D.L., Webster, A.A., Murphy, J.M., Lumeng, L., Li,  
T.-K., Mc Bride, W.J.:  
Low-dose stimulatory effects of ethanol during adolescence in rat lines selectively bred  
for high alcohol intake.  
*Alcohol. Clin. Exp. Res.* 28: 535-543, 2004

Rodgers, R.J., Cole, J.C.:  
The elevated plus-maze: pharmacology, methodology and ethology.  
In: *Ethology and Psychopharmacology*, S.J. Cooper, C.A. Hendrie (Hrsg.), John Wiley &  
Sons Ltd., 1994, S. 9-44

- Rodgers, R.J.:  
Animal models of ‘anxiety’: where next ?  
*Behav. Pharmacol.* 8: 477-496, 1997
- Ross, G.D.:  
Structure and function of membran complement receptors.  
*Fed. Proc.* 41: 3089-3093, 1982
- Roy, V., Chapillon, P.:  
Further evidences that risk assessment and object exploration behaviours are useful to evaluate emotional reactivity in rodents.  
*Behav. Brain Res.* 154: 439-448, 2004
- Sartre, J. P.:  
Das Sein und das Nichts. Versuch einer phänomenologischen Ontologie.  
Rowohlt, Reinbek, 1962
- Schmitt, U., Hiemke, C.:  
Strain difference in open-field and elevated plus-maze behavior of rats without and with pretest handling.  
*Pharmacol. Biochem. Behav.* 59: 807-811, 1998
- Schneider, U., Altmann, A., Baumann, M, Bernzen, J., Bertz, B., Bimber, U.:  
Comorbid anxiety and affective disorder in alcohol-dependent patients seeking treatment:  
the first multicentre study in Germany.  
*Alcohol. Alc.* 36: 219-233, 2001
- Schuckit, M.A., Hesselbrock, V.:  
Alcohol Dependence and Anxiety Disorders: What is the Relationship ?  
*Am. J. Psychiatry* 151: 1723-1734, 1994
- Schuckit, M.A., Hesselbrock, V.:  
Reply to MG Kushner: relationship between alcohol problems and anxiety disorders.  
*Am. J. Psychiatry* 153: 140, 1996
- Schuckit, M.A., Smith, T.L.:  
An 8-year follow-up of 450 sons of alcoholic and control subjects.  
*Arch Gen Psychiatry* 53: 202-210, 1996
- Schreckenberger, M., Amberg, R., Scheurich, A., Lochmann, M., Tichy, W., Klega, A., Siessmeier, T., Grunder, G., Buchholz, H.G.:  
Acute alcohol effects on neuronal and attentional processing: striatal reward system and inhibitory sensory interactions under acute ethanol challenge.  
*Neuropsychopharmacology* 29: 1527-1537, 2004
- Schwarting, R. K.W., Thiel, C. M., Müller, C. P., Huston, J. P.:  
Relationship between anxiety and serotonin in the ventral striatum.  
*Neuro.Report.* 9: 1025-1029, 1998

- Selim, M., Bradberry, C.:  
Effect of ethanol on extracellular 5-HT and glutamate in the nucleus accumbens and prefrontal cortex: comparison between the Lewis and Fischer 344 rat strains.  
*Brain Res.* 716: 157-164, 1996
- Sellers, E. M., Higgins, G.A., Sobell, M.B.:  
5HT and alcohol abuse.  
*Trends Pharmacol. Sci.* 13: 69-75, 1992
- Sellers, E.M., Toneatto, T., Romach, M.K., Somer, G.R., Sobell, L.C., Sobell, M.B.:  
Clinical efficacy of the 5-HT3 antagonist ondansetron in alcohol abuse and dependence.  
*Alcohol. Clin. Exp. Res.* 18: 879-885, 1994
- Shah, A.A., Treit, D.:  
Excitotoxic lesions of the medial prefrontal cortex attenuate fear responses in the elevated-plus maze, social interaction and shock probe burying tests.  
*Brain Res.* 969: 183-194, 2003
- Snyder, S. H.:  
Chemie der Psyche, Drogenwirkungen im Gehirn  
Spektrum Akademischer Verlag Heidelberg, Berlin, Oxford, 1994
- Some, M., Beck, O., Helander, A.:  
Acute interaction between ethanol and serotonin metabolism in the rat.  
*Life Sci.* 61: 577-583, 1997
- Spanagel, R., Montkowski, A., Allingham K.:  
Anxiety: a potential predictor of vulnerability to the initiation of ethanol self-administration in rats.  
*Psychopharmacology* 122: 369-373, 1995
- Spanagel, R., Höltner, S.M.:  
Pharmacological validation of a new animal model of alcoholism.  
*J. Neural. Transm.* 107: 669-80, 2000
- Stein, L., Belluzzi, J.D., Wise, C.D.:  
Benzodiazepines: behavioral and neurochemical mechanisms.  
*Am. J. Psychiatry.* 134: 665-669, 1977
- Steinbusch, H.W.M.:  
Distribution of serotonin-immunoreactivity in the central nervous system of the rat-cell bodies and terminales.  
*Neuroscience* 6: 557-618, 1981
- Stewart, R.B., Gatto, G.J., Lumeng, L., Li, T.-K., Murphy, J.M.  
Comparison of alcohol-preferring (P) and nonpreferring (NP) rats on tests of anxiety and for the anxiolytic effects of ethanol.  
*Alcohol.* 10: 1-10, 1993

Stöhr, T., Szuran, T., Welzl, H., Pliska, V., Feldon, J., Pryce, C.:  
Lewis/Fischer rat strain differences in endocrine and behavioural responses to  
environmental challenge.  
*Pharmacol. Biochem. Behav.* 67: 809-819, 2000

Sudakov, S.K., Medvedeva, O.F., Rusakova, I.V., Terebilina, N.N., Goldberg, S.R.:  
Differences in genetic predisposition to high anxiety in two inbred rat strains: role of  
substance P, diazepam binding inhibitor fragment and neuropeptide Y.  
*Psychopharmacology (Berl.)* 154: 327-335, 2001

Sullivan, E.V., Marsh, L., Mathalon, D.H., Lim, K.O., Pfefferbaum, A.:  
Anterior hippocampal volume deficits in nonamnesic, aging chronic alcoholics.  
*Alcohol Clin Exp Res.* 19: 110-22, 1995

Tabakoff, B., Hoffman, P.L.:  
Animal models in alcohol research.  
*Alcohol. Res. Health.* 24: 77-84, 2000

Thielen, R.J., Morzorati, S.L., McBride, W.J.:  
Effects of ethanol on the dorsal raphe nucleus and its projections to the caudate putamen.  
*Alcohol.* 23: 131-139, 2001

Thyer, B.A., Parrish, R.T., Himle, J., Cameron, O.G., Curtis, G.C., Nesse, R.M.:  
Alcohol abuse among clinically anxious patients.  
*Behav. Res. Ther.* 24: 357-359, 1986

Thomas, H.:  
Verhaltens- und neurochemische Untersuchungen nach Läsionen des medianen und  
dorsalen Raphekerns der Ratte.  
Dissertation, Journal Nr. 2420, Berlin 2000

Tillfors, M., Furmark, T., Marteinsdottir, I., Fredrikson, M.:  
Cerebral blood flow during anticipation of public speaking in social phobia: a PET study.  
*Biol. Psychiatry.* 52: 1113-1119, 2002

Tossman, U., Ungerstedt, U.:  
Microdialysis in the study of extracellular levels of amino acids in the rat brain.  
*Acta Physiol. Scand.* 128: 9-14, 1986

Traber, J., Glaser, T.:  
5-HT1A receptor-related anxiolytics.  
*Trends Pharmacol. Sci.* 8: 432-437, 1987

Tran, Y., Craig, A., Bartrop, R., Nicholson, G. :  
Time course and regional distribution of cortical changes during acute alcohol ingestion.  
*Int. J. Neurosci.* 114: 863-878, 2004

Treit, D.:

Animal models for the study of anti-anxiety agents: a review.  
*Neurosc. Biobeh. Reviews* 9: 203-222, 1985

Treit D., Menard, J., Royan C.:

Anxiogenic stimuli in the elevated plus-maze.  
*Pharmacol Biochem Behav.* 44: 463-9, 1993

Treit, D.; Menard, J.:

Animal models of anxiety and depression.

In: *Neuromethods (34): In Vivo Neuromethods*. Boulton, A.A., Baker, G.B., Bateson, A.N. (Hrsg.) Humana Press Inc., Totowa, New Jersey, 1998, pp. 89-148

Tuominen, K., Hilakivi, L.A., Päiväranta, P., Korpi, E.R.:

Behavior of alcohol-preferring AA and alcohol-avoiding ANA rat lines in tests of anxiety and aggression.

*Alcohol.* 7: 349-353, 1990

Twarog, B.M., Page, I.H.:

Serotonin content of some mammalian tissues and urine and a method for its determination.

*Am. J. Physiol.* 175: 157-161, 1953

Varlinskaya, E.I., Spear, L.P.:

Acute effects of ethanol on social behavior of adolescent and adult rats: role of familiarity of the test situation.

*Alcohol. Clin. Exp. Res.* 26: 1502-1511, 2002

Viglinskaya, I.V., Overstreet, D.H., Kashevskaya, O.P., Badishtov, B.A., Kampov-Polevoy, A.B., Seredenin, S.B., Halikas, J.A.:

To drink or not to drink: tests of anxiety and immobility in alcohol-preferring and alcohol-non-preferring rat strains.

*Physiol. Behav.* 57: 937-941, 1995

Virkkunen, M., Linnoila, M.:

Serotonin in early onset, male alcoholics with violent behavior.

*Ann. Med.* 22: 327-331, 1990

Virkkunen, M., Goldman, D., Nielsen, D.A., Linnoila, M.:

Low brain serotonin turnover rate (low CSF 5-HIAA) and impulsive violence.

*J. Psychiatry. Neurosci.* 20: 271-275, 1995

Vogel, J.R., Beer, B., Clody, D.E.:

A simple and reliable conflict procedure for testing anti-anxiety agents.

*Psychopharmacologia* 21: 1-7, 1971

Wall, P.M., Messier, C.:

Methodological and conceptual issues in the use of the elevated plus-maze as a psychological measurement instrument of animal anxiety-like behavior.

*Neurosci. Biobehav. Rev.* 25: 275-286, 2001

Weiss, S.M., Wadsworth, G., Fletcher, A., Dourish, C.T.:

Utility of ethological analysis to overcome locomotor confounds in elevated maze models of anxiety.

*Neurosci. Biobehav. Rev.* 23: 265-271, 1998

Wheatley, D.:

Buspirone: multicenter efficacy study.

*J. Clin. Psychiat.* 43: 92-94, 1982

Wiedemann, G.:

Angsterkrankungen

In: *Frontalhirn, Funktionen und Erkrankungen*. Förstl, H. (Hrsg.), Springer-Verlag Berlin, Heidelberg, 2002, pp. 242-272

Wiesbeck, G.A., Weijers, H.G., Böning, J.:

Untersuchung zur klinischen Gültigkeit der Typ1/Typ2-Differenzierung nach Cloninger bei alkoholabhängigen Männern.

*Suchtmedizin* 1: 27-32, 1999

Wise, C.D., Berger, B.D., Stein, L.:

Benzodiazepines: anxiety-reducing activity by reduction of serotonin turnover in the rat brain.

*Science* 177: 180-183, 1972

Wise, R.A., Bozarth, M.A.:

A psychomotor stimulant theory of addiction.

*Psychol. Rev.* 94: 469-492, 1987

Wittchen, H.U., Jacobi, F.:

Gesundheitsberichterstattung des Bundes, Heft 21, Angststörungen , Robert Koch-Institut Berlin (Hrsg.), Oktoberdruck, Berlin, Mai 2004

Wittchen, H.U., Müller, N., Pfister, H., Winter, S., Schmidtkunz, B.:

Affektive, somatoforme und Angststörungen in Deutschland – Erste Ergebnisse des bundesweiten Zusatzsurveys „Psychische Störungen“.

*Das Gesundheitswesen* 61 (Sonderheft 2): 216-222, 1999

Wong, D.T., Threlkeld, P.K., Lumeng, L., Li, T.-K.:

Higher density of serotonin-1A receptors in the hippocampus and cerebral cortex of alcohol-preferring P rats.

*Life Sci.* 46: 231-235, 1990

Wolfgramm, J., Heyne, A.:

From controlled drug intake to loss of control: the irreversible development of drug addiction in the rat.

*Behav. Brain Res.* 70: 77-94, 1995

Wolfgramm, J.: Die Bedeutung der Grundlagenforschung für die Behandlung von Abhängigen. In: *Sucht. Grundlagen, Diagnostik, Therapie*. Mann, Buchkremer (Hrsg.), Fischer-Verlag, Stuttgart, Jena, 1996, pp. 3-18

Wolfgramm, J.:

Verhaltensbiologische Grundlagen der Suchtentstehung im Tiermodell

In *Suchtforschung heute*, Bundesministerium für Bildung und Forschung (Hrsg.), Klartext, Stuttgart, Juni 2003, pp. 2-3

World Health Organisation:

The ICD-10 Classification of Mental and Behavioural Disorders

World Health Organisation (Hrsg.), Genf, 1992

World Health Organisation:

The World health report: 2001: Mental health: new understanding, new hope.

World Health Organisation (Hrsg.), Genf, 2001

Yan, Q.-S.:

Extracellular dopamine and serotonin after ethanol monitored with 5-minute microdialysis.

*Alcohol.* 19: 1-7, 1999

Yoshimoto, K.; McBride, W.J.; Lumeng, L.; Li, T.-K.:

Alcohol stimulates the release of dopamine and serotonin in the nucleus accumbens.

*Alcohol.* 9: 17-22, 1991

Yoshimoto, K.; McBride, W.J.; Lumeng, L.; Li, T.-K.:

Ethanol enhances the release of dopamine and serotonin in the nucleus accumbens of HAD and ILAD lines of rats.

*Alcohol. Clin. Exp. Res.* 16: 781-785, 1992

Yoshimoto, K.; Komura, S.; Kawamura, K.:

Occurrence *in vivo* of 5-Hydroxytryptophol in the brain of rats treated with ethanol.

*Alcohol. Alcohol.* 27: 131-136, 1992

Yoshimoto, K., Ueda, S., Kato, B., Takeuchi, Y., Kawai, Y., Noritake, K., Yasuhura, M.: Alcohol enhances characteristic releases of dopamine and serotonin in the central nucleus of the amygdala.

*Neurochem. Int.* 37: 369-376, 2000

Yoshioka, M., Matsumoto, M., Togashi, H., Saito, H.:

Effects of conditioned fear stress on 5-HT release in the rat prefrontal cortex.

*Pharmacol. Biochem. Beh.* 51: 515-519, 1995

Zhou, F.C., Bledsoe, S.; Lumeng, L., Li, T.-K.:  
Immunostained serotonergic fibers are decreased in selected brain regions of alcohol-preferring rats.  
*Alcohol.* 8: 425-431, 1991

Zhou, F.C., Pu, C.F., Murphy, J., Lumeng, L., Li, T.-K.:  
Serotonergic neurons in the forebrain of alcohol preferring rats.  
*Alcohol.* 11: 397-403, 1994

Zhou, F.C., Bledsoe, S.; Lumeng, L., Li, T.-K.:  
Reduced serotonergic immunoreactive fibers in the forebrain of alcohol-preferring rats.  
*Alcohol. Clin. Exp. Res.* 18: 571-579, 1994

Zohar, J.; Westenberg, H.G.M.:  
Anxiety disorders: a review of tricyclic antidepressants and selective serotonin reuptake inhibitors  
*Acta Psychiatr. Scand.* 101 (Suppl. 403): 39-49, 2000