

5 Reference

- Abdel-Monem, M., and Hoffmann-Berling, H. (1976) Enzymatic unwinding of DNA: purification and characterization of a DNA-dependent ATPase from *Escherichia coli*. *Eur. J. Biochem.* **65**, 431-440.
- Abrahams, J. P., Leslie, A. G. W., Lutter, R., and Walker, J. E. (1994). Structure at 2.8 Å resolution of F1-ATPase from bovine heart mitochondria. *Nature* **370**, 621-628.
- Arai, K., and Kornberg, A. (1981) Mechanism of dnaB protein action. III. Allosteric role of ATP in the alteration of DNA structure by dnaB protein in priming replication. *J. Biol. Chem.* **256**, 5260-5266.
- Arai, N., Arai, K., and Kornberg, A. (1981) Complexes of Rep protein with ATP and DNA as a basis for helicase action. *J. Biol. Chem.* **256**, 5287-5293.
- Austin, C. A., Patel, S., Ono, K., Nakane, H., and Fisher, L. M. (1992) Site-specific DNA cleavage by mammalian DNA topoisomerase II induced by novel flavone and catechin derivatives. *Biochem. J.* **282**, 883-889.
- Bárcena, M. (2000) Structural Analysis of the Quaternary Polymorphism in Replicative Helicases and of the DnaB· DnaC Complex of *Escherichia coli*. PhD thesis, Universidad Autónoma de Madrid, Madrid.
- Behlke, J., Ristau, O., and Knespel, A. (1994) *Prog. Collid Polym. Sci.* **99**, 63-68.
- Behlke, J., Ristau, O., and Marg, A. (1995) *Prog. Collid Polym. Sci.* **94**, 40-45.
- Behlke, J., Ristau, O., and Schönfeld, H.-J. (1997) Nucleotide-dependent complex formation between the *Escherichia coli* chaperonins GroEL and GroES studied under equilibrium conditions. *Biochemistry* **36**, 5149-5156.
- Biswas, E. E., Biswas, S. B., and Bishop, J. E. (1986) The *dnaB* protein of *Escherichia coli*: mechanism of nucleotide binding, hydrolysis, and modulation by *dnaC* protein. *Biochemistry* **25**, 7368-7374.
- Biswas, E. E., and Biswas, S. B. (1999). Mechanism of DNA binding by the DnaB helicase of *Escherichia coli*: analysis of the roles of domain gamma in DNA binding. *Biochemistry* **38**, 10929-10939.
- Böttcher, C., Ludwig, K., Herrmann, A., van Heel, M., and Stark, H. (1999) Structure of influenza haemagglutinin at neutral and at fusogenic pH by electron cryo-microscopy. *FEBS Lett.* **463**, 255-259.

-
- Bogden, C. E., Fass, D., Bergman, N., Nichols, M. D., and Berger, J. M. (1999) The structural basis for terminator recognition by the Rho transcription termination factor. *Mol. Cell.* **3**, 487-493.
 - Bowles, J. T. (1998) The evolution of aging: a new approach to an old problem of biology. *Med. Hypotheses* **51**, 179-221.
 - Boyer, P. D. (1997) The ATP synthase--a splendid molecular machine. *Annu. Rev. Biochem.* **66**, 717-749.
 - Brünger, A. T. (1992) The free R value: A novel statistical quantity for accessing the accuracy of crystal structures. *Nature* **355**, 472-474.
 - Brünger, A. T., Adams, P. D., Clore, G. M., DeLano, W. L., Gros, P., Grosse-Kunstleve, R. W., Jiang, J. S., Kuszewski, J., Nilges, M., Pannu, N. S., Read, R. J., Rice, L. M., Simonson, T. and Warren, G. L. (1998) Crystallography & NMR system: A new software suite for macromolecular structure determination. *Acta Cryst.* **D54**, 905-921.
 - Bujalowski, W., and Klonowska, M. M. (1993) Negative cooperativity in the binding of nucleotides to Escherichia coli replicative helicase DnaB protein. Interactions with fluorescent nucleotide analogs. *Biochemistry* **32**, 5888-5900.
 - Bujalowski, W., and Klonowska, M. M. (1994) Close proximity of tryptophan residues and ATP-binding site in Escherichia coli primary replicative helicase DnaB protein. Molecular topography of the enzyme. *J. Biol. Chem.* **269**, 31359-31371.
 - Bujalowski, W., and Klonowska, M. M. (1994) Structural characteristics of the nucleotide-binding site of Escherichia coli primary replicative helicase DnaB protein. Studies with ribose and base-modified fluorescent nucleotide analogs. *Biochemistry* **33**, 4682-4694.
 - Bujalowski, W., and Jezewska, M. J. (1995) Interactions of Escherichia coli primary replicative helicase DnaB protein with single-stranded DNA. The nucleic acid does not wrap around the protein hexamer. *Biochemistry* **34**, 8513-8519.
 - Carl, P. L. (1970) Escherichia coli mutants with temperature-sensitive synthesis of DNA. *Mol.Gen.Genet.* **109**, 107-122.

- Cheng, K., and Koland, J. G. (1996) Nucleotide binding by the epidermal growth factor receptor protein-tyrosine kinase. Trinitrophenyl-ATP as a spectroscopic probe. *J. Biol. Chem.* **271**, 311-318.
- Crowther, R. A. (1972) in "The Molecular Replacement Method". Ed. Rossmann, M.G., Gordon & Breach, New York, pp. 173-178.
- Crute, J. J., Mocarski, E. S., and Lehman, I. R. (1988) A DNA helicase induced by herpes simplex virus type 1. *Nucleic Acids Res.* **16**, 6585-6596.
- Das, R. H., Yarranton, G. T., and Gefter, M. L. (1980) Enzyme-catalyzed DNA unwinding. The role of ATP in helicase III activity. *J. Biol. Chem.* **255**, 8069-8073.
- Dean, F. B., Dodson, M., Echols, H., and Hurwitz, J. (1987) ATP-dependent formation of a specialized nucleoprotein structure by simian virus 40 (SV40) large tumor antigen at the SV40 replication origin. *Proc. Natl. Acad. Sci. USA* **84**, 8981-8985.
- Dean, F. B., Borowiec, J. A., Eki, T. and Hurwitz, J. (1992) The simian virus 40 T antigen double hexamer assembles around the DNA at the replication origin. *J. Biol. Chem.* **267**, 14129-14137.
- Driessen, H. P. C., Bax, B., Slingsby, C., Lindley, P. F., Mahadevan, D., Moss, D. S., and Tickle, I. J. (1991) Structure of oligomeric b₂-crystallin - an application of the T2 translation function to an asymmetric unit containing 2 dimers. *Acta Crystallogr.* **B47**, 987-997.
- Eftink, M. R., and Ghiron, C. A. (1981) Fluorescence quenching studies with proteins. *Anal. Biochem.* **114**, 199-227.
- Eftink, M. R. (1997) Fluorescence methods for studying equilibrium macromolecule-ligand interactions. *Methods Enzymol.* **278**, 221-257.
- Egelman, E. H., Yu, X., Wild, R., Hingorani, M. M. and Patel, S. S. (1995) Bacteriophage T7 helicase/primase proteins form rings around single-stranded DNA that suggest a general structure for hexameric helicases. *Proc. Natl. Acad. Sci. USA* **92**, 3869-3873.
- Egelman, E. H. (1996) Homomorphous hexameric helicases: tales from the ring cycle. *Structure* **4**, 759-762.

-
- Friedberg, E. C. (1992) Xeroderma pigmentosum, Cockayne's syndrome, helicases, and DNA repair: what's the relationship? *Cell* **71**, 887-889.
 - Geiselman, J., and von Hippel, P. H. (1992) Functional interactions of ligand cofactors with Escherichia coli transcription termination factor rho. I. Binding of ATP. *Protein Science* **1**, 850-860.
 - Geiselman, J., Yager, T. D., Gill, S. C., Calmettes, P., and von Hippel, P. H. (1992a) Physical properties of the Escherichia coli transcription termination factor rho. 1. Association states and geometry of the rho hexamer. *Biochemistry* **31**, 111-121.
 - Geiselman, J., Yager, T. D., and von Hippel, P. H. (1992b) Functional interactions of ligand cofactors with Escherichia coli transcription termination factor rho. II. Binding of RNA. *Protein Science* **1**, 861-873.
 - Gogol, E. P., Seifried, S. E., and von Hippel, P. H. (1991) Structure and assembly of the Escherichia coli transcription termination factor rho and its interaction with RNA. I. Cryoelectron microscopic studies. *J. Mol. Biol.* **221**, 1127-38.
 - Gorbalenya, A. E., and Koonin, E. V. (1993) Helicases - amino-acid-sequence comparisons and structure-function-relationships. *Curr. Opin. Struct. Biol.* **3**, 419-429.
 - Halfman, C. J., and Nishida, T. (1972) Method for measuring the binding of small molecules to proteins from binding-induced alterations of physical-chemical properties. *Biochemistry* **11**, 3493-3498.
 - Hanawalt, P. C. (1994) Transcription-coupled repair and human disease. *Science* **266**, 1957-1958.
 - Hendrickson, W. A. (1985). Analysis of Protein Structure from Diffraction Measurement at Multiple Wavelengths. *Trans. ACA* Vol **21**.
 - Hill, T. L., and Tsuchiya, T. (1981) Theoretical aspects of translocation on DNA: adenosine triphosphatases and treadmilling binding proteins. *Proc. Natl. Acad. sci. USA* **78**, 4796-4800.
 - Hingorani, M. M., and Patel, S. S. (1993) Interactions of bacteriophage T7 DNA primase/helicase protein with single-stranded and double-stranded DNAs. *Biochemistry* **32**, 12478-12487.

- Hingorani, M. M., and Patel, S. S. (1996) Cooperative interactions of nucleotide ligands are linked to oligomerization and DNA binding in bacteriophage T7 gene 4 helicases. *Biochemistry* **35**, 2218-2228.
- Hingorani, M. M., Washington, M. T., Moore, K. C., and Patel, S. S. (1997) The dTTPase mechanism of T7 DNA helicase resembles the binding change mechanism of the F1-ATPase. *Proc. Natl. Acad. Sci. USA* **94**, 5012-5017.
- Hiratsuka, T., and Uchida, K. (1973) Preparation and properties of 2'(or 3')-O-(2,4,6 trinitrophenyl) adenosine 5'-triphosphate, an analog of adenosine triphosphate. *Biochim. Biophys. Acta* **320**, 635-647.
- Huber, R. (1965) Die automatisierte Faltemolekulemethode. *Acta Crystallogr.* **19**, 353-356.
- Ilyina, T. V., Gorbalenya, A. E., and Koonin, E. V. (1992) Organization and evolution of bacterial and bacteriophage primase-helicase systems. *J. Mol. Evol.* **34**, 351-357.
- Jezewska, M. J., Kim, U. S., and Bujalowski, W. (1996) Binding of Escherichia coli primary replicative helicase DnaB protein to single-stranded DNA. Long-range allosteric conformational changes within the protein hexamer. *Biochemistry* **35**, 2129-2145.
- Jezewska, M. J., and Bujalowski, W. (1996) Global conformational transitions in Escherichia coli primary replicative helicase DnaB protein induced by ATP, ADP, and single-stranded DNA binding. *J. Biol. Chem.* **271**, 4261-4265.
- Jezewska, M. J., Rajendran, S., Bujalowska, D. and Bujalowski, W. (1998a) Does single-stranded DNA pass through the inner channel of the protein hexamer in the complex with the Escherichia coli DnaB Helicase? Fluorescence energy transfer studies. *J. Biol. Chem.* **273**, 10515-10529.
- Jezewska, M. J., Rajendran, S. and Bujalowski, W. (1998b) Functional and structural heterogeneity of the DNA binding site of the Escherichia coli primary replicative helicase DnaB protein. *J. Biol. Chem.* **273**, 9058-9069.
- Kim, D. E., Shigesada, K., and Patel, S. S. (1999) Transcription termination factor Rho contains three noncatalytic nucleotide binding sites. *J. Biol. Chem.* **274**, 11623-11628.

- Kraft, C., Diehl, A., Lättig, S., Behlke, J., Heinemann, U., Pon, C. L., Gualeizi, H., and Welfle, H. (2000) Interaction of fMet-tRNA(fMet) with the C-terminal domain of translational initiation factor IF2 from *Bacillus stearothermophilus*. *FEBS Letters* **471**, 128-132.
- Ladner, R. C., Heidner, E. J., Perutz, M. F. (1977) The structure of horse methaemoglobin at 2.0 Å resolution. *J. Mol. Biol.* **114**, 385-414.
- Lang, B. (1971) Inaugural-Dissertation zur Erlangung der Doktorwürde im Fachbereich Pharmazie der Freien Universität Berlin.
- Lanka, E., Mikolajczyk, M., Schlicht, M. and Schuster, H. (1978) Association of the prophage P1 Ban protein with the DnaB protein. *J. Biol. Chem.* **253**, 4746-4753.
- Lanzetta, P. A., Alvarez, L. J., Reinach, P. S., and Candia, O. A. (1979) An improved assay for nanomole amounts of inorganic phosphate. *Anal. Biochem.* **100**, 95-97.
- Lattman, E. E. and Love W. E. (1969) A rotational search procedure for detecting a known molecule in a crystal. *Acta Crystallogr.* **B26**, 1854-1857.
- Liu, C. C., and Alberts, B. M. (1981) Characterization of the DNA-dependent GTPase activity of T4 gene 41 protein, an essential component of the T4 bacteriophage DNA replication apparatus. *J. Biol. Chem.* **256**, 2813-2820.
- Lohman, T. M. (1986) Kinetics of protein-nucleic acid interactions: use of salt effects to probe mechanisms of interaction. *CRC Crit. Rev. Biochem.* **19**, 191-245.
- Lohman, T. M. (1992) *Escherichia coli* DNA helicase: mechanisms of DNA unwinding. *Mol. Microbiol.* **6**, 5-14.
- Lohman, T. M., and Mascotti, D. P. (1992) Thermodynamics of ligand-nucleic acid interactions. *Methods Enzymol.* **212**, 400-424.
- Lohman, T. M., and Bjornson, K. P. (1996) Mechanisms of helicase-catalyzed DNA unwinding. *Annu. Rev. Biochem.* **65**, 169-214.
- Mariani, K. J. (2000) Crawling and wiggling on DNA: structural insights to the mechanism of DNA unwinding by helicases. *Structure Fold Des.* **8**, R227-235.
- Magde, D., Elson, E. L., and Webb, W. W. (1974) Fluorescence correlation spectroscopy. II. An experimental realization. *Biopolymers* **13**, 29-61.
- Marrione, P. E., and Cox, M. M. (1995) RuvB protein-mediated ATP hydrolysis: functional asymmetry in the RuvB hexamer. *Biochemistry* **34**, 9809-9818.

-
- Marrione, P. E., and Cox, M. M. (1996) Allosteric effects of RuvA protein, ATP, and DNA on RuvB protein-mediated hydrolysis. *Biochemistry* **35**, 11228-11238.
 - Mas, M. T., and Colman, R. F. (1985) Spectroscopic studies of the interactions of coenzymes and coenzyme fragments with pig heart, oxidized triphosphopyridine nucleotide specific isocitrate dehydrogenase. *Biochemistry* **24**, 1634-1646.
 - Mastrangelo, I. A., Hough, P. V., Wall, J. S., Dodson, M., Dean, F. B., and Hurwitz, J. (1989) ATP-dependent assembly of double hexamers of SV40 T antigen at the viral origin of DNA replication. *Nature* **338**, 658-662.
 - Matson, S. W., and Kaiser-Rogers, K. A. (1990) DNA helicases. *Annu. Rev. Biochem.* **59**, 289-329.
 - Matthews, B. W. (1968) Solvent content of protein crystals. *J. Mol. Biol.* **33**, 491-497.
 - McPherson, M. J., Quirke, P. and Taylor, G. R., eds (1992) *PCR: A Practical Approach*. (IRL, Oxford), pp. 207-209.
 - Menetski, J. P. and Kowalczykowski, S. C. (1985) Interaction of recA protein with single-stranded DNA. Quantitative aspects of binding affinity modulation by nucleotide cofactors. *J. Mol. Biol.* **181**, 281-295.
 - Meseth, U., Wohland, T., Rigler, R. and Vogel, H. (1999) Resolution of fluorescence correlation measurements. *Biophys. J.* **76**, 1619-1631.
 - Meyer-Almes, F. J., Wyzgoll, K., and Powell, M. J. (1998) Mechanism of the alpha-complementation reaction of E. coli beta-galactosidase deduced from fluorescence correlation spectroscopy measurements. *Biophys. Chem.* **75**, 151-160.
 - Middleton, E. Jr., and Kandaswami, C. (1993) *The Flavonoids: Advances in Research Since 1986* (Eds. Harborne JH and Liss AR), pp. 619-652, New York.
 - Morris, P. D., and Raney, K. D. (1999) DNA helicases displace streptavidin from biotin-labeled oligonucleotides. *Biochemistry* **38**, 5164-5171.
 - Muller, B., Tsaneva, I. R., and West, S. C. (1993) Branch migration of Holliday junctions promoted by the Escherichia coli RuvA and RuvB proteins. II. Interaction of RuvB with DNA. *J. Biol. Chem.* **268**, 17185-17189.
 - Navaza, G. (1994) AMORE: an automated package for molecular replacement. *Acta Crystallogr.* **A50**, 157-163.

- Nester, E. W., and Lederberg, J. (1961) Linkage of genetic units of *Bacillus subtilis* in DNA transformation. *Proc. Natl. Acad. Sci. (USA)*, **47**, 52-55.
- Niedenzu, T., Röleke, D., Bains, G., Scherzinger, E., and Saenger, W. (2001) Crystal structure of the hexameric replicative helicase RepA of plasmid RSF1010. *J. Mol. Biol.* **306**, 479-487.
- Orlova, E. V., Dube, P., Harris, J. R., Beckmann, E., Zemlin, F., Markl, J., and van Heel, M. (1997) Structure of keyhole limpet hemocyanin Type 1 (KLH1) at 15Å resolution by electron cryomicroscopy and angular reconstitution. *J. Mol. Biol.* **271**, 417-437.
- Otwinowski, Z., and Minor, W. (1997) *Methods Enzymol.* **276**, 307-326.
- Overman, L. B., and Lohman, T. M. (1994) Linkage of pH, anion and cation effects in protein-nucleic acid equilibria. *Escherichia coli* SSB protein-single stranded nucleic acid interactions. *J. Mol. Biol.* **236**, 165-178.
- Parker, C. A. (1968) *Photoluminescence of Solutions* Elsevier Publishing Co., Amsterdam.
- Patel, S. S., and Hingorani, M. M. (1995) Nucleotide binding studies of bacteriophage T7 DNA helicase-primase protein. *Biophys. J.* **68**, S186-189.
- Patel, S. S., and Picha, K. M. (2000) Structure and function of hexameric helicases. *Annu. Rev. Biochem.* **69**, 651-697.
- Petsko, G. A. (1985) Preparation of isomorphous heavy-atom derivatives. *Methods Enzymol.* **114**, 147-56.
- Provencher, S. W. (1982) *Comp. Phys. Comm.* **27**, 213-242.
- Record, M. T. Jr., Woodbury, C. P. and Lohman, T. M. (1976) Na⁺ effects on transition of DNA and polynucleotides of variable linear charge density. *Biopolymers* **15**, 893-915.
- Record, M. T. Jr., Anderson, C. F., and Lohman, T. M. (1978) Thermodynamic analysis of ion effects on the binding and conformational equilibria of proteins and nucleic acids: the roles of ion association or release, screening, and ion effects on water activity. *Q. Rev. Biophys.* **11**, 103-178.
- Record, M. T. Jr., Ha, J. H., and Fisher, M. A. (1991) Analysis of equilibrium and kinetic measurements to determine thermodynamic origins of stability and specificity

and mechanism of formation of site-specific complexes between proteins and helical DNA. *Methods Enzymol.* **208**, 291-343.

- Richardson, J. P. (1996) Structural organization of transcription termination factor Rho. *J. Biol. Chem.* **271**, 1251-1254.
- Rigler, R., Mets, Ü., Widengren, J. and Kask, P. (1993) *Eur. Biophys. J.* **22** 169-175.
- Rigler, R. (1995). Fluorescence correlations, single molecule detection and large number screening. Applications in biotechnology. *J. Biotech.* **41**, 177-186.
- Röleke, D., Hoier, H., Bartsch, C., Umbach, P., Scherzinger, E., Lurz, R., and Saenger, W. (1997) Crystallization and preliminary X-ray crystallographic and electron microscopic study of a bacterial DNA helicase (RSF1010 RepA). *Acta Crystallogr. Sec. D* **53**, 213-216.
- Rossmann, M. G. and Blow, D. M. (1962) The detection of subunits within the crystallographic asymmetric unit. *Acta Cryst.* **15**, 24-31.
- Runyon, G. T., Wong, I., and Lohman, T. M. (1993) Overexpression, purification, DNA binding, and dimerization of the Escherichia coli uvrD gene product (helicase II). *Biochemistry* **32**, 602-12.
- Saito, I., and Sugiyama, H. (1990) *Bioorganic Photochemistry, Photochemistry and the Nucleic Acids*, H. Morrison, Ed. (Wiley, New York), vol. 1, pp. 317-378.
- Sambrook, J., Fritsch, E. F., and Maniatis, T. (1989) *Molecular Cloning. A Laboratory Manual*, 2nd ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY.
- Sancar, A. (1994) Mechanisms of DNA excision repair. *Science* **266**, 1954-1957.
- San Martin, M. C., Stamford, N. P. J., Dammerova, N., Dixon, N. E., and Carazo, J. M. (1995) A structural model for the Escherichia coli DnaB helicase based on electron microscopy data. *J. Struct. Biol.* **114**, 167-176.
- Scherzinger, E., Haring, V., Lurz, R., and Otto, S. (1991) Plasmid RSF1010 DNA replication in vitro promoted by purified RSF1010 RepA, RepB and RepC proteins. *Nucl. Acids Res.* **19**, 1203-1211.
- Scherzinger, E., Ziegelin, G., Barcena, M., Carazo, J. M., Lurz, R. and Lanka, E. (1997) The RepA protein of plasmid RSF1010 is a replicative DNA helicase. *J. Biol. Chem.* **272**, 30228-30236.

- SenGupta, D. J., and Borowiec, J. A. (1992) Strand-specific recognition of a synthetic DNA replication fork by the SV40 large tumor antigen. *Science* **256**, 1656-1661.
- Soultanas, P., and Wigley, D. B. (2000) DNA helicases: 'inching forward'. *Curr Opin Struct Biol.* **10**, 124-128.
- Soultanas, P., and Wigley, D. B. (2001) Unwinding the 'Gordian knot' of helicase action. *Trends Biochem Sci.* **26**, 47-54.
- Stasiak, A., Tsaneva, I. R., West, S.C., Benson, C. J., Yu, X., and Egelman, E. H. (1994) The Escherichia coli RuvB branch migration protein forms double hexameric rings around DNA. *Proc. Natl. Acad. Sci. (USA)* **91**, 7618-7622.
- Steitz, T. A., Harrison, R., Weber, I. T., and Leahy, M. (1982) Ligand-induced conformational changes in proteins. *Mobility and function in proteins and nucleic acids. Pitman, London (Ciba Foundation symposium 93)*, 25-46.
- Stitt, B. L. (1988) Escherichia coli transcription termination protein rho has three hydrolytic sites for ATP. *J. Biol. Chem.* **263**, 11130-11137.
- Story, R. M., and Steitz, T. A. (1992) Structure of the recA protein-ADP complex. *Nature* **355**, 374-376.
- Stryer, L. (1975) *Biochemistry*, W. H. Freeman and Company, San Francisco.
- Sung, P., Higgins, D., Prakash, L., and Prakash, S. (1988) Mutation of lysine-48 to arginine in the yeast RAD3 protein abolishes its ATPase and DNA helicase activities but not the ability to bind ATP. *EMBO J.* **7**, 3263-3269.
- Thomas, P. J., Shenbagamurthi, P., Ysern, X., and Pedersen, P. L. (1991) Cystic fibrosis transmembrane conductance regulator: nucleotide binding to a synthetic peptide. *Science* **251**, 555-557.
- Trier, U., Olah, Z. and Schäfer-Korting, M. (1999) Fusion of the binding domain of Raf-1 kinase with green fluorescent protein for activated Ras detection by fluorescence correlation spectroscopy. *Pharmazie* **54**, 263-267.
- Vagin, A., and Teplyakov, A. (1997) MOLREP: an automated program for molecular replacement. *J. Appl. Crystallogr.* **30**, 1022-1025.
- van Heel, M. (1987) Angular reconstitution: A posteriori assignment of projection directions for 3D reconstruction. *Ultramicroscopy* **21**, 111-124.

- van Heel, M., and Harauz, G. (1986) Resolution criteria for three dimensional reconstructions. *Optik* **73**, 119-122.
- van Heel, M., Harauz, G., Orlova, E. V., Schmidt, R., and Schatz, M. (1996) A new generation of the IMAGIC image processing system. *J. Struct. Biol.* **116**, 17-24.
- van der Wolk, J. P., Klose, M., de Wit, J. G., den Blaauwen, T., Freudl, R., and Driessen, A. J. (1995) Identification of the magnesium-binding domain of the high-affinity ATP-binding site of the Bacillus subtilis and Escherichia coli SecA protein. *J. Biol. Chem.* **270**, 18975-18982.
- van Veldhoven, P. P., and Mannaerts, G. P. (1987) Inorganic and organic phosphate measurements in the nanomolar range. *Anal. Biochem.* **161**, 45-48.
- Walker, E. H., Perisic, O., Ried, C., Stephens, L., and Williams, R. L. (1999) Structural insights into phosphoinositide 3-kinase catalysis and signalling. *Nature* **402**, 313-320.
- Walker, E. H., Pacold, M. E., Perisic, O., Stephens, L., and Hawkins, P. T. (2000) Structural determinants of phosphoinositide 3-kinase inhibition by wortmannin, LY294002, quercetin, myricetin, and staurosporine. *Mol. Cell* **6**, 909-919.
- Walker, J. E., Saraste, M., Runswick, M. J., and Gay, N. J. (1982) Distantly related sequences in the alpha- and beta-subunits of ATP synthase, myosin, kinases and other ATP-requiring enzymes and a common nucleotide binding fold. *EMBO J.* **1**, 945-951.
- Wang, Y., and von Hippel, P. H. (1993) Escherichia coli transcription termination factor rho. II. Binding of oligonucleotide cofactors. *J. Biol. Chem.* **268**, 13947-13955.
- Washington, M. T., Rosenberg, A. H., Griffin, K., Studier, F. W., and Patel, S. S. (1996) Biochemical analysis of mutant T7 primase/helicase proteins defective in DNA binding, nucleotide hydrolysis, and the coupling of hydrolysis with DNA unwinding. *J. Biol. Chem.* **271**, 26825-26834.
- Wechsler, J. A., and Gross, J. D. (1971) Escherichia coli mutants temperature-sensitive for DNA synthesis. *Mol. Gen. Genet.* **113**, 273-284.
- West, S. C. (1996) DNA helicase get physical. *Nature* **384**, 316-317.
- Williams, K. R., and Konigsberg, W. H. (1991) Identification of amino acid residues at interface of protein-nucleic acid complexes by photochemical cross-linking. *Methods Enzymol.* **208**, 516-539.

- Willis, M. C., Hicke, B. J., Uhlenbeck, O. C., Cech, T. R., and Koch, T. H. (1993) Photocrosslinking of 5-Iodouracil-Substituted RNA and DNA to Proteins. *Science* **262**, 1255-1257.
- Wilson, V. G., and Ludes-Meyers, J. (1991) A bovine papillomavirus E1-related protein binds specifically to bovine papillomavirus DNA. *J. Virol.* **65**, 5314-5322.
- Wittinghofer, A. (1997) Signaling mechanistics: aluminum fluoride for molecule of the year. *Curr. Biol.* **7**, R682-685.
- Wong, I., and Lohman, T. M. (1992) Allosteric effects of nucleotide cofactors on Escherichia coli Rep helicase-DNA binding. *Science* **256**, 350-355.
- Wyman, J. and Gill, S. J. (1990) *Binding and Linkage*, University Science Books, Mill Valley, CA.
- Xu, H., Frank, J., Niedenzu, T., and Saenger, W. (2000) DNA helicase RepA: cooperative ATPase activity and binding of nucleotides. *Biochemistry* **39**, 12225-12233.
- Xu, H., Frank, J., Trier, U., Hammer, S., Schröder, W., Behlke, J., Schäfer-Korting, M., Holzwarth, J. F., and Saenger, W. (2001) Interaction of fluorescence labeled single-stranded DNA with hexameric DNA-helicase RepA: a photon and fluorescence correlation spectroscopy study. *Biochemistry* **40**, 7211-7218.
- Yarranton, G. T., and Gefter, M. L. (1979) Enzyme-catalyzed DNA unwinding: studies on Escherichia coli rep protein. *Proc. Natl. Acad. sci. USA* **76**, 1658-1662.
- Yong, Y., and Romano, L. J. (1995) Nucleotide and DNA-induced conformational changes in the bacteriophage T7 gene 4 protein. *J. Biol. Chem.* **270**, 24509-24517.
- Yu, C. -E., Oshima, J., Fu, Y. -H., Wijsman, E. M., Hisama, F., Alisch, R., Matthews, S., Nakura, J., Miki, T., Ouais, S., Martin, G. M., Mulligan, J., and Schellenberg, G. D., (1996) Positional cloning of the Werner's syndrome gene. *Science* **272**, 258-262.
- Yu, X., Hingorani, M. M. Patel, S. S., and Egelman, E. H. (1996) DNA is bound within the central hole to one or two of the six subunits of the T7 DNA helicase. *Nature Structural Biology* **3**, 740-743.
- Yu, X., Jezewska, M. J., Bujalowski, W., and Egelman, E. H. (1996) The hexameric *E. coli* DnaB helicase can exist in different quarternary states. *J. Mol. Biol.* **259**, 7-14.