

## 8 Literaturverzeichnis

- Albers TM, Lomakina I, Moore RP (1996). Structural and functional roles of cytoskeletal proteins during repair of native guinea pig intestinal epithelium. *Cell Biol Int* **20**(12): 821-830
- Anderson JM (2000). Maintaining a defense as the injured leave the field: apoptosis and barrier function in the intestine. *Gastroenterology* **119**(6): 1783-1786
- Anderson JM, Van Itallie CM (1995). Tight junctions and the molecular basis for regulation of paracellular permeability. *Am J Physiol* **269**(4 Pt 1): G467-G475
- Ashkenazi A, Dixit VM (1998). Death receptors: signaling and modulation. *Science* **281**(5381): 1305-1308
- Balda MS, Gonzalez-Mariscal L, Matter K, Cereijido M, Anderson JM (1993). Assembly of the tight junction: the role of diacylglycerol. *J Cell Biol* **123**(2): 293-302
- Banan A, Zhang Y, Losurdo J, Keshavarzian A (2000). Carbonylation and disassembly of the F-actin cytoskeleton in oxidant induced barrier dysfunction and its prevention by epidermal growth factor and transforming growth factor alpha in a human colonic cell line. *Gut* **46**(6): 830-837
- Barmeyer C (2002). Diarrhoe und Malabsorption bei Colitis ulcerosa und zugrunde liegende Mechanismen in den Modellen der Interleukin-2-defizienten Maus und der Zytokin-exponierten Kolonmucosa der Ratte. Dissertation, Freie Universität Berlin
- Bement WM, Forscher P, Mooseker MS (1993). A novel cytoskeletal structure involved in purse string wound closure and cell polarity maintenance. *J Cell Biol* **121**(3): 565-578
- Bement WM, Mandato CA, Kirsch MN (1999). Wound-induced assembly and closure of an actomyosin purse string in *Xenopus* oocytes. *Curr Biol* **9**(11): 579-587
- Bendfeldt K (2000). Tumornekrosefaktor (TNF)- $\alpha$ -induzierte Barrierestörung an menschlichen Colonzellen (HT-29/B6): Lokalisierung mittels Conductance Scanning. Dissertation, Freie Universität Berlin
- Bendfeldt K, Gitter AH, Fromm M (1998). Trans- and paracellular conductivity of HT-29/B6 cells measured by high resolution conductance scanning. *Ann N Y Acad Sci* **859**: 295-299
- Bendfeldt K, Gitter AH, Schulzke JD, Fromm M (1999). Leaks in the epithelial barrier caused by apoptosis. *Pflügers Arch* **437**: R95 (Abstract)
- Bentzel CJ, Fromm M, Palant CE, Hegel U (1987). Protamine alters structure and conductance of *Necturus* gallbladder tight-junction without major electrical effects on the apical cell membrane. *J Membrane Biol* **95**: 9-20
- Bentzel CJ, Hainau B, Ho S, Hui SW, Edelman A, Anagnostopoulos T, Benedetti EL (1980). Cytoplasmic regulation of tight-junction permeability: effect of plant cytokinins. *Am J Physiol* **239**: C75-C89
- Bentzel CJ, Palant CE, Fromm M (1991). Physiological and pathological factors affecting the tight junction. In: Tight junctions, chapter 11, M Cereijido (ed), CRC Press, Boca Raton: 151-173

- Bode H (1997). Der Effekt von Interleukin-1 $\beta$  auf den epithelialen Ionentransport im menschlichen Colon. Dissertation, Freie Universität Berlin
- Braegger CP, MacDonald TT (1994). Immune mechanisms in chronic inflammatory bowel disease. *Ann Allergy* **72**(2): 135-141
- Breitschwerdt EB, Waltman C, Hagstad HV, Ochoa R, McClure J, Barta O (1982). Clinical and epidemiologic characterization of a diarrheal syndrome in Basenji dogs. *J Am Vet Med Assoc* **180**(8): 914-920
- Brett J, Gerlach H, Nawroth P, Steinberg S, Godman G, Stern D (1989). Tumor necrosis factor/cachectin increases permeability of endothelial cell monolayers by a mechanism involving regulatory G proteins. *J Exp Med* **169**(6): 1977-1991
- Brock J, Midwinter K, Lewis J, Martin P (1996). Healing of incisional wounds in the embryonic chick wing bud: characterization of the actin purse-string and demonstration of a requirement for Rho activation. *J Cell Biol* **135**(4): 1097-1107
- Browning JL, Miatkowski K, Sizing I, Griffiths D, Zafari M, Benjamin CD, Meier W, Mackay F (1996). Signaling through the lymphotoxin beta receptor induces the death of some adenocarcinoma tumor lines. *J Exp Med* **183**(3): 867-878
- Brynskov J, Nielsen OH, Ahnfelt-Ronne I, Bendtzen K (1994). Cytokines (immunoinflammatory hormones) and their natural regulation in inflammatory bowel disease (Crohn's disease and ulcerative colitis): a review. *Dig Dis* **12**(5): 290-304
- Burke-Gaffney A, Keenan AK (1993). Modulation of human endothelial cell permeability by combinations of the cytokines interleukin-1 alpha/beta, tumor necrosis factor-alpha and interferon-gamma. *Immunopharmacology* **25**(1): 1-9
- Campbell WN, Ding X, Goldblum SE (1992). Interleukin-1 alpha and -beta augment pulmonary artery transendothelial albumin flux in vitro. *Am J Physiol* **263**(1 Pt 1): L128-L136
- Cereijido M, Meza I, Martínez-Palomo A (1981). Occluding junctions in cultured epithelial monolayers. *Am J Physiol* **240**: C96-C102
- Cereijido M, Stefani E, Matínez Palomo A (1980). Occluding Junctions in a Cultured Transporting Epithelium: Structural and Functional Heterogeneity. *J Membrane Biol* **53**: 19-32
- Cereijido M, Valdes J, Shoshani L, Contreras RG (1998). Role of tight junctions in establishing and maintaining cell polarity. *Annu Rev Physiol* **60**: 161-177
- Chalcroft JP, Bullivant S (1970). An interpretation of liver cell membrane and junction structure based on observatin of freeze-fracture replicas of both sides of the fracture. *J Cell Biol* **47**: 49-60
- Chen MC, Lee AT, Soll AH (1991). Mitogenic response of canine fundic epithelial cells in short-term culture to transforming growth factor alpha and insulinlike growth factor I. *J Clin Invest* **87**(5): 1716-1723
- Ciacci C, Lind SE, Podolsky DK (1993). Transforming growth factor beta regulation of migration in wounded rat intestinal epithelial monolayers. *Gastroenterology* **105**(1): 93-101
- Cimprich RE (1974). Equine granulomatous enteritis. *Vet Pathol* **11**(6): 535-547

- Citi S (1992). Protein kinase inhibitors prevent junction dissociation induced by low extracellular calcium in MDCK epithelial cells. *J Cell Biol* **117**: 169-178
- Citi S, Cordenonsi M (1998). Tight junction proteins. *Biochim Biophys Acta* **1448**(1): 1-11
- Collares-Buzato CB, McEwan GT, Jepson MA, Simmons NL, Hirst BH (1994). Paracellular barrier and junctional protein distribution depend on basolateral extracellular Ca<sup>2+</sup> in cultured epithelia. *Biochim Biophys Acta* **1222**(2): 147-158
- Contreras RG, Gonzáles-Mariscal L, Balda MS, García-Villegas MR, Cereijido M (1992a). The role of calcium in making of a transporting epithelium. *News Physiol* **7**: 105-108
- Contreras RG, Miller JH, Zamora M, Gonzalez-Mariscal L, Cereijido M (1992b). Interaction of calcium with plasma membrane of epithelial (MDCK) cells during junction formation. *Am J Physiol* **263**: C313-C318
- Cooper JA (1987). Effect of cytochalasin and phalloidin on actin. *J Cell Biol* **105**: 1473-1478
- Cosnes J, Beaugerie L, Carbonnel F, Gendre JP (2001). Smoking cessation and the course of Crohn's disease: an intervention study. *Gastroenterology* **120**(5): 1093-1099
- Cramer LP, Mitchison TJ (1995). Myosin is involved in postmitotic cell spreading. *J Cell Biol* **131**(1): 179-189
- Danjo Y, Gipson IK (1998). Actin 'purse string' filaments are anchored by E-cadherin-mediated adherens junctions at the leading edge of the epithelial wound, providing coordinated cell movement. *J Cell Sci* **111**: 3323-3332
- Dennis JS, Kruger JM, Mullaney TP (1993). Lymphocytic/plasmacytic colitis in cats: 14 cases (1985-1990). *J Am Vet Med Assoc* **202**(2): 313-318
- Diamond JM (1977). The epithelial junction: bridge, gate, and fence. *Physiologist* **20**: 10-18
- Dignass AU (2001). Mechanisms and modulation of intestinal epithelial repair. *Inflamm Bowel Dis* **7**(1): 68-77
- Dignass AU, Podolsky DK (1993). Cytokine modulation of intestinal epithelial cell restitution: central role of transforming growth factor beta. *Gastroenterology* **105**(5): 1323-1332
- Dignass AU, Tsunekawa S, Podolsky DK (1994). Fibroblast growth factors modulate intestinal epithelial cell growth and migration. *Gastroenterology* **106**(5): 1254-1262
- Domnina LV, Ivanova OY, Cherniak BV, Skulachev VP, Vasiliev JM (2002). Effects of the inhibitors of dynamics of cytoskeletal structures on the development of apoptosis induced by the tumor necrosis factor. *Biochemistry (Mosc)* **67**(7): 737-746
- Eigler A, Endres S (1997). Therapy with anti-TNF antibodies in patients with Crohn disease. *Z Gastroenterol* **35**(9): 899-901
- Eppele H-J (1993). Experimentelle Untersuchungen zum Mechanismus der mineralocorticoiden Wirkung von Carbenoxolon am menschlichen Dickdarm *in vitro*. Dissertation, Freie Universität Berlin
- Evangelisti R, Becchetti E, Baroni T, Rossi L, Arena N, Valeno V, Carinci P, Locci P (1995). Modulation of Phenotypic Expression of Fibroblasts by Alteration of the Cytoskeleton. *Cell Biochem Funct* **13**: 41-52

- Famularo G, De Simone C, Tzantzoglou S, Trinchieri V (1994). Apoptosis, anti-apoptotic compounds and TNF-alpha release. *Immunol Today* **15**(10): 495-496
- Fanning AS, Mitic LL, Anderson JL (1999). Transmembrane proteins in the tight junction barrier. *J Am Soc Nephrol* **10**: 1337-1345
- Farquhar MG, Palade GE (1963). Junctional complexes in various epithelia. *J Cell Biol* **17**: 375-412
- Fasano A, Baudry B, Pumplun DW, Wasserman SS, Tall BD, Ketley JM, Kaper JB (1991). *Vibrio cholerae* produces a second enterotoxin, which affects intestinal tight junction. *Proc Natl Acad Sci U S A* **88**: 5242-5246
- Fasano A, Fiorentini C, Donelli G, Uzzau S, Kaper JD, Margaretten K, Ding X, Guandalini S, Comstock L, Goldblum SE (1995). Zonula occludens toxin modulates tight junctions through protein kinase C-dependent actin reorganization, in vitro. *J Clin Invest* **96**: 710-720
- Fasano A, Uzzau S, Fiore C, Margaretten K (1997). The enterotoxic effect of zonula occludens toxin on rabbit small intestine involves the paracellular pathway. *Gastroenterology* **112**: 839-846
- Feil W, Lacy ER, Wong YM, Burger D, Wenzl E, Starlinger M, Schiessel R (1989). Rapid epithelial restitution of human and rabbit colonic mucosa. *Gastroenterology* **97**(3): 685-701
- Ferreira G, Artigas P, Pizarro G, Brum G (1997). Butanedione monoxime promotes voltage-dependent inactivation of L-type calcium channels in heart. Effects on gating currents. *J Mol Cell Cardiol* **29**(2): 777-787
- Fiocchi C (1997a). The immune system in inflammatory bowel disease. *Acta Gastroenterol Belg* **60**(2): 156-162
- Fiocchi C (1997b). Intestinal inflammation: a complex interplay of immune and nonimmune cell interactions. *Am J Physiol* **273**(4 Pt 1): G769-G775
- Florian P, Schöneberg T, Schulzke JD, Fromm M, Gitter AH (2002). Single-cell epithelial defects close rapidly by an actinomyosin purse string mechanism with functional tight junctions. *J Physiol* **545**(2): 485-499
- Frizzell RA, Koch MJ, Schultz SG (1976). Ion transport by rabbit colon. I. Active and passive components. *J Membr Biol* **27**(3): 297-316.
- Fromm M, Palant CE, Bentzel CJ, Hegel U (1985). Protamine reversibly decreases paracellular cation permeability in *Necturus* gallbladder. *J Membr Biol* **87**: 141-150
- Frömter E, Diamond J (1972). Route of passive ion permeation in epithelia. *Nature* **235**: 9-13
- Furuse M, Fujita K, Hiiragi T, Fujimoto K, Tsukita S (1998). Claudin-1 and -2: novel integral membrane proteins localizing at tight junctions with no sequence similarity to occludin. *J Cell Biol* **141**: 1539-1550
- Furuse M, Hirase T, Itoh M, Nagafuchi A, Yonemura S, Tsukita S (1993). Occludin: a novel integral membrane protein at tight junctions. *J Cell Biol* **123**: 1777-1788
- Galli P, Brenna A, Camilli de P, Meldolesi J (1976). Extracellular calcium and the organization of tight junctions in pancreatic acinar cells. *Exp Cell Res* **99**(1): 178-183
- German AJ, Hall EJ, Kelly DF, Watson AD, Day MJ (2000). An immunohistochemical study of histiocytic ulcerative colitis in boxer dogs. *J Comp Pathol* **122**(2-3): 163-175

- Gipson IK, Keezer L (1982). Effects of cytochalasins and colchicine on the ultrastructure of migrating corneal epithelium. *Invest Ophthalmol Vis Sci* **22**(5): 643-650
- Gipson IK, Westcott MJ, Brooksby NG (1982). Effects of cytochalasins B and D and colchicine on migration of the corneal epithelium. *Invest Ophthalmol Vis Sci* **22**(5): 633-642
- Gitter AH (2000). Die Barrierefunktion des Kolonepithels unter physiologischen und pathophysiologischen Bedingungen. Habilitationsschrift, Freie Universität Berlin
- Gitter AH, Bendfeldt K, Schulzke JD, Fromm M (2000a). Leaks in the epithelial barrier caused by spontaneous and TNF $\alpha$ -induced single-cell apoptosis. *FASEB J* **14**: 1749-1753
- Gitter AH, Bendfeldt K, Schulzke JD, Fromm M (2000b). Trans/paracellular, surface/crypt, and epithelial/subepithelial resistances of mammalian colonic epithelia. *Pflügers Arch* **439**: 477-482
- Gitter AH, Bertog M, Schulzke JD, Fromm M (1997). Measurement of paracellular epithelial conductivity by conductance scanning. *Pflügers Arch* **434**: 830-840
- Gitter AH, Fromm M, Schulzke JD (1998). Impedance analysis for the determination of epithelial and subepithelial resistance in intestinal tissues. *J Biochem Biophys Methods* **37**: 35-46
- Gitter AH, Wullstein F, Fromm M, Schulzke JD (2001). Epithelial barrier defects in ulcerative colitis: characterization and quantification by electrophysiological imaging. *Gastroenterology* **121**: 1320-1328
- Goldblum SE, Sun WL (1990). Tumor necrosis factor-alpha augments pulmonary arterial transendothelial albumin flux in vitro. *Am J Physiol* **258**(2 Pt 1): L57-L67
- Gonzalez-Mariscal L, Chavez de Ramirez B, Cereijido M (1985). Tight junction formation in cultured epithelial cells (MDCK). *J Membr Biol* **86**(2): 113-125
- Gotlieb AI, Subrahmanyam L, Kalnins VI (1983). Microtubule-organizing centers and cell migration: effect of inhibition of migration and microtubule disruption in endothelial cells. *J Cell Biol* **96**(5): 1266-1272
- Grossmann J, Walther K, Artinger M, Rummele P, Woenckhaus M, Scholmerich J (2002). Induction of apoptosis before shedding of human intestinal epithelial cells. *Am J Gastroenterol* **97**(6): 1421-1428
- Grotjohann I, Gitter AH, Hoppe B, Schulzke JD, Fromm M (1998a). Ion transport in rat colon measured by medium resolution conductance scanning. *Ann NY Acad Sci* **859**: 300-303
- Grotjohann I, Gitter AH, Köckerling A, Bertog M, Schulzke JD, Fromm M (1998b). Localization of cAMP- and aldosterone-induced K<sup>+</sup> secretion in rat distal colon by conductance scanning. *J Physiol* **507.2**: 561-570
- Gumbiner B, Lowenkopf T, Apatira D (1991). Identification of a 160-kDa polypeptide that binds to the tight junction protein ZO-1. *Proc Natl Acad Sci U S A* **88**(8): 3460-3464
- Hall A (1998). Rho GTPases and the actin cytoskeleton. *Science* **279**(5350): 509-514
- Hall EJ, Tennant BJ, Payne-Johnson CE, Kelly DF (1992). Boxer colitis. *Vet Rec* **130**(7): 148

- Hamill OP, Marty A, Neher E, Sakmann B, Sigworth FJ (1981). Improved patch-clamp techniques for high-resolution current recording from cells and cell-free membrane patches. *Pflügers Arch* **391**: 85-100
- Hanby AM, Jankowski JA, Elia G, Poulsom R, Wright NA (1994). Expression of the trefoil peptides pS2 and human spasmodic polypeptide (hSP) in Barrett's metaplasia and the native oesophageal epithelium: delineation of epithelial phenotype. *J Pathol* **173**(3): 213-219
- Haskins J, Gu L, Wittchen ES, Hibbard J, Stevenson BR (1998). ZO-3, a novel member of the MAGUK protein family found at the tight junction, interact with ZO-1 and occludin. *J Cell Biol* **141**: 199-208
- Heath JP (1996). Epithelial cell migration in the intestine. *Cell Biol Int* **20**(2): 139-146
- Hegel U, Fromm M (1990). Electrical measurements in large intestine (including caecum, colon, rectum). *Methods Enzymol* **192**: 459-484
- Herrmann C, Wray J, Travers F, Barman T (1992). Effect of 2,3-butanedione monoxime on myosin and myofibrillar ATPases. An example of an uncompetitive inhibitor. *Biochemistry* **31**(48): 12227-12232
- Heyman M, Darmon N, Dupont C, Dugas B, Hirribaren A, Blaton MA, Desjeux JF (1994). Mononuclear cells from infants allergic to cow's milk secrete tumor necrosis factor- $\alpha$ , altering intestinal function. *Gastroenterology* **106**: 1514-1523
- Hillyer MH, Mair TS (1992). Multisystemic eosinophilic epitheliotropic disease in a horse: attempted treatment with hydroxyurea and dexamethasone. *Vet Rec* **130**(18): 392-395
- Hirokawa N (1982). The intramembrane structure of tight junctions: an experimental analysis of the single-fibril and two-fibril models using the quick-freeze method. *J Ultrastruc Res* **80**: 288-301
- Hollander D (1988). Crohn's disease--a permeability disorder of the tight junction? *Gut* **29**(12): 1621-1624
- Hudspeth AJ (1975). Establishment of tight junctions between epithelial cells. *Proc Natl Acad Sci U S A* **72**(7): 2711-2713
- Hudspeth AJ (1982). The recovery of local transepithelial resistance following single-cell lesions. *Exp Cell Res* **138**: 331-342
- Hugot JP, Chamaillard M, Zouali H, Lesage S, Cezard JP, Belaiche J, Almer S, Tysk C, CA OM, Gassull M, Binder V, Finkel Y, Cortot A, Modigliani R, Laurent-Puig P, Gower-Rousseau C, Macry J, Colombel JF, Sahbatou M, Thomas G (2001). Association of NOD2 leucine-rich repeat variants with susceptibility to Crohn's disease. *Nature* **411**(6837): 599-603
- Hyams JS (2000). Inflammatory bowel disease. *Pediatr Rev* **21**(9): 291-295
- Hyams JS, Fitzgerald JE, Wyzga N, Muller R, Treem WR, Justinich CJ, Kreutzer DL (1995). Relationship of interleukin-1 receptor antagonist to mucosal inflammation in inflammatory bowel disease. *J Pediatr Gastroenterol Nutr* **21**(4): 419-425
- Isaacs KL, Sartor RB, Haskill S (1992). Cytokine messenger RNA profiles in inflammatory bowel disease mucosa detected by polymerase chain reaction amplification. *Gastroenterology* **103**(5): 1587-1595
- Iwig M, Czeslick E, Müller A, Gruner M, Spindler M, Glaesser D (1995). Growth regulation by cell shape alteration and organization of the cytoskeleton. *Europ J Cell Biol (EJCB)* **67**: 145-157

- Jacinto A, Martinez-Arias A, Martin P (2001). Mechanisms of epithelial fusion and repair. *Nat Cell Biol* **3**(5): E117-E123
- Jacobs G, Collins-Kelly L, Lappin M, Tyler D (1990). Lymphocytic-plasmacytic enteritis in 24 dogs. *J Vet Intern Med* **4**(2): 45-53
- Jergens AE, Moore FM, Haynes JS, Miles KG (1992). Idiopathic inflammatory bowel disease in dogs and cats: 84 cases (1987-1990). *J Am Vet Med Assoc* **201**(10): 1603-1608
- Kaneko K, Satoh K, Masamune A, Satoh A, Shimosegawa T (2002). Myosin light chain kinase inhibitors can block invasion and adhesion of human pancreatic cancer cell lines. *Pancreas* **24**(1): 34-41
- Kato K, Chen MC, Nguyen M, Lehmann FS, Podolsky DK, Soll AH (1999). Effects of growth factors and trefoil peptides on migration and replication in primary oxynitic cultures. *Am J Physiol* **276**(5 Pt 1): G1105-1116
- Kernochan LE, Tran BN, Tangkijvanich P, Melton AC, Tam SP, Yee HF, Jr. (2002). Endothelin-1 stimulates human colonic myofibroblast contraction and migration. *Gut* **50**(1): 65-70
- Köckerling A, Fromm M (1993). Origin of cAMP dependent Cl<sup>-</sup> secretion from both crypts and surface epithelia of rat intestine. *Am J Physiol* **264**: C1294-C1301
- Köckerling A, Sorgenfrei D, Fromm M (1993). Electrogenic Na<sup>+</sup> absorption of rat distal colon is confined to surface epithelium. A voltage scanning study. *Am J Physiol* **264**: C1285-C1293
- Kottra G (1995). Protein kinase inhibitor H7 prevents the decrease of tight junction resistance induced by *Necturus* gallbladder epithelium. *Cell Physiol Biochem* **5**: 211-221
- Kottra G, Frömter E (1984a). Rapid determination of intraepithelial resistance barrier by alternating current spectroscopy I. Experimental procedures. *Pflügers Arch* **402**: 409-420
- Kottra G, Frömter E (1984b). Rapid determination of intraepithelial resistance barriers by alternating current spectroscopy. II. Test of model circuits and quantification of results. *Pflügers Arch* **402**: 421-432
- Kraehenbuhl JP, Pringault E, Neutra MR (1997). Review article: Intestinal epithelia and barrier functions. *Aliment Pharmacol Ther* **11 Suppl 3**: 3-8; discussion 8-9
- Kreusel KM, Fromm M, Schulzke JD, Hegel U (1991). Cl<sup>-</sup> secretion in epithelial monolayers of mucus-forming human colon cell (HT-29/B6). *Am J Physiol* **261**: C574-C582
- Kubota K, Furuse M, Sasaki H, Sonoda N, Fujita K, Nagafuchi A, Tsukita S (1999). Ca<sup>2+</sup>-independent cell-adhesion activity of claudins, a family of integral membrane proteins localized at tight junctions. *Curr Biol* **9**(18): 1035-1038
- Kwon BS, Tan KB, Ni J, Oh KO, Lee ZH, Kim KK, Kim YJ, Wang S, Gentz R, Yu GL, Harrop J, Lyn SD, Silverman C, Porter TG, Truneh A, Young PR (1997). A newly identified member of the tumor necrosis factor receptor superfamily with a wide tissue distribution and involvement in lymphocyte activation. *J Biol Chem* **272**(22): 14272-14276
- Lindberg E, Tysk C, Andersson K, Jarnerot G (1988). Smoking and inflammatory bowel disease. A case control study. *Gut* **29**(3): 352-357

- Lindberg R, Persson SG, Jones B, Thoren-Tolling K, Ederoth M (1985). Clinical and pathophysiological features of granulomatous enteritis and eosinophilic granulomatosis in the horse. *Zentralbl Veterinarmed A* **32**(7): 526-539
- Loeschke K, Bentzel CJ (1994). Osmotic water flow pathways across *Necturus* gallbladder: role of the tight junction. *Am J Physiol* **266**: G722-G730
- Lotz MM, Rabinovitz I, Mercurio AM (2000). Intestinal restitution: progression of actin cytoskeleton rearrangements and integrin function in a model of epithelial wound healing. *Am J Pathol* **156**(3): 985-996
- Lugering A, Schmidt M, Lugering N, Pauels HG, Domschke W, Kucharzik T (2001). Infliximab induces apoptosis in monocytes from patients with chronic active Crohn's disease by using a caspase-dependent pathway. *Gastroenterology* **121**(5): 1145-1157
- Ma TY, Hollander D, Tran LT, Nguyen D, Hoa N, Bhalla D (1995). Cytoskeletal regulation of Caco-2 intestinal monolayer paracellular permeability. *J Cell Physiol* **164**(3): 533-545
- Ma TY, Tran D, Hoa N, Nguyen D, Merryfield M, Tarnawski A (2000). Mechanism of extracellular calcium regulation of intestinal epithelial tight junction permeability: role of cytoskeletal involvement. *Microsc Res Tech* **51**(2): 156-168
- MacAllister CG, Mosier D, Qualls CW, Jr., Cowell RL (1990). Lymphocytic-plasmacytic enteritis in two horses. *J Am Vet Med Assoc* **196**(12): 1995-1998
- MacDonald TT, Hutchings P, Choy MY, Murch S, Cooke A (1990). Tumour necrosis factor-alpha and interferon-gamma production measured at the single cell level in normal and inflamed human intestine. *Clin Exp Immunol* **81**(2): 301-305
- Madara JL (1989). Loosening tight junctions. Lessons from the intestine. *J Clin Invest* **83**: 1089-1094
- Madara JL (1990). Maintenance of the macromolecular barrier at cell extrusion sites in intestinal epithelium: physiological rearrangement of tight junctions. *J Membr Biol* **116**(2): 177-184
- Madara JL (1998). Regulation of the movement of solutes across tight junctions. *Annu Rev Physiol* **60**: 143-159
- Madara JL, Parkos C, Colgan S, Nusrat A, Atisook K, Kaoutzani P (1992). The movement of solutes and cells across tight junctions. *Ann N Y Acad Sci* **664**: 47-60
- Madara JL, Stafford J (1989). Interferon-gamma directly affects barrier function of cultured intestinal epithelial monolayers. *J Clin Invest* **83**: 724-727
- Marano CW, Lewis SA, Garulacan LA, Peralta Soler A, Mullin JM (1998). Tumor necrosis factor- $\alpha$  increases sodium and chloride conductance across the tight junction of CACO-2 BBE, a human intestinal cell line. *J Membrane Biol* **161**: 263-274
- Martin P, Lewis J (1992). Actin cables and epidermal movement in embryonic wound healing. *Nature* **360**(6400): 179-183
- Martinez-Palomo A, Meza I, Beaty G, Cereijido M (1980). Experimental modulation of occluding junctions in a cultured transporting epithelium. *J Cell Biol* **87**: 736-745



- Martin-Padura I, Lostaglio S, Schneemann M, Williams L, Romano M, Fruscella P, Panzeri C, Stoppacciaro A, Ruco L, Villa A, Simmons D, Dejana E (1998). Junctional adhesion molecule, a novel member of the immunoglobulin superfamily that distributes at intercellular junctions and modulates monocyte transmigration. *J Cell Biol* **142**(1): 117-127
- Matsumura C, Kuwashima H, Kimura T (1999). Myosin light chain kinase inhibitors and calmodulin antagonist inhibit Ca(2+)- and ATP-dependent catecholamine secretion from bovine adrenal chromaffin cells. *J Auton Pharmacol* **19**(2): 115-121
- Matsumura F, Ono S, Yamakita Y, Totsukawa G, Yamashiro S (1998). Specific localization of serine 19 phosphorylated myosin II during cell locomotion and mitosis of cultured cells. *J Cell Biol* **140**(1): 119-129
- McCluskey J, Hopkinson-Woolley J, Luke B, Martin P (1993). A study of wound healing in the E11.5 mouse embryo by light and electron microscopy. *Tissue Cell* **25**(2): 173-181
- McKay DM, Singh PK (1997). Superantigen activation of immune cells evokes epithelial (T84) transport and barrier abnormalities via IFN-gamma and TNF alpha: inhibition of increased permeability, but not diminished secretory responses by TGF-beta2. *J Immunol* **159**(5): 2382-2390
- McKillop DF, Fortune NS, Ranatunga KW, Geeves MA (1994). The influence of 2,3-butanedione 2-monoxime (BDM) on the interaction between actin and myosin in solution and in skinned muscle fibres. *J Muscle Res Cell Motil* **15**(3): 309-318
- McNeil PL, Ito S (1989). Gastrointestinal cell plasma membrane wounding and resealing in vivo. *Gastroenterology* **96**(5 Pt 1): 1238-1248
- Meldolesi J, Castiglioni G, Parma R, Nassivera N, DeCamilli P (1978). Ca<sup>2+</sup>-dependent disassembly and reassembly of occluding junctions in guinea pig pancreatic acinar cells. Effect of drugs. *J Cell Biol* **79**: 156-172
- Mohler KM, Sleath PR, Fitzner JN, Cerretti DP, Alderson M, Kerwar SS, Torrance DS, Otten-Evans C, Greenstreet T, Weerawarna K, et al. (1994). Protection against a lethal dose of endotoxin by an inhibitor of tumour necrosis factor processing. *Nature* **370**(6486): 218-220
- Moore R, Carlson S, Madara JL (1989). Rapid barrier restitution in an in vitro model of intestinal epithelial injury. *Lab Invest* **60**(2): 237-244
- Moore R, Madri J, Carlson S, Madara JL (1992). Collagens Facilitate Epithelial Migration in Restitution of Native Guinea Pig Intestinal Epithelium. *Gastroenterology* **102**: 119-130
- Moore R, Pothoulakis C, LaMont JT, Carlson S, Madara JL (1990). *C. difficile* toxin A increases intestinal permeability and induces Cl<sup>-</sup> secretion. *Am J Physiol* **259**: G165-G172
- Morisaki T, Yuzuki DH, Lin RT, Foshag LJ, Morton DL, Hoon DS (1992). Interleukin 4 receptor expression and growth inhibition of gastric carcinoma cells by interleukin 4. *Cancer Res* **52**(21): 6059-6065
- Mouser JF, Hyams JS (1999). Infliximab: a novel chimeric monoclonal antibody for the treatment of Crohn's disease. *Clin Ther* **21**(6): 932-42; discussion 931
- Mullin JM, Laughlin KV, Marano CW, Russo LM, Peralta Soler A (1992). Modulation of tumor necrosis factor-induced increase in renal (LLC-PK<sub>1</sub>) transepithelial permeability. *Am J Physiol* **263**: F915-F924

- Murch SH, Braegger CP, Walker-Smith JA, MacDonald TT (1993). Location of tumour necrosis factor alpha by immunohistochemistry in chronic inflammatory bowel disease. *Gut* **34**(12): 1705-1709
- Murch SH, Lamkin VA, Savage MO, Walker-Smith JA, MacDonald TT (1991). Serum concentrations of tumour necrosis factor alpha in childhood chronic inflammatory bowel disease. *Gut* **32**(8): 913-917
- Nusrat A, Delp C, Madara JL (1992). Intestinal epithelial restitution. Characterization of a cell culture model and mapping of cytoskeletal elements in migrating cells. *J Clin Invest* **89**(5): 1501-1511
- Nusrat A, Parkos CA, Bacarra AE, Godowski PJ, Delp-Archer C, Rosen EM, Madara JL (1994). Hepatocyte growth factor/scatter factor effects on epithelia. Regulation of intercellular junctions in transformed and nontransformed cell lines, basolateral polarization of c-met receptor in transformed and natural intestinal epithelia, and induction of rapid wound repair in a transformed model epithelium. *J Clin Invest* **93**(5): 2056-2065
- Nusrat A, Parkos CA, Liang TW, Carnes DK, Madara JL (1997). Neutrophil migration across model intestinal epithelia: monolayer disruption and subsequent events in epithelial repair. *Gastroenterology* **113**(5): 1489-1500
- Paimela H, Goddard PJ, Carter K, Khakee R, McNeil PL, Ito S, Silen W (1993). Restitution of frog gastric mucosa in vitro: effect of basic fibroblast growth factor. *Gastroenterology* **104**(5): 1337-1345
- Paludan SR (2000). Synergistic action of pro-inflammatory agents: cellular and molecular aspects. *J Leukoc Biol* **67**(1): 18-25
- Peralta Soler A, Mullin JM, Knudsen KA, Marano CW (1996). Tissue remodeling during tumor necrosis factor-induced apoptosis in LLC-PK1 renal epithelial cells. *Am J Physiol* **270**: F869-F879
- Podolsky DK, Lynch-Devaney K, Stow JL, Oates P, Murgue B, DeBeaumont M, Sands BE, Mahida YR (1993). Identification of human intestinal trefoil factor. Goblet cell-specific expression of a peptide targeted for apical secretion. *J Biol Chem* **268**(9): 6694-6702
- Pollard TD (1986). Assembly and dynamics of the actin filament system in nonmuscle cells. *J Cell Biochem* **31**(2): 87-95
- Pollard TD, Cooper JA (1986). Actin and actin-binding proteins. A critical evaluation of mechanisms and functions. *Annu Rev Biochem* **55**: 987-1035
- Potten CS (1997). Epithelial cell growth and differentiation II. intestinal apoptosis. *Am J Physiol* **273**: G253-G257
- Powell DW (1981). Barrier function of epithelia. *Am J Physiol* **241**(4): G275-G288
- Riecken EO, Zeitz M, Ullrich U (1990). Non-opportunistic causes of diarrhoea in HIV infection. *Baillieres Clin Gastroent* **4**: 385-403
- Rodriguez P, Heyman M, Candalh C, Blaton MA, Bouchaud C (1995). Tumour necrosis factor- $\alpha$  induces morphological and functional alterations of intestinal HT29 cl.19A cell monolayers. *Cytokine* **7**: 441-448
- Rosenblatt J, Raff MC, Cramer LP (2001). An epithelial cell destined for apoptosis signals its neighbors to extrude it by an actin- and myosin-dependent mechanism. *Curr Biol* **11**: 1847-1857

- Ruchhoeft ML, Harris WA (1997). Myosin functions in *Xenopus* retinal ganglion cell growth cone motility in vivo. *J Neurobiol* **32**(6): 567-578
- Ruggiero V, Tavernier J, Fiers W, Baglioni C (1986). Induction of the synthesis of tumor necrosis factor receptors by interferon-gamma. *J Immunol* **136**(7): 2445-2450
- Sachs L (1997, S. 184). *Angewandte Statistik*. Springer-Verlag Berlin Heidelberg New York: 8. Auflage
- Sandle GI, Higgs N, Crowe P, Marsh MN, Venkatesan S, Peters TJ (1990). Cellular basis for defective electrolyte transport in inflamed human colon. *Gastroenterology* **99**: 97-105
- Sartor RB (1994). Cyclosporine therapy for inflammatory bowel disease. *N Engl J Med* **330**(26): 1897-1898
- Scheppach W, Dusel G, Kuhn T, Loges C, Karch H, Bartram HP, Richter F, Christl SU, Kasper H (1996). Effect of L-glutamine and n-butyrate on the restitution of rat colonic mucosa after acid induced injury. *Gut* **38**(6): 878-885
- Schmitz H, Fromm M, Bentzel CJ, Scholz P, Detjen K, Mankertz J, Bode H, Epple HJ, Riecken EO, Schulzke JD (1999). Tumor necrosis-factor-alpha (TNF- $\alpha$ ) regulates the epithelial barrier in the human intestinal cell line HT-29/B6. *J Cell Sci* **112**: 137-146
- Schmitz H, Fromm M, Bode H, Scholz P, Riecken EO, Schulzke JD (1996). Tumor necrosis factor-alpha induces Cl<sup>-</sup> and K<sup>+</sup> secretion in human distal colon driven by prostaglandin E<sub>2</sub>. *Am J Physiol* **271**: G669-G674
- Schmitz H, Rokos K, Florian P, Gitter AH, Fromm M, Scholz P, Ullrich R, Zeitz M, Pauli G, Schulzke JD (2002). Supernatants of HIV-infected immune cells affect the barrier function of human HT-29/B6 intestinal epithelial cells. *AIDS* **16**(7): 983-991
- Schulzke JD, Fromm M, Hegel U (1986). Epithelial and subepithelial resistance of rat large intestine: segmental differences, effect of stripping, time course, and action of aldosterone. *Pflügers Arch* **407**: 632-637
- Schulzke JD, Riecken EO, Fromm M (1995). Distension-induced electrogenic Cl<sup>-</sup> secretion is mediated via VIP-ergic neurons in rat rectal colon. *Am J Physiol* **268**: G725-G731
- Scott EA, Heidel JR, Snyder SP, Ramirez S, Whitler WA (1999). Inflammatory bowel disease in horses: 11 cases (1988-1998). *J Am Vet Med Assoc* **214**(10): 1527-1530
- Seegers D, Bouma G, Pena AS (2002). A critical approach to new forms of treatment of Crohn's disease and ulcerative colitis. *Aliment Pharmacol Ther* **16 Suppl 4**: 53-58
- Selden SC, Pollard TD (1986). Interaction of actin filaments with microtubules is mediated by microtubule-associated proteins and regulated by phosphorylation. *Ann N Y Acad Sci* **466**: 803-812
- Silen W, Ito S (1985). Mechanisms for rapid re-epithelialization of the gastric mucosal surface. *Annu Rev Physiol* **47**: 217-229
- Soler AP, Miller RD, Laughlin KV, Carp NZ, Klurfeld DM, Mullin JM (1999). Increased tight junctional permeability is associated with the development of colon cancer. *Carcinogenesis* **20**(8): 1425-1431

- Somlyo AP, Somlyo AV (2000). Signal transduction by G-proteins, rho-kinase and protein phosphatase to smooth muscle and non-muscle myosin II. *J Physiol* **522 Pt 2**: 177-185
- Spring KR, Hope A (1979). Dimensions of cells and lateral intercellular spaces in living *Necturus gallbladder*. *Fed Proc* **38**: 128-133
- Staehelin LA (1973). Further observations on the fine structure of freeze-cleaved tight junctions. *J Cell Sci* **13(3)**: 763-786
- Staehelin LA (1974). Structure and function of intercellular junctions. *Int Rev Cytol* **39**: 191-283
- Stevenson BR, Anderspn JM, Bullivant S (1988). The epithelial tight junction: structure, function and preliminary biochemical characterization. *Mol Cell Biochem* **83**: 129-145
- Stevenson BR, Begg DA (1994). Concentration-dependent effects of cytochalasin D on tight junctions and actin filaments in MDCK epithelial cells. *J Cell Science* **107**: 367-375
- Stevenson BR, Siliciano JD, Mooseker MS, Goodenough DA (1986). Identification of ZO-1: a high molecular weight polypeptide associated with the tight junction (zonula occludens) in a variety of epithelia. *J Cell Biol* **103(3)**: 755-766
- Stockmann M, Gitter AH, Sorgenfrei D, Fromm M, Schulzke JD (1999). Low edge damage container insert that adjusts intestinal forceps biopsies into Ussing chamber systems. *Pflügers Arch* **438(1)**: 107-112
- Sturm A, Sudermann T, Schulte KM, Goebell H, Dignass AU (1999). Modulation of intestinal epithelial wound healing in vitro and in vivo by lysophosphatidic acid. *Gastroenterology* **117(2)**: 368-377
- Sutherland DB, Varilek GW, Neil GA (1994). Identification and characterization of the rat intestinal epithelial cell (IEC-18) interleukin-1 receptor. *Am J Physiol* **266(5 Pt 1)**: C1198-C1203
- ten Hove T, van Montfrans C, Peppelenbosch MP, van Deventer SJ (2002). Infliximab treatment induces apoptosis of lamina propria T lymphocytes in Crohn's disease. *Gut* **50(2)**: 206-211
- Tietze U, Schenk C (1999). Halbleiterschaltungstechnik. Springer-Verlag Berlin Heidelberg New York: 11. Auflage
- Tsukita S, Furuse M (2000a). Pores in the wall: claudins constitute tight junction strands containing aqueous pores. *J Cell Biol* **149(1)**: 13-16
- Tsukita S, Furuse M (2000b). The structure and function of claudins, cell adhesion molecules at tight junctions. *Ann N Y Acad Sci* **915**: 129-135
- Tsukita S, Furuse M, Itoh M (1997). Molecular architecture of tight junctions: occludin and ZO-1. *Soc Gen Physiol Ser* **52**: 69-76.
- Tsukita S, Furuse M, Itoh M (2001). Multifunctional strands in tight junctions. *Nat Rev Mol Cell Biol* **2(4)**: 285-293
- Turner JR (2000). 'Putting the squeeze' on the tight junction: understanding cytoskeletal regulation. *Semin Cell Dev Biol* **11(4)**: 301-308
- Turner JR, Rill BK, Carlson SL, Carnes D, Kerner R, Mrsny RJ, Madara JL (1997). Physiological regulation of epithelial tight junctions is associated with myosin light-chain phosphorylation. *Am J Physiol* **273(4 Pt 1)**: C1378-C1385
- Ussing HH, Zerahn K (1951). Active transport of sodium as the source of electric current in the short-circuited isolated frog skin. *Acta Physiol Scand* **23**: 110-127

- van der Poll T, Lowry SF (1995). Tumor necrosis factor in sepsis: mediator of multiple organ failure or essential part of host defense? *Shock* **3**(1): 1-12
- Van Dullemen HM, Van Deventer SJH, Hommes DW, Bijl HA, Jansen J, Tytgat GN, Woody J (1995). Treatment of Crohn's disease with anti-tumor necrosis factor chimeric monoclonal antibody (cA2). *Gastroenterology* **109**: 129-135
- Varilek GW, Neil GA, Bishop WP (1994). Caco-2 cells express type I interleukin-1 receptors: ligand binding enhances proliferation. *Am J Physiol* **267**(6 Pt 1): G1101-G1107
- Victor L (2000). Der Einfluß von Protamin auf den parazellulären Transport von Nierenepithelzellen MDCK-C11 und C-7. Dissertation, Freie Universität Berlin
- Wallach D (1997). Apoptosis. Placing death under control. *Nature* **388**(6638): 123, 125-126
- Wallach D, Boldin M, Varfolomeev E, Beyaert R, Vandenameele P, Fiers W (1997). Cell death induction by receptors of the TNF family: towards a molecular understanding. *FEBS Lett* **410**(1): 96-106
- Ware CF, VanArsdale S, VanArsdale TL (1996). Apoptosis mediated by the TNF-related cytokine and receptor families. *J Cell Biochem* **60**(1): 47-55
- Watanabe S, Hirose M, Wang XE, Maehiro K, Murai T, Kobayashi O, Nagahara A, Sato N (1994). Hepatocyte growth factor accelerates the wound repair of cultured gastric mucosal cells. *Biochem Biophys Res Commun* **199**(3): 1453-1460
- Wilson AJ, Gibson PR (1997). Epithelial migration in the colon: filling in the gaps. *Clin Sci (Lond)* **93**(2): 97-108
- Wittchen ES, Haskins J, Stevenson BR (1999). Protein interactions at the tight junction. Actin has multiple binding partners, and ZO-1 forms independent complexes with ZO-2 and ZO-3. *J Biol Chem* **274**(49): 35179-35185
- Wittmann T, Waterman-Storer CM (2001). Cell motility: can Rho GTPases and microtubules point the way? *J Cell Sci* **114**(Pt 21): 3795-3803
- Yasunaga Y, Shinomura Y, Kanayama S, Higashimoto Y, Yabu M, Miyazaki Y, Kondo S, Murayama Y, Nishibayashi H, Kitamura S, Matsuzawa Y (1996). Increased production of interleukin 1 beta and hepatocyte growth factor may contribute to foveolar hyperplasia in enlarged fold gastritis. *Gut* **39**(96): 787-794
- Youngman KR, Fiocchi C, Kaetzel CS (1994). Inhibition of IFN-gamma activity in supernatants from stimulated human intestinal mononuclear cells prevents up-regulation of the polymeric Ig receptor in an intestinal epithelial cell line. *J Immunol* **153**(2): 675-681
- Zhao L, Naber N, Cooke R (1995). Muscle cross-bridges bound to actin are disordered in the presence of 2,3-butanedione monoxime. *Biophys J* **68**(5): 1980-1990
- Zolotarevsky Y, Hecht G, Koutsouris A, Gonzalez DE, Quan C, Tom J, Mrsny RJ, Turner JR (2002). A membrane-permeant peptide that inhibits MLC kinase restores barrier function in in vitro models of intestinal disease. *Gastroenterology* **123**(1): 163-172