

REFERENCES

- Aas, E., Refractive index of phytoplankton derived from its metabolite composition, *J. Plankton Res.*, 18, 2223-2249, 1996.
- Allali, K. A., A. Bricaud, M. Babin, A. Morel, and P. Chang, A new method for measuring spectral absorption coefficients of marine particles. *Limnol. Oceanogr.*, 40, 1526-1532, 1995.
- Ahn, Y. H., J. E. Moon, and S. Gallegos, Development of Suspended Particulate Matter Algorithms for Ocean colour Remote Sensing, *Korean Journal of Remote Sensing*, 17, 285-295, 2001.
- Babin, M., A. Morel, V. F. Sicre, G. M. Ferrari, F. Fell, and D. Stramski, Light scattering properties of marine particles in coastal and oceanic waters as related to the mass concentration, *Limnol. Oceanogr.*, 48, 843-859, 2003.
- Babin, M., Coastal surveillance through observation of ocean colour (COASTLOOC), *Final Report, Project ENV4-CT96-0310*, 233 pp., Laboratoire de Physique et Chimie Marines, Villefranche-sur-mer, France, 2000.
- Babin, M., A. Morel, V. Fournier-Sicre, F. Fell, G. Obolensky, B. Gentili, M. Ferrari, and H. Claustre, Scattering properties of Case II water particles, *SPIE Proceedings, Ocean Optics XV*, CD-ROM, 2000.
- Bader, H., The hyperbolic distribution of particles sizes, *J. Geophys. Res.*, 75, 2822-2830, 1970.
- Barnard, A. H., W. S. Pegau, and J. R. V. Zaneveld, Global relationships of the inherent optical properties of the oceans, *J. Geophys. Res.*, 103, 24955-24968, 1998.
- Bennartz, R., and J. Fischer, A modified k -distribution approach applied to narrow band water vapour and oxygen absorption estimates in the near infrared, *J. Quant. Spectrosc. Radiat. Transfer*, 66, 539-553, 2000.
- Bricaud, A., A. Morel, and L. Prieur, Absorption by dissolved organic matter of the sea (yellow substance) in the UV and visible domains, *Limnol. Oceanogr.*, 26, 43-53, 1981.
- Bricaud, A., and D. Stramski, Spectral absorption coefficients of living phytoplankton and noalgal biogenous matter: a comparison between the Peru upwelling and the Sargasso sea, *Limnol. Oceanogr.*, 35, 562-582, 1990.

Bricaud A., M. Babin, A. Morel, and H. Claustre, Variability in the chlorophyll-specific absorption coefficients of natural phytoplankton: Analysis and parameterisation, *J. Geophys. Res.*, 100, 13321-13332, 1995.

Bricaud A., A. Morel, M. Babin, K. Allali, and H. Claustre, Variations of light absorption by suspended particles with chlorophyll-a concentration in oceanic (case 1) waters: Analysis and implications for bio-optical models, *J. Geophys. Res.*, 103, 31033-31044, 1998.

Buckton, D., E. O'Mongain, and S. Danaher, The use of neural networks for the estimation of oceanic constituents based on the MERIS instrument, *Int. J. Remote Sens.*, 20, 1841-1851, 1999.

Bukata, R. P., J. E. Bruton, J. H. Jerome, S. C. Jain, and H. H. Zwick, Optical water quality model of Lake Ontario. 2. Determination of chlorophyll and suspended mineral concentrations of natural waters from submersible and low altitude remote sensors, *Appl. Opt.*, 20, 1704-1714, 1981.

Brown, O.B., H.R. Gordon, Size-refractive index distribution of clear coastal water particulates from light scattering, *Appl. Opt.*, 13, 2874-2881, 1974.

Carder, K. L., S. K. Hawes, K. A. Balcer, R. C. Smith, R. G. Steward, and B. G. Mitchell, Reflectance model for quantifying chlorophyll a in the presence of productivity degradation products, *J. Geophys. Res.*, 96, 20,599- 20,611, 1991.

Carder, K. L., F. R. Chen, Z. P. Lee, S. K. Hawes, and D. Kamykowski, Semianalytic Moderate Resolution Imaging Spectrometer algorithms for chlorophyll and absorption with bio-optical domains based on nitrate-depletion temperatures, *J. Geophys. Res.*, 104, 5403-5421, 1999.

Chomko, R. M., and H. R. Gordon, Atmospheric correction of ocean colour imagery: use of the Junge power-law aerosol size distribution with variable refractive index to handle aerosol absorption, *Appl. Opt.*, 37, 5560-5572, 1998.

Chomko, R. M., and H. R. Gordon, Atmospheric correction of ocean colour imagery: test of the spectral optimisation algorithm with SeaWiFS, *Appl. Opt.*, 40, 2973-2984, 2001.

Chomko, R. M., H. R. Gordon, S. Maritorena, and D. A. Siegel, Simultaneous retrieval of oceanic and atmospheric parameters from ocean colour imagery by spectral optimisation: a validation, *Remote Sensing of Environment*, 84, 208-220, 2003.

Cox, C., and W. Munk, Some problems in optical oceanography, *J. Mar. Res.*, 14, 63-78, 1954.

Cybenko, G., Approximations by superpositions of a sigmoidal function, *Mathematics of Control, Signals and System*, 2, 303-314, 1989.

Doerffer, R., and J. Fischer, Concentrations of chlorophyll, suspended matter, and gelbstoff in Case II waters derived from satellite coastal zone colour scanner data with inverse modelling methods, *J. Geophys. Res.*, 99, 7457-7466, 1994.

Elterman L., UV, visible, and IR attenuation for altitudes to 50 km, Air Force Cambridge Research Laboratories, *Environmental Research papers*, N° 285, AFCRL-68-0153, 49pp, 1968.

Falkowski, P. G., The role of phytoplankton photosynthesis in global biogeochemical cycles, *Photosyn. Res.*, 39, 235-258, 1994.

Fargion, G. S., and J. L. Mueller, Ocean optics protocols for satellite ocean colour sensor validation, *Revision 2. NASA/TM-2000-209966*, 98 pp., NASA Goddard Space Flight Center, Greenbelt, Maryland, 2000.

Fell, F., Validierung eines Modells zur Simulierung des Strahlungstransportes in Atmosphäre und Ozean. PhD thesis, *Institut für Weltraumwissenschaften*, Freie Universität Berlin, Germany, 1997.

Fell, F., and J. Fischer, Numerical simulation of the light field in the atmosphere-ocean system using the Matrix-Operator method, *J. Quant. Spectrosc. Radiat. Transfer*, 69, 351-388, 2001.

Ferrari, G. M., and M. D. Dowell, CDOM absorption characteristics with relation to fluorescence and salinity in coastal areas of the Southern Baltic Sea, *Estuarine, Coastal and Shelf Science*, 47, 91-105, 1998.

Fischer, J., and H. Grassl, Radiative transfer in an atmosphere-ocean system: an azimuthally dependent matrix-operator approach, *Appl. Opt.*, 23, 1032-1039, 1984.

Fournier, G. R., and J. L. Forand, Analytic phase function for ocean water, *SPIE Vol. 2258, Ocean Optics XII*, 194-201, 1994.

Fukushima, H., and M. Toratani, Asian dust aerosol: Optical effect on satellite ocean colour signal and a scheme of its correction, *J. Geophys. Res.*, 102, 17119-17130, 1997.

Garver, S. A., and D. A. Siegel, Inherent optical property inversion of ocean colour spectra and its biogeochemical interpretation 1. Time series from the Sargasso Sea, *J. Geophys. Res.*, 102, 18,607-18,625, 1997.

Geman, S., E. Bienenstock, and R. Doursat, Neural networks and the bias/variance dilemma, *Neural Computation*, 4, 1-58, 1992.

Gross, L., S. Thiria, R. Frouin, and B. G. Mitchell, Artificial neural networks for modelling the transfer function between marine reflectance and phytoplankton pigment concentration, *J. Geophys. Res.*, 105, 3483-3495, 2000.

Gould, R. W., R. A. Arnone, and P. M. Martinolich. Spectral dependence of the scattering coefficient in Case I and Case II waters, *Appl. Opt.*, 38, 2377-2383, 1999.

Gordon, H. R., Radiative transfer in the ocean: a method for determining absorption and scattering properties, *Appl. Opt.*, 15, 2611-2613, 1976.

Gordon, H. R., and D. K. Clark, Clear water radiances for atmospheric correction of coastal zone color scanner imagery, *Appl. Opt.*, 20, 4175-4180, 1981.

Gordon, H. R., and A. Morel, Remote assessment of ocean colour for interpretation of satellite visible imagery: *A review*. pp. 44. New York. Springer-Verlag, 1983.

Gordon, H. R., Atmospheric correction of ocean colour imagery in the Earth Observing System era, *J. Geophys. Res.*, 102, 17,081-17,106, 1997.

Gordon, H. R., T. Du, and T. Zhang, Remote sensing of ocean colour and aerosol properties: resolving the issue of aerosol absorption, *Appl. Opt.*, 36, 8670-8684, 1997.

Hale, G. M., and M. R. Querry, Optical constants of water in the 200nm to 200 μm wavelength region, *Appl. Opt.*, 12, 555-563, 1973.

Haltrin, V. I., An analytic Fournier-Forand scattering phase function as an alternative to the Henyey-Greenstein phase function in hydrologic optics, *IEEE 1998 International Geoscience and Remote Sensing Symposium Proceedings*, IEEE Catalog Number 98CH36174, 910-912, 1998.

Hansen, J. E., and L. D. Travis, Light scattering in planetary atmospheres, *Space Science Reviews*, 16, 527-610, 1974.

Hoepffer, H., and S. Sathyendranath, Determination of the Major Groups of Phytoplankton Pigments From the Absorption Spectra of Total Particulate Matter, *J. Geophys. Res.*, 98, 22789-22803, 1993.

Hu, D.X., *Cruise Report of JGOFS-China Project (1990-2000)*, Oceanology Institute, Chinese Academy of Sciences, China, 2000.

IOCCG, Remote Sensing of Ocean Colour in Coastal, and Other Optically-Complex, Waters. Sathyendranath, S. (ed.), *Reports of the International Ocean-Colour Coordinating Group*, No.3, IOCCG, Dartmouth, Canada, 2000.

IOCCG, Ocean Colour Sensors, www.ioccg.org/sensors_ioccg.html, 2003.

Jiang, W., J. Su, H. Yang, Y. Zhang, H. Jiang, Q. Wang, K. Zhang, and T. Tian, The relationship between SPM concentration and hydrodynamic condition in the Bohai Sea, *Acta Oceanologica Sinica*, 24, 212-217, 2002.

Jonasz, M., Particle-size distributions in the Baltic, *Tellus*, 35B, 346-358, 1983.

Keiner, L. E., and C. W. Brown, Estimating oceanic chlorophyll concentrations with neural networks, *Int. J. Remote Sens.*, 20, 189-194, 1999.

Kirk, J. T. O., Light & Photosynthesis in Aquatic Ecosystems, Cambridge University Press, Cambridge, 1984.

Kishino, M., C. R. Booth, and N. Okami, Underwater radiant energy absorbed by phytoplankton, detritus, dissolved organic matter, and pure water, *Limnol. Oceanogr.*, 29, 340-349, 1984.

Koistinen, P., and L. Holmström, Kernel regression and back propagation training with noise, *NIPS4*, 1033-1039, 1992.

Kondratyev, K. Y., D. V. Pozdnyakov, and L. H. Pettersson, Water quality remote sensing in the visible spectrum, *Int. J. Remote Sensing*, 19, 957-979, 1998.

Lee, Z. P., K. L. Carder, S. H. Hawes, R. G. Steward, T. G. Peacock, and C. O. Davis, A model for interpretation of hyperspectral remote-sensing reflectance, *Appl. Opt.*, 33, 5721-5732, 1994.

Lee, Z. P., K. L. Carder, C. D. Mobley, R. G. Steward, and J. S. Patch, Hyperspectral remote sensing for shallow waters: 2. Deriving bottom depths and water properties by optimisation, *Appl. Opt.*, 38, 3831-3843, 1999.

Li, L. P., H. Fukushima, R. Frouin, B. G. Mitchell, M. X. He, I. Uno, T. Takamura, and S. Ohta, Influence of sub-micron absorptive aerosol on SeaWiFS-derived marine reflectance during ACE-Asia. (*accepted by JGR-atmosphere*, 2002)

Lide, D. R., CRC handbook of physics and chemistry, 82 ed. CRC, 2001.

Loisel, H., and A. Morel, Light scattering and chlorophyll concentration in Case I waters: A re-examination, *Limnol. Oceanogr.*, 43, 847-858, 1998.

Luoma, S. N., Can we determine the biological availability of sediment-bound trace elements? *Hydrobiologia*, 177, 349-394, 1989.

Masters, T., Practical neural network recipes in C++, Academics Press, San Diego, 1993.

Mobley, C. D., B. Gentili, H. R. Gordon, Z. Jin, G. W. Kattawar, A. Morel, P. Reinersman, K. Stamnes, and R. H. Stavn, Comparison of numerical models for computing underwater light fields, *Appl. Opt.*, 32, 7484-7504, 1993.

Mobley, C. D., *Light and Water*, Academic Press, San Diego, USA, 1994.

Mobley, C. D., Estimation of the remote-sensing reflectance from above-surface measurements, *Appl. Opt.*, 38, 7442-7455, 1999.

Montagner, F., Results of inter-comparison of water simulations, *Rep. PO-TN-MEL-GS-0033, Issue 1*, 12 pp., ACRI S.A.; Sophia-Antipolis, France, 1999.

Mopper, K., X. L. Zhou, R. J. Kieber, D. J. Kieber, R. J. Sikorski, and R. D. Jones, Photochemical degradation of dissolved organic carbon and its impact on the oceanic carbon cycle, *Nature*, 353, 60-62, 1991.

Moran, M. A., and R. G. Zepp, Role of photo reactions in the formation of biologically labile compounds from dissolved organic matter, *Limnol. Oceanogr.*, 42, 1307-1316, 1997.

Morel, A., Optical properties of pure water and pure sea water, in *Optical Aspects of Oceanography*, edited by N. G. Jerlov and E. S. Nielsen, pp. 1-24, Academic Press, New York, USA, 1974.

Morel, A., and L. Prieur, Analysis of variations in ocean colour, *Limnol. Oceanogr.*, 22, 709-722, 1977.

Morel, A., In-water and Remote measurements of ocean colour, *Boundary-layer-meteorology*, 18, 177-201, 1980.

Morel, A., Optical modeling of the upper ocean in relation to its biogenous matter content (Case I waters), *J. Geophys. Res.*, 93, 10,749-10,768, 1988.

Morel, A., and Y.-H. Ahn, Optics of heterotrophic nanoflagellates and ciliates: a tentative assessment of their scattering role in oceanic waters compared to those of bacteria and algal cells, *J. Mar. Res.*, 49, 177-202, 1991.

Morel, A., and B. Gentili, Diffuse reflectance of oceanic waters. II. Bidirectional aspects, *Appl. Opt.*, 32, 6864-6879, 1993.

Morel, A., and B. Gentili, Diffuse reflectance of oceanic waters. III. Implication of bidirectionality for the remote-sensing problem, *Appl. Opt.*, 35, 4850-4862, 1996.

Nakajima, T., M. Tanaka, M. Yamano, M. Shiobara, K. Arao, and Y. Nakanishi, Aerosol optical characteristics in the yellow sand events observed in May 1982 at Nagasaki Part II: models, *J. Meteorol. Soc. Jpn.* 67, 279-291, 1989.

O'Reilly, J. E., S. Maritorena, B. G. Mitchell, D. A. Siegel, K. L. Carder, S. A. Garver, M. Kahru, and C. McClain, Ocean colour chlorophyll algorithms for SeaWiFS, *J. Geophys. Res.*, 103, 24937-24953, 1998.

Pegau, W. S., E. Boss, G. Korotaev, A. Weidemann, M. Lee, and E. Shibanov, Measurements of the back scattering coefficient, ASLO, 2001.

Petzold, T. J., Volume scattering functions for selected ocean waters, *Rep. SIO Ref.* 72-78, 79 pp., Scripps Institution of Oceanography, San Diego, USA, 1972.

Plass, G. N., G. W. Kattawar, and F. E. Catchings, Matrix-operator theory of radiative transfer. 1: Rayleigh scattering, *Appl. Opt.*, 12, 314-329, 1973.

Pope, R. M., and E. S. Fry, Absorption spectrum (380-700) of pure water. II. Integrating cavity measurements, *Appl. Opt.*, 36, 8710-8722, 1997.

Prieur L., and S. Sathyendranath, An optical classification of coastal and oceanic waters based on the specific spectral absorption curves of phytoplankton pigments, dissolved organic matter, and other particulate materials, *Limnol. Oceanogr.*, 26, 671-689, 1981.

Roesler, C. S., and M. J. Perry, In situ phytoplankton absorption, fluorescence emission, and particulate backscattering spectra determined from reflectance., *J. Geophys. Res.*, 100, 13,279-13,294, 1995.

Rumelhart, D. E., J. L. McClelland (Eds), Parallel Distributed Processing, MA: MIT Press, Cambridge, 1986.

Schiller, H., and R. Doerffer, Neural network for emulation of an inverse model - operational derivation of Case II water properties from MERIS data, *Int. J. Remote Sens.*, 20, 1735-1746, 1999.

Sheldon, R. W., A. Prakash, and W. H. Sutcliffe, The size distribution of particles in the ocean, *Limnol. Oceanogr.*, 17, 327-340, 1972.

Shettle, E. P., and R. W. Fenn, Models for the aerosols of the lower atmosphere and the effects of humidity variations on their optical properties. *Environmental Research Papers, AFGL-TR-79-0214, 20 September 1979, AFGL*, Hanscom, MA, 1979.

Shimwell, S. J., and M. Wernand, Ocean colour algorithm development, *PMNS report*, Netherlands Institute for Sea Research, Netherlands, 1995.

Siegel, D. A., and A. F. Michaels, Quantification of non-algal light attenuation in the Sargasso Sea: implications for biogeochemistry and remote sensing, *Deep Sea Res.*, 43, 321-345, 1996.

Siegel, D. A., M. Wang, S. Maritorena, and W. Robinson, Atmospheric correction of satellite ocean colour imagery: the black pixel assumption, *Appl. Opt.*, 39, 3582-3591, 2000.

Siegel, D. A., S. Maritorena, N. B. Nelson, D. A. Hansell, and M. Lorenzi-Kayser, Global distribution and dynamics of Coloured dissolved and detrital organic materials. *J. Geophys. Res.*, 107, 3228-3242, 2002.

Smith, R. C., Structure of solar radiation in the upper layers of the sea, in *Optical Aspects of Oceanography*, edited by N. G. Jerlov and E. S. Nielsen, pp. 1-24, Academic Press, New York, USA, 1974.

Stramski, D., and F. A. Kiefer, Light scattering by microorganisms in the open ocean, *Prog. Oceanogr.*, 28, 343-383, 1991.

Thiria, S., C. Meija, F. Badran, and M. Crepon, A neural network approach for modelling non-linear transfer functions: Application for wind retrieval from space borne scatterometer data, *J. Geophys. Res.*, 98, 22827-22841, 1993.

Ulloa O., S. Sathyendranath, and T. Platt, Effect of the particle-size distribution on the backscattering ratio in seawater, *Appl. Opt.*, 30, 7070-7077, 1994.

VAN Raaphorst, W., and J. F. P. Malschaert, Ammonium adsorption in superficial North Sea sediments, *Cont. Shelf Res.* 16, 1415-1435, 1996.

Vidussi, F., H. Claustre, J. Bustillos-Guzman, C. Cailliau and J. C. Marty, Rapid HPLC method for determination of phytoplankton chemotaxonomic pigments: separation of chlorophyll a from divinyl-chlorophyll a, and zeaxanthin from lutein. *J. Plankton Res.*, 18: 2377-2382, 1996.

WCRP, A preliminary cloudless standard atmosphere for radiation computation. *Int. Ass. for Meteor. and Atm. Phys.*, Radiation Commission, March 1986, WCP-112, WMO/TD-N° 24, 1986.

Wu, D., Z. S. Liu, K. L. Zhang, B. Zhang, and Y. He, Lidar measurement of ocean suspended matter, *Acta Optica Sinica*, 23, 245-248, 2003.

Zhang, T., F. Fell, Z. S. Liu, R. Preusker, J. Fischer, and M. X. He, Evaluating the performance of artificial neural network techniques for pigment retrieval from ocean colour in Case I waters, *J. Geophys. Res.* (in press, 2003).