

Schriftenverzeichnis

- Asari A, Miyauchi S: Medical application of Hyaluronan. Hrsg.: Hascall VC, Yanagishita M: Hyaluronan today, Seikagaku Corporation, 2000 Mar, S. Glycoforum: <http://glycoforum.gr.jp>.
- Baksh D, Song L, Tuan RS: Adult mesenchymal stem cells: characterization, differentiation, and application in cell and gene therapy. *J Cell Mol Med.*, 2004 Jul-Sep, *8(3)*, S. 301-16.
- Balazs EA, Denlinger JL: Clinical uses of hyaluronan. *Ciba Found Symp.*, 1989, *143*, S. 265-75.
- Barry FP, Murphy JM: Mesenchymal stem cells: clinical applications and biological characterization. *Int J Biochem Cell Biol.*, 2004 Apr, *36(4)*, S. 568-84.
- Bianchi G, Banfi A, Mastrogiacomo M, Notaro R, Luzzatto L, Cancedda R, Quarto R: Ex vivo enrichment of mesenchymal cell progenitors by fibroblast growth factor 2. *Exp Cell Res.*, 2003 Jul 1, *287(1)*, S. 98-105.
- Brecht M, Mayer U, Schlosser E, Prehm P: Increased hyaluronate synthesis is required for fibroblast detachment and mitosis. *Biochem J.*, 1986, *239*, S. 445-450.
- Brittberg M, Lindahl A, Nilsson A, Ohlsson C, Isaksson O, Peterson L: Treatment of deep cartilage defects in the knee with autologous chondrocyte transplantation. *N Engl J Med.*, 1994 Oct, *331(14)*, S. 889-95.
- Browne JE, Anderson AF, Arciero R, Mandelbaum B, Moseley JB Jr, Micheli LJ, Fu F, Erggelet C: Clinical outcome of autologous chondrocyte implantation at 5 years in US subjects. *Clin Orthop Relat Res.*, 2005 Jul, *436*, S. 237-45.
- Bruder SP, Jaiswal N, Haynesworth SE: Growth kinetics, self-renewal, and the osteogenic potential of purified human mesenchymal stem cells during extensive subcultivation and following cryopreservation. *J Cell Biochem.*, 1997 Feb, *64(2)*, S. 278-94.
- Buckwalter JA: Articular cartilage injuries. *Clin Orthop.*, 2002 Sep, *402*, S. 21-37.
- Buckwalter JA, Brown TD: Joint injury, repair, and remodeling: roles in post-traumatic osteoarthritis. *Clin Orthop.*, 2004 Jun, *423*, S. 7-16.

- Buckwalter JA, Mankin HJ: Articular cartilage: tissue design and chondrocyte-matrix interactions. Instr Course Lect., 1998, 47, S. 477-86.
- Cancedda R, Descalzi Cancedda F, Castagnola P: Chondrocyte differentiation. Int Rev Cytol., 1995, 159, S. 265-358.
- Carter DR, Beaupre GS, Wong M, Smith RL, Andriacchi TP, Schurman DJ, Smith RL: The mechanobiology of articular cartilage development and degeneration. Clin Orthop., 2004 Oct, 427 Suppl, S. 69-77.
- Cogle CR, Yachnis AT, Laywell ED, Zander DS, Wingard JR, Steindler DA, Scott EW: Bone marrow transdifferentiation in brain after transplantation: a retrospective study. Lancet., 2004 May, 363(9419), S. 1432-7.
- Doi M, Nagano A, Nakamura Y: Molecular cloning and characterization of a novel gene, EMILIN-5, and its possible involvement in skeletal development. Biochem Biophys Res Commun., 2004 Jan 23, 313(4), S. 888-93.
- Drenckhahn D: Allgemeine Gelenklehre, Arthrologie. Hrsg.: Drenckhahn D, Zenker W: Benninghoff Anatomie, Band 1, 15. Auflage, München; Wien, Urban und Schwarzenberg, 1994, S. 220-1.
- Erggelet C, Sittinger M, Lahm A: The arthroscopic implantation of autologous chondrocytes for the treatment of full-thickness cartilage defects of the knee joint. Arthroscopy., 2003 Jan, 19(1), S. 108-10.
- Fortier LA, Nixon AJ, Williams J, Cable CS: Isolation and chondrocytic differentiation of equine bone marrow-derived mesenchymal stem cells. Am J Vet Res., 1998 Sep, 59(9), S. 1182-7.
- Fouillard L, Bensidhoum M, Bories D, Bonte H, Lopez M, Moseley AM, Smith A, Lesage S, Beaujean F, Thierry D, Gourmelon P, Najman A, Gorin NC: Engraftment of allogeneic mesenchymal stem cells in the bone marrow of a patient with severe idiopathic aplastic anemia improves stroma. Leukemia., 2003 Feb, 17(2), S. 474-6.
- Freed LE, Marquis JC, Nohria A, Emmanuel J, Mikos AG, Langer R: Neocartilage formation in vitro and in vivo using cells cultured on synthetic biodegradable polymers. J Biomed Mater Res., 1993 Jan, 27(1), S. 11-23.

- Friedenstein AJ, Piatetzky-Shapiro II, Petrakova KV: Osteogenesis in transplants of bone marrow cells. *J Embryol Exp Morphol.*, 1966 Dec, *16(3)*, S. 381-90.
- Frisbie DD, Ghivizzani SC, Robbins PD, Evans CH, McIlwraith CW: Treatment of experimental equine osteoarthritis by in vivo delivery of the equine interleukin-1 receptor antagonist gene. *Gene Ther.*, 2002 Jan, *9(1)*, S. 12-20.
- Fuller JA, Ghadially FN: Ultrastructural observations on surgically produced partial-thickness defects in articular cartilage. *Clin Orthop.*, 1972 Jul-Aug, *86*, S. 193-205.
- Gaissmaier C, Fritz J, Mollenhauer J, Schneider U, Marlovits S, Anders J, Schewe B, Weise K: Verlauf klinisch symptomatischer Knorpelschäden des Kniegelenks. Ergebnisse ohne und mit biologischer Rekonstruktion. *Dtsch Arztebl.*, 2003, *100 (38)*, S. A 2448–2453.
- Galois L, Freyria AM, Grossin L, Hubert P, Mainard D, Herbage D, Stoltz JF, Netter P, Del-lacherie E, Payan E: Cartilage repair: surgical techniques and tissue engineering using polysaccharide- and collagen-based biomaterials. *Biorheology.*, 2004, *41(3-4)*, S. 433-43.
- Gao J, Dennis JE, Solchaga LA, Awadallah AS, Goldberg VM, Caplan AI: Tissue-engineered fabrication of an osteochondral composite graft using rat bone marrow-derived mesenchymal stem cells. *Tissue Eng.*, 2001 Aug, *7(4)*, S. 363-71.
- Goldring SR, Goldring MB, Buckwalter J: The role of cytokines in cartilage matrix degeneration in osteoarthritis. *Clin Orthop.*, 2004 Oct, *427 Suppl*, S. 27-36.
- Hall BK, Miyake T: Divide, accumulate, differentiate: cell condensation in skeletal development revisited. *Int J Dev Biol.*, 1995 Dec, *39(6)*, S. 881-93.
- Hangody L, Kish G, Karpati Z, Udvarhelyi I, Szigeti I, Bely M: Mosaicplasty for the treatment of articular cartilage defects: application in clinical practice. *Orthopedics.*, 1998 Jul, *21(7)*, S. 751-6.
- Hardingham T: Cartilage; Aggrecan-Link Protein-Hyaluronan Aggregates. Hrsg.: Hascall VC, Yanagishita M: Hyaluronan today, Seikagaku Corporation, 1998 Jun, S. Glycoforum: <http://glycoforum.gr.jp>.
- Hardingham T: Proteoglycans: their structure, interactions and molecular organization in cartilage. *Biochem Soc Trans.*, 1981 Dec, *9(6)*, S. 489-97.

- Haynesworth SE, Goshima J, Goldberg VM, Caplan AI: Characterization of cells with osteogenic potential from human marrow. *Bone*. , 1992b, *13(1)*, S. 81-8.
- Hennessy B, Korbling M, Estrov Z : Circulating stem cells and tissue repair. *Panminerva Med.*, 2004 Mar, *46(1)*, S. 1-11.
- Horwitz EM, Prockop DJ, Fitzpatrick LA, Koo WW, Gordon PL, Neel M, Sussman M, Orchard P, Marx JC, Pyeritz RE, Brenner MK: Transplantability and therapeutic effects of bone marrow-derived mesenchymal cells in children with osteogenesis imperfecta. *Nat Med.*, 1999 Mar, *5(3)*, S. 309-13.
- Ishida O, Tanaka Y, Morimoto I, Takigawa M, Eto S: Chondrocytes are regulated by cellular adhesion through CD44 and hyaluronic acid pathway. *J Bone Miner Res.*, 1997 Oct, *12(10)*, S. 1657-63.
- Jang YY, Collector MI, Baylin SB, Diehl AM, Sharkis SJ: Hematopoietic stem cells convert into liver cells within days without fusion. *Nat Cell Biol.*, 2004 Jun, *6(6)*, S. 532-9.
- Javazon EH, Beggs KJ, Flake AW: Mesenchymal stem cells: paradoxes of passaging. *Exp Hematol.*, 2004 May, *32(5)*, S. 414-25.
- Jeffcott LB, Rosedale PD, Freestone J, Frank CJ, Towers-Clark PF: An assessment of wastage in thoroughbred racing from conception to 4 years of age. *Equine Vet J.*, 1982 Jul, *14(3)*, S. 185-98.
- Johnstone B, Hering TM, Caplan AI, Goldberg VM, Yoo JU: In vitro chondrogenesis of bone marrow-derived mesenchymal progenitor cells. *Exp Cell Res.*, 1998 Jan, *238(1)*, S. 265-72.
- Jones EA, English A, Henshaw K, Kinsey SE, Markham AF, Emery P, McGonagle D: Enumeration and phenotypic characterization of synovial fluid multipotential mesenchymal progenitor cells in inflammatory and degenerative arthritis. *Arthritis Rheum.*, 2004 Mar, *50(3)*, S. 817-27.
- Knudson CB, Knudson W: Hyaluronan-binding proteins in development, tissue homeostasis, and disease. *FASEB J.* , 1993 Oct, *7(13)*, S. 1233-41.

- Knudson W, Knudson CB: The Hyaluronan Receptor CD44. Hrsg.: Hascall VC, Yanagishita M: Hyaluronan Today, Seikagaku Corporation, 1999, S. Glycoforum: <http://glycoforum.gr.jp>.
- Knutsen G, Engebretsen L, Ludvigsen TC, Drogset JO, Grontvedt T, Solheim E, Strand T, Roberts S, Isaksen V, Johansen O: Autologous chondrocyte implantation compared with microfracture in the knee. A randomized trial. *J Bone Joint Surg Am.*, 2004 Mar, *86-A(3)*, S. 455-64.
- Koc ON, Day J, Nieder M, Gerson SL, Lazarus HM, Krivit W: Allogeneic mesenchymal stem cell infusion for treatment of metachromatic leukodystrophy (MLD) and Hurler syndrome (MPS-IH). *Bone Marrow Transplant.*, 2002 Aug, *30(4)*, S. 215-22.
- Kujawa MJ, Caplan AI: Hyaluronic acid bonded to cell-culture surfaces stimulates chondrogenesis in stage 24 limb mesenchyme cell cultures. *Dev Biol.*, 1986 Apr, *114(2)*, S. 504-18.
- Kujawa MJ, Carrino DA, Caplan AI: Substrate-bonded hyaluronic acid exhibits a size-dependent stimulation of chondrogenic differentiation of stage 24 limb mesenchymal cells in culture. *Dev Biol.*, 1986 Apr, *114(2)*, S. 519-28.
- Le Blanc K, Tammik C, Rosendahl K, Zetterberg E, Ringden O: HLA expression and immunologic properties of differentiated and undifferentiated mesenchymal stem cells. *Exp Hematol.* , 2003 Oct, *31(10)*, S. 890-6.
- Lee GM, Johnstone B, Jacobson K, Caterson B: The dynamic structure of the pericellular matrix on living cells. *J Cell Biol.*, 1993 Dec, *123(6 Pt 2)*, S. 1899-907.
- Lo GH, LaValley M, McAlindon T, Felson DT: Intra-articular hyaluronic acid in treatment of knee osteoarthritis: a meta-analysis. *JAMA.* , 2003 Dec, *290(23)*, S. 3115-21.
- Mackay AM, Beck SC, Murphy JM, Barry FP, Chichester CO, Pittenger MF: Chondrogenic differentiation of cultured human mesenchymal stem cells from marrow. *Tissue Eng.*, 1998, *4(4)*, S. 415-28.
- Maheu E, Ayrat X, Dougados M: A hyaluronan preparation (500-730 kDa) in the treatment of osteoarthritis: a review of clinical trials with Hyalgan . *Int J Clin Pract.* , 2002 Dec, *56(10)*, S. 804-13.

- Maleski MP, Knudson CB: Matrix accumulation and retention in embryonic cartilage and in vitro chondrogenesis. *Connect Tissue Res.* , 1996a, *34(1)*, S. 75-86.
- Maleski MP, Knudson CB: Hyaluronan-mediated aggregation of limb bud mesenchyme and mesenchymal condensation during chondrogenesis. *Exp Cell Res.* , 1996b May, *225(1)*, S. 55-66.
- Muraglia A, Cancedda R, Quarto R: Clonal mesenchymal progenitors from human bone marrow differentiate in vitro according to a hierarchical model. *J Cell Sci.* , 2000 Apr, *113 (Pt 7)*, S. 1161-6.
- Murphy JM, Dixon K, Beck S, Fabian D, Feldman A, Barry F: Reduced chondrogenic and adipogenic activity of mesenchymal stem cells from patients with advanced osteoarthritis. *Arthritis Rheum.* , 2002 Mar, *46(3)*, S. 704-13.
- Murphy JM, Fink DJ, Hunziker EB, Barry FP: Stem cell therapy in a caprine model of osteoarthritis. *Arthritis Rheum.* , 2003 Dec, *48(12)*, S. 3464-74.
- Nakayama N, Duryea D, Manoukian R, Chow G, Han CY: Macroscopic cartilage formation with embryonic stem-cell-derived mesodermal progenitor cells. *J Cell Sci.* , 2003 May 15, *116(Pt 10)*, S. 2015-28.
- Ogueta S, Munoz J, Obregon E, Delgado-Baeza E, Garcia-Ruiz JP: Prolactin is a component of the human synovial liquid and modulates the growth and chondrogenic differentiation of bone marrow-derived mesenchymal stem cells. *Mol Cell Endocrinol.* , 2002 Apr, *190(1-2)*, S. 51-63.
- Okazaki R, Sakai A, Uezono Y, Ootsuyama A, Kunugita N, Nakamura T, Norimura T: Sequential changes in transforming growth factor (TGF)-beta1 concentration in synovial fluid and mRNA expression of TGF-beta1 receptors in chondrocytes after immobilization of rabbit knees. *J Bone Miner Metab.* , 2001, *19(4)*, S. 228-35.
- Osiris therapeutics, inc.: Prochymal (TM), 2005c Aug, S. <http://www.osiristx.com>.
- Osiris therapeutics, inc.: Provacel (TM), 2005b Aug, S. <http://www.osiristx.com>.
- Osiris therapeutics, inc. : Chondrogen (TM), 2005a Aug, S. <http://www.osiristx.com>.

- Otto WR, Rao J: Tomorrow's skeleton staff: mesenchymal stem cells and the repair of bone and cartilage. *Cell Prolif.* , 2004 Feb, *37(1)*, S. 97-110.
- Peterson L, Brittberg M, Kiviranta I, Akerlund EL, Lindahl A: Autologous chondrocyte transplantation. Biomechanics and long-term durability. *Am J Sports Med.* , 2002 Jan-Feb, *30(1)*, S. 2-12.
- Pittenger MF, Mackay AM, Beck SC, Jaiswal RK, Douglas R, Mosca JD, Moorman MA, Simonetti DW, Craig S, Marshak DR: Multilineage potential of adult human mesenchymal stem cells. *Science.* , 1999 Apr, *284(5411)*, S. 143-7.
- Putz R: Systematik der Gewebe, Knorpelgewebe. Hrsg.: Drenckhahn D, Zenker W: Benninghoff Anatomie , Band 1, 15. Auflage, München; Wien; Baltimore, Urban und Schwarzenberg, 1994, S. 160-166.
- Qi H, Aguiar DJ, Williams SM, La Pean A, Pan W, Verfaillie CM: Identification of genes responsible for osteoblast differentiation from human mesodermal progenitor cells. *Proc Natl Acad Sci U S A.* , 2003 Mar 18, *100(6)*, S. 3305-10.
- Quarto R, Mastrogiacomo M, Cancedda R, Kutepov SM, Mukhachev V, Lavroukov A, Kon E, Marcacci M: Repair of large bone defects with the use of autologous bone marrow stromal cells. *N Engl J Med.* , 2001 Feb 1, *344(5)*, S. 385-6.
- Radice M, Brun P, Cortivo R, Scapinelli R, Battaliard C, Abatangelo G: Hyaluronan-based biopolymers as delivery vehicles for bone-marrow-derived mesenchymal progenitors. *J Biomed Mater Res.* , 2000 May, *50(2)*, S. 101-9.
- Reines BP: Is rheumatoid arthritis premature osteoarthritis with fetal-like healing? . *Autoimmun Rev.* , 2004 Jun, *3(4)*, S. 305-11.
- Resinger C, Vecsei V, Marlovits S: Therapieoptionen zur Behandlung von Knorpelschäden. Techniken und Indikationen. *Radiologe.* , 2004 Aug, *44(8)*, S. 756-62.
- Ringe J, Kaps C, Burmester GR, Sittinger M: Stem cells for regenerative medicine: advances in the engineering of tissues and organs. *Naturwissenschaften.* , 2002 Aug, *89(8)*, S. 338-51.

- Ringe J, Kaps C, Schmitt B, Buscher K, Bartel J, Smolian H, Schultz O, Burmester GR, Haupl T, Sittinger M: Porcine mesenchymal stem cells. Induction of distinct mesenchymal cell lineages. *Cell Tissue Res.*, 2002 Mar, *307(3)*, S. 321-7.
- Rodic N, Rutenberg MS, Terada N: Cell fusion and reprogramming: resolving our transdifferences. *Trends Mol Med.* , 2004 Mar, *10(3)*, S. 93-6.
- Rodrigo JJ, Steadman JR, Syftestad G, Benton H, Silliman J : Effects of human knee synovial fluid on chondrogenesis in vitro. *Am J Knee Surg.* , 1995, *8(4)*, S. 124-9.
- Roufosse CA, Direkze NC, Otto WR, Wright NA: Circulating mesenchymal stem cells. *Biochem Cell Biol.* , 2004 Apr, *36(4)*, S. 585-97.
- Schmitt B, Ringe J, Haupl T, Notter M, Manz R, Burmester GR, Sittinger M, Kaps C: BMP2 initiates chondrogenic lineage development of adult human mesenchymal stem cells in high-density culture. *Differentiation.* , 2003 Dec, *71(9-10)*, S. 567-77.
- Schöler HR: Das Potenzial von Stammzellen. Eine Bestandsaufnahme. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz.* , 2004 Jun, *47(6)*, S. 565-77.
- Schurman DJ, Smith RL: Osteoarthritis: current treatment and future prospects for surgical, medical, and biologic intervention. *Clin Orthop.* , 2004 Oct, *427 Suppl*, S. 183-9.
- Sekiya I, Colter DC, Prockop DJ: BMP-6 enhances chondrogenesis in a subpopulation of human marrow stromal cells. *Biochem Biophys Res Commun.* , 2001 Jun, *284(2)*, S. 411-8.
- Shapiro F, Koide S, Glimcher MJ: Cell origin and differentiation in the repair of full-thickness defects of articular cartilage. *J Bone Joint Surg Am.*, 1993 Apr, *75(4)*, S. 532-53.
- Sharma B, Elisseff JH: Engineering structurally organized cartilage and bone tissues. *Ann Biomed Eng.* , 2004 Jan, *32(1)*, S. 148-59.
- Sittinger M, Bujia J, Burmester GR: Inexpensive computer analysis of cell and tissue stainings. *In Vitro Cell Dev Biol Anim.* , 1994 Sep, *30A(9)*, S. 559-61.
- Sittinger M, Bujia J, Minuth WW, Hammer C, Burmester GR: Engineering of cartilage tissue using bioresorbable polymer carriers in perfusion culture. *Biomaterials.* , 1994 May, *15(6)*, S. 451-6.

- Sittinger M, Hutmacher DW, Risbud MV: Current strategies for cell delivery in cartilage and bone regeneration. *Curr Opin Biotechnol.* , 2004 Oct, *15(5)*, S. 411-8.
- Skoog V, Widenfalk B, Ohlson L, Wasteson A: The effect of growth factors and synovial fluid on chondrogenesis in perichondrium. *Scand J Plast Reconstr Surg Hand Surg.* , 1990, *24(2)*, S. 89-95.
- Solchaga LA, Gao J, Dennis JE, Awadallah A, Lundberg M, Caplan AI, Goldberg VM: Treatment of osteochondral defects with autologous bone marrow in a hyaluronan-based delivery vehicle. *Tissue Eng.* , 2002 Apr, *8(2)*, S. 333-47.
- Solchaga LA, Yoo JU, Lundberg M, Dennis JE, Huibregtse BA, Goldberg VM, Caplan AI: Hyaluronan-based polymers in the treatment of osteochondral defects. *J Orthop Res.* , 2000 Sep, *18(5)*, S. 773-80.
- Solursh M: Formation of cartilage tissue in vitro. *J Cell Biochem.* , 1991 Mar, *45(3)*, S. 258-60.
- Song L, Tuan RS: Transdifferentiation potential of human mesenchymal stem cells derived from bone marrow. *FASEB J.* , 2004 Jun, *18(9)*, S. 980-2.
- Thomson JA, Itskovitz-Eldor J, Shapiro SS, Waknitz MA, Swiergiel JJ, Marshall VS, Jones JM: Embryonic stem cell lines derived from human blastocysts. *Science.* , 1998 Nov 6, *282(5391)*, S. 1145-7.
- Toole BP: Glycosaminoglycans in morphogenesis. Hrsg.: Hay E: *Cell Biology of Extracellular Matrix*, 1. Auflage, New York, Plenum Press, 1981, S. 259-294.
- Toole BP: Proteoglycans and hyaluronan in morphogenesis and differentiation. Hrsg.: Hay E: *Cell Biology of Extracellular Matrix*, 2. Auflage, New York, Plenum Press, 1991, S. 305-341.
- Toole BP: Hyaluronan in morphogenesis. *Semin Cell Dev Biol.* , 2001 Apr, *12(2)*, S. 79-87.
- Tse WT, Pendleton JD, Beyer WM, Egalka MC, Guinan EC: Suppression of allogeneic T-cell proliferation by human marrow stromal cells: implications in transplantation. *Transplantation.* , 2003 Feb 15, *75(3)*, S. 389-97.
- Tuan RS: Biology of developmental and regenerative skeletogenesis. *Clin Orthop Relat Res.* , 2004 Oct, *427 Suppl*, S. 105-17.

- Wakitani S, Imoto K, Yamamoto T, Saito M, Murata N, Yoneda M: Human autologous culture expanded bone marrow mesenchymal cell transplantation for repair of cartilage defects in osteoarthritic knees. *Osteoarthritis Cartilage.* , 2002 Mar, *10(3)*, S. 199-206.
- Wakitani S, Mitsuoka T, Nakamura N, Toritsuka Y, Nakamura Y, Horibe S: Autologous bone marrow stromal cell transplantation for repair of full-thickness articular cartilage defects in human patellae: two case reports. *Cell Transplant.* , 2004, *13(5)*, S. 595-600.
- Wang CT, Lin J, Chang CJ, Lin YT, Hou SM: Therapeutic effects of hyaluronic acid on osteoarthritis of the knee. A meta-analysis of randomized controlled trials. *J Bone Joint Surg Am.*, 2004 Mar, *86-A(3)*, S. 538-45.
- Weissman B, Meyer K: The structure of hyalobiuronic acid and of hyaluronic acid from umbilical cord. *J. Am. Chem. Soc.* , 1954, *76*, S. 1753-57.
- Worster AA, Brower-Toland BD, Fortier LA, Bent SJ, Williams J, Nixon AJ: Chondrocytic differentiation of mesenchymal stem cells sequentially exposed to transforming growth factor-beta1 in monolayer and insulin-like growth factor-I in a three-dimensional matrix. *J Orthop Res.* , 2001 Jul, *19(4)*, S. 738-49.
- Worster AA, Nixon AJ, Brower-Toland BD, Williams J: Effect of transforming growth factor beta1 on chondrogenic differentiation of cultured equine mesenchymal stem cells. *Am J Vet Res.* , 2000 Sep, *61(9)*, S. 1003-10.