

11. Curriculum vitae

Name: Roberta Magrini

Citizenship: Italian

Address: Via Croce Rossa 2
56126 PISA, Italy

Phone: 0039-050-580671

e-mail: magriniroberta@hotmail.com

Personal: Born in July 23, 1973
Castel S.Pietro Terme, Bologna, Italy

Education: 1987-1992:
Secondary School, Pisa, Italy
1992-1997:
Student of Biological Sciences, University of Pisa, Italy. Final grade: 110/110 cum laude (maximum degree)
1998-2002:
PhD Student, Faculty of Biology of Free University, Berlin

Professional employment: 1997-1998:
Research Fellow, Department of Plant Physiology, University of Pisa, Italy
1998-2002:
PhD Student, Dept. of Gastroenterology, Clinic B. Franklin, Free University, Berlin. Supervisor: Prof. C. Hanski

Publications and presentations:

Magrini R, Bhonde MR, Hanski M-L, Notter M, Scherübl H, Boland CR, Zeitz M, Hanski C. Cellular effects of CPT-11 on colon carcinoma cells: dependence on p53 and hMLH1 status. *Int J Cancer* 2002;**101**:23-31.

Bhonde MR, Magrini R, Hanski M-L, Riede E, Lenz M, Notter M, Scherübl H, Zeitz M, Boland CR, Sausville E, Hanski C. UCN-01 (7-hydroxystaurosporine) induces a burst of apoptosis in mismatch repair-deficient but not in the mismatch repair-proficient colon carcinoma cell lines. *Proc Am Assoc Cancer Res* 2002;**43**:66 (abstract).

Magrini R, Bhonde MR, Hanski M-L, Notter M, Scherübl H, Boland CR, Zeitz M, Hanski C. Maintenance but not induction of G2/M arrest by irinotecan (CPT-11) is p53-dependent. *Proc Am Assoc Cancer Res* 2002;**43**:793 (abstract).

Magrini R, Bhonde MR, Lenz M, Hanski M-L, Kobalz U, Notter M, Riecken EO, Hanski C. Defects in mismatch repair system increase the resistance of colon carcinoma cells to the new chemotherapeutic agent UCN-01 (7-hydroxystaurosporine). *Gastroenterology* 2001;**120**:A-297 (abstract).

Magrini R, Bhonde MR, Lenz M, Hanski M-L, Kobalz U, Notter M, Scherübl H, Riecken EO, Zeitz M, Hanski C. Einfluss von Mismatch-Reparaturdefekten auf die Wirkung des neuen Chemo-therapeutikums UCN-01 (7-Hydroxystaurosporin) auf Colonicarcinomzellen. *Z Gastroenterol* 2001;**39**:691 (abstract).

Bhonde MR, Magrini R, Lenz M, Hanski M-L, Kobalz U, Notter M, Sausville E, Scherübl H, Zeitz M, Hanski C. Modulation of cytotoxicity of UCN-01 (7-hydroxystaurosporine) by lesions in p53 gene and in mismatch repair system. *AACR-NCI-EORTC International Conference*, 2001, Miami, USA.

Magrini R, Lenz M, Kobalz U, Notter M, Ducommun B, Riecken EO, Hanski C. Effect of lesions in p53, p21^{WAF1} and mismatch repair system on the sensitivity of colon carcinoma cell lines to 5-FU or irinotecan. *Proc Am Assoc Cancer Res* 2001;**42**:556 (abstract).

Magrini R, Bhonde MR, Hanski M-L, Lenz M, Kobalz U, Notter M, Scherübl H, Boland CR, Zeitz M, Hanski C. Modulation of irinotecan cytotoxicity by lesions in p53 gene and MMR system. *Anti-cancer Drugs* 2001;**12**:A10-11 (abstract).

Magrini R, Kobalz U, Notter M, Riecken EO, Ducommun B, Hanski C. Differential effect of p21 on resistance of colon carcinoma cells to 5-fluorouracil and irinotecan. *Proc Am Assoc Cancer Res* 2000;**41**:145 (abstract).

Magrini R, Lenz M, Hanski M-L, Kobalz U, Notter M, Riecken EO, Ducommun B, Hanski C. Einfluss von p21 Expression auf zytotoxische Wirkung von 5-Fluorouracil bzw. Irinotekan in Colonicarcinomzellen. *Z Gastroenterol* 2000;**38**:731 (abstract).

Magrini R, Gelos M, Mann B, Riecken EO, Hanski C. Application of cancer array for detection of altered gene expression during colon carcinogenesis. *J Cancer Res Clin Oncol* 1999;**125**:S97 (abstract).

Magrini R, Kobalz U, Hanski M-L, Gelos M, Mann B, Riecken EO, Hanski C. TIMP-1-Expression in colorectalen Carcinomen und deren Lebermetastasen. *Z Gastroenterol* 1999;**37**:914 (abstract).