

Bibliography

- [1] B. Hillebrands and Ounadjela K. (Eds.). *Spin Dynamics in Confined Magnetic Structures I*. Topics in Applied Physics 83. Springer-Verlag Berlin Heidelberg, 2002.
- [2] B. Hillebrands and Ounadjela K. (Eds.). *Spin Dynamics in Confined Magnetic Structures II*. Topics in Applied Physics 87. Springer-Verlag Berlin Heidelberg, 2003.
- [3] Y. Acremann, C.H. Back, M. Buess, O. Portmann, A. Vaterlaus, D. Pescia, and H. Melchior. Imaging precessional motion of the magnetization vector. *Science*, 290:492, 2000.
- [4] T. Gerrits, H. van der Berg, J. Hohlfeld, L. Bar, and T. Rasing. Ultrafast precessional magnetization reversal by picosecond magnetic field pulse shaping. *Nature*, 418:509, 2002.
- [5] M. van Kampen, C. Jozsa, J.T. Kohlhepp, P. LeClair, L. Lagae, W.J.M. de Jonge, and B. Koopmans. All-optical probe of coherent spin waves. *Phys. Rev. Lett.*, 88:227201, 2002.
- [6] J.Y. Bigot, L. Guidoni, and V. Halte. *Ultrafast Phenomena XIII*, chapter Coherent spin-lattice interaction in a ferromagnetic metallic film, page 398. Springer Series in Chemical Physics. Springer-Verlag, Berlin, 2002.
- [7] A.W. Kimel, A. Kirilyuk, P.A. Usachev, R.V. Pisarev, A.M. Balbashov, and Th. Rasing. Ultrafast non-thermal control of magnetization by instantaneous photo-magnetic pulses. *Nature*, 435:655–657, 2005.
- [8] E. Beaurepaire, J.-C. Merle, A. Daunois, and J.-Y. Bigot. Ultrafast spin dynamics in ferromagnetic nickel. *Phys. Rev. Lett.*, 76:4250, 1996.
- [9] J. Hohlfeld, E. Matthias, R. Knorren, and K.H. Bennemann. Nonequilibrium magnetization dynamics of nickel. *Phys. Rev. Lett.*, 78:4861, 1997.
- [10] S. Rex, V. Eyert, and W. Nolting. Temperature-dependent quasiparticle bandstructure of ferromagnetic gadolinium. *J. Magn. Magn. Mater.*, 192:529–542, 1999.
- [11] R.-P. Pan, H.D. Wei, and Y.R. Shen. Optical second-harmonic generation from magnetized surfaces. *Phys. Rev. B.*, 39:1229, 1989.
- [12] A. Scholl, L. Baumgarten, R. Jacquemin, and W. Eberhardt. Ultrafast spin dynamics of ferromagnetic thin films observed by fs spin-resolved two-photon photoemission. *Phys. Rev. Lett.*, 79:5146, 1997.

- [13] M. Lisowski, P.A. Loukakos, A. Melnikov, I. Radu, L. Ungureanu, M. Wolf, and U. Bovensiepen. Femtosecond electron and spin dynamics in Gd(0001) studied by time-resolved photoemission and magneto-optics. *Phys. Rev. Lett.*, 95:137402, 2005.
- [14] B. Koopmans. *Spin dynamics in confined magnetic structures II*, volume 87 of *Topics in applied physics*, chapter Laser-induced magnetization dynamics, pages 253–320. Springer Verlag, Berlin Heidelberg, 2003.
- [15] H.J. Zeiger, J. Vidal, T.K. Cheng, E.P. Ippen, G. Dresselhaus, and M.S. Dresselhaus. Theory for displacive excitation of coherent phonons. *Phys. Rev. B.*, 45:768, 1992.
- [16] W.A. Kett, W. Albrecht, and H. Kurz. Generation of coherent phonons in condensed media. *IEEE. J. Quantum Electron.*, 28:2434, 1992.
- [17] A. Melnikov, I. Radu, U. Bovensiepen, O. Krupin, K. Starke, E. Matthias, and M. Wolf. Coherent optical phonons and parametrically coupled magnons induced by femtosecond laser excitation of the Gd(0001) surface. *Phys. Rev. Lett.*, 91:227403, 2003.
- [18] Gschneider K.A. and Eyring Le R. (Ed.). *Handbook on the Physics and Chemistry of Rare Earths - vol 1: metals*. North-Holland Publishing Company, 1st edition, 1978.
- [19] S.D. Barrett. *The Structure of Rare-Earth Metal Surfaces*. Imperial College Press, 2001.
- [20] H.E. Nigh, S. Legvold, and F.H. Spedding. Magnetization and electrical resistivity of gadolinium single crystals. *Phys. Rev.*, 132:1092, 1963.
- [21] M. A. Ruderman and C. Kittel. Indirect exchange coupling of nuclear magnetic moments by conduction electrons. *Phys. Rev.*, 96:99, 1954.
- [22] T. Kasuya. A theory of metallic ferro- and antiferromagnetism on Zener’s model. *Prog. Theoret. Phys. (Japan)*, 16:45, 1956.
- [23] K. Yosida. Magnetic properties of Cu-Mn alloys. *Phys. Rev.*, 106:893, 1957.
- [24] D. Weller and S.F. Alvarado. Preparation of remanently ferromagnetic Gd(0001). *J. Appl. Phys.*, 59:2911, 1986.
- [25] S. Legvold. *Ferromagnetic materials, vol. 1*. North Holland, Amsterdam, 1980.
- [26] Ph. Kurz, G. Bihlmayer, and S. Bluegel. Magnetism and electronic structure of hcp Gd and the Gd(0001) surface. *J. Phys.: Condens. Matter*, 14:6353–6371, 2002.
- [27] O. Krupin, G. Bihlmayer, K. Starke, S. Gorovikov, J.E. Prieto, K. Doeblich, S. Bluegel, and G. Kaindl. Rashba effect at magnetic metal surfaces. *Phys. Rev. B*, 71:201403, 2005.

-
- [28] A.V. Fedorov, T. Valla, F. Liu, P.D. Johnson, and M. Weinert. Spin-resolved photoemission study of photohole lifetimes in ferromagnetic gadolinium. *Phys. Rev. B.*, 65:212409, 2002.
- [29] D. Li, C.W. Hutchings, P.A. Dowben, C. Hwang, R.-T. Wu, M. Onellion, A.B. Andrews, and J.L. Erskine. Angle-resolved photoemission evidence for a Gd(0001) surface state. *J. Magn. Magn. Mater.*, 99:85, 1991.
- [30] Daniel Wegner. *Rastertunnelspektroskopie an Lanthanidmetall-oberflaechen: korrelierte elektronische Struktur und Dynamik angeregter Zustaende*. PhD thesis, Freie Universitaet Berlin, 2004.
- [31] Christian Schuessler-Langeheine. *Magnetic Properties of Thin Films of Heavy Lanthanide Metals Studied by Magnetic X-Ray Diffraction and High-Resolution Photoemission*. PhD thesis, Freie Universitaet Berlin, 1999.
- [32] E. Weschke, C. Schüssler-Langeheine, R. Meier, A.V. Fedorov, K. Starke, F. Hübinger, and G. Kaindl. Temperature dependence of the exchange splitting of the surface state on Gd(0001): evidence against spin-mixing behavior. *Phys. Rev. Lett.*, 77:3415, 1996.
- [33] M. Bode, M. Getzlaff, S. Heinze, R. Pascal, and R. Wiesendanger. Magnetic exchange splitting of the Gd(0001) surface state studied by variable-temperature scanning tunneling spectroscopy. *Appl. Phys. A.*, 66:S121–S124, 1998.
- [34] M. Getzlaff, M. Bode, S. Heinze, R. Pascal, and R. Wiesendanger. Temperature-dependent exchange splitting of the magnetic Gd(0001) surface state. *J. Magn. Magn. Mater.*, 184:155–165, 1998.
- [35] C.S. Arnold and D.P. Pappas. A semi-infinite three-dimensional Heisenberg ferromagnet with ordinary surface transition. *Phys. Rev. Lett.*, 85:5202, 2000.
- [36] K. Maiti, M.C. Malagoli, A. Dallmeyer, and C. Carbone. Finite temperature magnetism in Gd: evidence against a Stoner behavior. *Phys. Rev. Lett.*, 88:1672051, 2002.
- [37] H. Ibach and H. Lüth. *Festkoerperphysik*. Springer-Verlag, Berlin, 6-th edition, 2002.
- [38] P. Nozières D. Pines. *The theory of quantum liquids*. Benjamin, New York, 1966.
- [39] J.J. Quinn. Range of excited electrons in metals. *Phys. Rev.*, 126:1453, 1962.
- [40] M. Wolf and M. Aeschlimann. Femtosekunden-Dynamik in Metallen- das kurze Leben heisser Elektronen. *Phys. Bl.*, 54:145, 1998.
- [41] M. Bauer and M. Aeschlimann. Dynamics of excited electrons in metals, thin films and nanostructures. *J. Elec. Spec. Rel. Phen.*, 124:225–243, 2002.

- [42] M. Aeschlimann, M. Bauer, S. Pawlik, W. Weber, R. Burgermeister, D. Oberli, and H.C. Siegmann. Ultrafast spin-dependent electron dynamics in fcc Co. *Phys. Rev. Lett.*, 79:5158, 1997.
- [43] S.D. Brorson, J.G. Fujimoto, and E.P. Ippen. Femtosecond electronic heat-transport dynamics in thin gold films. *Phys. Rev. Lett.*, 59:1962, 1987.
- [44] Julius Hohlfeld. *Ultrafast Electron-, Lattice-, and Spin-Dynamics in Metals Investigated by Linear and Nonlinear Optical Techniques*. PhD thesis, Freie Universitaet Berlin, 1998.
- [45] The two-temperature model code has been developed within our research group by Stefan Funk, Mischa Bonn and Daniel Denzler.
- [46] G. Grimvall. *The Electron-Phonon Interaction in Metals*. North-Holland, New-York, 1st edition, 1981.
- [47] R. Matzdorf. Investigation of line shapes and line intensities by high-resolution UV-photoemission spectroscopy - some case studies on noble metal surfaces. *Surf. Sci. Rep.*, 30:153, 1998.
- [48] A. Rehbein, D. Wegner, G. Kaindl, and A. Bauer. Temperature dependence of lifetimes of Gd(0001) surface states. *Phys. Rev. B.*, 49:17303, 1994.
- [49] S.I. Anisimov, B.L. Kapeliovich, and T.L. Perel'man. Electron emission from metal surfaces exposed to ultrashort laser pulses. *Sov. Phys. JETP.*, 39:375, 1974.
- [50] M. Lisowski. *Electronen- und Magnetisierungsdynamik in Metallen untersucht mit zeitaufgeloester Photoemission*. PhD thesis, Freie Universitaet Berlin, 2005.
- [51] R.W. Hill, S.J. Collocott, K.A. Gschneider Jr., and F.A. Schmidt. The heat capacity of high-purity gadolinium from 0.5 to 4 K and the effects of interstitial impurities. *J. Phys. F: Met. Phys.*, 17:1867, 1987.
- [52] P. Jacobsson and B. Sundqvist. Thermal conductivity and electrical resistivity of gadolinium as function of pressure and temperature. *Phys. Rev. B*, 40:9541, 1989.
- [53] T.W.E. Tsang, K.A. Gschneidner, F.A. Schmidt, and D.K. Thome. Low temperature heat capacity of electrotransport-purified scandium, yttrium, gadolinium and lutetium. *Phys. Rev. B.*, 31:235, 1985.
- [54] R.H.M. Groeneveld, R. Sprik, and A. Lagendijk. Effect of a nonthermal electron distribution on the electron-phonon energy relaxation process in noble metals. *Phys. Rev. B.*, 45:5079, 1992.
- [55] W.S. Fann, R. Storz, H.W.K. Tom, and J. Bokor. Direct measurement of nonequilibrium electron-energy distributions in subpicosecond laser-heated gold films. *Phys. Rev. Lett.*, 68:2834, 1992.

-
- [56] M. Lisowski, P.A. Loukakos, U. Bovensiepen, J. Staeler, C. Gahl, and M. Wolf. Ultrafast dynamics of electron thermalization, cooling and transport effects in Ru(001). *Appl. Phys. A.*, 78:165, 2004.
- [57] E. Hatta, T. Sasaki, V.M. Svistunov, M.A. Belogolovskii, O.I. Cheryak, A.I. Khachaturov, and A.Y. Gerasimenko. Evidence for strong electron-magnon coupling in gadolinium. *J. Phys. Soc. Japan*, 70:1865–1868, 2001.
- [58] H.L. Skriver and I. Mertig. Electron phonon coupling in rare earth metals. *Phys. Rev. B.*, 41:6553, 1990.
- [59] M. Griffel, R.E. Skochdopole, and F.H. Spedding. The heat capacity of gadolinium from 15 to 355°K. *Phys. Rev.*, 93:657, 1953.
- [60] P.C. Lanchester and D.P. Baker K. Robinson. The critical specific heat of gadolinium. *J. Magn. Magn. Mater.*, 15-18:461–463, 1980.
- [61] J. Schaefer, D. Schrupp, E. Rotenberg, K. Rossnagel, H. Koh, P. Blaha, and R. Claessen. Electronic quasiparticle renormalization on the spin wave energy scale. *Phys. Rev. Lett.*, 92:097205, 2004.
- [62] V.P. Zhukov, E.V. Chulkov, and P.M. Echenique. Lifetimes of excited electrons in Fe and Ni: first-principles GW and the T-matrix theory. *Phys. Rev. Lett.*, 93:096401, 2004.
- [63] P.B. Allen. Electron spin-flip relaxation by one magnon processes: Application to the gadolinium surface band. *Phys. Rev. B.*, 63:214410, 2001.
- [64] M. Hase, K. Ishioka, J. Demsar, K. Ushida, and M. Kitajima. Ultrafast dynamics of coherent optical phonons and nonequilibrium electrons in transition metals. *Phys. Rev. B.*, 71:184301, 2005.
- [65] S. Ruhman, A.G. Joly, and K.A. Nelson. Coherent molecular vibrational motion observed in the time domain through impulsive stimulated Raman scattering. *IEEE J. Quantum Electron.*, 24:460, 1988.
- [66] T.E. Stevens, J. Kuhl, and R. Merlin. Coherent phonon generation and the two stimulated Raman tensors. *Phys. Rev. B.*, 65:144304, 2002.
- [67] A.V. Kuznetsov and C.J. Stanton. Theory of coherent phonon oscillations in semiconductors. *Phys. Rev. Lett.*, 73:3243, 1994.
- [68] Y.M. Chang, L. Xu, and H.W.K. Tom. Observation of coherent surface optical phonons oscillations by time-resolved surface second-harmonic generation. *Phys. Rev. Lett.*, 78:4696, 1997.
- [69] K. Watanabe, N. Takagi, and Y. Matsumoto. Impulsive excitation of a vibrational mode of Cs on Pt(111). *Chem. Phys. Lett.*, 366:606–610, 2002.

- [70] U. Bovensiepen, A. Melnikov, I. Radu, O. Krupin, K. Starke, M. Wolf, and E. Matthias. Coherent surface and bulk vibrations induced by femtosecond laser excitation of the Gd(0001) surface state. *Phys. Rev. B.*, 69:235417, 2004.
- [71] K. Sokolowsky-Tinten, C. Blome, J. Blums, A. Cavalleri, C. Dietrich, A. Tarasevitch, I. Uschmann, E. Förster, M. Kammlers, M. Horn von Hoegen, and D. von der Linde. Femtosecond X-ray measurements of coherent lattice vibrations near Lindemann stability limit. *Nature*, 422:287, 2003.
- [72] M. Bargheer, N. Zhavoronkov, Y. Gritsai J.C. Woo, D.S. Kim, M. Woerner, and T. Elsaesser. Coherent atomic motions in a nanostructure studied by femtosecond X-ray diffraction. *Science*, 306:1771, 2004.
- [73] T. Dekorsy, H. Auer, C. Waschke, H.J. Baker, H.G. Roskos, and H. Kurz. Emission of submillimeter electromagnetic waves by coherent phonons. *Phys. Rev. Lett.*, 74:738, 1995.
- [74] W.E. Bron. *Coherent optical interactions in semiconductors*, volume B 330 of *NATO ASI Ser.*, pages 199–222. Plenum, New York, 1994.
- [75] M. Hase, K. Ishioda, M. Kitajima, K. Ushida, and S. Hishita. Dephasing of coherent phonons by lattice defects in bismuth films. *Appl. Phys. Lett.*, 76:1258, 2000.
- [76] Fabrice Vallee. Time-resolved investigation of coherent LO-phonon relaxation in III-V semiconductors. *Phys. Rev. B.*, 49:2460, 1994.
- [77] M. Hase, K. Mizoguchi, H. Harima, S. Nakashima, and K. Sakai. Dynamics of coherent phonons in bismuth generated by ultrashort laser pulses. *Phys. Rev. B.*, 58:5448, 1998.
- [78] M. Agranat, S. Ashikov, A. Granovskii, and G. Rukman. Interaction of picosecond laser pulses with the electron, spin and phonon subsystem of nickel. *Sov. Phys. JETP*, 59:804, 1984.
- [79] A. Vaterlaus, T. Beutler, and F. Meier. Spin-lattice relaxation time of ferromagnetic gadolinium determined with time-resolved spin-polarized photoemission. *Phys. Rev. Lett.*, 67:3314, 1991.
- [80] A. Vaterlaus, T. Beutler, D. Guarisco, M. Lutz, and F. Meier. Spin-lattice relaxation in ferromagnets studied by time-resolved spin-polarized photoemission. *Phys. Rev. B.*, 46:5280, 1992.
- [81] W. Huebner and K.H. Bennemann. Simple theory for spin-lattice relaxation in metallic rare-earth ferromagnets. *Phys. Rev. B.*, 53:3422, 1996.
- [82] J. Hohlfeld, J. Guedde, U. Conrad, O. Duehr, G. Korn, and E. Matthias. Ultrafast magnetization dynamics of nickel. *Appl. Phys. B.*, 68:505–510, 1999.

-
- [83] U. Conrad, J. Guedde, V. Jaehnke, and E. Matthias. Ultrafast electron and magnetization dynamics of thin Ni and Co films on Cu(001) observed by time-resolved SHG. *Appl. Phys. B.*, 68:511–517, 1999.
- [84] J. Guedde, U. Conrad, V. Jaehnke, J. Hohlfeld, and E. Matthias. Magnetization dynamics of Ni and Co films on Cu(001) and of bulk nickel surfaces. *Phys. Rev. B.*, 59:R6608, 1999.
- [85] B. Koopmans, M. van Kampen, J.T. Kohlhepp, and W.J.M. de Jonge. Ultrafast magneto-optics in nickel: magnetism or optics ? *Phys. Rev. Lett.*, 85:844, 2000.
- [86] H. Regensburger, R. Vollmer, and J. Kirschner. Time-resolved magnetization-induced second-harmonic generation from Ni(110) surface. *Phys. Rev. B.*, 61:14716, 2000.
- [87] L. Guidoni, E. Beaurepaire, and J.Y. Bigot. Magneto-optics in the ultrafast regime: thermalization of spin populations in ferromagnetic films. *Phys. Rev. Lett.*, 89:017401, 2002.
- [88] J.-Y. Bigot, L. Guidoni, E. Beaurepaire, and P.N. Saeta. Femtosecond spectrotemporal magneto-optics. *Phys. Rev. Lett.*, 93:077401, 2004.
- [89] H.-S. Rhie, H.A. Dürr, and W. Eberhardt. Femtosecond electron and spin dynamics in Ni/W(110) films. *Phys. Rev. Lett.*, 90:247201, 2003.
- [90] A. Aharoni. *Introduction to the theory of ferromagnetism*. Oxford University Press, New York, 2000.
- [91] T. Ogasawara, K. Ohgushi, Y. Tamioka, K.S. Takahashi, H. Okamoto, M. Kawasaki, and Y. Tokura. General features of photoinduced spin dynamics in ferromagnetic and ferrimagnetic compounds. *Phys. Rev. Lett.*, 94:087202, 2005.
- [92] G.P. Zhang and W. Huebner. Laser-induced ultrafast demagnetization in ferromagnetic materials. *Phys. Rev. Lett.*, 85:3025, 2000.
- [93] W. Huebner and G.P. Zhang. Ultrafast spin dynamics in nickel. *Phys. Rev. B.*, 58:R5920, 1998.
- [94] B. Koopmans, J.J.M. Ruigrok, F. Dalla Longa, and W.J.M. de Jonge. Unifying ultrafast magnetization dynamics. *Phys. Rev. Lett.*, 95:267207, 2005.
- [95] B. Koopmans, H.H.J.E. Kicken, M. van Kampen, and W.J.M. de Jonge. Microscopic model for femtosecond magnetization dynamics. *J. Magn. Magn. Mat.*, 286:271–275, 2005.
- [96] P.A. Franken, A.E. Hill, C.W. Peters, and G. Weinreich. Generation of optical harmonics. *Phys. Rev. Lett.*, 1961.
- [97] Y.R. Shen. *The Principles of Nonlinear Optics*. Wiley-Interscience, John Wiley and Sons, 1st edition, 1984.

- [98] R.R. Birss. *Symmetry and magnetism*. North-Holland Publishing Company, 2nd edition, 1966.
- [99] S.R. Mishra, T.R. Cummings, G.D. Waddill, K.W. Goodman, J.G. Tobin, W.J. Gammon, T. Sherwood, and D.P. Pappas. Characterization and photoemission dichroism of epitaxially grown Gd(0001)/Y(0001). *J. Vac. Sci. Technol. A*, 16:1348, 1998.
- [100] B. Koopmans, A.M. Janner, H.A. Wierenga, Th. Rasing, G.A. Sawatzky, and F. van der Woude. Separation of interface and bulk contributions in second-harmonic generation from magnetic and non-magnetic multilayers. *Appl. Phys. A.*, 60:103–111, 1995.
- [101] D.J. Bottomley, G. Luepke, C. Meyer, and Y. Makita. Exact separation of surface and bulk contributions to anisotropic second-harmonic generation from cubic centrosymmetric media. *Opt. Lett.*, 20:453, 1995.
- [102] A. Melnikov, O. Krupin, U. Bovensiepen, K. Starke, M. Wolf, and E. Matthias. SHG on ferromagnetic Gd films: indication of surface-state effects. *Appl. Phys. B.*, 74:723–727, 2002.
- [103] N.D. Lang and W. Kohn. Theory of metal surfaces: charge density and surface energy. *Phys. Rev. B*, 1:4555, 1970.
- [104] M. Weber and A. Liebsch. Density-functional approach to second-harmonic generation at metal surfaces. *Phys. Rev. B.*, 35:7411, 1987.
- [105] I. Turek, J. Kudrnovsky, G. Bihlmayer, and S. Blugel. Ab initio theory of exchange interactions and the Curie temperature of bulk Gd. *J. Phys.: Condens. Matter*, 15:2771–2782, 2003.
- [106] K.J. Veenstra, A.V. Petukhov, E. Jurdik, and Th. Rasing. Strong surface state effects in nonlinear magneto-optical response of Ni(110). *Phys. Rev. Lett.*, 84:2002, 2000.
- [107] A. Kirilyuk. Nonlinear optics in application to magnetic surfaces and thin films. *J. Phys. D: Appl. Phys.*, 35:R189–R207, 2002.
- [108] H.A. Wierenga, W. de Jong, M.W.J. Prins, Th. Rasing, R. Vollmer, A. Kirilyuk, H. Schwabe, and J. Kirschner. Interface magnetism and possible quantum-well oscillations in ultrathin Co/Cu films observed by magnetization induced second harmonic generation. *Phys. Rev. Lett.*, 74:1642, 1995.
- [109] J.E. Sipe, D.J. Moss, and H.M. van Driel. Phenomenological theory of optical second- and third-harmonic generation from cubic centrosymmetric crystals. *Phys. Rev. B.*, 35:1129, 1987.
- [110] K. Boehmer, J. Hohlfeld, and E. Matthias. SHG studies of magnetization effects on polycrystalline nickel surfaces. *Appl. Phys. A*, 60:203–208, 1995.

-
- [111] J. Hohlfeld, U. Konrad, and E. Matthias. Does femtosecond time-resolved second-harmonic generation probe electron temperatures at surfaces. *Appl. Phys. B.*, 63:541–544, 1996.
- [112] A.K. Zvedin and V.A. Kotov. *Modern Magnetooptics and Magneto-optical Materials*. Institute of Physics Publishing, 1997.
- [113] M. Mansuripur. *The Physical Principles of Magneto-optical Recording*. Cambridge University Press, 1st edition, 1995.
- [114] Z.Q. Qiu and S.D. Bader. Surface magneto-optic Kerr effect (SMOKE). *J. Magn. Magn. Mater.*, 200:664–678, 1999.
- [115] P. Bruno, Y. Suzuki, and C. Chappert. Magneto-optical Kerr effect in a paramagnetic overlayer on a ferromagnetic substrate: a spin-polarized quantum size effect. *Phys. Rev. B.*, 53:9214, 1996.
- [116] C. Kittel. Optical rotation by ferromagnetic substances. *Phys. Rev.*, 83:208(A), 1951.
- [117] K.H. Bennemann (Ed.). *Nonlinear optics in metals*. Clarendon Press, Oxford, 1998.
- [118] J. Reif, J.C. Zink, C.-M. Schneider, and J. Kirschner. Effects of surface magnetism on optical second harmonic generation. *Phys. Rev. Lett.*, 67:2878, 1991.
- [119] A.V. Melnikov, I. Radu, U. Bovensiepen, K. Starke, M. Wolf, and E. Matthias. Spectral dependence of time-resolved coherent and incoherent second-harmonic response of ferromagnetic Gd(0001). *J. Opt. Soc. Am. B.*, 22:204, 2005.
- [120] A. Melnikov, J. Gdde, and E. Matthias. Demagnetization following optical excitation in nickel and permalloy films. *Appl. Phys. B.*, 74:735–740, 2002.
- [121] A. Aspelmaier, F. Gerharder, and K. Baberschke. Magnetism and structure of ultrathin Gd films. *J. Magn. Magn. Mat.*, 132:22, 1994.
- [122] M. Farle and K. Baberschke. *Magnetism and electronic correlations in local-moment systems*, chapter Curie temperature and magnetic anisotropies as a function of the growth conditions for Gd(0001)/W(110), pages 35–55. World Scientific, 1998.
- [123] E.D. Tober, R.X. Ynzunza, C. Westphal, and C.S. Fadley. Relationship between morphology and magnetic behavior for Gd thin films on W(110). *Phys. Rev. B.*, 53:5444, 1996.
- [124] Oleg Krupin. *Dichroism and Rashba effect at magnetic crystal surfaces of rare-earth metals*. PhD thesis, Freie Universitaet Berlin, 2004.
- [125] Kai Starke. private communications.
- [126] P.F. Moulton and F. Fischer. Spectroscopic and laser characteristics of $Ti : Al_2O_3$. *J. Opt. Soc. Am. B.*, 3:125, 1986.

- [127] Uwe Conrad. *Statische und dynamische untersuchungen ultraduenner metallfilme mit optischer frequenzverdopplung und nichtlineare mikroskopie*. PhD thesis, Freie Universitaet Berlin, 1999.
- [128] Yasuzi Suzuki and Atsushi Tachibana. Measurement of the μm sized radius of Gaussian laser beam using the scanning knife-edge. *Applied Optics*, 14:2809, 1975.
- [129] W. Huebner, K.H. Bennemann, and K. Boehmer. Theory for the nonlinear optical response of transition metals: polarization dependence as a fingerprint of the electronic structure at surfaces and interfaces. *Phys. Rev. B.*, 50:17597, 1994.
- [130] Michael Farle. Ferromagnetic resonance of ultrathin metallic layers. *Rep. Prog. Phys.*, 61:755–826, 1998.
- [131] R. Stolle, G. Marowsky, E. Schwartzberg, and G. Berkovic. Phase measurements in nonlinear optics. *Appl. Phys. B.*, 63:491–498, 1996.
- [132] U. Conrad, J. Guedde, V. Jaenke, and E. Matthias. Phase effects in magnetic second-harmonic generation on ultrathin Co and Ni films on Cu(001). *Phys. Rev. B.*, 63:144417, 1999.
- [133] K.J. Veenstra, A.V. Petukhov, A.P. de Boer, and Th. Rasing. Phase-sensitive detection technique for surface nonlinear optics. *Phys. Rev. B.*, 58:R16020, 1998.
- [134] A. Melnikov, U. Bovensiepen, I. Radu, O. Krupin, K. Starke, E. Matthias, and M. Wolf. Picosecond magnetization dynamics of the Gd(0001) surface. *J. Magn. Magn. Mater.*, 272-276:1001–1002, 2004.
- [135] Charles Kittel. *Introduction to Solid State Physics*. John Wiley and Sons, New York, seventh edition, 1996.
- [136] M. Farle, K. Baberschke, U. Stetter, A. Aspelmeier, and F. Gerhardter. Thickness-dependent Curie temperature of Gd(0001)/W(110) and its dependence on the growth conditions. *Phys. Rev. B.*, 47:11571, 1993.
- [137] M. Colarieti-Tosti, S.I. Simak, R. Ahuja, L. Nordstroem, O. Eriksson, S. Edvardsson, and M.S.S. Brooks. Origin of magnetic anisotropy in Gd metal. *Phys. Rev. Lett.*, 91:157201, 2003.
- [138] R. Ahuja, S. Auluck, B. Johansson, and M.S.S. Brooks. Electronic structure, magnetism, and Fermi surfaces of Gd and Tb. *Phys. Rev. B.*, 50:5147, 1994.
- [139] J.J.M. Franse and R. Gersdorf. Magnetic anisotropy of Gd metal at 4 K under pressure. *Phys. Rev. Lett.*, 45:50, 1980.
- [140] B. Coqblin. *The electronic structure of rare-earth metals and alloys: the magnetic heavy rare-earths*. Academic Press, 1977.
- [141] S.H. Liu. New magnetoelastic interaction. *Phys. Rev. Lett.*, 29:793, 1972.

-
- [142] J. Jensen and A.R. Mackintosh. *Rare earth magnetism: structure and excitations*. Clarendon Press, Oxford, 1991.
- [143] R.R. Rao and C.S. Menon. Lattice dynamics, third order elastic constants and thermal expansion of gadolinium. *J. Phys. Chem. Solids*, 35:425–432, 1974.
- [144] W.C. Koehler. *Magnetic Properties of Rare Earth Metals*. Plenum, London, 1st edition, 1972.
- [145] S.S. Kushwaha and A. Kumar. An electron gas model for the lattice dynamics of lanthanides. *J. Phys. C: Solid St. Phys.*, 4:1674, 1971.
- [146] C. Waldfried, D.N. McIlroy, T. McAvoy, D. Welipitiya, P.A. Dowben, and E. Vescovo. Strain induced alteration of the gadolinium surface state. *J. Appl. Phys.*, 83:6284, 1998.
- [147] G. Neuhold and K. Horn. Depopulation of the Ag(111) surface state assigned to strain in epitaxial films. *Phys. Rev. Lett.*, 78:1327, 1997.
- [148] F. Calleja, V.M. Garcia-Suarez, J.J. Hinarejos, J. Ferrer, A.L. Vazquez de Parga, and R. Miranda. Relationship between strain and the surface electronic structure of Cu(111) films on Ru(0001): theory and experiment. *Phys. Rev. B.*, 71:125412, 2005.
- [149] M. Bauer. Femtosecond ultraviolet photoelectron spectroscopy of ultra-fast surface processes. *J. Phys. D: Appl. Phys.*, 38:R253–R267, 2005.
- [150] P.A. Loukakos *et al.*: to be published.
- [151] Ph. Kurz, G. Bihlmayer, and S. Blügel. private communications. 2004.
- [152] E.D. Palik (Ed.). *Handbook of optical constants of solids*, volume 3. Academic Press, San Diego, 1998.
- [153] M. Hase, M. Kitajima, S. Nakashima, and K. Mizoguchi. Dynamics of coherent anharmonic phonons in bismuth using high density photoexcitation. *Phys. Rev. Lett.*, 88:067401, 2002.
- [154] S. Hunsche, K. Wienecke, T. Dekorsy, and H. Kurz. Impulsive softening of coherent phonons in tellurium. *Phys. Rev. Lett.*, 75:1815, 1995.
- [155] M. Hase, M. Kitajima, A.M. Constantinescu, and H. Petek. The birth of a quasi-particle in silicon in time-frequency space. *Nature*, 426:51, 2003.
- [156] T.K. Cheng, L.H. Acioli, J. Vidal, H.J. Zeiger, G. Dresselhaus, M.S. Dresselhaus, and E.P. Ippen. Modulation of a semiconductor-to-semimetal transition at 7 thz via coherent lattice vibrations. *Appl. Phys. Lett.*, 62:1901, 1993.
- [157] E.D. Murray, D.M. Fritz, J.K. Wahlstrand, S. Fahy, and D.A. Reis. Effect of lattice anharmonicity on high-amplitude phonon dynamics in photoexcited bismuth. *Phys. Rev. B.*, 72:060301(R), 2005.

- [158] P. Tangney and S. Fahy. Calculation of the A_1 phonon frequency in photoexcited tellurium. *Phys. Rev. Lett.*, 82:4340, 1999.
- [159] D.M. Bylander and L. Kleinman. *Ab initio* calculation of the properties of the Gd(0001) surface. *Phys. Rev. B.*, 50:4996(R), 1994.
- [160] L.D. Landau and E.M. Lifshitz. *Mechanics - Course of theoretical physics*. Pergamon Press, Oxford, 2-nd edition, 1969.
- [161] E.P. Wigner. On the quantum correction of thermodynamic equilibrium. *Physics Review*, 40:749, 1932.
- [162] H.O. Bartelt, K.H. Brenner, and A.W. Lohman. The Wigner distribution function and its optical production. *Optics Communications*, 32:32–38, 1980.
- [163] S.H. Chen and B.N. Brockhouse. Lattice vibrations of tungsten. *Solid State Commun.*, 2:73, 1964.
- [164] A. Larose and B.N. Brockhouse. Lattice vibrations in tungsten at 22° studied by neutron scattering. *Can J. Phys.*, 54:1819, 1976.
- [165] *Landolt-Börnstein, New Series 3/13a, Metals: phonon and electron states. Fermi surfaces*. Springer-Verlag, New-York, 1981.
- [166] J. Kolaczkiwicz and E. Bauer. The adsorption of Eu, Gd and Tb on the W(110) surface. *Surface Science*, 175:487–507, 1986.
- [167] S.K. Sinha, T.O. Brun, L.D. Muhlenstein, and J. Sakurai. Lattice dynamics of yttrium at 295 K. *Phys. Rev. B.*, 1:2430, 1970.
- [168] C.B. Scruby and L.E. Drain. *Laser Ultrasonics - techniques and applications*. Taylor and Francis, 1990.
- [169] V.E. Gusev and A.A. Karabutov. *Laser Optoacoustics*. AIP Press, 1993.
- [170] See for example <http://www.ultraoptec.com>.
- [171] See for example <http://www.rudolphtech.com>.
- [172] O.B. Wright. Thickness and sound velocity measurements in thin transparent films with laser picosecond acoustics. *J. Appl. Phys.*, 71:1617, 1992.
- [173] O.B. Wright, T. Hyoguchi, and K. Kawashima. Laser picosecond acoustics in various types of thin film. *Jap. J. Appl. Phys.*, 31:85–87, 1992.
- [174] J.J. Baumberg, D.A. Williams, and K. Köhler. Ultrafast acoustic phonon ballistics in semiconductor heterostructures. *Phys. Rev. Lett.*, 78:3358, 1997.
- [175] G. Tas and H.J. Maris. Electron diffusion in metals studied by picosecond ultrasonics. *Phys. Rev. B.*, 49:15046, 1994.

-
- [176] T. Saito, O. Matsuda, and O.B. Wright. Picosecond acoustic phonon pulse generation in nickel and chromium. *Phys. Rev. B.*, 67:205421, 2003.
- [177] A.A. Maznev, J. Hohlfeld, and J. Gdde. Surface thermal expansion of metal under femtosecond laser irradiation. *J. Appl. Phys.*, 82:5082, 1997.
- [178] C. Thomsen, H.T. Grahn, H.J. Maris, and J. Tauc. Surface generation and detection of phonons by picosecond light pulses. *Phys. Rev. B.*, 34:4129, 1986.
- [179] A. Devos and C. Lerouge. Evidence of laser-wavelength effect in picosecond ultrasonics: possible connection with interband transitions. *Phys. Rev. Lett.*, 86:2669, 2001.
- [180] R.I.R. Blyth, P.T. Andrews, and S.D. Barrett. The unoccupied states of a rare earth metal: Y(0001). *J. Phys. Condens. Matt.*, 3:2827–2831, 1991.
- [181] P. Blaha, K. Schwarz, and P.H. Dederichs. Electronic structure of hcp metals. *Phys. Rev. B.*, 38:9368, 1988.
- [182] American Institute of Physics. *AIP Institute of Physics Handbook*. McGraw-Hill, New-York, 3rd edition, 1972.
- [183] J. Weaver (Ed.). *Physical Data: Optical Properties of Metals*. Fach.-Inform.-Zentrum, Karlsruhe, 1981.
- [184] C.A.C. Bosco, A. Azevedo, and L.H. Acioli. Laser-wavelength dependence of the picosecond ultrasonic response of a NiFe/NiO/Si structure. *Phys. Rev. B.*, 66:125406, 2002.
- [185] A. Devos A. Le Louarn. Strong effect of intraband transitions in the picosecond ultrasonics response of metallic thin films. *Phys. Rev. B.*, 68:045405, 2003.
- [186] B. Schulz and K. Baberschke. Crossover from in-plane to perpendicular magnetization in ultrathin Ni/Cu(001) films. *Phys. Rev. B.*, 50:13467, 1994.
- [187] W. Platow, U. Bovensiepen, P. Pouloupoulos, M. Farle, and K. Baberschke. Structure of ultrathin Ni/Cu(100) films as a function of film thickness, temperature, and magnetic order. *Phys. Rev. B.*, 59:12641, 1999.
- [188] S. van Dijken, R. Vollmer, B. Poelsema, and J. Kirschner. The influence of CO and h₂ adsorption on the spin reorientation transition in Ni/Cu(100). *J. Magn. Magn. Mater.*, 210:316–328, 2000.
- [189] T. Yokoyama, K. Amemiya, M. Miyachi, Y. Yonamoto, D. Matsumura, and T. Ohta. K-edge magnetic circular dichroism of O in CO/Ni/Cu(001): dependence on substrate magnetic anisotropy and its interpretation. *Phys. Rev. B*, 62:14191, 2000.
- [190] T. Yokoyama, K. Amemiya, Y. Yonamoto, D. Matsumura, and T. Ohta. Anisotropic magnetization of CO adsorbed on ferromagnetic metal thin films studied by X-ray magnetic circular dichroism. *J. Elect. Spec. Rel. Phen.*, 119:207–214, 2001.

- [191] Daniel Denzler. *Zur ultraschnellen Reaktionsdynamik von Wasserstoff und Grenzflächenstruktur von Wasser auf der Ru(001)-Oberfläche*. PhD thesis, Freie Universität Berlin, 2003.
- [192] J. Shen, J. Giergiel, and J. Kirschner. Growth and morphology of Ni/Cu(100) ultrathin films: An *in situ* study using scanning tunneling microscopy. *Phys. Rev. B.*, 52:8454, 1995.
- [193] J. Lauterbach, M. Wittmann, and J. Kueppers. Adsorption of CO at Ni(100) surfaces: a FTIRAS - TDS study. *Surface Science*, 279:287–296, 1992.
- [194] G. Rupprechter, T. Dellwig, H. Unterhalt, and H.-J. Freund. CO adsorption on Ni(100) and Pt(111) studied by infrared-visible sum frequency generation spectroscopy: design and application of an SFG-compatible UHV-high-pressure reaction cell. *Topics in Catalysis*, 15:19, 2001.
- [195] L.J. Richter, T.P. Petrali-Mallow, and J.C. Stephenson. Vibrationally resolved sum-frequency generation with broad-bandwidth infrared pulses. *Opt. Lett.*, 23:1594, 1998.
- [196] Ch. Hess, M. Wolf, and M. Bonn. Direct observation of vibrational energy delocalization on surfaces: CO on Ru(001). *Phys. Rev. Lett.*, 85:4341, 2000.