

5. Literatur

Aus dieser Arbeit ist eine Veröffentlichung hervorgegangen:

Hofmeister C, Stapf C, Hartmann A, Sciacca RR, Mansmann U, terBrugge K, Lasjaunias P, Mohr JP, Mast H, Meisel J. Demographic, morphological, and clinical characteristics of 1289 patients with brain arteriovenous malformation. *Stroke* 2000; **31**:1307-10.

1. Gross CR, Kase CS, Mohr JP, Cunningham SC, Baker WE. Stroke in south Alabama: incidence and diagnostic features - a population based study. *Stroke* 1984; **15**:249-55.
2. Brown RD, Wiebers DO, Torner JC, O'Fallon WM. Frequency of intracranial hemorrhage as a presenting symptom and subtype analysis: a population-based study of intracranial vascular malformations in Olmsted County, Minnesota. *J Neurosurg* 1996; **85**:29-32.
3. Mast H, Koennecke HC, Meisel J, Osipov A, Hartmann A, Lasjaunias P, Pile-Spellman J, Hacein-Bey L, Young WL, Mohr JP. Zur Therapie zerebraler arteriovenöser Malformationen. *Nervenarzt* 1998; **69**:287-295.
4. The Arteriovenous Malformation Study Group. Arteriovenous malformations of the brain in adults. *New Engl J Med* 1999; **340**:1812-8.
5. Lasjaunias P, Terbrugge K. *Vascular diseases in children*. Springer Verlag: Berlin, Heidelberg, New York (1996).
6. Stapf C, Mohr JP. New concepts in adult arteriovenous malformations. *Curr Opin Neurol* 2000; **13**:63-7.

7. Crawford, PM, CR West, DW Chadwick, MDM Shaw. Arteriovenous malformations of the brain: natural history in unoperated patients. *JNNP* 1986; **49**:1-10.
8. Berenstein A, Lasjaunias P. Classification of brain arteriovenous malformations. In: Berenstein A, Lasjaunias P (Hg.). *Surgical Neuroangiography, Vol. 4, Endovascular treatment of cerebral lesions*. Springer-Verlag: Berlin, Heidelberg, New York (1991); S. 1-88.
9. Shi YO, Chen XC. Surgical treatment of arteriovenous malformations of the striato-thalamo-capsular region. *J Neurosurg* 1987; **66**:352-6.
10. Solomon RA, Stein BM. Interhemispheric approach for thalamocaudate AVMs. *J Neurosurg* 1987; **66**:345-51.
11. Courville CB. Intracranial tumors. Notes upon a series of three thousand verified cases with some current observations pertaining to their mortality. *Bull Los Angeles Neurol Soc* 1967; **32**:Suppl 2:1-80.
12. Jellinger K. The morphology of centrally-situated angiomas. In: Pia HW, Gleave JRW, Grote E, Zierski J (Hg.). *Cerebral Angiomas*. Springer Verlag: Berlin, Heidelberg, New York (1975); S. 9-20.
13. Jellinger K: Vascular malformations of the central nervous system: a morphological overview. *Neurosurg Rev* 1986; **9**:177-216.
14. McCormick WF. Classification, pathology, and natural history of angiomas of the central nervous system. *Weekly update: neurology and neurosurgery* 1978; **14**:2-7.
15. McCormick WF. Pathology of vascular malformations of the brain. In Wilson CB, Stein BM (Hg.). *Intracranial Arteriovenous Malformations*. Williams & Wilkins: Baltimore 1984; S. 44-63.

16. Sarwar M, McCormick WF: Intracerebral venous angioma. Case report and review. *Arch Neurol* 1978; **35**:323-5.
17. Berman MF, Sciacca RR, Pile-Spellman J, Stapf C, Connolly ES, Mohr JP, Young WL. The epidemiology of brain arteriovenous malformations. *Neurosurgery* 2000; **47**: 389-97.
18. Brown RD, Jr, Wiebers DO, Torner JC, O'Fallon WM. Incidence and prevalence of intracranial vascular malformations in Olmsted County, Minnesota, 1965 to 1992. *Neurology* 1996; **46**:949-52.
19. Brown RD, Jr, Wiebers DO, Torner JC, O'Fallon WM. Frequency of intracranial hemorrhage as a presenting symptom and subtype analysis: a population-based study of intracranial vascular malformations in Olmsted County, Minnesota. *J Neurosurg* 1996; **85**:29-32.
20. Haitjema T, Westermann CJ, Overtom TT, Timmer R, Disch F, Hauser H, et al. Hereditary hemorrhagic teleangiectasia (Osler-Weber-Rendu disease): new insights in pathogenesis, complications, and treatment. *Arch Intern Med* 1996; **156**:714–9.
21. Jessurun GA, Kamphuis DJ, van der Zande FH, Nossent JC. Cerebral arteriovenous malformations in The Netherlands Antilles. High prevalence of hereditary hemorrhagic telangiectasia-related single and multiple cerebral arteriovenous malformations. *Clin Neurol Neurosurg* 1993; **95**:193-198.
22. Stapf C, Schumacher HC, Mast H, Sciacca RR, Pile-Spellman J, Mohr JP, for the New York Islands AVM Study Collaborators. The New York Islands AVM Study: Prospective population-based detection rates for brain AVM and incident AVM hemorrhage *Stroke* 2002; **33**: 396 [abstract].
23. Stapf C, Mohr JP, Pile-Spellman J, Solomon RA, Sacco RL, Connolly ES. Epidemiology and natural history of arteriovenous malformations. *Neurosurg Focus* 2001; **11**(5):Artikel 1.

24. Sacco RL, Boden-Albala B, Gan R, Chen X, Kargman DE, Shea S, Paik MC, Hauser WA, and the Northern Manhattan Stroke Study Collaborators. Stroke Incidence among white, black, and Hispanic residents of an urban community. *Am J Epidemiol* 1998; **147**:259-68.
25. Stapf C, Labovitz DL, Sciacca RR, Mast H, Mohr JP, Sacco RL. Incidence of adult brain arteriovenous malformation hemorrhage in a prospective population-based stroke survey. *Cerebrovasc Dis* 2002; **13**:43-6.
26. Perret G, Nishioka H. Report on the cooperative study of intracranial aneurysms and subarachnoid hemorrhage: section VI. arteriovenous malformations: an analysis of 545 cases of cranio-cerebral arteriovenous malformations and fistulae reported to the cooperative study. *J Neurosurg* 1966; **25**:467-490.
27. Mast H, Mohr JP, Osipov A, Pile-Spellman J, Marshall RS, Lazar RM, Stein BM, Young WL. "Steal" Is an unestablished mechanism for the clinical presentation of cerebral arteriovenous malformations. *Stroke* 1995; **26**:1215-20.
28. Michelsen WJ. Natural history and pathophysiology of arteriovenous malformations. *Clin Neurosurg* 1978; **26**:307-13.
29. Samson DS, Batjer HH. Preoperative evaluation of the risk/benefit ratio for arteriovenous malformations of the brain. In: Williams RH, Rengachary SS (Hg.). *Neurosurgery Update II: Vascular, Spinal, Pediatric, and Functional Neurosurgery*. McGraw-Hill, Inc.: New York (1991); S. 129-33.
30. Wilkins RH. Natural history of intracranial vascular malformations: a review. *Neurosurgery* 1985; **16**:421-30.

31. Hartmann A, Mast H, Mohr JP, Koennecke HC, Osipov A, Pile-Spellman J, Duong DH, Young WL. Morbidity of intracranial hemorrhage in patients with cerebral arteriovenous malformation. *Stroke* 1998; **29**:931-34.
32. Osipov A, Koennecke HC, Hartmann A, Young WL, Pile-Spellman J, Hacin-Bey L, Mohr JP, Mast H. Seizures in cerebral arteriovenous malformations: type, clinical course, and medical management. *Interventional Neuroradiology* 1997; **3**:37-41.
33. Auger RG, Wiebers DO. Management of unruptured intracranial arteriovenous malformations: a decision analysis. *Neurosurgery* 1992; **30**:561-9.
34. Brown RD, Wiebers DO, Forbes G, O'Fallon WM, Piepgras DG, Marsh WR, Maciunas RJ. The natural history of unruptured intracranial arteriovenous malformations. *J Neurosurg* 1988; **68**:352-7.
35. Ondra SL, Troupp H, George ED, Schwab K. The natural history of symptomatic arteriovenous malformations of the brain: a 24-year follow-up assessment. *J Neurosurg* 1990; **73**:387-91.
36. Stapf C, Mohr JP, Sciacca RR, Hartmann A, Aagaard BD, Pile-Spellman J, Mast H. Incident hemorrhage risk of brain arteriovenous malformations located in the arterial borderzones. *Stroke* 2000; **31**: 2365-2368.
37. Finkelstein MO, Levin B, Robbins H. Clinical and prophylactic trials with assured new treatment for those at greater risk: I. A design proposal. *Am J Public Health* 1996; **86**:691-5.
38. Finkelstein MO, Levin B, Robbins H. Clinical and prophylactic trials with assured new treatment for those at greater risk: II. Examples. *Am J Public Health* 1996; **86**:696-705.

39. Thompson JL, Hartmann A, Mohr JP, Levin B. The assured allocation trial: An alternative design for clinical trials when a randomized clinical trial is not possible, and its utility in stroke research. *Cerebrovascular Diseases* 1998; **8**(suppl. 4):67 (abstract).
40. Vinuela F, Dion JE, Duckwiler G, Martin NA, Lylyk P, Fox A, Pelz D, Drake CG, Girvin JJ, Debrun G. Combined endovascular embolization and surgery in the management of cerebral arteriovenous malformations: experience with 101 cases. *J Neurosurg* 1991; **75**:856-64.
41. Willinsky R, Lasjaunias P, Terbrugge K, Pruvost P. Brain arteriovenous malformations: analysis of the angio-architecture in relationship to hemorrhage. *J Neuroradiol* 1988; **15**:225-37.
42. Stapf C, Mohr JP, Pile-Spellman J, Sciacca RR, Hartmann A, Schumacher HC, Mast H. Concurrent arterial aneurysms in brain arteriovenous malformations with hemorrhagic presentation. *J Neurol Neurosurg Psychiatr* 2002; **73**:294-298.
43. Thompson RC, Steinberg GK, Levy RP, Marks MP. The management of patients with arteriovenous malformations an associated intracranial aneurysms. *Neurosurgery* 1998; **43**:202-12.
44. Redekop G, TerBrugge K, Montanera W, Willinsky R. Arterial aneurysms associated with cerebral arteriovenous malformation: classification, incidence, and risk of hemorrhage. *J Neurosurg* 1998; **89**:539-46.
45. Pile-Spellman JM, Baker KF, Liszczak TM, Sandrew BB, Oot RF, Debrun G, Zervas NT, Taveras JM. High-flow angiopathy: cerebral blood vessel changes in experimental chronic arteriovenous fistula. *AJNR* 1986; **7**:811-5.

46. Brown RD, Wiebers DO, Forbes G. Unruptured intracranial aneurysms and arteriovenous malformations: frequency of intracranial hemorrhage and relationship of lesions. *J Neurosurg* 1990; **73**:859-63.
47. Kader, A, WL Young, J Pile-Spellman, H Mast, RR Sciacca, JP Mohr, BM Stein. The influence of hemodynamic and anatomic factors on hemorrhage from cerebral arteriovenous malformations. *Neurosurgery* 1994; **34**:801-8.
48. Marks MP, Lane B, Steinberg GK, Chang PJ. Hemorrhage in intracerebral arteriovenous malformations: angiographic determinants. *Radiology* 1990; **176**:807-13.
49. Spetzler RF, Hargraves RW, McCormick PW, Zabramski JM, Flom RA, Zimmerman RS. Relationship of perfusion pressure and size to risk of hemorrhage from arteriovenous malformations. *J Neurosurg* 1992; **76**:918-23.
50. Mansmann U, Meisel J, Brock M, Rodesch G, Alvarez H, Lasjaunias P. Factors associated with intracranial hemorrhage in cases of cerebral arteriovenous malformation. *Neurosurgery*. 2000; **46**:272-81.
51. Meisel J, Mansmann U, Brock M, Rodesch G, Alvarez H, Lasjaunias P. Cerebral AVM and associated aneurysm: analysis of 305 cases in a series of 662 patients. *Neurosurgery*. 2000; **46**:793-802.
52. Mast H, Young WL, Koennecke HC, Sciacca RR, Osipov A, Pile-Spellman J, Hacin-Bey L, Hoang Duong, Stein BM, Mohr JP. Risk of spontaneous hemorrhage after diagnosis of cerebral arteriovenous malformations. *Lancet* 1997; **350**:1065-8.

53. Marks MP, Bracci P, Steinberg GK. *Natural history of cerebral AVMs correlated with angiographic risk factors of hemorrhage*. Program - American Society of Neuroradiology 31st Annual Meeting, May 16-20 1993, Vancouver, BC, Canada; S. 75.
54. Pollock BE, Flickinger JC, Lunsford LD, Bissonette DJ, Pa-C, Kondziolka D. Factors that predict the bleeding risk of cerebral arteriovenous malformations. *Stroke* 1996; **27**:1-6.
55. Duong HD, Young WL, Vang MC, Sciacca RR, Mast H, Koennecke HC, Hartmann A, Joshi S, Mohr JP, Pile-Spellman J. Feeding artery pressure and venous drainage pattern are primary determinants of hemorrhage from cerebral arteriovenous malformations. *Stroke* 1998; **29**:1167-76.
56. Kader A, Goodrich JT, Sonstein WJ, Stein BM, Carmel PW, Michelsen WJ. Recurrent cerebral arteriovenous malformations after negative postoperative angiograms. *J Neurosurg* 1996; **85**:14-8.
57. Gabriel EM, Sampson JH, Wilkins RH. Recurrence of a cerebral arteriovenous malformation after surgical excision. Case report. *J Neurosurg* 1996; **84**:879-82
58. Spetzler RF, Martin NA. A proposed grading system for arteriovenous malformations. *J Neurosurg* 1986; **65**:476-83.
59. Hamilton MG, Spetzler RF. The prospective application of a grading system for arteriovenous malformations. *Neurosurgery* 1994; **34**:2-7.
60. Hartmann A, Stapf C, Hofmeister C, Mohr JP, Sciacca RR, Stein BM, Faulstich A, Mast H. Determinants of neurological outcome after surgery for brain arteriovenous malformation. *Stroke* 2000; **31**:2361-4.

61. Kuwayama N, Pile-Spellman J, Hacein-Bey L, Yoon S, Gu Q, Sacco RL. *Intraobserver correlation and interobserver reliability of AVM grading systems*. Abstract. The International Congress on Interventional Neuroradiology and Intravascular Surgery. 19-22 November 1995, Kyoto, Japan.
62. Young WL, Pile-Spellman J. Anesthetic considerations for interventional neuroradiology. *Anesthesiology* 1994; **80**:427-56.
63. Lazar RM, Marshall RS, Pile-Spellman J, Duong HC, Mohr JP, Young WL, Solomon RL, Perera GM, DeLaPaz RL. Interhemispheric transfer of language in patients with left frontal cerebral arteriovenous malformation. *Neuropsychologia* 2000; **38**:1325-32
64. Nakahara I, Taki W, Kikuchi H, Sakai N, Isaka F, Oowaki H, Kondo A, Iwasaki K, Nishi S. Endovascular treatment of aneurysms on the feeding arteries of intracranial arteriovenous malformations. *Neuroradiology* 1999; **41**:60-6.
65. Paulsen RD, Steinberg GK, Norbash AM, Marcellus ML, Marks MP. Embolization of basal ganglia and thalamic arteriovenous malformations. *Neurosurgery* 1999; **44**:991-7.
66. Bruder N, Lévrier O, Stordeur JM, Pellisier D, Salamon G, François G. Comparison of controlled hypotension with sodium nitroprusside or esmolol on cerebral arteriovenous malformation (AVM) flow velocity: preliminary data. *Anaesthesiology* 1998; **89**(suppl.3A):A318.
67. Gailloud P, Muster M, Piotin M, Mottu F, Murphy KJ, Fasel JHD, Rüfenacht DA. In vitro models of intracranial arteriovenous fistulas for the evaluation of new endovascular treatment materials. *Am J Neuroradiol* 1999; **20**:291-5.

68. Murayama Y, Viñuela F, Ulhoa A, Akiba Y, Duckwiler GR, Gobin YP, Vinters HV, Greff RJ. Nonadhesive liquid embolic agent for cerebral arteriovenous malformations: preliminary histopathological studies in swine rete mirabile. *Neurosurgery* 1998; **43**:1164-75.
69. Tokunaga K, Kinugasa K, Kawada S, Nakashima H, Tamiya T, Hirotsune N, Mandai S, Ohmoto T. Embolization of cerebral arteriovenous malformations with cellulose acetate polymer: a clinical, radiological, and histological study. *Neurosurgery* 1999; **44**:981-90.
70. Nishi S, Nakayama Y, Hashimoto N, Matsuda T. Basic fibroblast growth factor impregnated hydrogel microspheres for embolization of cerebral arteriovenous malformations. *ASAIO Journal* 1998; **44**:M405-M410.
71. Konan AV, Roy D, Raymond J. Endovascular treatment of hemifacial spasm associated with a cerebral arteriovenous malformation using transvenous embolization: case report. *Neurosurgery* 1999; **44**:663-6.
72. Pile-Spellman J, Young WL, Joshi S, Duong DH, Vang MC, Hartmann A, Kahn RA, Rubin DA, Prestigiacomo CJ, Ostapkovich ND: Adenosine-induced cardiac pause for endovascular embolization of cerebral arteriovenous malformations: technical case report. *Neurosurgery* 1999; **44**:881-7.
73. Colombo F, Benedetti A, Pozza F, Avanzo RC, Marchetti C, Chiarego G, Zanardo A. External stereotactic radiation by linear accelerator. *Neurosurgery* 1985; **16**:154
74. Fabrikant JJ, Levy RP, Steinberg GK. Stereotactic charged-particle radiosurgery: clinical results of treatment of 1200 patients with intracranial arteriovenous malformations and pituitary disorders. *Clin Neurosurg* 1990; **38**:472

75. Lunsford LD, Kondziolka D, Flickinger JC. Stereotactic radiosurgery for arteriovenous malformations of the brain. *J Neurosurg* 1991; **75**:512-24
76. Ogilvy CS. Radiation therapy for arteriovenous malformations: a review. *Neurosurgery* 1990; **26**:725
77. Adler JR, Murphy MJ, Chang SD, Hancock SL. Image-guided robotic radiosurgery. *Neurosurgery* 1999; **44**:1299-307.
78. Pollock BE. Stereotactic radiosurgery for arteriovenous malformations. *Applications of Radiosurgery* 1999; **10**:281-90.
79. Heffez DS, Osterdock RJ, Alderete L, Grutsch J. The effect of incomplete patient follow-up on the reported results of AVM radiosurgery. *Surg Neurol* 1998; **49**:373-81.
80. Gobin YP, Laurent A, Merienne L, Schlienger M, Aymard A, Houdart E, Casasco A, Lefkopoulos D, George B, Merland JJ. Treatment of brain arteriovenous malformations by embolization and radiosurgery. *J Neurosurg* 1996; **85**:19-28.
81. Pollock BE, Flickinger JC, Lunsford LD, Maitz A, Kondziolka D. Factors associated with successful arteriovenous malformation radiosurgery. *Neurosurgery* 1998; **42**:1239-47.
82. Gallina P, Merienne L, Meder JF, Schlienger M, Lefkopoulos D, Merland JJ. Failure in radiosurgery treatment of cerebral arteriovenous malformations. *Neurosurgery* 1998; **42**:996-1004.
83. Smith KA, Shetter A, Speiser B, Spetzler RF. Angiographic follow-up in 37 patients after radiosurgery for cerebral arteriovenous malformations as part of a multimodality treatment approach. *Stereotact Funct Neurosurg* 1997; **69**:136-42.

84. Oppenheim C, Meder JF, Trystram D, Nataf F, Godon-Hardy S, Blustajn J, Mérienne L, Schlienger M, Frédy D. Radiosurgery of cerebral arteriovenous malformations: is an early angiogram needed? *Am J Neuroradiol* 1999; **20**:475-81.
85. Eisenschenk S, Gilmore RL, Friedman WA, Henchey RA. The effect of LINAC stereotactic radiosurgery on epilepsy associated with arteriovenous malformations. *Stereotact Funct Neurosurg* 1998; **71**:51-61.
86. Kurita H, Kawamoto S, Suzuki I, Sasaki T, Tago M, Terahara A, Kirino T. Control of epilepsy associated with cerebral arteriovenous malformations after radiosurgery. *J Neurol Neurosurg Psychiatry* 1998; **65**:648-655.
87. Hartmann A, Pile-Spellman J, Stapf C, Sciacca RR, Faulstich A, Mohr JP, Schumacher HC, Mast H. Risk of endovascular treatment of brain arteriovenous malformations. *Stroke* 2002; **33**:1816-20.
88. Statham P, Macpherson P, Johnston R, Forster DM, Adams JH, Todd NV. Cerebral radiation necrosis complicating stereotactic radiosurgery for arteriovenous malformation. *J Neurol Neurosurg Psychiatry* 1990; **53**:476-79.
89. Yamamoto M, Hara M, Ide M, Ono Y, Jimbo M, Saito I. Radiation-related adverse effects observed on neuro-imaging several years after radiosurgery for cerebral arteriovenous malformations. *Surg Neurol* 1998; **49**:385-98.
90. Flickinger JC, Kondziolka D, Lunsford LD, Pollock BE, Yamamoto M, Gorman DA, Schomberg PJ, Sneed P, Larson D, Smith V, McDermott MW, Miyawaki L, Chilton J, Morantz RA, Young B, Jokura H, Liscak R. A multi-institutional analysis of complication

outcomes after arteriovenous malformation radiosurgery. *Int J Radiation Oncology Biol Phys* 1999; **44**:67-74.

91. Lax I, Karlsson B. Prediction of complications in gamma knife radiosurgery of arteriovenous malformations. *Acta Oncol* 1996; **35**:49-55.
92. Karlsson B, Lax I, Soderman M. Factors influencing the risk for complications following Gamma Knife radiosurgery of cerebral arteriovenous malformations. *Radiother Oncol* 1997; **43**:275-80.
93. Flickinger JC, Kondziolka D, Maitz AH, Lunsford LD. Analysis of neurological sequelae from radiosurgery of arteriovenous malformations: how location affects outcome. *Int J Radiat Oncol Biol Phys* 1998; **40**:273-8.
94. Hartmann A, Marx P, Schilling A, Pietilä T, Mohr JP, Mast H. Neurologic complications following radiosurgical treatment of brain arteriovenous malformations. *Cerebrovasc Dis* 2002; **13** (suppl 3):50.
95. Hartmann, A. *Brain Arteriovenous Malformations: Hemorrhage and Treatment Outcome*. Habilitationsschrift zur Erlangung der Venia legendi für das Fach Neurologie (2002) (eingereicht).
96. Fleiss JL. *Design and Analysis of Clinical Experiments*. John Wiley & Sons: New York (1986).
97. McNeil D *Epidemiological research methods*. John Wiley & Sons: New York (1996).
98. Dawson-Saunders B, Trapp RG. *Basic and clinical biostatistics*. Appleton & Lange: Norwalk, Connecticut (1994).

99. Bortz J. *Statistik für Sozialwissenschaftler*. Springer Verlag: Berlin, Heidelberg, New York, 4. Auflage (1993).
100. Agresti A. *Categorical Data Analysis*. John Wiley & Sons, New York (1990).
101. Haberman S. The analysis of residuals in cross-classification tables. *Biometrics* 1973; **29**:205-20.
102. Wessels H. *Zur multivariaten Analyse diskreter Daten: Über einige Erweiterungen und spezielle Parametrisierungen des allgemeinen log-linearen Modells*. Dissertation (1991).
103. Armitage P, Berry G. *Statistical methods in medical research*. Blackwell Science Ltd: Oxford (1994).
104. Knoke D, Burke PJ. *Log-linear Models*. Sage Publications: Beverly Hills, London (1988).
105. Langeheine R. *Log-lineare Modelle zur multivariaten Analyse qualitativer Daten*. Oldenbourg Verlag GmbH: München, Wien 1980.
106. Bishop YVV, Fienberg SE, Holland PW. *Discrete Multivariate Analysis*. MIT Press: Cambridge, MA (1975).
107. Harris EK, Albert A. *Survivorship Analysis for Clinical Studies*. Marcel Dekker, Inc.: New York, Basel, Hong Kong (1991).
108. Peto R, Pike MC, Armitage P, Breslow NE, Cox DR, Howard SV, Mantel N, McPherson K, Peto J, Smith PG. Design and analysis of randomized clinical trials requiring prolonged observation of each patient 2. Analysis and examples. *Br J Cancer* 1977; **35**:1-39.

109. Guggenmoos-Holzmann I, Werneke K-D. *Medizinische Statistik*. Blackwell Wissenschafts-Verlag: Berlin, Wien, Oxford (1995).
110. Bortz J, Lienert GA, Boehnke, K. *Verteilungsfreie Methoden in der Biostatistik*. Springer Verlag: Berlin, Heidelberg, New York (1990).
111. Fleiss JL *Statistical Methods for Rates and Proportions*. Wiley: New York (1973).