

Bibliography

- Abramowitz, M. and Stegun, I. (eds) (1974). *Handbook of mathematical functions*, Dover Publications, New York.
- Adkins, C. and Taylor, C. (1999). Lateral inhibition of inositol 1,4,5-trisphosphate receptors cytosolic by Ca^{2+} , *Curr. Biol.* **9**: 1115–1118.
- Alberts, B., Bray, D., Lewis, J., Raff, M., Roberts, K. and Watson, J. (1994). *Molecular Biology of the Cell*, 3rd edn, Garland Publishing, New York.
- Allbritton, N., Meyer, T. and Stryer, L. (1992). Range of messenger action of calcium ion and inositol 1,4,5-trisphosphate, *Science* **258**: 1812–1815.
- Atri, A., Amundson, J., Clapham, D. and Sneyd, J. (1993). A single pool model for intracellular calcium oscillations and waves in the *Xenopus laevis* oocyte, *Biophys. J.* **65**: 1727–1739.
- Bär, M., Falcke, M., Tsimring, L. and Levine, H. (2000). Discrete stochastic modeling of calcium channel dynamics, *Phys. Rev. Lett.* **84**: 5664–5667.
- Berridge, M. (1993). Inositol trisphosphate and calcium signalling, *Nature* **361**: 315.
- Berridge, M. (1997). Elementary and global aspects of calcium signalling, *J. Physiol.* **499**: 291–306.
- Berridge, M., Bootman, M. and Lipp, P. (1998). Calcium - a life and death signal, *Nature* **395**: 645–648.
- Berridge, M., Lipp, P. and Bootmann, M. (2000). The versatility and universality of calcium signaling, *Nature Rev. Mol. Cell Biol.* **1**(1): 11–21.
- Bezprozvanny, I. and Ehrlich, B. (1994). Inositol(1,4,5)-trisphosphate $\text{Ins}(1,4,5)\text{P}_3$ -gated channels from cerebellum: conduction properties for divalent cations and regulation by intraluminal calcium, *J. Gen. Physiol.* **104**: 821–856.

- Bezprozvanny, I., Watras, J. and Ehrlich, B. (1991). Bell-shaped calcium-response curves of Ins(1,4,5)P₃- and calcium-gated channels from endoplasmic reticulum of cerebellum, *Nature* **351**: 751–754.
- Blatter, L., J.Hüser and Rios, E. (1997). Sarcoplasmic reticulum Ca²⁺ release flux underlying Ca²⁺ sparks in cardiac muscle, *Proc. Nat. Acad. Sci. USA* **94**: 4176–4181.
- Bootman, M., Berridge, M. and Lipp, P. (1997). Cooking with calcium: The recipes for composing global signals from elementary events, *Cell* **91**: 367–373.
- Bootman, M., Collins, T., Peppiatt, C., Prothero, L., MacKenzie, L., DeSmet, P., Travers, M., Tovey, S., Seo, J., Berridge, M., Ciccolini, F. and Lipp, P. (2001). Calcium signalling - an overview, *Seminars in Cell & Developmental Biology* **12**(1): 3–10.
- Borghans, J., Dupont, G. and Goldbeter, A. (1997). Complex intracellular calcium oscillations: A theoretical exploration of possible mechanisms, *Biophys. Chem.* **66**: 25–41.
- Callamaras, N., Marchant, J., Sun, X.-P. and Parker, I. (1998). Activation and co-ordination of InsP₃-mediated elementary Ca²⁺ events during global Ca²⁺ signals in *Xenopus* oocytes, *J. Physiol.* **509**(1): 81–91.
- Coombes, S. (2001). The effect of ion pumps on the speed of travelling waves in the fire-diffuse-fire model of Ca²⁺ release, *Bull. Math. Biol.* **63**(1): 1–20.
- Coombes, S. and Timofeeva, Y. (2003). Sparks and waves in a stochastic fire-diffuse-fire model of Ca²⁺ release, *Phys. Rev. E* **68**: 021915–1–8.
- D’Andrea, P. and Vittur, F. (1995). Spatial and temporal Ca²⁺ signalling in articular chondrocytes, *Biochemical and Biophysical Research Communications* **75**: 129–135.
- De Young, G. and Keizer, J. (1992). A single inositol 1,4,5-triphosphate-receptor-based model for agonist-stimulated oscillations in Ca²⁺ concentration, *Proc. Natl. Acad. Sci. USA* **89**: 9895–9899.
- Dixon, C., Woods, N., Webb, T. and Green, A. (2000). Evidence that rat hepatocytes coexpress functional p2y1 and p2y2 receptors, *Br. J. Pharmacol.* **129**: 764–770.

- Dufour, J., Arias, I. and Turner, T. (1997). Inositol 1,4,5-trisphosphate and calcium regulate the calcium channel function of the hepatic Inositol 1,4,5-trisphosphate receptor, *J. Biol. Chem.* **272**(5): 2675–2681.
- Dupont, G. and Goldbeter, A. (1993). One-pool model for Ca^{2+} oscillations involving Ca^{2+} and inositol 1,4,5-trisphosphate as co-agonists for Ca^{2+} release, *Cell Calcium* **14**: 311–322.
- Dupont, G. and Goldbeter, A. (1994). Properties of intracellular Ca^{2+} waves generated by a model based on Ca^{2+} -induced Ca^{2+} release, *Biophys. J.* **67**: 2191–2204.
- Falcke, M. (2003a). Buffers and oscillations in intracellular Ca^{2+} dynamics, *Biophys. J.* **84**(1): 28–41.
- Falcke, M. (2003b). On the role of stochastic channel behavior in intracellular Ca^{2+} dynamics, *Biophys. J.* **84**: 42–56.
- Falcke, M. (2004). Reading the pattern in living cells - the physics of Ca^{2+} signaling, *Advances in Physics* **53**: 255–440.
- Falcke, M. and Malchow, D. (eds) (2003). *Understanding Calcium Dynamics - Experiments and Theory*, Lecture Notes in Physics, Springer, Berlin.
- Falcke, M., Bär, M., Lechleiter, J. and Hudson, J. (1999a). Spiral breakup and defect dynamics in a model for intracellular Ca^{2+} dynamics, *Physica D* **129**(3): 236–252.
- Falcke, M., Hudson, J., Camacho, P. and Lechleiter, J. (1999b). Impact of mitochondrial Ca^{2+} cycling on pattern formation and stability, *Biophys. J.* **77**: 37–44.
- Falcke, M., Li, Y., Lechleiter, J. and Camacho, P. (2003). Modeling the dependence of the period of intracellular Ca^{2+} waves on SERCA expression, *Biophys. J.* **85**: 1474–1481.
- Falcke, M., Or-Guil, M. and Bär, M. (2000a). Dispersion gap and localized spiral waves in a model for intracellular Ca^{2+} dynamics, *Phys. Rev. Lett.* **84**(20): 4753–4756.
- Falcke, M., Tsimring, L. and Levine, H. (2000b). Stochastic spreading of intracellular Ca^{2+} release, *Phys. Rev. E* **62**: 2636–2643.

- Foyouzi-Youssefi, R., Arnaudeau, S., Borner, C., Kelley, W., Tschopp, J., Lew, D., Demaurex, N. and Krause, K.-H. (2000). Bcl-2 decreases the free Ca^{2+} concentration within the endoplasmic reticulum, *Proc. Natl. Acad. Sci. USA* **97**(11): 5723–5728.
- Gardiner, C. (1985). *Handbook of stochastic methods*, 2 edn, Springer, Berlin.
- Gitterman, M. and Weiss, G. (1991). Some comments on approximations to the master equation, *Physica A* **170**: 503–510.
- Gonzalez, A., Kirsch, W., Shirokova, N., Pizarro, G., Pessah, I., Stern, M., Cheng, H. and Rios, E. (2000). Involvement of multiple intracellular release channels in calcium sparks of skeletal muscle, *Proc. Natl. Acad. Sci. USA* **97**(8): 4380–4385.
- Grabert, H., Hänggi, P. and I. Oppenheim (1983). Fluctuations in reversible chemical reactions, *Physica* **117A**: 300–316.
- Hänggi, P., Grabert, H., Talkner, P. and Thomas, H. (1984). Bistable systems: Maser equation versus Fokker-Planck modelling, *Phys. Rev. A* **29**: 371–378.
- Henry, H. and Levine, H. (2003). Wave nucleation in excitable systems in the low noise limit, *Phys. Rev. E* **68**: 031914–1–5.
- Hille, B. (2001). *Ion channels of excitable membranes*, 3rd edn, Sinauer Associates, Inc. Publishers, Sunderland, MA USA.
- Hofer, A. and Schulz, I. (1996). Quantification of intraluminal free $[\text{Ca}^{2+}]$ in the agonist-sensitive internal calcium store using compartmentalized fluorescent indicators: some considerations, *Cell Calcium* **20**: 235–242.
- Horn, R. A. and Johnson, C. R. (1999). *Matrix Analysis*, Cambridge University Press, Cambridge.
- Izu, L., Mauban, J., Balke, C. and Wier, W. (2001). Large currents generate cardiac Ca^{2+} sparks, *Biophys. J.* **80**: 88–102.
- Jiang, Q.-X., Thrower, E. C., Chester, D. W., Ehrlich, B. E. and Sigworth, F. J. (2002). Three-dimensional structure of the type 1 inositol 1,4,5-trisphosphate receptor at 24 Å resolution, *EMBO J.* **21**: 3575–3581.
- Jung, P. and Shuai, J. (2001). Optimal sizes of ion channel clusters, *Europhys. Lett.* **56**(1): 29–35.
- Keener, J. and Sneyd, J. (1998). *Mathematical Physiology*, Springer, New York.

- Kessler, D. and Levine, H. (1998). Fluctuation induced diffusive instabilities, *Nature* **394**: 556–558.
- Kramers, H. (1940). Brownian motion in a field of force and the diffusion model of chemical reactions, *Physica* **7**: 284–304.
- Kushmerick, M. and Podolsky, R. (1969). Ion mobility in muscle cells, *Science* **166**: 1287–1298.
- Lechleiter, J., Girard, S., Clapham, D. and Peralta, E. (1991a). Subcellular patterns of calcium release determined by g-protein-specific residues of muscarinic receptors, *Nature* **350**: 505–508.
- Lechleiter, J., John, L. and P. Camacho (1998). Ca^{2+} wave dispersion and spiral wave entrainment in *Xenopus laevis* oocytes overexpressing Ca^{2+} ATPases, *J. Biophysical Chemistry* **72**: 123–129.
- Lechleiter, J., S. Girard, E. Peralta and D. Clapham (1991b). Spiral calcium wave propagation and annihilation in *Xenopus laevis* oocytes, *Science* **252**: 123–126.
- Li, Y. and Rinzel, J. (1994). Equations for InsP_3 receptor-mediated $[\text{Ca}^{2+}]_i$ oscillations derived from a detailed kinetic model: A Hodgkin-Huxley like formalism, *J. theor. Biol.* **166**: 461–473.
- Lindsay, A. and Williams, A. (1991). Functional characterization of the ryanodine receptor purified from sheep cardiac muscle sarcoplasmic reticulum, *Biochimica and Biophysica Acta* **1064**: 89–102.
- Lindsay, A., Manning, S. and Williams, A. (1991). Monovalent cation conductance in the ryanodine receptor-channel of sheep cardiac muscle sarcoplasmic reticulum, *J. Physiol.* **439**: 463–480.
- Mak, D. and Foskett, J. (1997). Single-channel kinetics, inactivation, and spatial distribution of inositol trisphosphate (IP_3) receptor in *Xenopus* oocyte nucleus, *J. Gen. Physiol.* **109**: 571–587.
- Mak, D. and Foskett, J. (1998). Effects of divalent cations on single-channel conduction properties of *Xenopus* IP_3 receptor, *Am. J. Physiol.* **275**(Cell.Physiol.44): C179–C188.
- Mak, D., McBride, S. and Foskett, J. (1998). Inositol 1,4,5-tris-phosphate activation of inositol tris-phosphate receptor Ca^{2+} channel by ligand tuning of Ca^{2+} inhibition, *Proc. Natl. Acad. Sci. USA* **95**: 15821–15825.

- Mak, D., McBride, S. and Foskett, J. (1999). ATP regulation of type 1 inositol 1,4,5-trisphosphatereceptor channel gating by allosteric tuning of Ca^{2+} activation, *J. Biol. Chem.* **274**(32): 22231–22237.
- Mak, D., McBride, S. and Foskett, J. (2001). Regulation by Ca^{2+} and Inositol 1,4,5-trisphosphate (InsP_3) of single recombinant type 3 InsP_3 receptor channels: Activation uniquely distinguishes type 1 and type 3 InsP_3 receptors, *J. Gen. Physiol.* **117**: 435–446.
- Mak, D., McBride, S. and Foskett, J. (2003). Spontaneous channel activity of the inositol 1,4,5-trisphosphate (InsP_3) receptor (InsP_3R). Application of allosteric modeling to calcium and InsP_3 regulation of the InsP_3R single-channel gating, *J. Gen. Physiol.* **122**: 583–603.
- Mak, D., McBride, S., Raghuram, V., Yue, Y., Joseph, S. and Foskett, J. (2000). Single-channel properties in endoplasmic reticulum membrane of recombinant type 3 inositol trisphosphate receptor, *J. Gen. Physiol.* **115**: 241–255.
- Marchant, J. and Parker, I. (2001). Role of elementary Ca^{2+} puffs in generating repetitive Ca^{2+} oscillations, *EMBO J.* **20**: 65–76.
- Marchant, J. and Taylor, C. (1998). Rapid activation and partial inactivation of inositol trisphosphate receptors by inositol trisphosphate, *Biochemistry* **37**: 11524–11533.
- Marchant, J., Callamaras, N. and Parker, I. (1999). Initiation of IP_3 -mediated Ca^{2+} waves in xenopus oocytes, *EMBO J.* **18**: 5285–5299.
- Meinhold, L. and Schimansky-Geier, L. (2002). Analytical description of stochastic calcium-signal periodicity, *Phys. Rev. E* **66**: 050901–1–4(R).
- Mejia-Alvarez, R., Kettlun, C., Rios, E. and Stern, M. (1999). Unitary calcium current through cardiac ryanodine receptors under physiological conditions, *J. Gen. Physiol.* **113**: 177–186.
- Meldolesi, J. and Pozzan, T. (1998). The endoplasmic reticulum Ca^{2+} store: a view from the lumen, *Trends in Biochemical Sciences* **23**: 10–14.
- Melzer, W., Rios, E. and Schneider, M. (1984). Time course of calcium release and removal in skeletal muscle fibers, *Biophys. J.* **45**: 637–641.
- Melzer, W., Rios, E. and Schneider, M. (1987). A general procedure for determining the rate of calcium release from the sarcoplasmic reticulum in skeletal muscle fibers, *Biophys. J.* **51**: 849–863.

- Michalak, M., Milner, R., Burns, K. and Opas, M. (1992). Calreticulin, *Biochem. J.* **285**: 681–692.
- Miyawaki, A., Llopis, J., Heim, R., McCaffery, J., Adams, J., Ikura, M. and Tsien, R. (1997). Fluorescent indicators for Ca^{2+} based on green fluorescent proteins and calmodulin, *Nature* **388**: 882–887.
- Moyal, J. (1949). Stochastic processes and statistical physics, *J. Roy. Stat. Soc. B* **11**: 150–210.
- Nathanson, H., Burgstahler, A. and Fallon, M. (1994). Multistep mechanism of polarized Ca^{2+} wave patterns in hepatocytes, *Am. J. Physiol.* **267**: G338–G349.
- Nuccitelli, R., Yim, D. and Smart, T. (1993). The sperm-induced Ca^{2+} wave following fertilization of the *Xenopus* egg requires the production of $\text{Ins}(1,4,5)\text{P}_3$, *Dev. Biol.* **128**: 200–212.
- Ölveczky, B. and Verkman, A. (1998). Monte carlo analysis of obstructed diffusion in three dimensions: Application to molecular diffusion in organelles, *Biophys. J.* **74**: 2722–2730.
- Parker, I., Choi, J. and Yao, Y. (1996a). Elementary events of InsP_3 -induced Ca^{2+} liberation in *Xenopus* oocytes: hot spots, puffs and blips, *Cell Calcium* **20**(2): 105–121.
- Parker, I., Yao, Y. and Ilyin, V. (1996b). Fast kinetics of calcium liberation induced in *Xenopus* oocytes by photoreleased inositol trisphosphate, *Biophys. J.* **70**: 222–237.
- Pratushevitch, V. and Balke, C. (1996). Factors shaping the confocal image of calcium spark in cardiac muscle cells, *Biophys. J.* **71**: 2942–2957.
- Press, W., Teukolsky, S., Vetterling, W. and Flannery, B. (2002). *Numerical recipes in C++*, 2nd edn, Cambridge University Press, Cambridge.
- Ramos-Franco, J., Fill, M. and Mignery, G. (1998). Isoform-specific function of single inositol 1,4,5-trisphosphate receptor channels, *Biophys. J.* **75**: 834–839.
- Ridgway, E., Gilkey, J. and Jaffe, L. (1977). Free calcium increases explosively in activating medaka eggs, *Proc. Natl. Acad. Sci. USA* **74**: 623–627.
- Rios, E., Stern, M., Gonzalez, A. and Pizarro, G. (1999). Calcium release flux underlying Ca^{2+} sparks of frog skeletal muscle, *J. Gen. Physiol.* **114**: 31–48.

- Risken, H. (1984). *The Fokker-Planck equation*, Springer, Berlin.
- Robert, V., DeGiorgi, F., Massimino, M., Cantini, M. and Pozzan, T. (1998). Direct monitoring of the calcium concentration in the sarcoplasmic and endoplasmic reticulum of skeletal muscle myotubes, *J. Biol. Chem.* **273**(46): 30372–30378.
- Sauer, H., Hofmann, C., Wartenberg, M., Wobus, A. M. and Hescheler, J. (1998). Spontaneous calcium oscillations in embryonic stem cell-derived primitive endodermal cells, *Exp. Cell Res.* **238**: 13–22.
- Shuai, J. and Jung, P. (2002a). Optimal intracellular calcium signalling, *Phys. Rev. Lett.* **88**(6): 068102–1–4.
- Shuai, J. and Jung, P. (2002b). Stochastic properties of Ca^{2+} release of inositol 1,4,5-trisphosphate receptor clusters, *Biophys. J.* **83**(1): 87–97.
- Smith, G. (1996). Analytical steady-state solution to the rapid buffer approximation near an open Ca^{2+} channel, *Biophys. J.* **71**: 3064–3072.
- Smith, G., Dai, L., Miura, R. and Sherman, A. (2001). Asymptotic analysis of buffered calcium diffusion near a point source, *SIAM J. Appl. Math.* **61**(5): 1816–1838.
- Smith, G., Keizer, J., Stern, M., Lederer, W. and Cheng, H. (1998). A simple numerical model of calcium spark formation and detection in cardiac myocytes, *Biophys. J.* **75**: 15–32.
- Sneyd, J. and Dufour, J.-F. (2002). A dynamic model of the type-2 inositol trisphosphate receptor, *Proc. Natl. Acad. Sci. USA* **99**(4): 2398–2403.
- Sneyd, J. and Sherratt, J. (1997). On the propagation of calcium waves in an inhomogeneous medium, *SIAM J. Appl. Math.* **57**(1): 73–94.
- Sneyd, J. and Tsaneva-Atanasova, K. (2003). Modeling calcium waves, in Falcke and Malchow (2003), pp. 179–199.
- Sneyd, J., Girard, S. and Clapham, D. (1993). Calcium wave propagation by calcium induced calcium release: An unusual excitable system, *Bull. Math. Biol.* **55**: 315–344.
- Sun, X., Callamaras, N., Marchant, J. and I.Parker (1998). A continuum of InsP_3 -mediated elementary Ca^{2+} signalling events in *Xenopus* oocytes, *J. Physiol.* **509**: 67–80.

- Swillens, S., Champeil, P., Combettes, L. and Dupont, G. (1998). Stochastic simulation of a single inositol 1,4,5-trisphosphate-sensitive Ca^{2+} channel reveals repetitive openings during blip-like Ca^{2+} transients, *Cell Calcium* **23**(5): 291–302.
- Swillens, S., Dupont, G., Combettes, L. and Champeil, P. (1999). From calcium blips to calcium puffs: Theoretical analysis of the requirements for interchannel communication, *Proc. Natl. Acad. Sci. USA* **96**: 13750–13755.
- Taylor, C. (1998). Inositol trisphosphate receptors: Ca^{2+} -modulated intracellular Ca^{2+} channels, *Biochimica and Biophysica Acta* **1436**: 19–33.
- Taylor, C. and Swatton, J. (2003). Regulation of IP_3 receptors by IP_3 and Ca^{2+} , in Falcke and Malchow (2003), pp. 1–16.
- Thomas, D., Lipp, P., Berridge, M. and Bootman, M. (1998). Hormone-evoked elementary Ca^{2+} signals are not stereotypic, but reflect activation of different size channel clusters and variable recruitment of channels within a cluster, *J. Biol. Chem.* **273**(42): 27130–27136.
- Thul, R. and Falcke, M. (2004a). Release currents of IP_3 receptor channel clusters and concentration profiles, *Biophys. J.* **86**: 2660–2673.
- Thul, R. and Falcke, M. (2004b). Stability of membrane bound reactions, *Phys. Rev. Lett.* **93**: 188103–1–4.
- Thul, R. and Falcke, M. (2005). Reactive clusters on a membrane, *Phys. Biol.* **2**: 51–59.
- Togashi, Y. and Kaneko, K. (2004). Molecular discreteness in reaction-diffusion systems yields steady states not seen in the continuum limit, *Phys. Rev. E* **70**: 020901(R)–1–4.
- Van Kampen, N. (2001). *Stochastic processes in physics and chemistry*, North-Holland, Amsterdam.
- Vilar, J. and Rubí, J. (1997). Spatiotemporal stochastic resonance in the Swift-Hohenberg equation, *Phys. Rev. Lett.* **78**: 2886–2889.
- Wagner, J. and Keizer, J. (1994). Effects of rapid buffers on Ca^{2+} oscillations and Ca^{2+} diffusion, *Biophys. J.* **67**: 447–456.
- Wang, S.-H. and Thompson, S. (1995). Local positive feedback by calcium in the propagation of intracellular calcium waves, *Biophys. J.* **69**: 1683–1697.

- Watras, J., Bezprozvanny, I. and Ehrlich, B. (1991). Inositol 1,4,5-trisphosphate-gated channels in cerebellum: presence of multiple conductance states, *J. Neurosci.* **11**: 3239–3245.
- Wilson, B., Pfeiffer, J., Smith, A., Oliver, J., Oberdorf, J. and Wojcikiewicz, R. (1998). Calcium-dependent clustering of inositol 1,4,5-trisphosphate receptors, *Mol. Biol. Cell* **9**: 1465–1478.
- Yao, Y., Choi, J. and Parker, I. (1996). Quantal puffs of intracellular Ca^{2+} evoked by inositol trisphosphate in xenopus oocytes, *J. Physiol.* **482**: 533–554.
- Zaikin, A. A., Garca-Ojalvo, J., Schimansky-Geier, L. and Kurths, J. (2002). Noise induced propagation in monostable media, *Phys. Rev. Lett.* **88**: 010601–1–4.
- Zhou, Z. and Neher, E. (1993). Mobile and immobile calcium buffers in bovine adrenal chromaffin cells, *J. Physiol.* **469**: 245–273.