

7. Literaturübersicht

- 1) Adell R, Lekholm U, Rockler B, et al. A 15-year study of osseointegrated implants in the treatment of the edentulous jaw. *Int J Oral Surg*; 10; 1981; 387 -416
- 2) Albrektsson T, Dahl E, Enbom L. Osseointegrated oral implants. A swedish multicenter study of 8139 consecutively inserted nobelpharma implants. *J Periodontal*; 59; 1988; 287 - 296
- 3) Aubin JE. Advances in the osteoblast lineage. *Biochem Cell Biol*. 76; 1998; 899 - 910
- 4) Aubin JE. Osteogenic Cell Differentiation. In: Davies JE. Editor, Bone engineering, em squared Inc, Toronto, Canada, 2000; 19 - 30
- 5) Bain CA. Smoking and implantfailure – benefits of a Smoking cessation protocol. *Int J Oral Maxillofac Implants* 11; 1996; 756
- 6) Becker W, Schenk R, Higuchi K, et al. Variations in bone regeneration adjacent to implants augmented with barrier membranes alone or with demineralized freeze-dried bone or autologous grafts: A pilot study in dogs. *Int J Oral Maxillofac implants* 10; 1995; 143
- 7) Bellows CG, Aubin JE, Heersche JN, et al. Mineralized bone nudles formed in vitro form enzymatically released rat calvaria cell populations. *Calcif Tissue Int* 38; 1986; 143 -154
- 8) Berger G, Ploska U, Lugscheider E, et al. Calcium phosphate-containing materials in the system $\text{CaTi}_4(\text{PO}_4)_6$ - $\text{CaZr}_4(\text{PO}_4)_6$ for use as coatings on titanium substrates. In: Kokubo T, Nakamura T, Miyaji F; Editors; *Bioceramics*; vol 9; Pergamon/Elsevier; Oxford; 1996; 353 - 356
- 9) Bessho K, Kusumoto K, Fujimura K, et al. Comparison of recombinant and purified human bone morphogenetic protein. *Br J Oral Maxillofac Surg* 37 ; 1999 ; 2 - 5.
- 10) Black J. „Systemic Effects of Biomaterials“, *Biomaterials* 5; 11; 1984
- 11) Boyan BD, Schwartz Z. Modulation of osteogenesis via implant surface design. In: Davies JE, editor. *Bone engineering*. Toronto, Canada: em squared Inc; 2000. 232 - 239

- 12) Boyan BD, Sylvia VI, liu Y, et al. Surface roughness mediates its effects on osteoblasts via protein kinase A and phospholipase A2. *Biomaterials* ; 20 ; 1999 ; 2305 - 2310
- 13) Branemark PI. Einführung in die Osseointegration. In: Branemark PI, Zarb GA. Albrektsson T. eds. *Gewebeintegrierter Zahnersatz: Osseointegration in klinischer Zahnheilkunde*. Berlin, Germany: Quintessenz Verlag; 1985; 11 - 76
- 14) Branemark PI, Breine U, Adell R, et al. Intraosseous anchorage of dental prostheses. I. Experimental studies. *Scand J Plast Reconstr Surg* 3; 1969; 81 -100
- 15) de Brujin JD, Klein CPAT, de Groot K, et al. The ultrastructure of the bone-hydroxyapatite interface in vitro. *J Biomed Mater Res* 1992; 26; 1365 - 82.
- 16) Burke EM, Lucas LC. Dissolution kinetics of calcium phosphate coatings. *Implant Dent* 7; 1998; 323 - 330
- 17) Buser D, Schenk RK, Steinemann S, et al. Influence of surface characteristics on bone integration of titanium implants. A histomorphometric study in miniature pigs. *J Biomed Mater Res*; 25; 1991; 889 - 902
- 18) Chehroudi B, McDonell D, Brunette DM. The effects of micromachined surfaces in formation of bonelike tissue on subcutaneous implants as assessed by radiography and computer image processing. *J Biomed Mater Res*; 34; 1997; 279 - 290
- 19) Christel P, Meunier A, Dorlot JM, et al. "Biomechanical Compatibility and Design of Ceramic Implants for Orthopaedic Surgery"; p. 234 in *Bioceramics: Material Characteristic Versus In Vivo Behavior*, Vol. 523. Edited by Ducheyne P and Lemons J. *Annals of New York Academy of Science*, New York; 1988
- 20) Cochran DL. A comparison of endesseous dental implant surfaces. *J Periodontol*; 70; 1999; 1523 - 1539
- 21) Cranin AN, Schnittmann PA, Rabkin SM, et al. Alumina and zirconia coated vitallium oral endosteal implants in beagles. In: *J Biomed Mater Res* 9; 1975; 257 - 262
- 22) Cune MS, de Putter C, Hoogstaten J, et al. Treatment outcome with implant-retained overdentures: Part I- clinical findings and predictability of clinical treatment outcome. *J Prosthet Dent*; 72; 1996; 144 - 151

- 23) Davies JE. Mechanisms of endosseous integration. *Int J Prosthodont.* 1998; 11; 391 - 401
- 24) Davies JE. In vitro modelling of the bone/implant interface. *Anat Res* 245; 1996; 426 - 445
- 25) Davis JE, Baldan N. Scanning electron microscopy of the bone – bioactive implant interface. *J Biomed Mater Res* 36; 1997; 429 - 440.
- 26) Davis JE, Löwenberg B, Shiga A, et al. The bone-titanium interface in vitro. *J. Biomed Mater Res* 24; 1990; 1289 - 1306
- 27) Denissen HW, De Groot K, Makbes PCH. Tissue response to dense apatite implants in rats. *J Biomed Mat Res* 14; 1980; 713
- 28) Dietz G, Bartholmes P. Calciumhyroxid und Knochenregeneration. Induzierte Osteogenese in Experiment und Klinik, aus der Sicht der Zahnmedizin. Byblis-Verlag in Pool-GmbH, München; 1998.
- 29) Dörre E. Anforderungen an enossale Implantate aus Aluminiumoxidkeramik. In: Der heutige Stand der Implantologie- Hrsg: J. Franke- München, Wien-Hanser; 1980; 29 - 31
- 30) Donath K, Breuner G A method for the study of undecalcified bones and teeth with attached soft tissues. *J Oral Path* 11; 1982; 318 - 326.
- 31) Ducheyne P, Hench LL, Kagan A, et al. "The Effect of Hydroxyapatite Impregnation of Skeletal Bonding of Porous Coated Implants"; *J Biomed Mater Res* 14; 1980; 225
- 32) Ducheyne P, Qiu Q. Bioactive ceramics: the effect of surface reactivity on bone formation and bone cell function. *Biomaterials* 20; 1999; 2287-2303
- 33) Dyrna H. Histologische und Haftfestigkeitsuntersuchung zur Charakterisierung der Implantat-Knochen-Interaktion an verschiedenen Implantatoberflächen. Klinik und Poliklinik für Mund-Kiefer-Gesichtschirurgie und Plastische Operationen des Bereichs Medizin der Universität Leipzig 1995.
- 34) Eriksson RA, Adell R. Temperatures during Drilling for the Placement of Implants Using the Osseointegration Technique. *J Oral Maxillofac Surg* 40; 1986; 4-7.
- 35) Eriksson RA, Albrektsson T. Temperature threshold levels for heat-induced bone tissue injury: A vital microscopic study in the rabbit. *J Prosthet Dent* 50; 1983; 101-107.
- 36) Esser E. Enossale Implantate im radiogen belasteten Kiefer nach Tumorradiikaloperationen. *Z Zahnärztl Implantol* 10; 1994; 167 - 170.

- 37) Fallschüssel GKH, ed. Zahnärztliche Implantologie, Wissenschaft und Praxis. Berlin, Germany: Quintessenz Verlag: 1986
- 38) Fischer-Brandies E, Dielert E. Knochenersatzwerkstoff Hydroxylapatit. Coll Med Dent 30; 1986; 567ff
- 39) Frayssinet P, Tourenne F, Rouquet N, et al. Comparative biological properties of HA plasma-sprayed coatings having different crystallinities. J Mater Med 1994; 5:11 - 7.
- 40) Frenzen M, Osborn JF, Nolden R. Immunchemische und immunhistologische Befunde bei verschiedenen Kalziumphosphatkeramikwerkstoffen im In-vitro-Versuch. Dtsch zahnärztl Z 43; 1988; 719 - 724
- 41) Gondolph-Zink B. Effect of hydroxyapatite layering on the osteointegration of weightbearing and non-weightbearing implants. Comparison to other microporous surfaces in animal experiments. Orthopade 1998; 27: 96 - 104.
- 42) Größner-Schreiber B, Tuan RS. Die Bedeutung der Oberfläche von Titanimplantaten im Osteointegrationsvorgang. Deutsche Zahnärztliche Zeitschrift; 46; 1991; 691 - 693
- 43) de Groot K, Klein CPAT, Wolke JGC, et al. "Chemistry of Calcium Phosphate Bioceramics"; pp. 3 - 15 in Handbook of Bioactive Ceramics; Vol. II. Edited by Yamamuro T, Hench LL, Wilson J. CRC Press; Boca Raton; FL; 1990
- 44) Gross KA, Berndt CC, Lacono VJ, et al. Variability of hydroxyapatite-coated dental implants. Int J Oral Maxillofac Implants 13; 1998; 601 - 610
- 45) Gross U, Kinne R, Schmitz HJ, et al. „The Response of Bone to Surface Active Glass/Glas-Ceramics“ ; CRC Crit. Rev. Biocompat.; 4; 2; 1988
- 46) Gross UM, Müller-Mai C. Hard materials – tissue interface: Generalconsideration and examples for bone bonding and for epithelial attachment. In: CRC Handbook of Bioactive Ceramics, Vol. 1, Bioactive Glasses and Glass Ceramics, Yamamuro T, Hench LL, Wilson J (eds), CRC Press, Boca Raton, Florida, USA 1990; pp 25 - 39.
- 47) Gross UM, Müller-Mai C, Voigt C. Ceravital Bioactive glass-ceramic. In: Hench LL, Wilson J, eds. An Introduction to Bioceramics. Singapore: World Scientific; 1993; 105 - 124
- 48) Gross U, Strunz V. The interface of various glasses and glass ceramics with a bony implantation bed. J Biomed Mater Res 19; 1985; 251 - 271.

- 49) Hansson HA, Albrektsson T, Branemark P.I Structural aspects of the interface between tissue and titanium implants. *J Prosthet Dent* 50; 1983; 108 - 113.
- 50) Hattar S, Berdal A, Asselin A, et al. Behaviour of moderately differentiated osteoblast-like cells cultured in contact with bioactive glasses. *European cells and materials* vol. 4; 2002; 61 - 69
- 51) Hench LL. Bioceramics; *Journal of American Ceramic Society* 81; 1998; 1705 - 1728
- 52) Hench LL, Anderson ÖH, Bioactive glasses. In: Hench LL, Wilson J, eds. *An Introduction to Bioceramics*. Singapore: World Scientific; 1993; 41 - 62
- 53) Hench LL, Clark AE. "Adhesion to Bone"; Ch 6 in *Biocompatibility of Orthopedic Implants*; Vol 2. Edited by D.F. Williams. CRC Press, Boca, Raton, FL; 1982
- 54) Hench LL, Clark DE. Physical chemistry of glass surfaces. *J. Non-crystalline Solids* 28; 1978; 88 - 105.
- 55) Hench LL, Paschall HA. Direct chemical bond of bioactive glass ceramic materials to bone and muscle. *J Biomed Mater Res Symposium* 7; 1973; 25 - 42
- 56) Hench LL, Paschall HA. Histochemical Responses at a Biomaterials interface. *J Biomed Mater Res* 8; 1974; 49 - 64
- 57) Hench LL, Splinter RJ, Allen WJ, et al. "Bonding Mechanisms at the interface of Ceramics Prosthetic Materials". *J Biomed Mater Res* 2 [1]; 1971; 117 - 141
- 58) Hench LL, West JK. "Biological Applications of Bioactive Glasses"; *life Chem Rep*, 13; 1996; 187 - 241
- 59) Hench LL, Wilson JW. „Surface–Active Biomaterials”; *Science*; Washington, D.C; 226; 1984; 630;
- 60) Hohland W, Vogel W, Naumann K, et al. „Interface Reactions between Machinable Bioactive Glass-Ceramics and Bone“; *J Biomed Mater Res* 19; 1985; 303
- 61) Hosseini MM, Sodek J, Franke RP, et al. The Structure and Composition of the Bone-Implant Interface. In: Davies JE, Editor, *Bone engineering*, em squared Inc, Toronto, Canada, 2000; 295 - 304
- 62) Howlett CR, Chen N, Zhang X, et al. The effect of biomaterial chemistries on the osteoblastic molecular phenotype and osteogenesis: *in vitro* and *in*

- vivo studies. In: Davies JE, editor. Bone engineering. Toronto, Canada: em squared Inc; 2000; p. 240 - 255
- 63) Howlett CR, Evans MD, Walsh WR, et al. Mechanism of initial attachment of cells derived from human bone to commonly used prosthetic materials during cell culture. *Biomaterials* 15; 1994; 213 - 222
- 64) Hulbert F, Bokros JC, Hench LL, et al. "Ceramics in Clinical Applications: Past, Present, and Future"; pp. 189-213 in High Tech Ceramics. Edited by P. Vincenzini. Elsevier, Amsterdam, The Netherlands; 1987
- 65) Hulshoff JEG, van Dijk K, van der Waerden JPCM, et al. Biological evaluation of the effect of magnetron sputtered Ca/P coatings on osteoblast-like cells in vitro. *J Biomed Mater Res* 1995; 29; 967 - 75.
- 66) Hutton J, Heath R, Chai J, et al. Factors related to sucess and failure rates at 3-year follow-up in a multicenter study of overdenture supported by Branemark implants. *Int J Oral Maxillofac Impl*; 10; 1995; 33 - 42
- 67) Ito G, Matsuda T, Inoue N, et al. A histological comparison of the tissue interface of bioglass and silica glass. *J Biomed Mater Res* 21; 1987; 485 - 497
- 68) Jaffin RA, Berman CL. The excessive loss of Branemark fixture in type IV bone: a 5-year analysis. *J Periodontol*; 62; 1991; 2 - 4
- 69) Jansen JA, Vercaigne S, Hulshoff AG, et al. The effect of surface roughness and calcium phosphate coating on bone-regenerative implant surface. In: Davies, Editor, Bone engineering, em squared Inc, Toronto, Canada; 2000; 345 - 357
- 70) Jarcho M. „Calcium Phosphate Ceramics as Hard Tissue Prosthetics“; *Clin Orthop Relat Res* 157; 1981; 259
- 71) Jemt T, Book K, Linden B, et al. Failures and complications in 92 consecutively inserted overdentures supported by Branemark implants in severely resorbed edentulous maxillae: a study from prosthetic treatment to first annual check-up. *Int J Oral Maxillofac Impl*; 7; 1992; 162 - 167
- 72) Kato H, Nishiguchi S, Nakamura T, et al. Effect of alkali and heat treatment on bone bonding ability of titanium. In: Le Geros RZ, Le Geros JP, eds. *Bioceramics*; vol. 11. Singapore: World Scientific; 1998; 671 - 674

- 73) Keller L, Dollase WA. X-ray determination of crystalline hydroxyapatite to amorphous calcium-phosphate ratio in plasma sprayed coatings. *J Biomed Mater Res* 44; 2000; 244 - 249
- 74) Kettner R, Janicke S, Schmitz HJ, et al. Animal experiments for testing a hydroxyapatite ceramic coating under vacuum conditions. *Mund Kiefer Gesichtschir.* 1997; 1: 335 - 9.
- 75) Kieswetter K, Schwartz Z, Hummert TW, et al. Surface roughness modules the local production of growth factors and cytokines by osteoblast-like MG-63 cells. *J Biomed Mater Res*; 32; 1996; 55 - 63
- 76) Kim HM, Miyaji F, Kokubo T, et al. Preparation of bioactive Ti and its alloys via simple chemical surface treatment. *J Biomed Mater Res* 32(3); 1996; 409 -417
- 77) Kitsugi T, Nakamura T, Yamamura T, et al. SEM-EPMA observation of three types of apatite containing glass ceramics implanted in bone: the variance of a Ca-P rich layer. *J Biomed Mater Res* 21; 1987; 125 - 1271
- 78) Kitsugi T, Yamamuro T, Kokubo T. „Bonding Behavior of a Glass-Ceramic Containing Apatite and Wollastonite in Segmental Replacement of the Rabbit Tibia Under Load-Bearing Conditions”; *J Bone Jt Surg*, 71A; 1989; 264
- 79) Knabe C, Klar F, Fitzner R, et al. In vitro investigation of titanium and hydroxyapatite dental implant surfaces using a rat bone marrow stromal cell culture system. *Biomaterials* 23; 2002; 3235 - 3245.
- 80) Knabe C, Berger G, Gildenhaar R, et al. The functional expression of human bone-derived cells grown on rapidly resorbable calcium phosphate ceramics. *Biomaterials* 2; Vol 25; 2004; 335 - 344
- 81) Knabe C, Berger G, Gildenhaar R, et al. The modulation of osteogenesis in vitro by calcium titanium phosphate coatings. *Biomaterials*; Vol 25; Issue 20; 2004; 4911 - 4919
- 82) Knabe C, Ostapowicz W, Radlanski RJ, et al. In vitro investigation of novel calcium phosphates using osteogenic cultures. *Journal of Materials science: Materials in Medicine* 9; 1998; 337 - 345
- 83) Kokubo T, Ito S, Huang ZT, et al. CaP-rich layer formed on high-strength bioactive glass-ceramic A-W. *J Biomed Mater Res* 24; 1990; 331 - 343

- 84) Kokubo T, Ito S, Sakka S, et al. "Formation of a High-Strength Bioactive Glass-Ceramic in the System MgO-CaO-SiO₂-P₂O₅"; J Mater Sci 21; 1986; 536
- 85) Kokubo T, Kim HM, Kawashita M, et al. What Kinds of Materials Exhibit Bone-Bonding? In: Davies JE, Editor, Bone Engineering, em squared Inc, Toronto, Canada 2000; 190 - 194
- 86) Kokubo T, Kushitani H, Ebisawa Y, et al. Apatite formation on bioactive ceramics in body environment. In: Oonishi H, Aoki H, Sawai K, eds. Bioceramics; vol 1. Tokyo. Japan: Ishiyaku EuroAmerica; 1989; 157 - 162
- 87) Kokubo T, Kushitani H, Sakka S, et al. Solution able to reproduce in vivo surface-structure changes in bioactive glass-ceramic A-W. J Biomed Mater Res 24; 1990; 721 -734
- 88) Lacefield WR. Materials characteristics of uncoated/ceramic-coated implant materials. Adv Dent Res 13; 1999; 21 - 26
- 89) Lekholm U, Zarb GA. Patientenselektion und Aufklärung der Patienten in: Branemark PI, Zarb GA, Albrektsson T (Hrsg.). Gewebeintegrierter Zahnersatz – Osseointegration in klinischer Zahnheilkunde. Quintessenz Verlags GmbH Berlin 1985; 229 - 235.
- 90) Lincks J, Boyan BD, Blanchard CR, et al. Response of MG63 osteoblast-like cells to titanium and titanium alloy is dependent on surface roughness and composition. Biomaterials; 19; 1998; 2219 - 2232
- 91) Lohmann CH, Sagun Jr R, Sylvia VL, et al. Surface roughness modulates the response of MG63 osteoblast-like cells to 1,25-(OH)(2)D(3) through regulation of phospholipase A(2) activity and activation of protein kinase A. J Biomed Mater Res; 47; 1999; 139 -151
- 92) Löwenberg B, Chernecky R, Shiga A, et al. Mineralized matrix production by osteoblasts on solid titanium in vitro. Cells Mater; 1; 1991; 177 - 187
- 93) Lugscheider E, Berger G, Knepper M, et al. Plasma sprayed coatings of calcium titanium phosphate: a new generation of bioactive coatings. In: Wilson J, Hech LL, Grennspan DC, Editors, Bioceramics; Vol 8; Butterworth-Heinemann, Oxford; 1995; 317 - 322
- 94) Maniatopoulos C, Sodek J, Melcher AH, et al. Cell. Tiss. Res. 254; 1998; 317

- 95) Matsuo M, Nakamura T, Kishi Y, et al. Microvascular changes after placement of titanium implants: scanning electronmicroscopy observation of machined and titanium plasma-sprayed implants in dogs. *J Periodontol*; 70; 1999; 1330 - 1338
- 96) Merten HA, Wiltfang J, Grohmann U, et al. Intraindividual comparative animal study of alpha- and beta-tricalcium phosphate degradation in conjunction with simultaneous insertion of dental implants. *J Craniofac Surg* 12; 2001; pp. 59 - 68
- 97) Miyazaki T, Kim HM, Miyaji F, et al. Apatite formation on chemically treated tantalum metal in body environment. In: Kokubo T, Nakamura T, Miyaji F, eds. *Bioceramics*. Vol 9. Oxford: Elsevier Science; 1996;317 - 320
- 98) Müller-Mai C. Partikuläre bioaktive Implantate aus Glas, Glaskeramik und Kalzium-Alkali-Orthophosphat-Keramik zur Regeneration des Knochens. *Habilitationsschrift für das Fach Chirurgie/Unfallchirurgie der medizinischen Fakultät*; Berlin; 2000; 134
- 99) Müller-Mai C, Amir D, Schwartz Z, et al. Ultrastructural histomorphometry of extracellular matrix vesicles in primary calcification around bone-bonding and non-bonding glass-ceramics. *Cells & Mater.* 1; 1991; 341 - 352.
- 100) Müller-Mai C, Stupp SI, Voigt C, et al. Nanoapatite and organoapatite implants in bone: Histology and ultrastructure of the interface. *J Biomed Mater Res* 29; 1995; 9 -18.
- 101) Mustafa K, Wroblewski J, Hultneby K, et al. Effects of titanium surfaces blasted with TiO₂ particles on the initial attachment of cells derived from human mandibular bone. A scanning electron microscopic and histomorphometric analysis. *Clin Oral Impl Res*; 11; 2000; 116 - 128
- 102) Nakamura T, Yamamoto T, Higashi S, et al. A new glass ceramic for bone replacement: Evaluation of its bonding to bone tissue. *J Biomed Mater Res* 19; 1985; 685 - 698.
- 103) Nakashima Y, Hayashi K, Inadome T, et al. Hydroxyapatite-coating on titanium arc sprayed titanium implants. *J Biomed Mater Res* 1997; 35: 287 - 98.
- 104) Neo M, Nakamura T, Ohtsuki C, et al. Apatite formation on three kinds of bioactive materials at an early stage in vivo: a comparative study by transmission electron microscopy. *J Biomed Mater Res*. 27; 1993; 999 - 1006

- 105) Noth U, Hendrich C, Merklein F, et al. Standardized testing of bone implant surfaces with an osteoblast cell culture system. Titanium surfaces of different degrees of roughness. *Biomed Tech (Berl)*; 44; 1999; 6 - 11
- 106) Ohgushi H, Dohi Y, Yoshikawa T, et al. In vitro bone formation by rat marrow cell culture. *J Biomed Mater Res*; 32; 1996; 333 - 340
- 107) Ohgushi H, Dohi Y, Yoshikawa T, et al. Osteogenic differentiation of cultured marrow stem cells on the surface of bioactive glass ceramic. *J Biomed Mater Res* 32; 1996; 341 - 348
- 108) Ohgushi H, Okumura M, Tamai S, et al. Marrow cell induced osteogenesis in porous hydroxyapatite and tricalcium phosphate: a comparative histomorphometric study of ectopic bone formation. *J Biomed Mater Res* 24; 1990; 1563 - 1570
- 109) Ohtsuki C, Kokubo T, Takatsuka K, et al. Compositional dependence of bioactivity of glasses in the system CaO-SiO₂-P₂O₅: its in vitro evaluation. *J Ceram Soc Japan*; 99; 1991; 1 - 6
- 110) Ohtsuki C, Kushitani H, Kokubo T, et al. Apatite formation on the surface of Ceravital-type glass.ceramic in the body. *J Biomed Mater Res* 25; 1991; 1363 -1370
- 111) Ohura K, Yamamoto T, Nakamura T, et al. Bone-bonding ability of P₂O₅-free CaO-SiO₂ glasses. *J Biomed Mater Res.*; 25; 1991; 357-365
- 112) Ong JL, Carnes DL, Cardenas HL, et al. Surface roughness of titanium on bone morphogenic protein-2 treated osteoblast cells in vitro. *Impl Dent*; 6; 1997; 19 - 24
- 113) Ong JL, Prince CW, Raikar GN, et al. Effect of surface topography of titanium on surface chemistry and cellular response. *Impl Dent*; 5; 1996; 83 - 88
- 114) Owen TA, Aronow M, Shalhoub V, et al. Progressive development of the rat osteoblast phenotype in vitro: reciprocal relationships in expression of genes associated with osteoblast proliferation and differentiation during formation of the bone extracellular matrix. *J Cell Physiol* 143; 1990; 420 - 430
- 115) Plenk Jr. H, Zitter H. Material considerations. In: Watzek G; ed. *Endosseous Implants: Scientific and Clinical Aspects*. Chicago; III: Quintessence Publishing; 1996; 63 - 99

- 116) Ploska U, Berger G. Solubility of compositions in the system $\text{CaTi}_{(x)}\text{Zr}_{4-x}(\text{PO}_4)_6$ with $x=0$. *Biomaterials* 18; 1997; 1671 - 1675
- 117) Qu J, Chehroudi B, Brunette DM. The use of micromachined surfaces to investigate the cell behavioural factors essential to osseointegration. *Oral Dis*; 2; 1996; 102 - 115
- 118) Radin S, Ducheyne P. The effect of plasma sprayed induced changes in characteristics on the in vitro stability of calcium phosphate ceramic. *Mater Med* 3; 1992; 33-42
- 119) Reck R, Storkel S, Meyer A. Long-term follow-up of tympanoplasty using a ceravital prosthesis for the middle ear. *Laryngol. Rhinol. Otol* 7; 1987; 373 - 376
- 120) Reilly DT, Burstein AH. The mechanical properties of cortical bone. *J Bone Joint Surg*
56A; 1974; 1001 - 1022.
- 121) Saffar JL, Colombier ML, Detieneville R. Bone formation in tricalcium phosphate-filled periodontal infrabony lesions. Histological observations in humans. *J Periodontol.* 61; 1990; 209 - 216.
- 122) Schepers EJG, Ducheyne P. Bioactive glass particles of narrow size range for the treatment of oral bone defects: a 1-24 month experiment with several materials and particle sizes and size ranges. *J Oral Rehab* 24; 1997; 171 - 181
- 123) Schermer S. Possibilities and limits of implantation and alloplastic bone grafting in patients with poor bony structures. *Int Mag Oral Impl.* 7; 2006; 17 - 30
- 124) Schliephake H, Kage T. Enhancement of bone regeneration using resorbable ceramics and a polymer-ceramic composite material. *J Biomed Mater Res* 56; 2001; 128 - 136
- 125) Schroeder A, Pohler O, Sutter F. Gewebereaktion auf ein Titanhohlzylinderimplantat mit Titan-spritzschichtoberfläche. *Schweiz Mschr Zahnheilk* 86; 1976; 713 - 727
- 126) Schwartz Z, Kieswetter K, Dean DD, et al. Underlying mechanisms at the bone surface interface during regeneration. *J Periodontal Res*; 32; 1997; 166 -171

- 127) Smedberg JI, Lothigius E, Rodin I, et al. A clinical and radiological two-year follow-up study of maxillary overdentures on osseointegrated implants. Clin Oral Impl Res; 4; 1993; 39 - 46
- 128) Sodek J, Ceifitz S. Molecular regulation of osteogenesis. In: Davies JE, Editor, Bone engineering, em squared Inc, Toronto, Canada 2000; 31 - 43
- 129) Sodek J, Zhang Q, Goldberg HA, et al. Non-collagenous bone proteins and their role in substrate-induced bioactivity. In: Davies JE, Editor, The bone-biomaterial interface, University of Toronto Press, Toronto 1991; 97 - 110
- 130) Stanford C. Biokompatibilität, Gewebereaktion und Übergang Knochen/Implantat in: Worthington P, Lang BR, LaVelle WE. Osseointegration in der Zahnmedizin, Eine Einführung. Quintessenz Verlag-GmbH, Berlin, Chicago, London, Sao Paolo, Tokio, Moskau, Prag, Warschau 1995.
- 131) Sun L, Berndt CC, Gross KA, et al. Material fundamentals and clinical performance of plasma-sprayed hydroxyapatite coatings: a review. J Biomed Mater Res 58; 2001; 570 - 592
- 132) Sun L, Berndt CC, Khor KA, et al. Surface characteristics and dissolution behavior of plasma-sprayed hydroxyapatite coating. J Biomed Mater Res 62; 2002; 228 - 236
- 133) Svehla M, Morberg P, Zicat B, et al. Morphometric and mechanical evaluation of titanium implant integration: comparison of five surface structures. J Biomed Mater Res 2000; 51:15 - 22.
- 134) Thull R. Oberflächenmodifiziertes Titan durch Hartstoffbeschichtung als Werkstoff für enossale Zahimplantate. GOI Jahrbuch 1993; 49 - 60.
- 135) Tranquilli PL, Merolli A, Palmaccu O, et al. Evaluation of different preparations of plasma-sprayed hydroxyapatite on titanium alloy and duplex stainless steal in the rabbit. J Mater Sci Mater Med 1994;5:345 - 9
- 136) Vercaigne S, Wolke JGC, Naert I, et al. Bone healing capacity of titanium plasma-sprayed and hydroxyapatite-coated oral implants. Clin Oral Impl Res; 9; 1998; 261 -271
- 137) Vogel M. Bioglas 45s5, 52s und 55s als Partikel im distalen Femur des Kaninchens. Dissertationsschrift des Fachbereichs Humanmedizin der Freien Universität Berlin; 2002

- 138) Wilson J, Pigott GH, Schoen FJ, et al. „Toxicology and Biocompatibility of Bioglass”; J Biomed Mater Res 15; 1981; 805
- 139) Wiltfang J, Merten HA, Schlegel KA, et al. Degradation characteristics of alpha and beta tri-calcium-phosphate (TCP) in minigips. J Biomed Mater Res 63; 2002; pp. 115 - 121
- 140) Wolf H. Einige pathophysiologische Aspekte bei der Wechselwirkung von Biomaterial mit Geweben und Körperflüssigkeiten. Ergeb. Exp Med 46; 1985; 552 - 557.
- 141) Yamamuro T, Hench LL, Wilson J. (Eds.), Handbook of Bioactive Ceramics; Vol. II; Calcium Phosphate and Hydroxylapatite Ceramics. CRC Press, Boca Raton, FL, 1990
- 142) Yamamuro T, Hench LL, Wilson J. (Eds.), Handbook of Bioactive Ceramics: Bioactive Glasses and Glass-Ceramics, Vol.1. CRC Press. Boca Raton, FL, 1990
- 143) Yamamuro T, Shikata J, Kakutani Y, et al. „Novel Methods for Clinical Applications of Bioactive Ceramics“; see Ref. 57; pp 107
- 144) Yan L, Leng Y, Weng LT, et al. Characterization of chemical inhomogeneity in plasma-sprayed hydroxyapatite coatings. Biomaterials 24; 2003; 2585 - 2592
- 145) Yan WQ, Nakamura T, Kobayashi M, et al. Bonding of chemically treated titanium implant to bone. J Biomed Mater Res 37(2); 1997; 265 - 275
- 146) Yaszemski MJ, Payne RG, Hayes WC, et al. Evolution of bone transplantation: molecular, cellular and tissue strategies to engineer human bone. Biomaterials 17; 1996; pp. 175 - 185
- 147) Yoshii S, Kakutani Y, Yamamuro T, et al. “Strength of Bonding between A-W Glass Ceramic and the Surface of Bone Cortex”; J Biomed Mater Res 22[A]; 1988; 327
- 148) Zerbo IR, Bronckers AL, de Lange GL, et al. Histology of human alveolar bone regeneration with a porous tricalcium phosphate. A report of two cases. Clin Oral Implants Res 12; 2001; 379 - 384
- 149) Zreiqat H, Howlett R. Titanium substrata composition influences osteoblastic phenotype: In vitro study. J Biomed Mater Res 47; 1999; 360 - 366

150) Zreiqat H, Markovic B, Walsh WR, et al. A novel Technique for Quantitative Detection of mRNA Expression in Human Bone Derived Cells Cultured on Biomaterials. *J Biomed Mater Res* 3; 1996; 217 - 223.