

## Bibliography

- Akima, H., A new method of interpolation and smooth curve fitting based on local procedures, *J. Assoc. Comp. Mach.*, 17, 589 – 602, 1970.
- Anger, C. D., S. Mah, and S. K. Babey, Technical enhancements to the Compact Airborne Spectrographic Imager (casi), in *Proceedings of the First International Airborne Remote Sensing Conference and Exhibition*, pages 205–214, 1994, 12-15 September, Strasbourg, France.
- Babey, S. K., and C. D. Anger, A Compact Airborne Spectrographic Imager (casi), in *Proceedings of IGARSS*, pages 1028–1031, 1989, 10-14 July, Vancouver, Canada.
- Baker, M. B., R. G. Corbin, and J. Latham, The influence of entrainment on the evolution of cloud-droplet spectra: I. A model of inhomogeneous mixing, *Quart. J. Roy. Meteor. Soc.*, 106, 581–598, 1980.
- Barker, H. W., and J. A. Davies, Solar radiative fluxes for stochastic, scale-invariant broken cloud fields, *J. Atmos. Sci.*, 49, 1115–1126, 1992.
- Bennartz, R., and J. Fischer, A modified k-distribution approach applied to narrow band water vapour and oxygen absorption estimates in the near infrared, *J. Quant. Spectrosc. Radiat. Transfer*, 1999.
- Boers, R., J. D. Spinharne, and W. D. Hart, Lidar observations of the fine-scale variability of marine stratocumulus clouds, *J. Appl. Met.*, 27, 797–810, 1988.
- Bowker, D. E., R. E. Davis, D. L. Myrick, K. Stacy, and W. T. Jones, Spectral reflectances of natural targets for use in remote sensing studies, *NASA Ref. Publ. 1139*, 1985.
- Brenguier, J.-L., Parameterisation of the condensation process: A theoretical approach, *J. Atmos. Sci.*, 48, 264–282, 1991.
- Brenguier, J.-L., and W. W. Grabowski, Cumulus entrainment and cloud droplet spectra: A numerical model within a two-dimensional dynamical framework, *J. Atmos. Sci.*, 50, 120–136, 1992.
- Brenguier, J.-L., P. Y. Chuang, Y. Fouquart, D. W. Johnson, F. Parol, H. Pawlowska, J. Pelon, L. Schüller, F. Schröder, and J. Snider, An overview of the ACE-2 CLOUDY-COLUMN closure experiment, *Tellus*, 1999.
- Brenguier, J.-L., H. Pawlowska, L. Schüller, R. Preusker, J. Fischer, and Y. Fouquart, Radiative properties of boundary layer clouds: Droplet effective radius versus number concentration, *J. Atmos. Sci.*, 57, 803–821, 2000.
- Brenguier, J.-L., H. Pawlowska, and L. Schüller, Cloud microphysical and radiative properties for parameterization and satellite monitoring of the indirect effect of aerosol on climate, *J. Geophys. Res.*, 108, 8632, doi: 10.1029/2002JD002,682, 07 August, 2003.
- Cahalan, R. F., and J. B. Snider, Marine stratocumulus structure, *Remote Sens. Environ.*, 28, 95–107, 1989.
- Cahalan, R. F., W. Ridgway, and W. Wiscombe, Independent pixel and Monte Carlo estimates of stratocumulus albedo, *J. Atmos. Sci.*, 51, 3776–3790, 1994.
- Cess, R. D., M. H. Zhang, P. Minnis, L. Corsetti, E. G. Dutton, B. W. Forgan, D. P. Garber, W. L. Gates, J. J. Hack, E. F. Harrison, X. Jing, J. F. Kiehl, C. N. Long, J.-J. Morcrette, G. L. Potter, V. Ramanathan, B. Subasilar, C. H. Whitlock, D. F. Young, and Y. Zhou, Absorption of solar radiation by clouds: Observations versus models, *Science*, 267, 496–499, 1995.

- Chosson, F., J.-L. Brenguier, and M. Schröder, Radiative impact of mixing processes in boundary layer clouds, in *Proceedings of the ICCP (to be published)*, 2004, 18-23 July, Bologna, Italy.
- Clark, R. N., G. A. Swayze, A. J. Gallagher, T. V. V. King, and W. M. Calvin, The U.S. Geological Survey digital spectral library: Version 1: 0.2 to 3.0 microns, *U.S. Geological Survey Open File Rep. 93-592*, 1993, [Available online at: <http://speclab.cr.usgs.gov/spectrallib.html>].
- Crewell, S., C. Simmer, U. Löhnert, V. Venema, A. Feijt, E. van Meijgaard, A. van Lammeren, H. Bloemink, D. Jolivet, M. Wendisch, S. Schmidt, M. Schröder, U. Willen, M. Quante, J. Meywerk, O. A. Krasnov, T. Trautmann, S. G. Garcia, K. Pfeilsticker, and T. Scholl, The BALTEX Bridge Campaign. An integrated approach for a better understanding of clouds., *Accepted by Bull. Amer. Meteor. Soc.*, 2004.
- Davis, A., A. Marshak, J. W. Wiscombe, and R. Cahalan, Multifractal characterizations of nonstationarity and intermittency in geophysical fields: Observed, retrieved, or simulated, *J. Geophys. Res.*, 99, 8055–8072, 1994.
- Davis, A., A. Marshak, J. W. Wiscombe, and R. Cahalan, Scale invariance of liquid water distributions in marine stratocumulus. Part I: Spectral properties and stationarity issues, *J. Atmos. Sci.*, 53, 1538–1558, 1996.
- Davis, A., A. Marshak, R. Cahalan, and J. W. Wiscombe, The Landsat scale break in stratocumulus as a three-dimensional radiative transfer effect: Implications for cloud remote sensing, *J. Atmos. Sci.*, 54, 241–260, 1997a.
- Davis, A., D. Winker, A. Marshak, J. D. Spinhine, R. Cahalan, S. Love, S. H. Melfi, and J. W. Wiscombe, *Retrieval of physical and optical cloud thicknesses from space-borne and wide-angle lidar*, pages 193–196, in Advances in atmospheric remote sensing with lidar, R. Neuber, P. Rairoux, and A. Ansmann (Eds.), Springer Verlag, New York, 1997b.
- Davis, A., A. Marshak, H. Gerber, and J. W. Wiscombe, Horizontal structure of marine boundary layer clouds from centimeter to kilometer scales, *J. Geophys. Res.*, 104, 6123–6144, 1999.
- Deirmendjian, D., *Electromagnetic scattering on spherical polydispersions*, Elsevier Science, Ltd., 1969.
- Delwart, S., R. Preusker, L. Bourg, R. Santer, D. Ramon, and J. Fischer, MERIS inflight spectral calibration, *Submitted to J. Atmos. Ocean. Tech.*, 2004.
- Evans, K. F., The spherical harmonics discrete ordinate method for three-dimensional atmospheric radiative transfer, *J. Atmos. Sci.*, 55, 429–446, 1998.
- Fell, F., and J. Fischer, Numerical simulation of the light field in the atmosphere-ocean system using the matrix-operator method, *J. Quant. Spectrosc. Radiat. Transfer*, 3, 351–388, 2001.
- Fischer, J., W. Cordes, A. Schmitz-Pfeifer, W. Renger, and P. Mörl, Detection of Cloud-Top Height from Backscattered Radiances within the Oxygen A Band. Part 2: Measurements, *J. Appl. Meteor.*, 30, 1260–1267, 1991.
- Han, Q., W. B. Rossow, and A. A. Lacis, Near-global survey of effective droplet radii in liquid water clouds using ISCCP data, *J. Climate*, 7, 465–497, 1994.
- Imre, D. G., E. H. Abramson, and P. H. Daum, Quantifying cloud-induced shortwave absorption: An examination of uncertainties and of recent arguments for large excess absorption, *J. Appl. Meteor.*, 35, 1991–2010, 1996.
- Irvine, W. M., The formation of absorption bands and the distribution of photon optical paths in a scattering atmosphere, *Bull. Astr. Inst. Neth.*, 17, 266–279, 1964.
- Iwabuchi, H., and T. Hayasaka, Effects of cloud horizontal inhomogeneity on the optical thickness retrieved from moderate resolution satellite data, *J. Atmos. Sci.*, 59, 2227–2242, 2002.
- Kiehl, J. T., J. J. Hack, M. H. Zhang, and R. D. Cess, Sensitivity of a GCM climate to enhanced shortwave cloud absorption, *J. Climate*, 8, 2200–2212, 1995.
- King, M. D., Determination of the scaled optical thickness of clouds from reflected solar radiation measurements, *J. Atmos. Sci.*, 44, 1734–1751, 1987.

- Lafore, J. P., J. Stein, N. Asencio, P. Bougeault, V. Ducrocq, J. Duron, C. Fischer, P. Hereil, P. Mascart, V. Masson, J. P. Pinty, J. L. Redelsperger, E. Richard, and J. V.-G. de Arellano, The Meso-NH atmospheric simulation system. Part I: Adiabatic formulation and control simulations, *Ann. Geophys.*, **16**, 90–109, 1998.
- Li, J., J. W. Geldart, and P. Chýlek, Solar radiative transfer in clouds with vertical internal inhomogeneity, *J. Atmos. Sci.*, **51**, 2542–2552, 1994.
- Li, Z., A. Trishchenko, H. W. Barker, G. L. Stephens, and P. Partain, Analysis of atmospheric radiation measurement (ARM) program's enhanced shortwave experiment (ARESE) multiple data sets for studying cloud absorption, *J. Geophys. Res.*, **104**, 19,127–19,134, 1999.
- Loeb, N. G., and J. A. Coakley Jr., Inference of marine stratus cloud optical depth from satellite measurements: Does 1d theory apply?, *J. Geophys. Res.*, **101**, 1621–1634, 1998.
- Loeb, N. G., and R. Davies, Observational evidence of plane-parallel biases: Apparent dependence of cloud optical depth on solar zenith angle, *J. Climate*, **11**, 215–233, 1998.
- Loeb, N. G., T. Varnai, and R. Davies, Effect of cloud inhomogeneities on the solar zenith angle dependence of nadir reflectance, *J. Geophys. Res.*, **102**, 9387–9395, 1997.
- Loeb, N. G., T. Varnai, and D. M. Winker, Influence of subpixel-scale cloud-top structure on reflectances from overcast stratiform cloud layers, *J. Atmos. Sci.*, **55**, 2960–2973, 1998.
- Marchuk, G., G. Mikhailov, M. Nazaraliev, R. Darbinjan, B. Kargin, and B. Elepov, *The Monte Carlo method in atmospheric optics*, pp. 208, Springer Verlag, New York, 1980.
- Marshak, A., A. Davis, R. Cahalan, and W. Wiscombe, Bounded cascade models as non-stationary multifractals, *Physical Review E*, **49**, 55–69, 1994.
- Marshak, A., A. Davis, W. Wiscombe, and R. Cahalan, Radiative smoothing in fractal clouds, *J. Geophys. Res.*, **100**, 26,247–26,261, 1995a.
- Marshak, A., A. Davis, W. Wiscombe, and G. Titov, The verisimilitude of the independent pixel approximation used in cloud remote sensing, *Rem. Sens. Environ.*, **52**, 71–78, 1995b.
- Marshak, A., A. Davis, W. Wiscombe, and R. Cahalan, Scale invariance in liquid water distributions in marine stratocumulus. Part II: Multifractal properties and intermittency issues, *J. Atmos. Sci.*, **54**, 1423–1444, 1997.
- Marshak, A., A. Davis, W. Wiscombe, W. Ridgway, and R. Cahalan, Biases in shortwave column absorption in the presence of fractal clouds, *J. Climate*, **11**, 431–446, 1998.
- Mayer, B., I3RC phase 1 results from the MYSTIC Monte Carlo model, in *I3RC Workshop*, 1999, 17-19 November, Tuscon, Arizona, USA.
- Mayer, B., I3RC phase 2 results from the MYSTIC Monte Carlo model, in *I3RC Workshop*, 2000, 15-17 November, Tuscon, Arizona, USA.
- Meywerk, J., O. Sievers, M. Quante, V. Venema, and S. Crewell, Deriving water cloud properties from vertical pointing 95 GHz Doppler radar, in *Second European Conference on Radar Meteorology (EURAD)*, pages 161–166, 2002, 18-22 November, Delft, The Netherlands.
- Mie, G., Beiträge zur Optik trüber Medien, speziell kolloidalen Metall-Lösungen, *Ann. Phys.*, **25**, 377–445, 1908.
- Min, Q., L. C. Harrison, and E. E. Clouthiaux, Joint statistics of photon path length and cloud optical depth: Case studies, *J. Geophys. Res.*, **206**, 7275–7385, 2001.
- Mobley, C. D., *Light and Water*, Academic Press, San Diego, CA, 1994.
- Nakajima, T., and M. D. King, Determination of optical thickness and effective particle radius of clouds from reflected solar radiation measurements. Part I: Theory, *J. Atmos. Sci.*, **47**, 1878–1893, 1990.
- Nakajima, T., M. D. King, J. D. Spinhirne, and L. F. Radke, Determination of the optical thickness and effective particle radius of clouds from reflected solar radiation measurements. Part II: Marine stratocumulus observations, *J. Atmos. Sci.*, **48**, 728–750, 1991.
- Noilhan, J., and J.-F. Mahfouf, The ISBA land surface parameterization scheme, *Global and Plan. Change*, **13**, 145–159, 1996.

- Noilhan, J., and S. Planton, A simple parameterization of land surface processes for meteorological models, *Mon. Wea. Rev.*, 117, 536–549, 1989.
- O'Hirok, W., and C. Gautier, A three-dimensional radiative transfer model to investigate the solar radiation within a cloudy atmosphere. Part I: Spatial effects, *J. Atmos. Sci.*, 55, 2162–2179, 1998a.
- O'Hirok, W., and C. Gautier, A three-dimensional radiative transfer model to investigate the solar radiation within a cloudy atmosphere. Part II: Spectral effects, *J. Atmos. Sci.*, 55, 3065–3076, 1998b.
- Oreopoulos, L., A. Marshak, R. F. Cahalan, and G. Y. Wen, Cloud three-dimensional effects evidenced in Landsat spatial power spectra and autocorrelation functions, *J. Geophys. Res.*, 105, 26,247–26,261, 2000.
- Pawlowska, H., and J.-L. Brenguier, Microphysical properties of stratocumulus clouds during ACE-2, *Tellus*, 52B, 867–886, 2000.
- Petty, G. W., Physical retrieval of over-ocean rain rate from multichannel microwave imagery. Part 1: Theoretical characteristics of normalized polarization and scattering indices, *Meteorol. Atmos. Phys.*, 54, 79–100, 1994.
- Pilewskie, P., and F. P. Valero, Direct observations of excess solar absorption by clouds, *Science*, 267, 1626–1629, 1995.
- Plass, G. N., G. W. Kattawar, and F. E. Catchings, Matrix operator theory of radiative transfer. 1: Rayleigh scattering, *Appl. Opt.*, 12, 314–329, 1973.
- Platnick, S., Vertical photon transport in cloud remote sensing problems, *J. Geophys. Res.*, 105, 22,919–22,935, 2000.
- Platnick, S., and S. Twomey, Determining the susceptibility of cloud albedo to changes in droplet concentration with the Advanced Very High Resolution Radiometer, *J. Appl. Meteor.*, 33, 334–347, 1994.
- Platnick, S., and F. P. J. Valero, A validation of satellite cloud retrieval during ASTEX, *J. Atmos. Sci.*, 52, 2985–3001, 1995.
- Poore, K. D., J. Wang, and W. B. Rossow, Cloud layer thicknesses from a combination of surface and upper-air observations, *J. Climate*, 8, 550–568, 1995.
- Preusker, R., J. Fischer, P. Albert, and R. Bennartz, Cloud top pressure retrieval using the oxygen A-band in the IRS-3 MOS instrument, *Accepted by Int. J. Rem. Sens.*, 2004.
- Ramanathan, V., B. Subasilar, G. J. Zhang, W. Connant, R. D. Cess, J. T. Kiel, H. Grassl, and L. Shi, Warm pool heat budget and shortwave cloud forcing: A missing physic?, *Science*, 267, 499–503, 1995.
- Rossow, W. B., and R. A. Schiffer, ISCCP cloud data products, *Bull. Amer. Meteorol. Soc.*, 72, 2–20, 1991.
- Rossow, W. B., and Y. C. Zhang, Calculation of surface and top-of-atmosphere radiative fluxes from physical quantities based on ISCCP datasets: 2. Validation and first results, *J. Geophys. Res.*, 100, 1167–1197, 1995.
- Schreiber, T., and A. Schmitz, Surrogate time series, *Physica D*, 142, 346–382, 2000.
- Schröder, M., and R. Bennartz, Impact of gas absorption and surface albedo on cloud radiative smoothing, *Geophys. Res. Lett.*, 30, 1168, doi:10.1029/2002GL016,523, 2003.
- Schröder, M., R. Bennartz, L. Schüller, R. Preusker, P. Albert, and J. Fischer, Generating cloudmasks in spatial high-resolution observations of clouds using texture and radiance information, *Int. J. Rem. Sens.*, 23, 4247–4261, 2002.
- Schröder, M., H. Barth, and R. Reuter, Effect of inelastic scattering on underwater daylight in the ocean: Model evaluation, validation, and first results, *Appl. Opt.*, 42, 4244–4260, 2003.
- Schröder, M., R. Bennartz, J. Fischer, and T. Ruhtz, Airborne remote sensing of cloud radiative smoothing during the Baltex Bridge Cloud campaign, *Atmos. Res.*, *in press*, doi:10.1016/j.atmosres.2004.03.22, 2004.
- Schüller, L., J.-L. Brenguier, and H. Pawlowska, Retrieval of microphysical, geometrical, and radiative properties of marine stratocumulus from remote sensing, *J. Geophys. Res.*, 108, 8631, doi: 10.1029/2002JD002,680, 21 February, 2003.

- Spanier, J., and E. M. Gelbard, *Monte Carlo principles and neutron transport*, pp. 234, Addison-Wesley, Reading, MA, 1969.
- Stamnes, K., S. Tsay, W. Wiscombe, and K. Jayaweera, A numerically stable algorithm for discrete-ordinate-method radiative transfer in multiple scattering and emitting layered media, *Appl. Opt.*, 27, 2502–2509, 1988.
- Stephens, G. L., and A. Heidinger, Molecular line absorption in a scattering atmosphere. Part I: Theory, *J. Atmos. Sci.*, 57, 1599–1614, 2000.
- Stephens, G. L., and S. Tsay, On the cloud absorption anomaly, *Quart. J. Roy. Meteor. Soc.*, 116, 671–706, 1990.
- Stull, R. B., *An introduction to boundary layer meteorology*, Kluwer Academic Publishers, Dordrecht, 2003.
- Thullier, G., M. Herse, P. C. Simon, D. Labs, H. Mandel, D. Gillotay, and T. Foujols, The visible solar irradiance from 350 to 850 nm as measured by the SOLSPEC spectrometer during the ATLAS-1 mission, *Sol. Phys.*, 177, 41–61, 1998.
- Twomey, S., and T. Cocks, Spectral reflectance of clouds in the near-infrared: Comparison of measurements and calculations, *J. Met. Soc. Jap.*, 60, 583–592, 1982.
- Twomey, S., and T. Cocks, Remote sensing of cloud parameters from spectral reflectance measurements in the near-infrared, *Beitr. Phys. Atmos.*, 62, 172–179, 1989.
- Valero, F. P. J., P. Minnis, S. K. Pope, A. Bucholtz, B. C. Bush, D. R. Doelling, W. L. Smith Jr., and X. Dong, Absorption of solar radiation by the atmosphere as determined using satellite, aircraft, and surface data during the Atmospheric Radiation Measurement Enhanced Shortwave Experiment (ARESE), *J. Geophys. Res.*, 105, 4743–4758, 2000.
- Varnai, T., Influence of three-dimensional radiative effects on the spatial distribution of shortwave cloud reflection, *J. Atmos. Sci.*, 57, 216–229, 2000.
- Varnai, T., and R. Davies, Effects of cloud heterogeneities on short-wave radiation: Comparison of cloud-top variability and internal heterogeneity, *J. Geophys. Res.*, 104, 2253–2260, 1999.
- Venema, V., S. Meyer, S. G. Garcia, C. Simmer, S. Crewell, U. Löhnert, T. Trautmann, and A. Macke, Iterative amplitude adapted Fourier transform surrogate cloud fields, *Submitted to Tellus*, 2004.
- von Savigny, C., O. Funk, U. Platt, and K. Pfeilsticker, Radiative smoothing in zenith-scattered skylight transmitted through optically thick clouds to the ground, *Geophys. Res. Lett.*, 26, 2949–2952, 1999.
- Wendisch, M., and A. Keil, Discrepancies between measured and modeled solar and UV radiation within polluted boundary layer clouds, *J. Geophys. Res.*, 104, 27,373–27,385, 1999.
- Wendisch, M., and B. Mayer, Vertical distribution of spectral solar irradiance in the cloudless sky: A case study, *Geophys. Res. Lett.*, 30, doi: 10.1029/GL016,529, 25 February, 2003.
- Wendisch, M., P. Pilewski, E. Jäkel, S. Schmidt, J. Pommier, S. Howard, H. H. Jonsson, H. Guan, M. Schröder, and B. Mayer, Airborne measurements of areal spectral surface albedo over different sea and land surfaces., *J. Geophys. Res.*, 109, D08,023, doi:10.1029/2003JD004,392, 2004.
- Wood, R., and J. P. Taylor, Liquid water path variability in unbroken marine stratocumulus cloud, *Quart. J. Roy. Meteor. Soc.*, 127, 2635–2662, 2001.