

9 Literaturverzeichnis

Aagaard A, Godiksen S, Teglers P, Schiodt M, Glenert U: Comparison between new saliva stimulants in patients with dry mouth: a placebo-controlled double-blind crossover study. *J Oral Pathol Med* 1992; 21: 376-380.

Aguirre A, Mendoza B, Reddy MS, Scannapieco FA, Levine MJ, Hatton MN: Lubrication of selected salivary molecules and artificial salivas. *Dysphagia* 1989; 4: 95-100.

Alves MB, Motta ACF, Messina WC, Migliari DA: Saliva substitute in xerostomic patients with Sjögren's syndrome: A single-blind trial. *Quintessence Int* 2004; 35: 392-396.

Amaechi BT, Higham SM: In vitro remineralization of eroded enamel lesions by saliva. *J Dent* 2001; 29: 371-376.

Andersson G, Johansson G, Attstrom R, Edwardsson S, Glantz PO, Larsson K: Comparison of the effect of the linseed extract Salinum and a methyl cellulose preparation on the symptoms of dry mouth. *Gerodontology* 1995; 12: 12-17.

Ben-Aryeh H, Gutman D, Szargel R, Laufer D: Effects of irradiation on saliva in cancer patients. *Int J Oral Surg* 1975; 4: 205-210.

Bjornstrom M, Axell T, Birkhed D: Comparison between saliva stimulants and saliva substitutes in patients with symptoms related to dry mouth. A multi-centre study. *Swed Dent J* 1990; 14: 153-161.

Brudevold F, Gron P, Mc Cann HG: Physico-chemical aspects of the enamel saliva system. *Adv Fluoride Res* 1965; 3: 63-65.

Buchalla W, Attin T, Roth P, Hellwig E: Influence of Olive Oil Emulsion on Dentin Demineralization in vitro. *Caries Res* 2003; 37: 100-107.

Chow LC: Solubility of calcium phosphates. *Monogr Oral Sci* 2001; 18: 94-111.

Christersson CE, Lindh L, Arnebrant T: Film-forming properties and viscosities of saliva substitutes and human whole saliva. *Eur J Oral Sci* 2000; 108: 418-425.

Davies A: Saliva substitutes or stimulants? *Palliat Med* 1997; 11: 254-255.

Davies AN: A comparison of artificial saliva and chewing gum in the management of xerostomia in patients with advanced cancer. *Palliat Med* 2000; 14: 197-203.

Davies AN, Daniels C, Pugh R, Sharma K: A comparison of artificial saliva and pilocarpine in the management of xerostomia in patients with advanced cancer. *Palliat Med* 1998; 12: 105-111.

- Davies AN, Singer J: A comparison of artificial saliva and pilocarpine in radiation-induced xerostomia. *J Laryngol Otol* 1994; 108: 663-665.
- de Groot JF, Borggreven JM, Driessens FC: Some aspects of artificial caries lesion formation of human dental enamel in vitro. *J Biol Buccale* 1986; 14: 125-131.
- Dreizen S, Brown LR, Daly T: Prevention of xerostomia-related dental caries in irradiated cancer patients. *J Dent Res* 1977; 56: 99-104.
- Dreizen S, Brown LR, Handler S, Levy BM: Radiation-induced xerostomia in cancer patients. Effect on salivary and serum electrolytes. *Cancer* 1976; 38: 273-278.
- Duxbury AJ, Thakker NS, Wastell DG: A double-blind cross-over trial of a mucin-containing artificial saliva. *Br Dent J* 1989; 166: 115-120.
- Eanes ED: The influence of fluoride on the seeded growth of apatite from stable supersaturated solutions at pH 7.4. *J Dent Res* 1980; 59: 144-150.
- Eanes ED, Meyer JL: The influence of fluoride on apatite formation from unstable supersaturated solutions at pH 7.4. *J Dent Res* 1978; 57: 617-624.
- Eichhorn W, Gehrke G, Bschorer R, Stepke M, Greschniok A, Kaiserling E, Voy E: Morphologische Veränderungen von kleinen Kopfspeicheldrüsen durch Strahlentherapie. *Dtsch Zahnärztl Z* 1993; 48: 58-60.
- Engelmeier RL, King GE: Complications of head and neck radiation therapy and their management. *J Prosthet Dent* 1983; 4: 514-522.
- Epstein JB, Stevenson-Moore P: A clinical comparative trial of saliva substitutes in radiation-induced salivary gland hypofunction. *Spec Care Dentist* 1992; 12: 21-23.
- Esser M, Tinschert J, Marx R: Materialkennwert der Zahnhartsubstanz des Rindes im Vergleich zur humanen Zahnhartsubstanz. *Dtsch Zahnärztl Z* 1998; 53: 713-717.
- Exterkate RA, Damen JJ, ten Cate JM: A single-section model for enamel de- and remineralization studies. 1. The effects of different Ca/P ratios in remineralization solutions. *J Dent Res* 1993; 72: 1599-1603.
- Featherstone JD: Diffusion phenomena and enamel caries development. In: Guggenheim B (editor). *Cariology today*. Basel, Karger 1984: 259-268.
- Featherstone JD, Mellberg JR: Relative rates of progress of artificial carious lesions in bovine, ovine and human enamel. *Caries Res* 1981; 15: 109-114.
- Fedeniuk RW, Biliaderis CG: Composition and Physicochemical Properties of Linseed (*Linum usitatissimum* L.) Mucilage. *J Agric Food Chem* 1994; 42: 240-247.

- Feldheim W, Miede S: Fluoridgehalt in Teeblättern. *Z Lebensm Unters Forsch* 1979; 169: 435-456.
- Frank RM, Herdly J, Phillippe E: Acquired dental defects and salivary gland lesions after irradiation for carcinoma. *J Am Dent Assoc* 1965; 70: 868-883.
- Furumoto EK, Barker GJ, Carter-Hanson C, Barker BF: Subjective and clinical evaluation of oral lubricants in xerostomic patients. *Spec Care Dentist* 1998; 18: 113-118.
- Gedalia I, Daknar A, Shapira L, Lewinstein I, Goultshin J, Rahamin E: Enamel softening with Coca Cola and rehardening with milk or saliva. *Am J Dent* 1991; 4: 120-122.
- Gelhard TB, Fidler V, s'Gravenmade EJ, Vissink A: Remineralization of softened human enamel in mucin- or CMC-containing artificial salivas. *J Oral Pathol* 1983; 12: 336-341.
- Gibbs CD, Atherton SE, Huntington E, Lynch RJ, Duckworth RM: Effect of low levels of fluoride on calcium uptake by demineralized human enamel. *Arch Oral Biol* 1995; 40: 879-881.
- Grenby TH: Lessening dental erosive potential by product modification. *Eur J Oral Sci* 1996; 104: 221-228.
- Groeneveld A, Purdell-Lewis DJ, Arends J, . Influence of the mineral content of enamel on caries-like lesions produced in Hydroxyethyl cellulose buffer solutions. *Caries Res* 1975; 9: 127-138.
- Grötz KA: Die trockene Mundhöhle: Ätiologie, Klinik, Diagnostik, Therapie. *Zahnärztl. Mitteilungen* 2002; 22: 46-57.
- Guchelaar HJ, Vermes A, Meerwaldt JH: Radiation-induced xerostomia: pathophysiology, clinical course and supportive treatment. *Support Care Cancer* 1997; 5: 281-288.
- Guijarro Guijarro B, Lopez Sanchez AF, Hernandez Vallejo G: Treatment of xerostomia. A review. *Med Oral* 2001; 6: 7-18.
- Hamada T, Nakane T, Kimura T, Arisawa K, Yoneda K, Yamamoto T, Osaki T: Treatment of xerostomia with the bile secretion-stimulating drug anethole trithione: a clinical trial. *Am J Med Sci* 1999; 318: 146-151.
- Harwood TR, Staley J, Yokoo H: Histopathology of irradiated and obstructed submandibular salivary glands. *Arch Pathol* 1973; 96: 189-191.
- Hatton MN, Levine MJ, Margarone JE, Aguirre A: Lubrication and viscosity features of human saliva and commercially available saliva substitutes. *J Oral Maxillofac Surg* 1987; 45: 496-499.

- Hellwig E, Klimek J, Attin T: Einführung in die Zahnerhaltung. Urban&Schwarzenberg, München-Jena, 1999.
- Herod EL: The use of milk as a saliva substitute. J Public Health Dent 1994; 54: 184-189.
- Imfeld T: Oligosialie und Xerostomie II: Diagnose, Prophylaxe und Behandlung. Schweiz Monatsschr Zahnmed 1984a; 94: 1083-1096.
- Itthagaran A, Wei SH: Chewing gum and saliva in oral health. J Clin Dent 1997; 8: 159-162.
- Jansen van Rensburg BG: Mundbiologie. Quintessenz, Berlin, Chicago, 1994.
- Jervoe P: X-ray diffraction investigation on the effect of experimental and in situ radiation on mature human teeth. A preliminary report. Acta Odontol Scand 1969; 28: 623-631.
- Johansson G, Andersson G, Attstrom R, Glantz PO, Larsson K: The effect of Salinum on the symptoms of dry mouth: a pilot study. Gerodontology 1994; 11: 46-49.
- Jongebloed WL, s'-Gravenmade EJ, Retief DH: Radiation caries: A review and SEM study. Am J Dent 1988; 1: 139-146.
- Joyston-Bechal S, Kidd EA: The effect of three commercially available saliva substitutes on enamel in vitro. Br Dent J 1987; 163: 187-190.
- Joyston-Bechal S, Kidd EA: New formulation for 'Luborant' saliva substitute. Br Dent J 1991; 170: 174.
- Katz S: The use of fluoride and chlorhexidine for the prevention of radiation caries. J Am Dent Assoc 1982; 104: 164-170.
- Kielbassa AM, Beetz I, Schendera A, Hellwig E: Irradiation effects on microhardness of fluoridated and non-fluoridated bovine dentin. Eur J Oral Sci 1997; 105: 444-447.
- Kielbassa AM, Meyer-Lueckel H: Die Auswirkungen von Speichelersatzmitteln und Mundspüllösungen auf Dentin. Schweiz Monatsschr Zahnmed 2001; 111: 1060-1066.
- Kielbassa AM, Schilli K: Betreuung des tumortherapeutisch bestrahlten Patienten aus Sicht der Zahnerhaltung. Zahnärztl. Mitteilungen 1997; 21: 2636-2646.
- Kielbassa AM, Shohadai SP: Die Auswirkungen von Speichelersatzmitteln auf die Läsionstiefe von demineralisiertem Schmelz. Dtsch Zahnärztl Z 1999; 54: 757-763.

- Kielbassa AM, Shohadai SP, Schulte-Monting J: Effect of saliva substitutes on mineral content of demineralized and sound dental enamel. *Support Care Cancer* 2001; 9: 40-47.
- Kielbassa AM, Wrbas KT, Dornfeld B, Hellwig E, Schade-Brittinger C: Zum Einfluss der tumortherapeutischen Bestrahlung auf die Kariesentstehung im menschlichen Dentin. *Dtsch Zahnärztl Z* 1999b; 54: 31-37.
- Klestov AC, Webb J, Latt D, Schiller G, McNamara K, Young DY, Hobbes J, Fetherston J: Treatment of xerostomia: a double-blind trial in 108 patients with Sjogren's syndrome. *Oral Surg Oral Med Oral Pathol* 1981; 51: 594-599.
- Klinger HG, Wiedemann W: Grenzen der Remineralisierbarkeit initialer Karies. *Dtsch Zahnärztl Z* 1985; 40: 16-22.
- Lammers PC, Borggreven JPM, Driessens FCM: Influence of fluoride and pH on in vitro remineralization of bovine enamel. *Caries Res* 1992; 26: 8-13.
- Larsen MJ, Bruun C: Caries chemistry and fluoride mechanism of action. *Textbook of clinical cariology* 1994: 231.
- Larsen MJ, Pearce EIF: Saturation of human saliva with respect to calcium salts. *Arch Oral Biol* 2003; 48: 317-322.
- Larson MJ, Nyvad B: Enamel erosion by soft drinks and orange juice relative to their pH, buffering effect and contents of calcium phosphate. *Caries Res* 1999; 33: 81-87.
- Levine MJ, Aguirre A, Hatton MN, Tabak LA: Artificial salivas: present and future. *J Dent Res* 1987; 66: 693-698.
- Lockhart PB: Oral complication of radiation therapy: In Peterson DE, Elias S, Sonis T (eds), *Head and neck management of the cancer patient*. Martinus Nijhoff, 1991.
- Macpherson LM, Damato FA, MacFarlane TW, Strang R, Stephen KW: Variation in the susceptibility of enamel to an in vitro demineralization system. *Caries Res* 1991; 25: 143-145.
- Marks NJ, Roberts B: A proposed new method for the treatment of dry mouth. *Ann R Coll Surg Engl* 1983; 65: 191-193.
- Mason D, Chisholm D: *Salivary glands in health and disease*. Saunders, London, 1975.
- Matzker J, Schreiber J: Synthetischer Speichel zur Therapie der Hyposalivation, insbesondere der radiogenen Sialadenitis. *Z Laryngol Rhinol Otol* 1972; 51: 422-428.

- Mellberg JR: Hard-tissue substrates for evaluation of cariogenic and anti-cariogenic activity in situ. *J Dent Res* 1992; 71: 913-919.
- Meyer-Lueckel H, Kielbassa AM: Die Verwendung von Speichelersatzmitteln bei Patienten mit Xerostomie. *Dtsch Zahnärztl Z* 2002; 57: 335-344.
- Meyer-Lueckel H, Schulte-Monting J, Kielbassa AM: The effect of commercially available saliva substitutes on pre-demineralized bovine dentin in vitro. *Oral Diseases* 2002; 36: 170-173.
- Meyer-Lueckel H, Tschoppe P, Stenzel WR, Kielbassa AM: The effect of polymers used in saliva substitutes on demineralized bovine enamel in vitro. *Am J Dent* 2006; 31 (im Druck).
- Meyer-Lueckel H, Umland N, Hopfenmuller W, Kielbassa AM: Effect of mucin alone and in combination with various dentifrices on in vitro remineralization. *Caries Res* 2004; 38: 478-483.
- Münzel M: Die Biochemie der menschlichen Speicheldrüsensekrete. *Arch Oral Biol* 1981; 21: 233-237.
- Nakamoto RY: Use of a saliva substitute in postradiation xerostomia. *J Prosthet Dent* 1979; 42: 539-542.
- Nancollas GH, Tomazic B: Growth of Calcium Phosphate on Hydroxyapatite Crystals. Effect of Supersaturation and Ionic Medium. *Journal of Physical Chemistry* 1974; 78: 2218-2225.
- Nieuw Amerongen AV, Oderkerk CH, Driessen AA: Role of mucins from human whole saliva in the protection of tooth enamel against demineralization in vitro. *Caries Res* 1987; 21: 297-309.
- Nieuw Amerongen AV, Oderkerk CH, Veerman EC: Interaction of human salivary mucins with hydroxyapatite. *J Biol Buccale* 1989; 17: 85-92.
- Nilles A, Stoll P: Caries prevention in radiotherapy of the head-neck area. *Laryngorhinootologie* 1992; 71: 561-563.
- Olsson H, Axell T: Objective and subjective efficacy of saliva substitutes containing mucin and carboxymethylcellulose. *Scand J Dent Res* 1991; 99: 316-319.
- Olsson H, Axell T, Carlsson A, Bogentoft C: Objective and subjective efficacy evaluation of various polymer-based saliva substitutes. *Scand J Dent Res* 1993; 101: 37-39.
- Rauch S: Die Speicheldrüsen des Menschen. Anatomie, Physiologie und klinische Pathologie. Thieme, Stuttgart, 1959.
- Reeh ES, Douglas WH, Levine MJ: Lubrication of saliva substitutes at enamel-to-enamel contacts in an artificial mouth. *J Prosthet Dent* 1996; 75: 649-656.

- Remick R, Blasberg B, Patterson B, Carmichael R, Miles J: Clinical aspects of xerostomia. *J Clin Psychiatry* 1983; 44: 63-65.
- Rieke JW, Hafermann MD, Johnson JT, LeVeque FG, Iwamoto R, Steiger BW, Muscoplat C, Gallagher SC: Oral pilocarpine for radiation-induced xerostomia: integrated efficacy and safety results from two prospective randomized clinical trials. *Int J Radiat Oncol Biol Phys* 1995; 31: 661-669.
- Roberts B: A study of the viscosity of saliva at different shear rates in dentate and edentulous patients. *J Dent* 1977; 5: 303-309.
- Roberts B: Help for the dry mouth patient. *J Dent* 1982; 10: 226-231.
- Samandari F, Mai JK: Funktionelle Anatomie für Zahnmediziner. Quintessenz, Berlin, Chicago, 1995.
- Schiffner U: Die Wirkungsweisen von Fluorid. *Prophylaxe dialog* 1996; 1: 3-5.
- Schroeder HE: Pathologie oraler Strukturen. Karger, Freiburg, 1997.
- Schroeder HE: Orale Strukturbiologie. Thieme, Stuttgart, New York, 2000.
- s'Gravenmade EJ, Vissink A: Mucin-containing lozenges in the treatment of intraoral problems associated with Sjögren's syndrome-A double-blind crossover study in 42 patients. *Oral Surg Oral Med Oral Pathol* 1993; 75: 466-471.
- Shannon IL, Edmonds EJ: Effect of fluoride concentration on rehardening of enamel by a saliva substitute. *Int Dent J* 1978; 28: 421-426.
- Shannon IL, McCrary BR, Starcke EN: A saliva substitute for use by xerostomic patients undergoing radiotherapy to the head and neck. *Oral Surg Oral Med Oral Pathol* 1977; 44: 656-661.
- Shannon IL, Trodahl JN, Starcke EN: Remineralization of enamel by a saliva substitute designed for use by irradiated patients. *Cancer* 1978; 41: 1746-1750.
- Shellis R: A microcomputer program to evaluate the saturation of complex solutions with respect to biominerals. *Comput Appl Biosci* 1988; 4: 373-379.
- Silverstone LM: The Effect of Fluoride in the Reminealization of Enamel Caries and Caries-Like Lesions in vitro. *Journal of Health Dentistry* 1981: 42-52.
- Silverstone LM, Wefel JS, Zimmermann BF, Clarkson BH, Featherstone MJ: Remineralization of natural and artificial lesions in human dental enamel in vitro. Effect of calcium concentration of the calcifying fluid. *Caries Res* 1981; 15: 138-157.

- Sinclair GF, Frost PM, Walter JD: New design for an artificial saliva reservoir for the mandibular complete denture. *J Prosthet Dent* 1996; 75: 276-280.
- Smith G, Smith AJ, Shaw L, Shaw MJ: Artificial saliva substitutes and mineral dissolution. *J Oral Rehabil* 2001; 28: 728-731.
- Sreebny LM: Recognition and treatment of salivary induced conditions. *Int Dent J* 1989; 39: 197-204.
- Sreebny LM: Xerostomia: Diagnosis, management and clinical complications: In Edgar WM, O'Mullane DM (eds), *Saliva and oral health*. Thanet Press, 1996.
- Sreebny LM, Schwartz SS: A reference guide to drugs and dry mouth. *Gerodontology* 1986; 5: 75-99.
- Stratmann U, Mokryk K: Mundtrockenheit - 1. Teil: Ursachen und Symptomatik. *Zahnärztl. Mitteilungen* 2000; 21: 62-67.
- Sweeney MP, Bagg J, Baxter WP, Aitchison TC: Clinical trial of a mucin-containing oral spray for treatment of xerostomia in hospice patients. *Palliat Med* 1997; 11: 225-232.
- Tanaka M, Kadoma Y: Comparative reduction of enamel demineralization by calcium and phosphate in vitro. *Caries Res* 2000; 34: 241-245.
- Toljanic JA, Zucuskie TG: Use of a palatal reservoir in denture patients with xerostomia. *J Prosthet Dent* 1984; 52: 540-544.
- Van der Reijden WA, Van der Kwaak H, Vissink A, Veerman EC, Nieuw Amerongen AV: Treatment of xerostomia with polymer-based saliva substitutes in patients with Sjogren's syndrome. *Arthritis Rheum* 1996; 39: 57-63.
- Van der Reijden WA, Veerman EC, Nieuw Amerongen AV: Rheological properties of commercially available polysaccharides with potential use in saliva substitutes. *Biorheology* 1994; 31: 631-642.
- Van der Reijden WA, Vissink A, Veerman EC, Nieuw Amerongen AV: Treatment of oral dryness related complaints (xerostomia) in Sjogren's syndrome. *Ann Rheum Dis* 1999; 58: 465-474.
- Vergo CT, Kadish SP: Dentures as artificial saliva reservoirs in the irradiated edentulous patient with xerostomia. A pilot study. *Oral Surg* 1981; 51: 229-232.
- Visch LL, s'Gravenmade EJ, Schaub RM, Van Putten WL, Vissink A: A double-blind crossover trial of CMC- and mucin-containing saliva substitutes. *Int J Oral Maxillofac Surg* 1986; 15: 395-400.

- Vissink A, De Jong HP, Busscher HJ, Arends J, s'Gravenmade EJ: Wetting properties of human saliva and saliva substitutes. *J Dent Res* 1986a; 65: 1121-1124.
- Vissink A, Huisman MC, s'Gravenmade EJ: Construction of an artificial saliva reservoir in an existing maxillary denture. *J Prosthet Dent* 1986b; 56: 70-74.
- Vissink A, s'Gravenmade EJ, Gelhard TB, Panders AK, Franken MH: Rehardening properties of mucin- or CMC-containing saliva substitutes on softened human enamel. Effects of sorbitol, xylitol and increasing viscosity. *Caries Res* 1985a; 19: 212-218.
- Vissink A, s'-Gravenmade EJ, Gelhard TB, Panders AK, Franken MH: Rehardening properties of mucin- or CMC-containing saliva substitutes on softened human enamel. Effects of sorbitol, xylitol and increasing viscosity. *Caries Res* 1985b; 19: 212-18.
- Vissink A, s'Gravenmade EJ, Panders AK, Olthef A, Vermey A, Huisman MC, Visch LL: Artificial saliva reservoirs. *J Prosthet Dent* 1984a; 52: 710-715.
- Vissink A, s'Gravenmade EJ, Panders AK, Vermey A: Treatment of hyposalivation. *Ear Nose Throat J* 1988; 67: 179-185.
- Vissink A, s'Gravenmade EJ, Panders AK, Vermey A, Petersen JK, Visch LL, Schaub RM: A clinical comparison between commercially available mucin- and CMC-containing saliva substitutes. *Int J Oral Surg* 1983; 12: 232-238.
- Vissink A, Waterman HA, s'Gravenmade EJ, Panders AK, Vermey A: Rheological properties of saliva substitutes containing mucin, carboxymethylcellulose or polyethylenoxide. *J Oral Pathol* 1984b; 13: 22-28.
- Weatherell JA, Hallsworth AS, Robinson C: The effect of tooth wear on the distribution of fluoride in the enamel surface of human teeth. *Arch Oral Biol* 1973; 18: 1175-1189.
- White DJ, Chen WC, Nancollas GH: Kinetic and physical aspects of enamel remineralization - a constant composition study. *Caries Res* 1988; 22: 11-19.
- Wichtl M: Leinsamen, Wissenschaftl. Verlagsgesellschaft mbH, Stuttgart, 1997.
- Willich N, Gundacker K, Zwingers T, Rohloff R: Die Entwicklung von Strahlenkaries nach hochdosis Bestrahlung. *Strahlenther Onkol* 1988; 164: 466-473.
- Wisker E, Rabe E, Metzner C, Feldheim W: Zur Wirksamkeit von Leinsamen. *Ernährungs-Umschau* 1999; 46: 76-81.
- Yu H, Oho T, Xu L: Effects of several tea components on acid resistance of human tooth enamel. *J Dent* 1995; 23: 101-105.

Zimmermann JS, Wilhelm R, Niehoff P, Schneider R, Kovacs G, Kimmig B:
Prophylaxe und Therapie akuter Strahlenfolgen an Haut und Schleimhaut.
Strahlenther Onkol 1998; 174: 142-148.