

VII. LITERATURVERZEICHNIS

1. Aitchison, JD. & Rout. MP. The road to ribosomes. Filling potholes in the export pathway. *J Cell Biol* **151**, 23-26 (2000).
2. Anfinsen, C.B. Principles that govern the folding of protein chains. *Science* **181**, 223-230 (1973).
3. Atkinson, B.G. Synthesis of heat-shock proteins by cells undergoing myogenesis. *J Cell Biol* **89**, 666-673 (1981).
4. Baumann, O. & Walz, B. Endoplasmatic reticulum of animal cell and its organization into structural and functional domains. *Int Rev Cytol* **205**, 149-214 (2001).
5. Beddington, R.S.P. & Robertson, E.J. Axis development and early asymmetry in mammals. *Cell* **96**, 195-209 (1999).
6. Benjamin, I.J., Shelton, J., Garry, D.J. & Richardson, J.A. Temporospatial expression of the small HSP/alpha B-crystallin in cardiac and skeletal muscle during mouse development. *Dev Dyn* **208**, 75-84 (1997).
7. Berger, B.J., Müller, T.S., Buschmann, I.R., Peters, K., Kirsch, M., Christ, B. & Pröls, F. High levels of the molecular chaperone Mdgl/ERdj4 reflect the activation state of endothelial cells. *Exp Cell Res* **290**, 82-92 (2003).
8. Bryantsev, A.L., Lokionova, S.A., Ilyinskaya, O.P., Tararak, E.M., Kampinga, H.H. & Kabakov, E. Distribution, phosphorylation, and activities of Hsp25 in heat-stressed H9c2 myoblasts: a functional link to cytoprotection. *Cell Stress Chaperones* **7**, 146-155 (2002).
9. Bukau, B., Deuerling, E., Pfund, C. & Craig, E.A. Getting newly synthesized proteins into shape. *Cell* **101**, 119-122 (2000).
10. Bukau, B. & Horwich, A.L. The Hsp70 and Hsp60 chaperone machines. *Cell* **92**, 351-366 (1998).
11. Cheetham, M.E. & Caplan, A.J. Structure, function and evolution of DnaJ: conservation and adaptation of chaperone function. *Cell Stress Chaperones* **3**, 28-36 (1998).

12. Christ, B. & Ordahl, C.P. Early stages of chick somite development. *Anat Embryol (Berl)* **191**, 381-396 (1995).
13. Cordle, A., Koenigsknecht-Talboo, J., Wilkinson, B., Limpert, A. & Landreth, G. Mechanisms of statin-mediated inhibition of small G-protein function. *J Biol Chem* **280**, 34202-34209 (2005).
14. Corsi, A.K. & Schekmann, R. The luminal domain of Sec63 stimulates the ATPase activity of BiP and mediates BiP recruitment to the translocon in *Saccharomyces cerevisiae*. *J Cell Biol* **137**, 1483-1493 (1997).
15. Cunnea, P.M., Miranda-Vizuete, A., Bertoli, G., Simmen, T., Damadimopoulos, A.E., Hermann, S., Leinonen, S., Huikko, M.P., Gustafsson, J.A., Sitia, R. & Spyrou, G. ERdj5, an endoplasmic reticulum (ER)-resident protein containing DnaJ and thioredoxin domains, is expressed in secretory cells following ER stress. *J Biol Chem* **278**, 1059-1066 (2003).
16. Czarnecki PG, Müller TS, Mayer MP, Christ B, Pröls F. Post-translational modifications regulate nuclear and membrane targeting of the Mdg1 cochaperone. submitted.
17. Daniely, Y., Dimitrova, DD. & James, A. Stress-dependent nucleolin mobilization mediates by p53-nucleolin complex formation. *Mol Cell Biol* **22**, 6014-6022 (2002).
18. Davis, A.R., Alevy, Y.G., Chellaiah, A., Quinn, M.T. & Mohanakumar, T. Characterization of HDJ-2, a human 40kDa heat shock protein. *Int J Biochem Cell Biol* **11**, 1203-1221 (1998).
19. Denegri, M., Chiodi, I., Corioni, M., Cobianchi, F., Riva, S. & Biamonti, G. Stress-induced nuclear bodies are sites of accumulation of pre-mRNA processing factors. *Mol Cell Biol* **12**, 3502-3514 (2001).
20. Doye, V. & Hurt, E. From nucleoporins to nuclear pore complexes. *Curr Opin Cell Biol* **9**, 401-411 (1997).
21. Dudek, J., Volkmer, J., Bies, C., Guth, S., Müller, A., Lerner, M., Feick, P., Schäfer, K.H., Morgenstern, E., Hennessy, F., Blatch, G.L., Janoscheck, K., Heim, N., Scholtes, P., Frein, M., Nastainczyk, W. & Zimmermann, R. A novel type of co-chaperone mediates transmembrane recruitment of DnaK-like chaperones to ribosomes. *EMBO J* **21**, 2958-2967 (2002).

22. Edwards, M.J. Hyperthermia as a teratogen: a review of experimental studies and their clinical significance. *Teratog Carcinog Mutagen* **6**, 563-582 (1986).
23. Edwards, M.J. Hyperthermia and the developing central nervous system. *Ann Res Inst Environ Med Nagoya Univ* **40**, 355-364 (1989).
24. Ellgard, L. & Helenius, A. Quality control in the endoplasmic reticulum. *Mol Cell Biol* **4**, 181-191 (2003).
25. Ellis, J. Proteins as molecular chaperones. *Nature* **328**, 378-379 (1987).
26. Fahrenkrog, B. The nuclear pore complex, nuclear transport, and apoptosis. *Can J Physiol Pharmacol* **84**, 279-286 (2006).
27. Farquhar, MG. & Palade, GE. The Golgi apparatus (complex)-(1954-1981)-from artifact to center stage. *J Cell Biol* **91**, 77-103 (1981).
28. Gernold, M., Knauf, U., Gaestel, M., Stahl, J. & Kloetzel, P.M. Development and tissue-specific distribution of mouse small heat shock protein hsp25. *Dev Genet* **14**, 103-111 (1993).
29. Gething, M.J. & Sambrook, J. Protein folding in the cell. *Nature* **355**, 33-45 (1992).
30. Görlich, D. Transport into and out of the nucleus. *EMBO* **17**, 2721-2727 (1998).
31. Goodsell, D.S. Inside a living cell. *Trends Biochem Sci* **16**, 203-206 (1991).
32. Gos, M., Jr. & Szpecht-Potocka, A. Genetic basis of neural tube defects. II. Genes correlated with folate and methionine metabolism. *J Appl Genet* **43**, 511-524 (2002).
33. Griffiths, G., Fuller, S.D., Back, R., Hollinshead, M., Pfeiffer, S. & Simons, K. The dynamic nature of the Golgi complex. *J Cell Biol* **108**, 277-297 (1989).
34. Guillemot, F., Nagy, A., Auerbach, A., Rossant, J. & Joyner, A.L. Essential role of Mash-2 in extraembryonic development. *Nature* **371**, 333-336 (1994).
35. Hall, A. Rho GTPases and the actin cytoskeleton. *Science* **279**, 509-514 (1998).
36. Helmbrecht, K., Zeise, E. & Rensing, L. Chaperones in cell cycle regulation and mitogenic signal transduction: a review. *Cell Proliferat* **33**, 341-365 (1999).
37. Herrmann, H. & Aebi, U. Intermediate filaments: molecular structure, assembly mechanism, and integration into functionally distinct intracellular scaffolds. *Annu Rev Biochem* **73**, 749-789 (2004).

38. Holthuis, J.C.M., Pomorski, T., Ringers, R.J., Sprong, H. & van Meer, G. The organizing potential of sphingolipids in intracellular membrane transport. *Physiol Rev* **81**, 1689-1723 (2001).
39. Horst, M., Oppliger, W., Feifel, B., Schatz, G. & Glick, B.S. The mitochondrial protein import motor: dissociation of mitochondrial hsp70 from its membrane anchor requires ATP binding rather than ATP hydrolysis. *Protein Sci* **5**, 759-767 (1996).
40. Hunter, P.J., Swanson, B.J., Haendel, M.A., Lyons, G.E. & Cross, J.C. Mrj encodes a DnaJ-related co-chaperone that is essential for murine placental development. *Development* **126**, 1247-1258 (1999).
41. Hyttel, P., Laurincik, J., Rosenkranz, Ch., Rath, D., Niemann, H., Ochs, R.L. & Schellander, K. Nucleolar proteins and ultrastructure in preimplantation porcine embryos developed in vivo. *Biol of Repr* **63**, 1848-1856 (2000).
42. Izawa, I., Nishizawa, M., Ohtakara, K., Ohtsuka, K., Inada, H. & Inagaki, M. Identification of Mrj, a DnaJ/Hsp40 family protein, as a keratin 8/18 filament regulatory protein. *J Biol Chem* **275**, 34521-34527 (2000).
43. Jaenicke, R. Protein self-organization in vitro and in vivo: partitioning between physical biochemistry and cell biology. *Biol Chem* **379**, 237-243 (1998).
44. Jensen, R.E. & Johnson, A.E. Protein translocation: is Hsp70 pulling my chain? *Curr Biol* **9**, R779-782 (1999).
45. Kaufman, M.H. The atlas of mouse development. *Academic Pr* (1999).
46. Kelley, W.L. The J-domain family and the recruitment of chaperone power. *Trends Biochem Sci* **23**, 222-227 (1998).
47. Krüssel, J.S., Bielfeld, P., Polan, M.L. & Simón, C. Regulation of embryonic implantation. *Eur J Obstet Gynecol Reprod Biol* **110**, S2-9 (2003).
48. Kubitscheck, U., Grünwald, D., Hoekstra, A., Rohleider, D., Kues, T., Siebrasse, J.P. & Peters, R. Nuclear transport of single molecules: dwell times at the nuclear pore complex. *J Cell Biol* **168**, 233-243 (2005).
49. Kurisu, J., Honma, A., Miyajima, H., Kondo, S., Okumura, M. & Imaizumi, K. MDG1/ERdj4, an ER-resident DnaJ family member, suppresses cell death induced by ER stress. *Genes Cells* **8**, 189-202 (2003).

50. Larijani, B., Hume, A.N., Tarafder, A.K. & Seabra, M.C. Multiple factors contribute to inefficient prenylation of Rab27a in Rab prenylation diseases. *J Biol Chem* **278**, 46798-46804 (2003).
51. Layde, P.M., Edmonds, L.D. & Erickson, J.D. Maternal fever and neural tube defects. *Teratology* **21**, 105-108 (1980).
52. Le Douarin, N.M. & Halpern, M.E. Discussion point. Origin and specification of the neural tube floor plate: insights from the chick and zebrafish. *Curr Opin Neurobiol* **10**, 23-30 (2000).
53. Lee, S.J. Expression of HSP86 in male germ cells. *Mol Cell Biol* **10**, 3239-3242 (1990).
54. Lemmon, S.K. Clathrin uncoating: Auxilin comes to life. *Curr Biol* **11**, R49-52 (2001).
55. Lewis, M.J. & Pelham, H.R. Involvement of ATP in the nuclear and nucleolar functions of the 70 kd heat shock protein. *Embo J* **4**, 3137-3143 (1985).
56. Li, Z., Benard, O. & Margolskee, R.F. G γ 13 interacts with PDZ domain-containing proteins. *J Biol Chem* in press (2006).
57. Liang, P. & MacRae, T.H. Molecular chaperons and the cytoskeleton. *J Cell Sci* **110**, 1431-1440 (1997).
58. Liao, J., Lowthert, L.A., Ghori, N. & Omary, M.B. The 70-kDa heat shock protein associate with glandular intermediate filaments in an ATP-dependent manner. *J Biol Chem* **270**, 915-922 (1995).
59. Lipson, A. Hirschsprung disease in the offspring of mothers exposed to hyperthermia during pregnancy. *Am J Med Genet* **29**, 117-124 (1988).
60. Loones, M.T., Rallu, M., Mezger, V. & Morange, M. HSP gene expression and HSF2 in mouse development. *Cell Mol Life Sci* **53**, 179-190 (1997).
61. Lüllmann-Rauch, R. Histologie. *Thieme* (2003).
62. Luo, J., Sladek, R., Bader, J.A., Matthysen, A., Rossant, J. & Giguere, V. Placental abnormalities in mouse embryos lacking the orphan nuclear receptor ERR-beta. *Nature* **388**, 778-782 (1997).
63. Maiato, H., Sampaio, P. & Sunkel, C.E. Microtubule-associated proteins and their essential role during mitosis. *Int Rev Cytol* **241**, 53-153 (2004).

64. Malumbres, M. & Barbacid, M. RAS oncogenes: the first 30 years. *Net Rev Cancer* **3**, 459-465 (2003).
65. Menezes, L.F., Cai, Y., Nagasawa, Y., Silva, A.M., Watkins, M.L., Da Silva, A.M., Solmo, S., Guay-Woodford, L.M., Germino, G.G. & Onuchic, L.F. Polyductin, the PKHD1 gene product, comprises isoforms expressed in plasma membrane, primary cilium, and cytoplasm. *Kidney Int* **4**, 1345-1355 (2004).
66. Mezger, V., Legagneux, V., Babinet, C., Morange, M. & Bensaude, O. Heat shock protein synthesis in preimplantation mouse embryos and embryonal carcinoma cells. *Results Probl Cell Differ* **17**, 153-166 (1991).
67. Michels, A.A., Kanon, B., Konings, W.T., Ohtsuka, K., Bensaude, O. & Kampinga, H.H. Hsp70 and Hsp40 chaperone activities in the cytoplasm and the nucleus of mammalian cells. *J Biol Chem* **272**, 33283-33289 (1997).
68. Minami, Y., Hohfeld, J., Ohtsuka, K. & Hartl, F.U. Regulation of the heat-shock protein 70 reaction cycle by the mammalian DnaJ homolog, Hsp40. *J Biol Chem* **271**, 19617-19624 (1996).
69. Mitchison, T.J. Compare and contrast actin filaments and microtubules. *Mol Bio Cell* **3**, 1309-1315 (1992).
70. Moir, R.D., Yoon, M., Khuon, S. & Goldman, R.D. Nuclear lamins A and B1: different pathways of assembly during nuclear envelope formation in living cells. *J Cell Biol* **151**, 1155-1168 (2000).
71. Müller, T. Charakterisierung des Chaperons Mdg1 unter Berücksichtigung der subzellulären Lokalisation und Identifizierung der Interaktionspartner mit Hilfe des Yeast-Two-Hybrid-Systems. *Dissertation* (2005).
72. Nollen, E.A., Salomons, F.A., Brunsting, J.F., van der Want, J.J.L., Sibon, O.C.M. & Kampinga, H.H. Dynamic changes in the localization of thermally unfolded nuclear proteins associated with chaperone-dependent protection. *Proc Natl Acad Sci U S A* **98**, 12038-12043 (2001).
73. Olson, M.O., Dundr, M. & Szebeni, A. The nucleolus: an old factory with unexpected capabilities. *Trends Cell Biol* **10**, 189-196 (2000).
74. Parish, C.A. & Rando, R.R. Isoprenylation/methylation of proteins enhances membrane association by a hydrophobic mechanism. *Biochemistry* **35**, 8473-8477 (1996).

75. Pederson, T. The plurifunctional nucleolus. *Nucl Acid Res* **26**, 3871-3876 (1998).
76. Pelham, H.R. Hsp70 accelerates the recovery of nucleolar morphology after heat shock. *Embo J* **3**, 3095-3100 (1984).
77. Peters, R. Fluorescence microphotolysis to measure nucleocytoplasmic transport and intracellular mobility. *Biochim Biophys Acta* **864**, 305-359 (1986).
78. Pfeffer, S.R. Rab GTPases: specifying and deciphering organelle identity and function. *Trends Cell Biol* **11**, 487-491 (2001).
79. Plempner, R.K. & Wolf, D.H. Retrograde protein translocation: ERADication of secretory proteins in health and disease. *Science* **24**, 266-270 (1999).
80. Pröls, F., Liehr, T., Marx, M. & Rautenstrauß, B. Regional localization of rat microvascular endothelial differentiation gene 1 (Mdgl) to chromosome 6q16-23 by means of FISH. *Mamm Genome* **7**, 867-868 (1996).
81. Pröls, F., Liehr, T., Rinke, R. & Rautenstrauß, B. Assignment of the microvascular endothelial differentiation gene 1 (MDG1) to human chromosome band 14q24.2-->q24.3 by fluorescence in situ hybridization. *Cytogenet Cell Genet* **79**, 149-150 (1997).
82. Pröls, F., Mayer, M.P., Renner, O., Czarnecki, P.G., Ast, M, Gässler, C., Wilting, J., Kurz, H. & Christ, B. Upregulation of the cochaperone Mdgl in endothelial cells is induced by stress and during in vitro angiogenesis. *Exp Cell Res* **269**, 42-53 (2001).
83. Rapoport, TA., Goder, V., Heinrich, SU. & Matlack, KE. Membrane-protein integration and the role of the translocation channel. *Transd Cell Biol* **14**, 568-575 (2004).
84. Rapoport, M.D., Carlson, G.A., Kelley, K.L. & Pataki, C. Methylphenidate and attentional training. Comparative effects on behavior and neurocognitive performance in twin girls with attention-deficit/hyperactivity disorder. *Behav Modif* **20**, 428-430 (1996).
85. Sackett, D.L. Structure and function in the tubulin dimer and role of the acidic carboxyl terminus. *Subcell Biochem* **24**, 255-302 (1995).
86. Scheer, U. & Hock, R. Structure and function of the nucleolus. *Curr Opin Cell Biol* **11**, 385-390 (1999).
87. Schenkel, J. Transgene Tiere. *Spektrum Akad Verlag* (1995).

88. Schnorr, B. Embryologie der Haustiere. *Enke* (1996).
89. Settleman, J. Rac 'n Rho: the music that shapes a developing embryo. *Dev Cell* **1**, 321-331 (2001).
90. Shakoori, A.R., Oberdorf, A.M., Owen, T.A., Weber, L.A., Hickey, E., Stein, J.L., Lian, J.B. & Stein, G.S. Expression of heat shock genes during differentiation of mammalian osteoblasts and promyelocytic leukemia cells. *J Cell Biochem* **48**, 277-287 (1992).
91. Shaw, P.J. & Jordan, E.G. The nucleolus. *Annu Rev Cell Biol* **11**, 93-121 (1995).
92. Shen, Y., Meunier, L. & Hendershot, L.M. Identification and characterization of a novel endoplasmatic reticulum (ER) DnaJ homologue, which stimulates ATPase activity of Bip *in vitro* and is induced by ER stress. *J Biol Chem* **270**, 915-922 (2002).
93. Sistonen, L., Sarge, K.D., Phillips, B., Abravaya, K. & Morimoto, R.I. Activation of heat shock factor 2 during hemin-induced differentiation of human erythroleukemia cells. *Mol Cell Biol* **12**, 4104-4111 (1992).
94. Smith, C.J., Dafforn, T.R., Kent, H., Sims, C.A., Khubchandani-Aswani, K., Zhang, L., Saibil, H.R. & Pearse, B.M.F. Location of auxilin within a clathrin cage. *J Mol Biol* **336**, 461-471 (2004).
95. Snoeckx, L.H.E.H., Cornelussen, R.N., Van Nieuwenhoven, F.A., Reneman, R.S. & Van der Vusse, G.J. Heat shock proteins and cardiovascular pathophysiology. *Physiol Rev* **81**, 1461-1497 (2001).
96. Staun-Ram, E. & Shalev, E. Human trophoblast function during the implantation process. *Reprod Biol Endocrinol* **3**, 56 (2005).
97. Sullivan, M.L., Youker, R.T., Watkins, S.C. & Brodsky, J.L. Localization of the BiP molecular chaperone with respect to endoplasmic reticulum foci containing the cystic fibrosis transmembrane conductance regulator in yeast. *J Histochem Cytochem* **51**, 545-548 (2003).
98. Suntharalingam, M. & Wente, S.R. Peering through the pore: nuclear pore complex structure, assembly, and function. *Dev Cell* **4**, 775-789 (2003).
99. Tanguay, R.M., Wu, Y. & Khandjian, E.W. Tissue-specific expression of heat shock proteins of the mouse in the absence of stress. *Dev Genet* **14**, 112-118 (1993).

100. Tsukahara, F. & Maru, Y. Identification of novel nuclear export and nuclear localization-related signals in human heat shock cognate protein 70. *J Biol Chem* **279**, 8867-8872 (2004).
101. Visintin, R. & Amon, A. The nucleolus: the magician's hat for cell cycle tricks. *Curr Opin Cell Biol* **12**, 752 (2000).
102. Voss, A.K., Thomas, T. & Gruss, P. Mice lacking HSP90beta fail to develop a placental labyrinth. *Development* **127**, 1-11 (2000).
103. Walsh, D.A. & Morris, V.B. Heat shock affects cell cycling in the neural plate of cultured rat embryos: a flow cytometric study. *Teratology* **40**, 583-592 (1989).
104. Welch, W.J., Garrels, J.I., Thomas, G.P., Lin, J.J. & Feramisco, J.R. Biochemical characterization of the mammalian stress proteins and identification of two stress proteins as glucose- and Ca²⁺-ionophore-regulated proteins. *J Biol Chem* **258**, 7102-7111 (1983).
105. Wittig, S., Hensse, S., Keitel, C., Elsner, C. & Wittig, B. Heat shock gene expression is regulated during teratocarcinoma cell differentiation and early embryonic development. *Dev Biol* **96**, 507-514 (1983).
106. Xu, X. , Weinstein, M., Li, C., Naski, M., Cohen, R.J., Ornitz, D.M., Leder, P. & Deng, D. Fibroblast growth factor receptor 2 (FGFR2)-mediated reciprocal regulation loop between FGF8 and FGF10 is essential for limb induction. *Development* **125**, 753-765 (1998).
107. Young, J.C., Barral, J.M. & Ulrich Hartl, F. More than folding: localized functions of cytosolic chaperones. *Trends Biochem Sci* **28**, 541-547 (2003).
108. Young, S.G., Fong, L.G. & Michaelis, S. Prelamin A, Zmpste24, misshapen cell nuclei, and progeria--new evidence suggesting that protein farnesylation could be important for disease pathogenesis. *J Lipid Res* **46**, 2531-2558 (2005).
109. Yu, M., Haslam, H.A. & Haslam, D.B. HEDJ, an Hsp40 co-chaperone localized to the endoplasmic reticulum of human cells. *J Biol Chem* **275**, 24984-24992 (2000).
110. Zerial, M. & McBride, H. Rab proteins as membrane organizers. *Nat Rev Mol Cell Biol* **2**, 107-117 (2001).
111. Zimber, A., Nguyen, QD. & Gespach, C. Nuclear bodies and compartments: functional roles and cellular signalling in health and disease. *Cell Sig* **16**, 1085-1104 (2004).