

## 6 Literatur

- Albina, J. E., S. Cui, et al. (1993). "Nitric oxide-mediated apoptosis in murine peritoneal macrophages." *J Immunol* **150**(11): 5080-5.
- Albina, J. E. and J. S. Reichner (1998). "Role of nitric oxide in mediation of macrophage cytotoxicity and apoptosis." *Cancer Metastasis Rev* **17**(1): 39-53.
- Albritton, W. L., S. L. Cochi, et al. (1984). "Overview of neonatal listeriosis." *Clin Invest Med* **7**(4): 311-4.
- Altieri, D. C., F. R. Agbanyo, et al. (1990). "A unique recognition site mediates the interaction of fibrinogen with the leukocyte integrin Mac-1 (CD11b/CD18)." *J Biol Chem* **265**(21): 12119-22.
- Alvarez-Dominguez, C., E. Carrasco-Marin, et al. (2000). "The contribution of both oxygen and nitrogen intermediates to the intracellular killing mechanisms of C1q-opsonized Listeria monocytogenes by the macrophage-like IC-21 cell line." *Immunology* **101**(1): 83-9.
- Andjargholi, M. and M. M. Dale (1977). "Cytotoxicity of guinea-pig lymphoid cells against guinea-pig hepatoma cells in tissue culture." *Br J Cancer* **35**(1): 59-67.
- Antal-Szalmas, P. (2000). "Evaluation of CD14 in host defence." *Eur J Clin Invest* **30**(2): 167-79.
- Appelberg, R. and I. S. Leal (2000). "Mutants of *Listeria monocytogenes* defective in *In vitro* invasion and cell-to-cell spreading still invade and proliferate in hepatocytes of neutropenic mice." *Infect Immun* **68**(2): 912-4.
- Bancroft, G. J. and J. P. Kelly (1994). "Macrophage activation and innate resistance to infection in SCID mice." *Immunobiology* **191**(4-5): 424-31.
- Bancroft, G. J., J. P. Kelly, et al. (1994). "Models of innate immunity and opportunistic infection in the SCID mouse." *Res Immunol* **145**(5): 344-7.
- Bancroft, G. J., R. D. Schreiber, et al. (1987). "A T cell-independent mechanism of macrophage activation by interferon-gamma." *J Immunol* **139**(4): 1104-7.

- Bancroft, G. J., K. C. Sheehan, et al. (1989). "Tumor necrosis factor is involved in the T cell-independent pathway of macrophage activation in scid mice." J Immunol **143**(1): 127-30.
- Bankey, P. E., S. Hill, et al. (1994). "Sequential insult enhances liver macrophage-signaled hepatocyte dysfunction." J Surg Res **57**(1): 185-91.
- Barsig, J., I. E. Flesch, et al. (1998). "Macrophages and hepatocytic cells as chemokine producers in murine listeriosis." Immunobiology **199**(1): 87-104.
- Beckerman, K. P., H. W. Rogers, et al. (1993). "Release of nitric oxide during the T cell-independent pathway of macrophage activation. Its role in resistance to Listeria monocytogenes." J Immunol **150**(3): 888-95.
- Bhardwaj, V., O. Kanagawa, et al. (1998). "Chronic Listeria infection in SCID mice: requirements for the carrier state and the dual role of T cells in transferring protection or suppression." J Immunol **160**(1): 376-84.
- Billiar, T. R., R. D. Curran, et al. (1989). "Kupffer cell cytotoxicity to hepatocytes in co-culture requires L- arginine." Arch Surg **124**(12): 1416-20; discussion 1420-1.
- Boehm, U., T. Klamp, et al. (1997). "Cellular responses to interferon-gamma." Annu Rev Immunol **15**: 749-95.
- Bohlinger, I., M. Leist, et al. (1996). "DNA fragmentation in mouse organs during endotoxic shock." Am J Pathol **149**(4): 1381-93.
- Boockvar, K. S., D. L. Granger, et al. (1994). "Nitric oxide produced during murine listeriosis is protective." Infect Immun **62**(3): 1089-100.
- Bosma, G. C., R. P. Custer, et al. (1983). "A severe combined immunodeficiency mutation in the mouse." Nature **301**(5900): 527-30.
- Boury, N. M. and C. J. Czuprynski (1995). "Listeria monocytogenes infection increases neutrophil adhesion and damage to a murine hepatocyte cell line in vitro." Immunol Lett **46**(1-2): 111-6.

- Bouwer, H. G., A. Bai, et al. (1998). "Listeria monocytogenes-infected hepatocytes are targets of major histocompatibility complex class Ib-restricted antilisterial cytotoxic T lymphocytes." Infect Immun **66**(6): 2814-7.
- Bouwer, H. G., R. A. Barry, et al. (1997). "Acquired immunity to an intracellular pathogen: immunologic recognition of L. monocytogenes-infected cells." Immunol Rev **158**: 137-46.
- Brune, B., A. von Knethen, et al. (1998). "Nitric oxide and its role in apoptosis." Eur J Pharmacol **351**(3): 261-72.
- Brunt, L. M., D. A. Portnoy, et al. (1990). "Presentation of Listeria monocytogenes to CD8+ T cells requires secretion of hemolysin and intracellular bacterial growth." J Immunol **145**(11): 3540-6.
- Buchmeier, N. A. and R. D. Schreiber (1985). "Requirement of endogenous interferon-gamma production for resolution of Listeria monocytogenes infection." Proc Natl Acad Sci U S A **82**(21): 7404-8.
- Campbell, P. A. (1994). "Macrophage-Listeria interactions." Immunol Ser **60**: 313-28.
- Cassatella, M. A., L. Meda, et al. (1995). "Interleukin-12 production by human polymorphonuclear leukocytes." Eur J Immunol **25**(1): 1-5.
- Chakraborty, T. (1996). "The molecular mechanisms of actin-based intracellular motility by Listeria monocytogenes." Microbiologia **12**(2): 237-44.
- Chakraborty, T. (1999). "Molecular and cell biological aspects of infection by Listeria monocytogenes." Immunobiology **201**(2): 155-63.
- Conlan, J. W. and R. J. North (1991). "Neutrophil-mediated dissolution of infected host cells as a defense strategy against a facultative intracellular bacterium." J Exp Med **174**(3): 741-4.
- Conlan, J. W. and R. J. North (1992). "Early pathogenesis of infection in the liver with the facultative intracellular bacteria Listeria monocytogenes, Francisella tularensis, and Salmonella typhimurium involves lysis of infected hepatocytes by leukocytes." Infect Immun **60**(12): 5164-71.

- Conlan, J. W. and R. J. North (1994). "Listeria monocytogenes, but not *Salmonella typhimurium*, elicits a CD18-independent mechanism of neutrophil extravasation into the murine peritoneal cavity." *Infect Immun* **62**(7): 2702-6.
- Conlan, J. W. and R. J. North (1994). "Neutrophils are essential for early anti-Listeria defense in the liver, but not in the spleen or peritoneal cavity, as revealed by a granulocyte-depleting monoclonal antibody." *J Exp Med* **179**(1): 259-68.
- Cossart, P. and M. Lecuit (1998). "Interactions of *Listeria monocytogenes* with mammalian cells during entry and actin-based movement: bacterial factors, cellular ligands and signaling." *Embo J* **17**(14): 3797-806.
- Cousens, L. P. and E. J. Wing (2000). "Innate defenses in the liver during *Listeria* infection." *Immunol Rev* **174**: 150-9.
- Czitrom, A. A., S. Edwards, et al. (1985). "The function of antigen-presenting cells in mice with severe combined immunodeficiency." *J Immunol* **134**(4): 2276-80.
- Czuprynski, C. J., J. F. Brown, et al. (1994). "Administration of anti-granulocyte mAb RB6-8C5 impairs the resistance of mice to *Listeria monocytogenes* infection." *J Immunol* **152**(4): 1836-46.
- Czuprynski, C. J., J. F. Brown, et al. (1994). "Administration of antigranulocyte monoclonal antibody RB6-8C5 prevents expression of acquired resistance to *Listeria monocytogenes* infection in previously immunized mice." *Infect Immun* **62**(11): 5161-3.
- Czuprynski, C. J. and M. Haak-Frendscho (1997). "Non-specific resistance mechanisms to listeriosis: implications for experimental and naturally occurring infection." *Immunol Rev* **158**: 47-56.
- Czuprynski, C. J., P. M. Henson, et al. (1984). "Killing of *Listeria monocytogenes* by inflammatory neutrophils and mononuclear phagocytes from immune and nonimmune mice." *J Leukoc Biol* **35**(2): 193-208.

- Czuprynski, C. J., C. Theisen, et al. (1996). "Treatment with the antigranulocyte monoclonal antibody RB6-8C5 impairs resistance of mice to gastrointestinal infection with Listeria monocytogenes." Infect Immun **64**(9): 3946-9.
- Dai, W. J., W. Bartens, et al. (1997). "Impaired macrophage listericidal and cytokine activities are responsible for the rapid death of Listeria monocytogenes-infected IFN-gamma receptor-deficient mice." J Immunol **158**(11): 5297-304.
- DaMatta, R. A., T. Araujo-Jorge, et al. (1995). "Subpopulations of mouse resident peritoneal macrophages fractionated on Percoll gradients show differences in cell size, lectin binding and antigen expression suggestive of different stages of maturation." Tissue Cell **27**(5): 505-13.
- Daugelat, S., C. H. Ladel, et al. (1996). "Activation of natural killer cells by heat-killed Listeria monocytogenes requires additional signals from lymphoid cells." Immunol Lett **50**(1-2): 81-5.
- de Chastellier, C. and P. Berche (1994). "Fate of Listeria monocytogenes in murine macrophages: evidence for simultaneous killing and survival of intracellular bacteria." Infect Immun **62**(2): 543-53.
- De Heer, E., M. C. Kersten, et al. (1980). "Electron microscopic observations on the interaction of Listeria monocytogenes and peritoneal macrophages of normal mice." Lab Invest **43**(5): 449-55.
- DeGeorge, G. L., D. E. Heck, et al. (1997). "Arginine metabolism in keratinocytes and macrophages during nitric oxide biosynthesis: multiple modes of action of nitric oxide synthase inhibitors." Biochem Pharmacol **54**(1): 103-12.
- Domann, E., J. Wehland, et al. (1992). "A novel bacterial virulence gene in Listeria monocytogenes required for host cell microfilament interaction with homology to the proline-rich region of vinculin." Embo J **11**(5): 1981-90.
- Dorner, B. G., A. Scheffold, et al. (2002). "MIP-1alpha, MIP-1beta, RANTES, and ATAC/lymphotoxin function together with IFN-gamma as type 1 cytokines." Proc Natl Acad Sci U S A **99**(9): 6181-6.

- Drapier, J. C., J. Wietzerbin, et al. (1988). "Interferon-gamma and tumor necrosis factor induce the L-arginine-dependent cytotoxic effector mechanism in murine macrophages." *Eur J Immunol* **18**(10): 1587-92.
- Drevets, D. A. (1997). "Listeria monocytogenes infection of cultured endothelial cells stimulates neutrophil adhesion and adhesion molecule expression." *J Immunol* **158**(11): 5305-13.
- Drevets, D. A. and P. A. Campbell (1991). "Roles of complement and complement receptor type 3 in phagocytosis of Listeria monocytogenes by inflammatory mouse peritoneal macrophages." *Infect Immun* **59**(8): 2645-52.
- Drevets, D. A., B. P. Canono, et al. (1992). "Listericidal and nonlistericidal mouse macrophages differ in complement receptor type 3-mediated phagocytosis of L. monocytogenes and in preventing escape of the bacteria into the cytoplasm." *J Leukoc Biol* **52**(1): 70-9.
- Drevets, D. A., B. P. Canono, et al. (1994). "Gentamicin kills intracellular Listeria monocytogenes." *Infect Immun* **62**(6): 2222-8.
- Drevets, D. A., P. J. Leenen, et al. (1993). "Complement receptor type 3 (CD11b/CD18) involvement is essential for killing of Listeria monocytogenes by mouse macrophages." *J Immunol* **151**(10): 5431-9.
- Drevets, D. A., P. J. Leenen, et al. (1996). "Complement receptor type 3 mediates phagocytosis and killing of Listeria monocytogenes by a TNF-alpha- and IFN-gamma-stimulated macrophage precursor hybrid." *Cell Immunol* **169**(1): 1-6.
- Dumont, S., A. Mabondzo, et al. (1990). "Study of the dependence of human monocytes and macrophages antitumoral properties upon TNF-alpha expression or release." *Anticancer Res* **10**(4): 949-54.
- Ebe, Y., G. Hasegawa, et al. (1999). "The role of Kupffer cells and regulation of neutrophil migration into the liver by macrophage inflammatory protein-2 in primary listeriosis in mice." *Pathol Int* **49**(6): 519-32.

- Edelson, B. T. and E. R. Unanue (2000). "Immunity to Listeria infection." Curr Opin Immunol **12**(4): 425-31.
- Ehlers, S., M. E. Mielke, et al. (1992). "Kinetic analysis of cytokine gene expression in the livers of naive and immune mice infected with Listeria monocytogenes. The immediate early phase in innate resistance and acquired immunity." J Immunol **149**(9): 3016-22.
- Faraci, W. S., A. A. Nagel, et al. (1996). "2-Amino-4-methylpyridine as a potent inhibitor of inducible NO synthase activity in vitro and in vivo." Br J Pharmacol **119**(6): 1101-8.
- Farrar, M. A. and R. D. Schreiber (1993). "The molecular cell biology of interferon-gamma and its receptor." Annu Rev Immunol **11**: 571-611.
- Flesch, I. E., J. Barsig, et al. (1998). "Differential chemokine response of murine macrophages stimulated with cytokines and infected with Listeria monocytogenes." Int Immunol **10**(6): 757-65.
- Flo, T. H., O. Halaas, et al. (2000). "Human toll-like receptor 2 mediates monocyte activation by Listeria monocytogenes, but not by group B streptococci or lipopolysaccharide." J Immunol **164**(4): 2064-9.
- Frankova, D. and Z. Zidek (1998). "IFN-gamma-induced TNF-alpha is a prerequisite for in vitro production of nitric oxide generated in murine peritoneal macrophages by IFN-gamma." Eur J Immunol **28**(3): 838-43.
- Fratti, R. A., I. Vergne, et al. (2000). "Regulators of membrane trafficking and Mycobacterium tuberculosis phagosome maturation block." Electrophoresis **21**(16): 3378-85.
- Gaillard, J. L., F. Jaubert, et al. (1996). "The inlAB locus mediates the entry of Listeria monocytogenes into hepatocytes in vivo." J Exp Med **183**(2): 359-69.
- Gasperini, S., M. Marchi, et al. (1999). "Gene expression and production of the monokine induced by IFN-gamma (MIG), IFN-inducible T cell alpha chemoattractant (I-TAC), and IFN-gamma-inducible protein-10 (IP-10) chemokines by human neutrophils." J Immunol **162**(8): 4928-37.

- Geoffroy, C., J. L. Gaillard, et al. (1987). "Purification, characterization, and toxicity of the sulfhydryl- activated hemolysin listeriolysin O from *Listeria monocytogenes*." Infect Immun **55**(7): 1641-6.
- Gerber, H. (1999). "Etablierung eines In vitro Modells zum Studium der selektiven Lyse bakteriell infizierter Hepatozyten durch Exsudateleukozyten naiver Tiere." Dissertation, Institut für Med. Mikrobiologie und Infektionsimmunologie, Freie Universität Berlin.
- Goebel, W. and M. Kuhn (2000). "Bacterial replication in the host cell cytosol." Curr Opin Microbiol **3**(1): 49-53.
- Goossens, P. L., H. Jouin, et al. (1991). "Dynamics of lymphocytes and inflammatory cells recruited in liver during murine listeriosis. A cytofluorimetric study." J Immunol **147**(10): 3514-20.
- Green, L. C., D. A. Wagner, et al. (1982). "Analysis of nitrate, nitrite, and [15N]nitrate in biological fluids." Anal Biochem **126**(1): 131-8.
- Gregory, S. H., L. K. Barczynski, et al. (1992). "Effector function of hepatocytes and Kupffer cells in the resolution of systemic bacterial infections." J Leukoc Biol **51**(4): 421-4.
- Gregory, S. H., L. P. Cousens, et al. (2002). "Complementary adhesion molecules promote neutrophil-Kupffer cell interaction and the elimination of bacteria taken up by the liver." J Immunol **168**(1): 308-15.
- Gregory, S. H., X. Jiang, et al. (1996). "Lymphokine-activated killer cells lyse *Listeria*-infected hepatocytes and produce elevated quantities of interferon-gamma." J Infect Dis **174**(5): 1073-9.
- Gregory, S. H. and C. C. Liu (2000). "CD8+ T-cell-mediated response to *Listeria monocytogenes* taken up in the liver and replicating within hepatocytes." Immunol Rev **174**: 112-22.
- Gregory, S. H., A. J. Sagnimeni, et al. (1996). "Bacteria in the bloodstream are trapped in the liver and killed by immigrating neutrophils." J Immunol **157**(6): 2514-20.

- Gregory, S. H. and E. J. Wing (1993). "IFN-gamma inhibits the replication of Listeria monocytogenes in hepatocytes." *J Immunol* **151**(3): 1401-9.
- Gregory, S. H. and E. J. Wing (2002). "Neutrophil-Kupffer cell interaction: a critical component of host defenses to systemic bacterial infections." *J Leukoc Biol* **72**(2): 239-48.
- Gregory, S. H., E. J. Wing, et al. (1998). "IL-6 produced by Kupffer cells induces STAT protein activation in hepatocytes early during the course of systemic listerial infections." *J Immunol* **160**(12): 6056-61.
- Gregory, S. H., E. J. Wing, et al. (1993). "Reactive nitrogen intermediates suppress the primary immunologic response to Listeria." *J Immunol* **150**(7): 2901-9.
- Griess, J. P. (1879). *Ber Deutsch Chem Ges* **12**: 426.
- Guevara, I., J. Iwanejko, et al. (1998). "Determination of nitrite/nitrate in human biological material by the simple Griess reaction." *Clin Chim Acta* **274**(2): 177-88.
- Guo, Y., D. W. Niesel, et al. (1992). "Listeria monocytogenes activation of human peripheral blood lymphocytes: induction of non-major histocompatibility complex-restricted cytotoxic activity and cytokine production." *Infect Immun* **60**(5): 1813-9.
- Hahn, H. (1983). "Antibacterial defence mechanisms." *Infection* **11 Suppl 2**: S112-8.
- Haponsaph, R. and C. J. Czuprynski (1996). "Inhibition of the multiplication of Listeria monocytogenes in a murine hepatocyte cell line (ATCC TIB73) by IFN-gamma and TNF-alpha." *Microb Pathog* **20**(5): 287-95.
- Hartung, T. and A. Wendel (1991). "Endotoxin-inducible cytotoxicity in liver cell cultures-I." *Biochem Pharmacol* **42**(5): 1129-35.
- Harty, J. T. and M. J. Bevan (1995). "Specific immunity to Listeria monocytogenes in the absence of IFN gamma." *Immunity* **3**(1): 109-17.
- Heneka, M. T., P. A. Loschmann, et al. (1998). "Induction of nitric oxide synthase and nitric oxide-mediated apoptosis in neuronal PC12 cells after stimulation with tumor necrosis factor- alpha/lipopolysaccharide." *J Neurochem* **71**(1): 88-94.

- Hori, K., M. J. Ehrke, et al. (1987). "Effect of recombinant human tumor necrosis factor on the induction of murine macrophage tumoricidal activity." Cancer Res **47**(11): 2793-8.
- Huang, S., W. Hendriks, et al. (1993). "Immune response in mice that lack the interferon-gamma receptor [see comments]." Science **259**(5102): 1742-5.
- Ingalls, R. R., H. Heine, et al. (1999). "Lipopolysaccharide recognition, CD14, and lipopolysaccharide receptors." Infect Dis Clin North Am **13**(2): 341-53, vii.
- Inoue, S., S. Itagaki, et al. (1995). "Intracellular killing of Listeria monocytogenes in the J774.1 macrophage-like cell line and the lipopolysaccharide (LPS)-resistant mutant LPS1916 cell line defective in the generation of reactive oxygen intermediates after LPS treatment." Infect Immun **63**(5): 1876-86.
- Jensen, E. R., A. A. Glass, et al. (1998). "Fas (CD95)-dependent cell-mediated immunity to Listeria monocytogenes." Infect Immun **66**(9): 4143-50.
- Jiang, X., S. H. Gregory, et al. (1997). "Immune CD8+ T lymphocytes lyse Listeria monocytogenes-infected hepatocytes by a classical MHC class I-restricted mechanism." J Immunol **158**(1): 287-93.
- Kagi, D., B. Ledermann, et al. (1994). "CD8+ T cell-mediated protection against an intracellular bacterium by perforin-dependent cytotoxicity." Eur J Immunol **24**(12): 3068-72.
- Kagi, D., B. Ledermann, et al. (1996). "Molecular mechanisms of lymphocyte-mediated cytotoxicity and their role in immunological protection and pathogenesis in vivo." Annu Rev Immunol **14**: 207-32.
- Kaufmann, S. H. and J. Hess (1999). "Impact of intracellular location of and antigen display by intracellular bacteria: implications for vaccine development." Immunol Lett **65**(1-2): 81-4.
- Kaufmann, S. H. E. and D. Kabelitz (1998). Immunology of Infection. San Diego, Academic Press.

- Kielian, T. L. and F. Blecha (1995). "CD14 and other recognition molecules for lipopolysaccharide: a review." Immunopharmacology **29**(3): 187-205.
- Kroncke, K. D., K. Fehsel, et al. (1997). "Nitric oxide: cytotoxicity versus cytoprotection--how, why, when, and where?" Nitric Oxide **1**(2): 107-20.
- Krull, M., R. Nost, et al. (1997). "Listeria monocytogenes potently induces up-regulation of endothelial adhesion molecules and neutrophil adhesion to cultured human endothelial cells." J Immunol **159**(4): 1970-6.
- Kusenda, J., F. Kalafut, et al. (1992). "Tumor necrosis factor as a potent effector molecule for tumor cell killing by activated rat peritoneal macrophages in vitro." Neoplasma **39**(1): 23-8.
- Ladel, C. H., C. Blum, et al. (1996). "Control of natural killer cell-mediated innate resistance against the intracellular pathogen Listeria monocytogenes by gamma/delta T lymphocytes." Infect Immun **64**(5): 1744-9.
- Lai, L., N. Alaverdi, et al. (1998). "Mouse cell surface antigens: nomenclature and immunophenotyping." J Immunol **160**(8): 3861-8.
- Langermans, J. A., D. M. Mayanski, et al. (1994). "Effect of IFN-gamma and endogenous TNF on the histopathological changes in the liver of Listeria monocytogenes-infected mice." Immunology **81**(2): 192-7.
- Langermans, J. A., M. E. van der Hulst, et al. (1992). "Endogenous tumor necrosis factor alpha is required for enhanced antimicrobial activity against Toxoplasma gondii and Listeria monocytogenes in recombinant gamma interferon-treated mice." Infect Immun **60**(12): 5107-12.
- Larsson, S. and F. Linell (1979). "Correlations between clinical and postmortem findings in listeriosis." Scand J Infect Dis **11**(1): 55-8.
- Leenen, P. J., B. P. Canono, et al. (1994). "TNF-alpha and IFN-gamma stimulate a macrophage precursor cell line to kill Listeria monocytogenes in a nitric oxide-independent manner." J Immunol **153**(11): 5141-7.

- Leenen, P. J., A. M. Jansen, et al. (1986). "Murine macrophage cell lines can be ordered in a linear differentiation sequence." Differentiation **32**(2): 157-64.
- Leist, M., F. Gantner, et al. (1994). "Murine hepatocyte apoptosis induced in vitro and in vivo by TNF-alpha requires transcriptional arrest." J Immunol **153**(4): 1778-88.
- Leist, M., F. Gantner, et al. (1995). "Tumor necrosis factor-induced hepatocyte apoptosis precedes liver failure in experimental murine shock models." Am J Pathol **146**(5): 1220-34.
- Leist, M., F. Gantner, et al. (1995). "Activation of the 55 kDa TNF receptor is necessary and sufficient for TNF-induced liver failure, hepatocyte apoptosis, and nitrite release." J Immunol **154**(3): 1307-16.
- Leist, M., F. Gantner, et al. (1998). "Cytokine-mediated hepatic apoptosis." Rev Physiol Biochem Pharmacol **133**: 109-55.
- Leist, M., F. Gantner, et al. (1997). "Tumor necrosis factor-induced apoptosis during the poisoning of mice with hepatotoxins." Gastroenterology **112**(3): 923-34.
- Lertmemongkolchai, G., G. Cai, et al. (2001). "Bystander activation of CD8+ T cells contributes to the rapid production of IFN-gamma in response to bacterial pathogens." J Immunol **166**(2): 1097-105.
- Lopez, S., A. J. Marco, et al. (2000). "Critical role of neutrophils in eliminating Listeria monocytogenes from the central nervous system during experimental murine listeriosis." Infect Immun **68**(8): 4789-91.
- Lu, B., C. Ebensperger, et al. (1998). "Targeted disruption of the interferon-gamma receptor 2 gene results in severe immune defects in mice." Proc Natl Acad Sci U S A **95**(14): 8233-8.
- Macey, M. G., D. A. McCarthy, et al. (1995). "Effects of cell purification methods on CD11b and L-selectin expression as well as the adherence and activation of leucocytes." J Immunol Methods **181**(2): 211-9.
- Mackaness, G. B. (1962). "Cellular Resistance to Infection." J Exp Med **116**: 381-406.

- Mackaness, G. B. (1969). "The influence of immunologically committed lymphoid cells on macrophage activity in vivo." J Exp Med **129**(5): 973-92.
- Mackaness, G. B. and W. C. Hill (1969). "The effect of anti-lymphocyte globulin on cell-mediated resistance to infection." J Exp Med **129**(5): 993-1012.
- MacMicking, J., Q. W. Xie, et al. (1997). "Nitric oxide and macrophage function." Annu Rev Immunol **15**: 323-50.
- Mainou-Fowler, T., A. P. MacGowan, et al. (1988). "Virulence of Listeria spp.: course of infection in resistant and susceptible mice." J Med Microbiol **27**(2): 131-40.
- Mannel, D. N. (1986). "Biological aspects of tumor necrosis factor." Immunobiology **172**(3-5): 283-90.
- Mannel, D. N. and B. Echtenacher (2000). "TNF in the inflammatory response." Chem Immunol **74**: 141-61.
- Marchand, J. B., P. Moreau, et al. (1995). "Actin-based movement of Listeria monocytogenes: actin assembly results from the local maintenance of uncapped filament barbed ends at the bacterium surface." J Cell Biol **130**(2): 331-43.
- Marco, A. J., N. Prats, et al. (1992). "A microbiological, histopathological and immunohistological study of the intragastric inoculation of Listeria monocytogenes in mice." J Comp Pathol **107**(1): 1-9.
- Medzhitov, R. and C. Janeway, Jr. (2000). "Innate immune recognition: mechanisms and pathways." Immunol Rev **173**: 89-97.
- Medzhitov, R. and C. Janeway, Jr. (2000). "Innate immunity." N Engl J Med **343**(5): 338-44.
- Medzhitov, R. and C. A. Janeway, Jr. (1997). "Innate immunity: impact on the adaptive immune response." Curr Opin Immunol **9**(1): 4-9.
- Metcalf, D. R. and P. A. Campbell (1994). "How does gamma-interferon mediate resistance to Listeria monocytogenes?" Trends Microbiol **2**(6): 206-8.

- Mielke, M. E., S. Ehlers, et al. (1993). "The role of cytokines in experimental listeriosis." Immunobiology **189**(3-4): 285-315.
- Mielke, M. E., C. Peters, et al. (1997). "Cytokines in the induction and expression of T-cell-mediated granuloma formation and protection in the murine model of listeriosis." Immunol Rev **158**: 79-93.
- Mielke, M. E., H. Rosen, et al. (1992). "Protective immunity and granuloma formation are mediated by two distinct tumor necrosis factor alpha- and gamma interferon-dependent T cell-phagocyte interactions in murine listeriosis: dissociation on the basis of phagocyte adhesion mechanisms." Infect Immun **60**(5): 1875-82.
- Moncada, S. and A. Higgs (1993). "The L-arginine-nitric oxide pathway." N Engl J Med **329**(27): 2002-12.
- Nathan, C. F., H. W. Murray, et al. (1983). "Identification of interferon-gamma as the lymphokine that activates human macrophage oxidative metabolism and antimicrobial activity." J Exp Med **158**(3): 670-89.
- Nelson, J. A., R. S. Parhar, et al. (1990). "Characterization of macrophage subsets regulating murine natural killer cell activity." J Leukoc Biol **48**(5): 382-93.
- Nibbering, P. H., P. C. Leijh, et al. (1987). "Quantitative immunocytochemical characterization of mononuclear phagocytes. I. Monoblasts, promonocytes, monocytes, and peritoneal and alveolar macrophages." Cell Immunol **105**(2): 374-85.
- Nibbering, P. H., P. C. Leijh, et al. (1987). "Quantitative immunocytochemical characterization of mononuclear phagocytes. II. Monocytes and tissue macrophages." Immunology **62**(2): 171-6.
- Nibbering, P. H., J. S. Van de Gevel, et al. (1990). "A cell-ELISA for the quantification of adherent murine macrophages and the surface expression of antigens." J Immunol Methods **131**(1): 25-32.
- Niebuhr, K., T. Chakraborty, et al. (1993). "Localization of the ActA polypeptide of *Listeria monocytogenes* in infected tissue culture cell lines: ActA is not associated with actin &quot;comets&quot;." Infect Immun **61**(7): 2793-802.

- Nishikawa, M., E. F. Sato, et al. (1998). "Macrophage-derived nitric oxide induces apoptosis of rat hepatoma cells in vivo." Hepatology **28**(6): 1474-80.
- North, R. J. and J. W. Conlan (1998). "Immunity to Listeria monocytogenes." Chem Immunol **70**: 1-20.
- North, R. J., P. L. Dunn, et al. (1997). "Murine listeriosis as a model of antimicrobial defense." Immunol Rev **158**: 27-36.
- Pamer, E. G. (1994). "Direct sequence identification and kinetic analysis of an MHC class I-restricted Listeria monocytogenes CTL epitope." J Immunol **152**(2): 686-94.
- Pamer, E. G., C. R. Wang, et al. (1992). "H-2M3 presents a Listeria monocytogenes peptide to cytotoxic T lymphocytes." Cell **70**(2): 215-23.
- Parratt, J. R. (1998). "Nitric oxide in sepsis and endotoxaemia." J Antimicrob Chemother **41 Suppl A**: 31-9.
- Peters, M. (1997). "Analyse der Interaktion von Listerieninduzierten zytotoxischen Milzzielen mit infizierten Hepatozyten." Diplomarbeit (Biologie), Institut für Med. Mikrobiologie und Infektionsimmunologie, Freie Universität Berlin.
- Plasman, N. and B. Vray (1993). "Mouse peritoneal macrophages: characterization of functional subsets following Percoll density gradients." Res Immunol **144**(2): 151-63.
- Plasman, N. and B. Vray (1994). "Immunophenotyping of murine peritoneal macrophages and lymphocytes by flow cytometry." J Immunol Methods **174**(1-2): 123-31.
- Portnoy, D. A. (1992). "Innate immunity to a facultative intracellular bacterial pathogen." Curr Opin Immunol **4**(1): 20-4.
- Pyo, S. and D. K. Rhee (1999). "Enhanced macrophage antitumor effects of protein A in combination with IFN-gamma." Arch Pharm Res **22**(3): 267-73.
- Rakhmilevich, A. L. (1995). "Neutrophils are essential for resolution of primary and secondary infection with Listeria monocytogenes." J Leukoc Biol **57**(6): 827-31.

- Reutzel-Selke, A. (1997). "Mechanismen T-Zell-unabhängiger und T-Zell-vermittelter IFN-Gamma-Bildung" Dissertation, Institut für Med. Mikrobiologie und Infektionsimmunologie, Freie Universität Berlin.
- Roesler, J., B. Kofink, et al. (1999). "Listeria monocytogenes and recurrent mycobacterial infections in a child with complete interferon-gamma-receptor (IFNgammaR1) deficiency: mutational analysis and evaluation of therapeutic options." Exp Hematol **27**(9): 1368-74.
- Rogers, H. W. and E. R. Unanue (1993). "Neutrophils are involved in acute, nonspecific resistance to Listeria monocytogenes in mice." Infect Immun **61**(12): 5090-6.
- Rosen, H. (1990). "Role of CR3 in induced myelomonocytic recruitment: insights from in vivo monoclonal antibody studies in the mouse." J Leukoc Biol **48**(5): 465-9.
- Rosen, H., S. Gordon, et al. (1989). "Exacerbation of murine listeriosis by a monoclonal antibody specific for the type 3 complement receptor of myelomonocytic cells. Absence of monocytes at infective foci allows Listeria to multiply in nonphagocytic cells." J Exp Med **170**(1): 27-37.
- Rothe, J., W. Lesslauer, et al. (1993). "Mice lacking the tumour necrosis factor receptor 1 are resistant to TNF-mediated toxicity but highly susceptible to infection by Listeria monocytogenes." Nature **364**(6440): 798-802.
- Ruetten, H. and C. Thiemermann (1996). "Prevention of the expression of inducible nitric oxide synthase by aminoguanidine or aminoethyl-isothiourea in macrophages and in the rat." Biochem Biophys Res Commun **225**(2): 525-30.
- Samsom, J. N., A. Annema, et al. (1997). "Elimination of resident macrophages from the livers and spleens of immune mice impairs acquired resistance against a secondary Listeria monocytogenes infection." Infect Immun **65**(3): 986-93.
- Samsom, J. N., J. A. Langermans, et al. (1995). "Tumour necrosis factor, but not interferon-gamma, is essential for acquired resistance to Listeria monocytogenes during a secondary infection in mice." Immunology **86**(2): 256-62.

- Schluter, D., C. Buck, et al. (1999). "Immune reactions to Listeria monocytogenes in the brain." Immunobiology **201**(2): 188-95.
- Schmidt-Wolf, G., H. P. Seeliger, et al. (1987). "[Human listeriosis infections in West Germany, 1969-1985]." Zentralbl Bakteriol Mikrobiol Hyg [A] **265**(3-4): 472-86.
- Schultz, R. M. and M. G. Altom (1990). "Protective activity of recombinant murine tumor necrosis factor-alpha and interferon-gamma against experimental murine lung carcinoma metastases." J Interferon Res **10**(2): 229-36.
- Seaman, M. S., C. R. Wang, et al. (2000). "MHC class Ib-restricted CTL provide protection against primary and secondary Listeria monocytogenes infection." J Immunol **165**(9): 5192-201.
- Seebach, J., D. Bartholdi, et al. (1995). "Experimental Listeria meningoencephalitis. Macrophage inflammatory protein-1 alpha and -2 are produced intrathecally and mediate chemotactic activity in cerebrospinal fluid of infected mice." J Immunol **155**(9): 4367-75.
- Seeliger, H. P. (1988). "Listeriosis--history and actual developments." Infection **16**(Suppl 2): S80-4.
- Seglen, P. O. (1976). "Preparation of isolated rat liver cells." Methods Cell Biol **13**: 29-83.
- Seiler, P., P. Aichele, et al. (2000). "Rapid neutrophil response controls fast-replicating intracellular bacteria but not slow-replicating Mycobacterium tuberculosis." J Infect Dis **181**(2): 671-80.
- Shiloh, M. U., J. D. MacMicking, et al. (1999). "Phenotype of mice and macrophages deficient in both phagocyte oxidase and inducible nitric oxide synthase." Immunity **10**(1): 29-38.
- Sibelius, U., E. C. Schulz, et al. (1999). "Role of Listeria monocytogenes exotoxins listeriolysin and phosphatidylinositol-specific phospholipase C in activation of human neutrophils." Infect Immun **67**(3): 1125-30.
- Silver, H. M. (1998). "Listeriosis during pregnancy." Obstet Gynecol Surv **53**(12): 737-40.

- Sjostedt, A., J. W. Conlan, et al. (1994). "Neutrophils are critical for host defense against primary infection with the facultative intracellular bacterium *Francisella tularensis* in mice and participate in defense against reinfection." *Infect Immun* **62**(7): 2779-83.
- Smith, G. A. and D. A. Portnoy (1997). "How the *Listeria monocytogenes* ActA protein converts actin polymerization into a motile force." *Trends Microbiol* **5**(7): 272-6.
- Sveinbjornsson, B., R. Olsen, et al. (1996). "Macrophage cytotoxicity against murine meth A sarcoma involves nitric oxide-mediated apoptosis." *Biochem Biophys Res Commun* **223**(3): 643-9.
- Takasugi, M. and E. Klein (1970). "A microassay for cell-mediated immunity." *Transplantation* **9**(3): 219-27.
- Temm-Grove, C. J., B. M. Jockusch, et al. (1994). "Exploitation of microfilament proteins by *Listeria monocytogenes*: microvillus-like composition of the comet tails and vectorial spreading in polarized epithelial sheets." *J Cell Sci* **107**(Pt 10): 2951-60.
- Temple, M. E. and M. C. Nahata (2000). "Treatment of listeriosis." *Ann Pharmacother* **34**(5): 656-61.
- Thiemermann, C. (1997). "Nitric oxide and septic shock." *Gen Pharmacol* **29**(2): 159-66.
- Thornton, A. J., J. Ham, et al. (1991). "Kupffer cell-derived cytokines induce the synthesis of a leukocyte chemotactic peptide, interleukin-8, in human hepatoma and primary hepatocyte cultures." *Hepatology* **14**(6): 1112-22.
- Thornton, A. J., R. M. Strieter, et al. (1990). "Cytokine-induced gene expression of a neutrophil chemotactic factor/IL- 8 in human hepatocytes." *J Immunol* **144**(7): 2609-13.
- Tilney, L. G. and D. A. Portnoy (1989). "Actin filaments and the growth, movement, and spread of the intracellular bacterial parasite, *Listeria monocytogenes*." *J Cell Biol* **109**(4 Pt 1): 1597-608.

- Tripp, C. S., M. K. Gately, et al. (1994). "Neutralization of IL-12 decreases resistance to Listeria in SCID and C.B-17 mice. Reversal by IFN-gamma." *J Immunol* **152**(4): 1883-7.
- Tripp, C. S. and E. R. Unanue (1995). "Macrophage production of IL12 is a critical link between the innate and specific immune responses to Listeria." *Res Immunol* **146**(7-8): 515-20.
- Tripp, C. S., S. F. Wolf, et al. (1993). "Interleukin 12 and tumor necrosis factor alpha are costimulators of interferon gamma production by natural killer cells in severe combined immunodeficiency mice with listeriosis, and interleukin 10 is a physiologic antagonist." *Proc Natl Acad Sci U S A* **90**(8): 3725-9.
- Unanue, E. R. (1997). "Inter-relationship among macrophages, natural killer cells and neutrophils in early stages of Listeria resistance." *Curr Opin Immunol* **9**(1): 35-43.
- Unanue, E. R. (1997). "Studies in listeriosis show the strong symbiosis between the innate cellular system and the T-cell response." *Immunol Rev* **158**: 11-25.
- van den Broek, M. F., U. Muller, et al. (1995). "Immune defence in mice lacking type I and/or type II interferon receptors." *Immunol Rev* **148**: 5-18.
- Virelizier, J. L. and F. Arenzana-Seisdedos (1985). "Immunological functions of macrophages and their regulation by interferons." *Med Biol* **63**(4): 149-59.
- Wahlberg, B. J., D. R. Burholt, et al. (2001). "Measurement of NK activity by the microcytotoxicity assay (MCA): a new application for an old assay." *J Immunol Methods* **253**(1-2): 69-81.
- Wang, J. H., H. P. Redmond, et al. (1995). "Role of lipopolysaccharide and tumor necrosis factor-alpha in induction of hepatocyte necrosis." *Am J Physiol* **269**(2 Pt 1): G297-304.
- Warschkau, H. and A. F. Kiderlen (1999). "A monoclonal antibody directed against the murine macrophage surface molecule F4/80 modulates natural immune response to Listeria monocytogenes." *J Immunol* **163**(6): 3409-16.

Wherry, J. C., R. D. Schreiber, et al. (1991). "Regulation of gamma interferon production by natural killer cells in scid mice: roles of tumor necrosis factor and bacterial stimuli." Infect Immun **59**(5): 1709-15.

Wing, E. J. and S. H. Gregory (2000). "An updated model of cell-mediated immunity--listeriosis: clinical and research aspects [In Process Citation]." Allergy Asthma Proc **21**(4): 209-14.

Wood, S., N. Maroushek, et al. (1993). "Multiplication of Listeria monocytogenes in a murine hepatocyte cell line." Infect Immun **61**(7): 3068-72.