

6. Literaturverzeichnis

Alimandi, M., A. Romano, M. C. Curia, R. Muraro, P. Fedi, S. A. Aaronson, P. P. Di Fiore and M. H. Kraus, 1995, Cooperative signaling of ErbB3 and ErbB2 in neoplastic transformation and human mammary carcinomas, *Oncogene*, 10, 9, 1813-21.,

Bargmann, C. I., M. C. Hung and R. A. Weinberg, 1986, The neu oncogene encodes an epidermal growth factor receptor-related protein, *Nature*, 319, 6050, 226-30,

Bass, K. E., D. Morrish, I. Roth, D. Bhardwaj, R. Taylor, Y. Zhou and S. J. Fisher, 1994, Human cytotrophoblast invasion is up-regulated by epidermal growth factor: evidence that paracrine factors modify this process, *Dev Biol*, 164, 2, 550-61.,

Beck, T., 1992, [Morphologic and hemodynamic changes in the placenta in pre-eclampsia], *Gynakologe*, 25, 6, 391-7.,

Benirschke, K. and P. Kaufmann, 2000, Pathologie of the human placenta, Springer, 4th edition,

Bower, S., S. Bewley and S. Campbell, 1993, Improved prediction of preeclampsia by two-stage screening of uterine arteries using the early diastolic notch and color Doppler imaging, *Obstet Gynecol*, 82, 1, 78-83.,

Brosens, I. and H. G. Dixon, 1966, The anatomy of the maternal side of the placenta, *J Obstet Gynaecol Br Commonw*, 73, 3, 357-63,

Brosens, I., W. B. Robertson and H. G. Dixon, 1967, The physiological response of the vessels of the placental bed to normal pregnancy, *J Pathol Bacteriol*, 93, 2, 569-79,

Brosens, I. A., W. B. Robertson and H. G. Dixon, 1972, The role of the spiral arteries in the pathogenesis of preeclampsia, *Obstet Gynecol Annu*, 1, 177-91,

Brosens, J. J., R. Pijnenborg and I. A. Brosens, 2002, The myometrial junctional zone spiral arteries in normal and abnormal pregnancies: a review of the literature, *Am J Obstet Gynecol*, 187, 5, 1416-23.,

Burden, S. and Y. Yarden, 1997, Neuregulins and their receptors: a versatile signaling module in organogenesis and oncogenesis, *Neuron*, 18, 6, 847-55,

- Campbell, D. M., I. MacGillivray and R. Carr-Hill, 1985, Pre-eclampsia in second pregnancy, *Br J Obstet Gynaecol*, 92, 2, 131-40.,
- Campbell, S., J. M. Pearce, G. Hackett, T. Cohen-Overbeek and C. Hernandez, 1986, Qualitative assessment of uteroplacental blood flow: early screening test for high-risk pregnancies, *Obstet Gynecol*, 68, 5, 649-53,
- Caniggia, I., J. Winter, S. J. Lye and M. Post, 2000, Oxygen and placental development during the first trimester: implications for the pathophysiology of pre-eclampsia, *Placenta*, 21 Suppl A, S25-30,
- Carpenter, G., 1999, Employment of the epidermal growth factor receptor in growth factor-independent signaling pathways, *J Cell Biol*, 146, 4, 697-702.,
- Carpenter, G., 2000, The EGF receptor: a nexus for trafficking and signaling, *Bioessays*, 22, 8, 697-707,
- Carpenter, G. and S. Cohen, 1979, Epidermal growth factor, *Annu Rev Biochem*, 48, 193-216,
- Carter, R. E. and A. Sorkin, 1998, Endocytosis of functional epidermal growth factor receptor-green fluorescent protein chimera, *J Biol Chem*, 273, 52, 35000-7,
- Chausovsky, A., H. Waterman, M. Elbaum, Y. Yarden, B. Geiger and A. D. Bershadsky, 2000, Molecular requirements for the effect of neuregulin on cell spreading, motility and colony organization, *Oncogene*, 19, 7, 878-88.,
- Chesley, L. C., J. E. Annitto and R. A. Cosgrove, 1968, The familial factor in toxemia of pregnancy, *Obstet Gynecol*, 32, 3, 303-11.,
- Chesley, L. C., R. A. Cosgrove and J. E. Annitto, 1961, Pregnancy in the sisters and daughters of eclamptic women, *Pathol Microbiol (Basel)*, 24, 662-6,
- Cordell, J. L., B. Falini, W. N. Erber, A. K. Ghosh, Z. Abdulaziz, S. MacDonald, K. A. Pulford, H. Stein and D. Y. Mason, 1984, Immunoenzymatic labeling of monoclonal antibodies using immune complexes of alkaline phosphatase and monoclonal anti-alkaline phosphatase (APAAP complexes), *J Histochem Cytochem*, 32, 2, 219-29,
- Cretti, A., 1989, [3 classifications of gestosis], *Ginekol Pol*, 60, 1, 47-51,

Damsky, C. H. and S. J. Fisher, 1998, Trophoblast pseudo-vasculogenesis: faking it with endothelial adhesion receptors, *Curr Opin Cell Biol*, 10, 5, 660-6.,

Damsky, C. H., M. L. Fitzgerald and S. J. Fisher, 1992, Distribution patterns of extracellular matrix components and adhesion receptors are intricately modulated during first trimester cytotrophoblast differentiation along the invasive pathway, *in vivo*, *J Clin Invest*, 89, 1, 210-22.,

Damsky, C. H., C. Librach, K. H. Lim, M. L. Fitzgerald, M. T. McMaster, M. Janatpour, Y. Zhou, S. K. Logan and S. J. Fisher, 1994, Integrin switching regulates normal trophoblast invasion, *Development*, 120, 12, 3657-66.,

Das, S. K., X. N. Wang, B. C. Paria, D. Damm, J. A. Abraham, M. Klagsbrun, G. K. Andrews and S. K. Dey, 1994, Heparin-binding EGF-like growth factor gene is induced in the mouse uterus temporally by the blastocyst solely at the site of its apposition: a possible ligand for interaction with blastocyst EGF-receptor in implantation, *Development*, 120, 5, 1071-83,

Davey, D. A. and I. MacGillivray, 1988, The classification and definition of the hypertensive disorders of pregnancy, *Am J Obstet Gynecol*, 158, 4, 892-8,

Davison, J. M., V. Homuth, A. Jeyabalan, K. P. Conrad, S. A. Karumanchi, S. Quaggin, R. Dechend and F. C. Luft, 2004, New aspects in the pathophysiology of preeclampsia, *J Am Soc Nephrol*, 15, 9, 2440-8,

De Wolf, F., W. B. Robertson and I. Brosens, 1975, The ultrastructure of acute atherosclerosis in hypertensive pregnancy, *Am J Obstet Gynecol*, 123, 2, 164-74.,

Defilippi, P., L. Silengo and G. Tarone, 1992, Alpha 6.beta 1 integrin (laminin receptor) is down-regulated by tumor necrosis factor alpha and interleukin-1 beta in human endothelial cells, *J Biol Chem*, 267, 26, 18303-7,

Dekker, G. A., J. I. de Vries, P. M. Doelitzsch, P. C. Huijgens, B. M. von Blomberg, C. Jakobs and H. P. van Geijn, 1995, Underlying disorders associated with severe early-onset preeclampsia, *Am J Obstet Gynecol*, 173, 4, 1042-8,

Dekker, G. A. and B. M. Sibai, 1998, Etiology and pathogenesis of preeclampsia: current concepts, *Am J Obstet Gynecol*, 179, 5, 1359-75.,

DePalo, L. and M. Das, 1988, Epidermal growth factor-induced stimulation of epidermal growth factor-receptor synthesis in human cytotrophoblasts and A431 carcinoma cells, *Cancer Res*, 48, 5, 1105-9.,

- Ellis, S. A., M. S. Palmer and A. J. McMichael, 1990, Human trophoblast and the choriocarcinoma cell line BeWo express a truncated HLA Class I molecule, *J Immunol*, 144, 2, 731-5..
- Faridi, A. and W. Rath, 1999, [Hypertensive illnesses in pregnancy: when is ambulatory management possible, when is hospitalization indicated?], *Zentralbl Gynakol*, 121, 12, 608-10,
- Faxen, M., J. Nasiell, A. Blanck, H. Nisell and N. O. Lunell, 1998, Altered mRNA expression pattern of placental epidermal growth factor receptor (EGFR) in pregnancies complicated by preeclampsia and/or intrauterine growth retardation, *Am J Perinatol*, 15, 1, 9-13,
- Ferrandina, G., A. Lanzone, G. Scambia, A. Caruso, P. B. Panici and S. Mancuso, 1995, Epidermal growth factor receptors in placentae and fetal membranes from hypertension-complicated pregnancies, *Hum Reprod*, 10, 7, 1845-9,
- Fisher, S. J., 2000, The placenta dilemma, *Semin Reprod Med*, 18, 3, 321-6.,
- Friedberg, V., 1992, [Pathophysiology of hypertension in pregnancy], *Gynakologe*, 25, 6, 370-85.,
- Garner, P., 1995, Type I diabetes mellitus and pregnancy, *Lancet*, 346, 8968, 157-61.,
- Genbacev, O., R. Joslin, C. H. Damsky, B. M. Polliotti and S. J. Fisher, 1996, Hypoxia alters early gestation human cytotrophoblast differentiation/invasion in vitro and models the placental defects that occur in preeclampsia, *J Clin Invest*, 97, 2, 540-50.,
- Gilmore, T., J. E. DeClue and G. S. Martin, 1985, Protein phosphorylation at tyrosine is induced by the v-erbB gene product in vivo and in vitro, *Cell*, 40, 3, 609-18,
- Giorno, R., 1984, A comparison of two immunoperoxidase staining methods based on the avidin-biotin interaction, *Diagn Immunol*, 2, 3, 161-6,
- Graus-Porta, D., R. R. Beerli, J. M. Daly and N. E. Hynes, 1997, ErbB-2, the preferred heterodimerization partner of all ErbB receptors, is a mediator of lateral signaling, *Embo J*, 16, 7, 1647-55,

Gullick, W. J., 2001, Update on HER-2 as a target for cancer therapy: Alternative strategies for targeting the epidermal growth factor system in cancer, *Breast Cancer Res*, 3, 6, 390-4,

Gusterson, B. A., L. G. Machin, W. J. Gullick, N. M. Gibbs, T. J. Powles, P. Price, A. McKinna and S. Harrison, 1988, Immunohistochemical distribution of c-erbB-2 in infiltrating and in situ breast cancer, *Int J Cancer*, 42, 6, 842-5,

Guy, P. M., J. V. Platko, L. C. Cantley, R. A. Cerione and K. L. Carraway, 3rd, 1994, Insect cell-expressed p180erbB3 possesses an impaired tyrosine kinase activity, *Proc Natl Acad Sci U S A*, 91, 17, 8132-6,

Hanson, U. and B. Persson, 1993, Outcome of pregnancies complicated by type 1 insulin-dependent diabetes in Sweden: acute pregnancy complications, neonatal mortality and morbidity, *Am J Perinatol*, 10, 4, 330-3.,

Harrington, K., R. G. Carpenter, C. Goldfrad and S. Campbell, 1997, Transvaginal Doppler ultrasound of the uteroplacental circulation in the early prediction of pre-eclampsia and intrauterine growth retardation, *Br J Obstet Gynaecol*, 104, 6, 674-81.,

Hofmann, G. E., M. R. Drews, R. T. Scott, Jr., D. Navot, D. Heller and L. Deligdisch, 1992, Epidermal growth factor and its receptor in human implantation trophoblast: immunohistochemical evidence for autocrine/paracrine function, *J Clin Endocrinol Metab*, 74, 5, 981-8.,

Hsu, S. M. and L. Raine, 1981, Protein A, avidin, and biotin in immunohistochemistry, *J Histochem Cytochem*, 29, 11, 1349-53,

Huskes, K. P., A. Baumgartner, U. Hardt and F. Klink, 1991, [Bilateral recurrent spontaneous rupture of the liver in HELLP syndrome], *Chirurg*, 62, 3, 221-2.,

Jokhi, P. P., A. King and Y. W. Loke, 1994, Reciprocal expression of epidermal growth factor receptor (EGF-R) and c-erbB2 by non-invasive and invasive human trophoblast populations, *Cytokine*, 6, 4, 433-42,

Jones, J. T., R. W. Akita and M. X. Sliwkowski, 1999, Binding specificities and affinities of egf domains for ErbB receptors, *FEBS Lett*, 447, 2-3, 227-31,

Junttila, T. T., M. Sundvall, J. A. Maatta and K. Elenius, 2000, Erbb4 and its isoforms: selective regulation of growth factor responses by naturally occurring receptor variants, *Trends Cardiovasc Med*, 10, 7, 304-10,

- King, A., P. P. Jokhi, S. K. Smith, A. M. Sharkey and Y. W. Loke, 1995, Screening for cytokine mRNA in human villous and extravillous trophoblasts using the reverse-transcriptase polymerase chain reaction (RT-PCR), *Cytokine*, 7, 4, 364-71,
- Klapper, L. N., S. Glathe, N. Vaisman, N. E. Hynes, G. C. Andrews, M. Sela and Y. Yarden, 1999, The ErbB-2/HER2 oncprotein of human carcinomas may function solely as a shared coreceptor for multiple stroma-derived growth factors, *Proc Natl Acad Sci U S A*, 96, 9, 4995-5000.,
- Klockenbusch, W. and J. Steinhard, 1999, [Early detection of pre-eclampsia within the scope of prenatal care], *Zentralbl Gynakol*, 121, 12, 617-22,
- Klonisch, T., P. Wolf, S. Hombach-Klonisch, S. Vogt, A. Kuechenhoff, F. Tetens and B. Fischer, 2001, Epidermal growth factor-like ligands and erbB genes in the peri-implantation rabbit uterus and blastocyst, *Biol Reprod*, 64, 6, 1835-44,
- Koch, C. A., D. Anderson, M. F. Moran, C. Ellis and T. Pawson, 1991, SH2 and SH3 domains: elements that control interactions of cytoplasmic signaling proteins, *Science*, 252, 5006, 668-74,
- Kovats, S., E. K. Main, C. Librach, M. Stubblebine, S. J. Fisher and R. DeMars, 1990, A class I antigen, HLA-G, expressed in human trophoblasts, *Science*, 248, 4952, 220-3.,
- Krauss, T., H. G. Augustin, R. Osmers, H. Meden, M. Unterhalt and W. Kuhn, 1998, Activated protein C resistance and factor V Leiden in patients with hemolysis, elevated liver enzymes, low platelets syndrome, *Obstet Gynecol*, 92, 3, 457-60,
- Kumar, R., H. M. Shepard and J. Mendelsohn, 1991, Regulation of phosphorylation of the c-erbB-2/HER2 gene product by a monoclonal antibody and serum growth factor(s) in human mammary carcinoma cells, *Mol Cell Biol*, 11, 2, 979-86,
- Leach, R. E., R. Khalifa, N. D. Ramirez, S. K. Das, J. Wang, S. K. Dey, R. Romero and D. R. Armant, 1999, Multiple roles for heparin-binding epidermal growth factor-like growth factor are suggested by its cell-specific expression during the human endometrial cycle and early placentation, *J Clin Endocrinol Metab*, 84, 9, 3355-63,
- Lenferink, A. E., R. Pinkas-Kramarski, M. L. van de Poll, M. J. van Vugt, L. N. Klapper, E. Tzahar, H. Waterman, M. Sela, E. J. van Zoelen and Y. Yarden, 1998,

Differential endocytic routing of homo- and hetero-dimeric ErbB tyrosine kinases confers signaling superiority to receptor heterodimers, *Embo J*, 17, 12, 3385-97.,

Levkowitz, G., H. Waterman, E. Zamir, Z. Kam, S. Oved, W. Y. Langdon, L. Beguinot, B. Geiger and Y. Yarden, 1998, c-Cbl/Sli-1 regulates endocytic sorting and ubiquitination of the epidermal growth factor receptor, *Genes Dev*, 12, 23, 3663-74,

Li, W., J. W. Park, A. Nuijens, M. X. Sliwkowski and G. A. Keller, 1996, Heregulin is rapidly translocated to the nucleus and its transport is correlated with c-myc induction in breast cancer cells, *Oncogene*, 12, 11, 2473-7,

Librach, C. L., Z. Werb, M. L. Fitzgerald, K. Chiu, N. M. Corwin, R. A. Esteves, D. Grobelny, R. Galardy, C. H. Damsky and S. J. Fisher, 1991, 92-kD type IV collagenase mediates invasion of human cytotrophoblasts, *J Cell Biol*, 113, 2, 437-49.,

Lim, K. H., Y. Zhou, M. Janatpour, M. McMaster, K. Bass, S. H. Chun and S. J. Fisher, 1997, Human cytotrophoblast differentiation/invasion is abnormal in pre-eclampsia, *Am J Pathol*, 151, 6, 1809-18.,

Luretteke, N. C., T. H. Qiu, R. L. Peiffer, P. Oliver, O. Smithies and D. C. Lee, 1993, TGF alpha deficiency results in hair follicle and eye abnormalities in targeted and waved-1 mice, *Cell*, 73, 2, 263-78,

Lysiak, J. J., V. K. Han and P. K. Lala, 1993, Localization of transforming growth factor alpha in the human placenta and decidua: role in trophoblast growth, *Biol Reprod*, 49, 5, 885-94,

Margolis, B., 1992, Proteins with SH2 domains: transducers in the tyrosine kinase signaling pathway, *Cell Growth Differ*, 3, 1, 73-80,

Miettinen, P. J., J. E. Berger, J. Meneses, Y. Phung, R. A. Pedersen, Z. Werb and R. Derynck, 1995, Epithelial immaturity and multiorgan failure in mice lacking epidermal growth factor receptor, *Nature*, 376, 6538, 337-41,

Morrish, D. W., J. Dakour and H. Li, 1998, Functional regulation of human trophoblast differentiation, *J Reprod Immunol*, 39, 1-2, 179-95.,

Muhlhauser, J., C. Crescimanno, P. Kaufmann, H. Hofler, D. Zaccheo and M. Castellucci, 1993, Differentiation and proliferation patterns in human trophoblast

revealed by c-erbB-2 oncogene product and EGF-R, J Histochem Cytochem, 41, 2, 165-73.,

O'Brien, W. F., 1992, The prediction of preeclampsia, Clin Obstet Gynecol, 35, 2, 351-64,

Ohlsson, R., 1989, Growth factors, protooncogenes and human placental development, Cell Differ Dev, 28, 1, 1-15,

Olayloye, M. A., 1998, ErbB1 and ErbB2 acquire distinct signalling properties dependent upon their dimerisation partner., Mol. Cell. Biol., 18, 5042-5051,

Parker, R. C., H. E. Varmus and J. M. Bishop, 1981, Cellular homologue (c-src) of the transforming gene of Rous sarcoma virus: isolation, mapping, and transcriptional analysis of c-src and flanking regions, Proc Natl Acad Sci U S A, 78, 9, 5842-6,

Prigent, S. A., N. R. Lemoine, C. M. Hughes, G. D. Plowman, C. Selden and W. J. Gullick, 1992, Expression of the c-erbB-3 protein in normal human adult and fetal tissues, Oncogene, 7, 7, 1273-8.,

Rath, W., 1999, Hypertensive Schwangerschaftserkrankungen, Der Gynäkologe, 32, 432-442,

Rath, W., A. Faridi and J. W. Dudenhausen, 2000, HELLP syndrome, J Perinat Med, 28, 4, 249-60,

Rath, W., W. Loos, H. Graeff and W. Kuhn, 1992, [HELLP syndrome], Gynakologe, 25, 6, 430-40.,

Rath, W., W. Loos and W. Kuhn, 1992, [Diagnostic and therapeutic problems in HELLP syndrome], Z Geburtshilfe Perinatol, 196, 5, 185-92.,

Rath, W., W. Loos, W. Kuhn and H. Graeff, 1988, [Significance of early laboratory diagnosis for obstetrical procedures in severe gestoses and the HELLP syndrome], Geburtshilfe Frauenheilkd, 48, 3, 127-33.,

Reister, F., 1998, Die gestörte Trophoblasteninvasion bei Präeklampsie - eine Übersicht über neue Erkenntnisse zur Ätiologie., Geburtshilfe und Frauenheilkunde, 58, 625-631,

Retzke, U. and H. Graf, 1994, [The new terminology and classification of hypertensive diseases in pregnancy], Zentralbl Gynakol, 116, 2, 61-3,

Reubinoff, B. E. and J. G. Schenker, 1991, HELLP syndrome--a syndrome of hemolysis, elevated liver enzymes and low platelet count--complicating preeclampsia-eclampsia, Int J Gynaecol Obstet, 36, 2, 95-102.,

Roberts, J. M., 1998, Endothelial dysfunction in preeclampsia, Semin Reprod Endocrinol, 16, 1, 5-15,

Roberts, J. M. and C. W. Redman, 1993, Pre-eclampsia: more than pregnancy-induced hypertension, Lancet, 341, 8858, 1447-51.,

Roberts, J. M., R. N. Taylor, T. J. Musci, G. M. Rodgers, C. A. Hubel and M. K. McLaughlin, 1989, Preeclampsia: an endothelial cell disorder, Am J Obstet Gynecol, 161, 5, 1200-4.,

Robertson, W. B., T. Y. Khong, I. Brosens, F. De Wolf, B. L. Sheppard and J. Bonnar, 1986, The placental bed biopsy: review from three European centers, Am J Obstet Gynecol, 155, 2, 401-12,

Robinson, J. S., C. W. Redman, L. Clover and M. D. Mitchell, 1979, The concentrations of the prostaglandins E and F, 13 14-dihydro-15-oxo-prostaglandin F and thromboxane B2. In tissues obtained from women with and without pre-eclampsia, Prostaglandins Med, 3, 4, 223-34,

Roth, I., D. B. Corry, R. M. Locksley, J. S. Abrams, M. J. Litton and S. J. Fisher, 1996, Human placental cytotrophoblasts produce the immunosuppressive cytokine interleukin 10, J Exp Med, 184, 2, 539-48..

Schlessinger, J., 1988, Signal transduction by allosteric receptor oligomerization, Trends Biochem Sci, 13, 11, 443-7,

Schlessinger, J. and A. Ullrich, 1992, Growth factor signaling by receptor tyrosine kinases, Neuron, 9, 3, 383-91.,

Sibai, B. M., 1990, The HELLP syndrome (hemolysis, elevated liver enzymes, and low platelets): much ado about nothing?, Am J Obstet Gynecol, 162, 2, 311-6.,

Sibai, B. M., 1991, Immunologic aspects of preeclampsia, Clin Obstet Gynecol, 34, 1, 27-34.,

- Sibai, B. M., M. M. Taslimi, A. el-Nazer, E. Amon, B. C. Mabie and G. M. Ryan, 1986, Maternal-perinatal outcome associated with the syndrome of hemolysis, elevated liver enzymes, and low platelets in severe preeclampsia- eclampsia, Am J Obstet Gynecol, 155, 3, 501-9.,
- Slamon, D. J., W. Godolphin, L. A. Jones, J. A. Holt, S. G. Wong, D. E. Keith, W. J. Levin, S. G. Stuart, J. Udove, A. Ullrich and et al., 1989, Studies of the HER-2/neu proto-oncogene in human breast and ovarian cancer, Science, 244, 4905, 707-12,
- Sorkin, A., 2000, The endocytosis machinery, J Cell Sci, 113 Pt 24, 4375-6,
- Srinivasan, R., Gillett, C. E., Barnes, D. M., Gullick, W. J.,, 2000, Nuclear Expression of the c-erbB-4/HER-4 Growth Factor Receptor in Invasive Breast Cancers, Cancer Research, 60, 1483-1487,
- Srinivasan, R., R. Poulsom, H. C. Hurst and W. J. Gullick, 1998, Expression of the c-erbB-4/HER4 protein and mRNA in normal human fetal and adult tissues and in a survey of nine solid tumour types, J Pathol, 185, 3, 236-45,
- Stahnke, E., 1922, Über das Verhalten der Blutplättchen bei Eklampsie, Zentralbl Gynakol, 46, 391,
- Steinhard, J., Klockenbuscg, W., 1999, Schwangerschaftsinduzierte Hypertonie und Präeklampsie, Der Gynäkologe, 32, 753-760,
- Tuncer, Z. S., G. L. Vegh, V. Fulop, D. R. Genest, S. C. Mok and R. S. Berkowitz, 2000, Expression of epidermal growth factor receptor-related family products in gestational trophoblastic diseases and normal placenta and its relationship with development of postmolar tumor, Gynecol Oncol, 77, 3, 389-93.,
- Tzahar, E., R. Pinkas-Kramarski, J. D. Moyer, L. N. Klapper, I. Alroy, G. Levkowitz, M. Shelly, S. Henis, M. Eisenstein, B. J. Ratzkin, M. Sela, G. C. Andrews and Y. Yarden, 1997, Bivalence of EGF-like ligands drives the ErbB signaling network, Embo J, 16, 16, 4938-50.,
- Tzahar, E., H. Waterman, X. Chen, G. Levkowitz, D. Karunagaran, S. Lavi, B. J. Ratzkin and Y. Yarden, 1996, A hierarchical network of interreceptor interactions determines signal transduction by Neu differentiation factor/neuregulin and epidermal growth factor, Mol Cell Biol, 16, 10, 5276-87.,

- Ullrich, A. and J. Schlessinger, 1990, Signal transduction by receptors with tyrosine kinase activity, *Cell*, 61, 2, 203-12,
- van Beck, E. and L. L. Peeters, 1998, Pathogenesis of preeclampsia: a comprehensive model, *Obstet Gynecol Surv*, 53, 4, 233-9.,
- van der Ven, K. and C. Ober, 1994, HLA-G polymorphisms in African Americans, *J Immunol*, 153, 12, 5628-33.,
- Vogel, M., 1996, *Atlas der morphologischen Plazentadiagnostik*, Springer Verlag, 2. Auflage,
- Vu, T. H., J. M. Shipley, G. Bergers, J. E. Berger, J. A. Helms, D. Hanahan, S. D. Shapiro, R. M. Senior and Z. Werb, 1998, MMP-9/gelatinase B is a key regulator of growth plate angiogenesis and apoptosis of hypertrophic chondrocytes, *Cell*, 93, 3, 411-22,
- Walker, R. A., W. J. Gullick and J. M. Varley, 1989, An evaluation of immunoreactivity for c-erbB-2 protein as a marker of poor short-term prognosis in breast cancer, *Br J Cancer*, 60, 3, 426-9,
- Wallasch, C., F. U. Weiss, G. Niederfellner, B. Jallal, W. Issing and A. Ullrich, 1995, Heregulin-dependent regulation of HER2/neu oncogenic signaling by heterodimerization with HER3, *Embo J*, 14, 17, 4267-75.,
- Walsh, S. W., 1985, Preeclampsia: an imbalance in placental prostacyclin and thromboxane production, *Am J Obstet Gynecol*, 152, 3, 335-40,
- Wang, Y. P., S. W. Walsh, J. D. Guo and J. Y. Zhang, 1991, The imbalance between thromboxane and prostacyclin in preeclampsia is associated with an imbalance between lipid peroxides and vitamin E in maternal blood, *Am J Obstet Gynecol*, 165, 6 Pt 1, 1695-700,
- Weinstein, L., 1982, Syndrome of hemolysis, elevated liver enzymes, and low platelet count: a severe consequence of hypertension in pregnancy, *Am J Obstet Gynecol*, 142, 2, 159-67.,
- Weinstein, L., 1985, Preeclampsia/eclampsia with hemolysis, elevated liver enzymes, and thrombocytopenia, *Obstet Gynecol*, 66, 5, 657-60.,
- Wells, A., 1999, EGF receptor, *Int J Biochem Cell Biol*, 31, 6, 637-43,

Yarden, Y., 2001, Biology of HER2 and its importance in breast cancer, *Oncology*, 61 Suppl 2, 1-13,

Yarden, Y., 2001, The EGFR family and its ligands in human cancer. signalling mechanisms and therapeutic opportunities, *Eur J Cancer*, 37 Suppl 4, S3-8.,

Yarden, Y. and M. X. Sliwkowski, 2001, Untangling the ErbB signalling network, *Nat Rev Mol Cell Biol*, 2, 2, 127-37,

Yarden, Y. and A. Ullrich, 1988, Growth factor receptor tyrosine kinases, *Annu Rev Biochem*, 57, 443-78,

Yoo, H. J., D. H. Barlow and H. J. Mardon, 1997, Temporal and spatial regulation of expression of heparin-binding epidermal growth factor-like growth factor in the human endometrium: a possible role in blastocyst implantation, *Dev Genet*, 21, 1, 102-8,

Yue, Z. P., Z. M. Yang, S. J. Li, H. B. Wang and M. J. Harper, 2000, Epidermal growth factor family in rhesus monkey uterus during the menstrual cycle and early pregnancy, *Mol Reprod Dev*, 55, 2, 164-74,

Zhou, Y., C. H. Damsky, K. Chiu, J. M. Roberts and S. J. Fisher, 1993, Preeclampsia is associated with abnormal expression of adhesion molecules by invasive cytotrophoblasts, *J Clin Invest*, 91, 3, 950-60.,

Zhou, Y., C. H. Damsky and S. J. Fisher, 1997, Preeclampsia is associated with failure of human cytotrophoblasts to mimic a vascular adhesion phenotype. One cause of defective endovascular invasion in this syndrome?, *J Clin Invest*, 99, 9, 2152-64.,

Zhou, Y., S. J. Fisher, M. Janatpour, O. Genbacev, E. Dejana, M. Wheelock and C. H. Damsky, 1997, Human cytotrophoblasts adopt a vascular phenotype as they differentiate. A strategy for successful endovascular invasion?, *J Clin Invest*, 99, 9, 2139-51.,