

6 Literaturverzeichnis

1. Ali-EI-Dein B, Gomha M, Ghoneim MA. Critical evaluation of the problem of chronic urinary retention after orthotopic bladder substitution in women. *J Urol* 2002; 168(2): 587 – 592
2. Arbeitsgemeinschaft Bevölkerungsbezogener Krebsregister in Deutschland. Krebs in Deutschland. 3. erweiterte, aktualisierte Ausgabe, Saarbrücken, 2002
3. Bandhauer K, Bracci U, Flocks R et al. Totale radikale Zystektomie beim Mann. In: Mayor G, Zingg EJ (Hrsg.) *Urologische Operationen*. Georg Thieme Verlag, Stuttgart 1973
4. Bassi P, Ferrante GD, Piazza N et al. Prognostic factors of outcome after radical cystectomy for bladder cancer: a retrospective study of a homogeneous patient cohort. *J Urol* 1999; 161(5): 1494 –1497
5. Biermann CW, Küchler T. Lebensqualität in der urologischen Onkologie. In: Rübben H (Hrsg.), *Uroonkologie*. Kapitel 20: 917 - 929; 2. Auflage, Springer-Verlag, Berlin Heidelberg New York 2001
6. Chang SS, Cookson MS, Baumgartner RG et al. Analysis of early complications after radical cystectomy: results of a collaborative care pathway. *J Urol* 2002; 167: 2012 - 2016
7. Chang SS, Cookson MS, Wells N et al. Complications for nonmuscle invasive disease: comparison with muscle invasive disease. *J Urol* 2003; 169: 101 - 104
8. Charlson M, Pompei P, Ales KL et al. A new method of classifying prognostic comorbidity in longitudinal studies: development and validation. *J Chron Dis* 1987; 40(5): 373 - 383
9. Coloboy PJ, Kakizoe T, Tobisu K et al. Urethral involvement in female bladder cancer patients: Mapping of 47 consecutive cystourethrectomy specimens. *J Urol* 1994; 152: 1438 –1442
10. Colombo R, Bertini R, Salonia A et al. Nerve and seminal sparing radical cystectomy with orthotopic urinary diversion for select patients with superficial bladder cancer: an innovative surgical approach. *J Urol* 2001; 165: 51 - 55
11. Cookson MS, Chang SS, Wells N et al. Complications of radical cystectomy for nonmuscle invasive disease: comparison with muscle invasive disease. *J Urol* 2003; 169: 101 – 104

12. Extermann M. Measuring comorbidity in older cancer Patients.
Eur J Cancer 2000; 36: 453 - 471
13. Figueroa AJ, Stein JP, Dickinson M et al. Radical cystectomy for elderly patients with bladder carcinoma: an updated experience with 404 patients.
Cancer 1998; 83(1):141-147
14. Freiha F, Reese J, Torti FM. A randomized trial of radical cystectomy versus radical cystectomy plus cisplatin, vinblastine and methotrexate chemotherapy for muscle invasive bladder cancer. J Urol 1996;155(2): 504 - 505
15. Gschwend JE, Dahm P, Fair WF. Disease specific survival as endpoint of outcome for bladder cancer patients following radical cystectomy. Eur Urol 2002; 41: 440 – 448
16. Gschwend JE, Fair WR, Viehweg J. Radical cystectomy for invasive bladder cancer: contemporary results and remaining controversies. Eur Urol 2000; 38: 121 – 130
17. Hara S, Miyake H, Fujisawa M et al. Prognostic variables in patients who have undergone radical cystectomy for transitional cell carcinoma of the bladder.
Jpn J Clin Oncol 2001; 31(8): 399-402
18. Hautmann R, Kleinschmidt K. Harnableitung bei onkologischen Patienten.
In: Rübben H (Hrsg.), Uroonkologie. Kapitel 11: 589 - 639;
2. Auflage, Springer-Verlag, Berlin Heidelberg New York 2001
19. Hautmann RE, Egghart G, Frohneberg D. Die Ileum-Neoblase.
Urologe (A) 1987; 26: 67 – 73
20. Hautmann RE, Miller K, Steiner U et al. The ileal neobladder: 6 years of experience with more than 200 patients. J Urol 1993; 150: 40 – 45
21. Hautmann RE, Petriconi R d., Gottfried HW, et al. The ileal neobladder: complications and functional results in 363 Patients after 11 years of follow up.
J Urol 1999; 161: 422 – 428
22. Hautmann RE. 15 Jahre Erfahrung mit der Ileumneoblase – Was haben wir gelernt? Urologe (A) 2001; 40: 360 – 367
23. Hautmann RE. Harnableitung 1996. Urologe (A) 1996; 35: 279 – 283
24. Hermanek P, Sobin H. TNM classification of malignant tumors. International Union against cancer; 4. Auflage, Springer-Verlag, Berlin Heidelberg New York 1987

25. Hermanek P, Sabin H. TNM classification of malignant tumors. International Union against cancer; 5. Auflage, Springer-Verlag, Berlin Heidelberg New York 1998
26. Herr HW, Bochner BH, Dalbagni G et al. Impact of the number of lymph nodes retrieved on outcome in patients with muscle invasive bladder cancer. *J Urol* 2002; 167(3): 1295 - 1298
27. Herr HW, Donat M. Outcome of patients with grossly node positive bladder cancer after pelvic lymph node dissection and radical cystectomy. *J Urol* 2001; 165: 62 - 64
28. Herr HW. Extent of surgery and pathology evaluation has an impact on bladder cancer outcomes after radical cystectomy. *Urology* 2003; 61(1): 105 – 108
29. Hobisch A, Tosun K, Kinzl J et al. Life after cystectomy and orthotopic neobladder versus ileal conduit urinary diversion. *Semin Urol Oncol* 2001; 19(1): 18 - 23
30. Jocham D. Maligne Tumoren der Harnblase. In: Jocham D, Miller K (Hrsg.), *Praxis der Urologie*. Band II, Kapitel 47: 105 - 166; 2. Auflage, Georg Thieme Verlag, Stuttgart New York 2003
31. Krege S, Goepel M, Meyer-Schwickerath M et al. Gibt es eine individuelle Entscheidung zur Harnableitung? *Urologe (A)* 1996; 35: 291 – 296
32. Kulkarni JN, Gulla RI, Tongaonkar HB et al. Radical cystoprostatectomy: an extraperitoneal retrograde approach. *J Urol* 1999; 161: 545 - 548
33. Kulkarni JN, Pramesh CS, Rathi S et al. Long-term results of orthotopic neobladder reconstruction after radical cystectomy. *BJU Int* 2003; 91: 485 – 488
34. Lebret T, Herve JM, Yonneau L et al. Study of survival after cystectomy for bladder cancer: Report of 504 cases. *Prog Urol* 2000; 10(4): 553 - 560
35. Leissner J, Ghoneim MA, Abol-Enein H et al. Extended radical lymphadenectomy in patients with urothelial bladder cancer: results of a prospective multicenter study. *J Urol* 2004; 171(1): 139 – 144
36. Leonard JT, Murphy MS. Bladder. In: Thomas CC (Hrsg.), *The History of Urology*. Chapter 11: 333 – 369; Springfield Illinois U.S.A. 1972
37. Malavaud B, Vaessen C, Mouzin M et al. Complications for radical cystectomy. *Eur Urol* 2001; 39: 79 – 84

38. Menon M, Hemal AK, Tewari A et al. Nerve-sparing robot assisted radical cystoprostatectomy and urinary diversion. *BJU Int* 2003; 92(3): 232 - 236
39. Miller DC, Taub DA, Dunn RL et al. The impact of co-morbid disease on cancer control and survival following radical cystectomy. *J Urol* 2003; 169: 105 – 109
40. Miller K. Formen der Harnableitung. In: Jocham D, Miller K (Hrsg.), *Praxis der Urologie*. Band II, Kapitel 60: 385 - 410; 2. Auflage, Georg Thieme Verlag, Stuttgart New York 2003
41. Oesterwitz H, Ulmann A, Schott H. Probleme der individuellen Harnableitung nach vorderer Exenteration wegen Harnblasen- oder Zervixkarzinom. *Brandenburgisches Ärzteblatt* 2000; 11: 371 – 377
42. Otto T, Krege S. Aktuelle Aspekte in der operativen Therapie des Harnblasenkarzinoms. *Urologe (B)* 1999; 39: 310 – 312
43. Otto T, Rübben H. Lymphknotenmetastasen beim Harnblasenkarzinom – Ist die radikale Zystektomie indiziert? *Urologe (A)* 1999; 38: 323 - 325
44. Pannek J, Senge T. History of urinary diversion. *Urol Int* 1998; 60: 1 - 10
45. Petriconi R d., Kleinschmidt K, Flohr P et al. Die Ileumneoblase mit Anschluß an die weibliche Harnröhre *Urologe (A)* 1996; 35: 284 – 290
46. Poulsen AL, Horn T, Steven K. Radical cystectomy: extending the limits of pelvic lymph node dissection improves survival for patients with bladder cancer confined to the bladder wall. *J Urol* 1998;160(6 Pt 1):2015 – 2019
47. Raghavan D. Chemotherapy and cystectomy for invasive transitional cell carcinoma of bladder. *Urol Oncol* 2003; 21(6): 468 – 474
48. Rehn L. Blasengeschwülste bei Fuchsin-Arbeitern. *Archiv klinische Chirurgie* 1895; 50: 587 - 600
49. Roehrborn CG, Sagalowsky AI, Peters PC. Long-term patient survival after cystectomy for regional metastatic transitional cell carcinoma of the bladder. *J Urol* 1991; 146(1): 36 – 39
50. Rübben H, Otto T. Harnblasenkarzinom. In: Rübben H (Hrsg.), *Uroonkologie*. Kapitel 4: 65 - 168; 2. Auflage, Springer-Verlag, Berlin Heidelberg New York 2001
51. Rübben H, Otto T. Lokal fortgeschrittenes oder metastasiertes Harnblasenkarzinom - Aktuelle Aspekte in der Therapie. *Urologe (A)* 2001; 40: 464 - 467

52. Schlegel PN, Walsh PC. Neuroanatomical approach to radical cystoprostatectomy with preservation of sexual function. *J Urol* 1987; 138(6): 1402-1406
53. Schmitz-Dräger BJ, Jankevicus F. Indikationen zur Zystektomie und Wahl der Harnableitung – Welche Entscheidungsparameter stehen zur Verfügung? *Urologe (B)* 1998; (Supp.1) 38: 49 - 52
54. Schubert J, Fehling A. Was ist ein Muss in der Nachsorge nach radikaler Zystektomie. *Urologe (B)* 1998; 38: 53 – 57
55. Segal R Winquist E, Lukka H et al. Adjuvant chemotherapy for deep muscle-invasive transitional cell bladder carcinoma - a practice guideline. *Can J Urol* 2002; 9(5): 1625 - 1633
56. Senninger N, Preusser HP. Langzeitergebnisse der onkologischen Chirurgie: Einfluss individueller Prognosefaktoren. *Der Chirurg* 2001; 72: 489 - 493
57. Serel TA, Sevin G, Perk H et al. Antegrade extraperitoneal approach to radical cystectomy and ileal neobladder. *Int J Urol* 2003; 10: 25 - 28
58. Skinner DG, Daniels JR, Russell CA et al. The role of adjuvant chemotherapy following cystectomy for invasive bladder cancer. A prospective comparative trial. *J Urol* 1991; 145(3): 459 – 464
59. Soloway MS, Lopez AE, Patel J et al. Results of radical cystectomy for transitional cell carcinoma of the bladder and the effect of chemotherapy. *Cancer* 1994;73(7):1926 - 1931
60. Soulie M, Straub M, Game X et al. A multicenter study of the morbidity of radical cystectomy in select elderly patients with bladder cancer. *J Urol* 2002;167(3):1325 - 1328
61. Spitz A, Stein PJ, Lieskowsky G er al. Orthotopic urinary diversion with preservation of erectile and ejaculatory function in men requiring radical cystectomy for nonurethelial malignancy: a new technique. *J Urol* 1999; 161: 1761 - 1764
62. Stein JP, Cai J, Groshen S et al. Risk factors for patients with pelvic lymph node metastases following radical cystectomy with en bloc pelvic lymphadenectomy: concept of lymph node density. *J Urol* 2003;170(1): 35 - 41

63. Stein JP, Cote RJ, Freeman JA et al. Indications for lower urinary tract reconstruction in women after cystectomy for bladder cancer: A pathological review of female cystectomy specimens. *J Urol* 1995; 154: 1329 - 1333
64. Stein JP, Lieskovsky G, Cote R et al. Radical cystectomy in the treatment of invasive bladder cancer: long-term results in 1054 Patients. *J Clin Oncol* 1999; 19(3): 666
65. Stein JP, Skinner DG. Results with radical cystectomy for treating bladder cancer: a „reference standard“ for high-grade, invasive bladder cancer. *BJU Int* 2003; 92: 12 – 17
66. Steiner U, Miller K, Hautmann R. Functional results and complications of the ileal neobladder in over 200 patients. *Urologe A* 1994; 33(1):53-57
67. Sternberg CN, Calabò F. Chemotherapy and managment of bladder tumours. *BJU Int* 2000; 85: 599 - 610
68. Sternberg CN. Adjuvant chemotherapy following radical cystectomy. *World J Urol* 1993; 11(3): 169 – 174
69. Sternberg CN. Current perspectives in muscle invasive bladder cancer. *Eur J Cancer* 2002: 38(4): 460 – 467
70. Sternberg CN. Neo-adjuvant and adjuvant chemotherapy of bladder cancer: Is there a role? *Ann Oncol* 2002; 13 Suppl 4: 273 - 279
71. Stoeckle M, Meyenburg W, Wellek S et al. Advanced bladder cancer (stages pT3b, pT4a, pN1 and pN2): improved survival after radical cystectomy and 3 adjuvant cycles of chemotherapy. Results of a controlled prospective study. *J Urol* 1992; 148(2 Pt 1): 302 - 306
72. Sylvester R, Sternberg C. The role of adjuvant combination chemotherapy in locally advanced bladder cancer: what we do not know and why. *Ann Oncol* 2000; 11(7): 851 - 856
73. Tekin A, Ozen H. Adjuvant chemotherapy for non-organ confined disease after radical cystectomy. *Int Urol Nephrol* 2000; 32(1): 59 – 62
74. Villey R, Brunet F, Valette G et al. Lexikon In: Toellner R. (Hrsg.), *Histoire de la Medicine, de la pharmacie, de l'Art dentaire et de l'art Vétérinaire*. Band VI: 3121 Deutsche Ausgabe: Andreas & Andreas, Verlagsanstalt Valduz 1992