

6. Literaturverzeichnis

- Adams, J.M., Cory, S. (1998) The Bcl-2 protein family: arbiters of cell survival. *Science* 281: 1322-1326
- Alnemri, E.S., Livingston, D.J., Nicholson, D.W., Salvesen, G., Thornberry, N.A., Wong, W.W., Yuan, J. (1996) Human ICE/CED-3 protease nomenclature. *Cell* 87: 171
- Antonsson, B., Martinou, J.C. (2000) The Bcl-2 protein family. *Exp Cell Res* 256: 50-57
- Beckmann, R., Lindschau, C., Haller, H., Hucho, F., Buchner, K. (1994) Differential nuclear localization of protein kinase C isoforms in neuroblastoma x glioma hybrid cells. *Eur J Biol Chem* 222: 335-343
- Beere, H.M., Wolf, B.B., Cain, K., Mosser, D.D., Mahboubi, A., Kuwana, T., Tailor, P., Morimoto, R.I., Cohen, G.M., Green, D.R. (2000) Heat-shock protein 70 inhibits apoptosis by preventing recruitment of procaspase-9 to the Apaf-1 apoptosome. *Nat Cell Biol* 2: 469-475
- Berezney, R., Mortillaro, M.J., Ma, H., Wei, X., Samarabandu, J. (1995) The nuclear matrix: a structural milieu for genomic function. *Int Rev Cytol* 162A: 1-65
- Berry, D.M., Antochi, R., Bhatia, M., Meckling-Gill, K.A. (1996) 1,25-Dihydroxyvitamin D₃ stimulates expression and translocation of protein kinase C α and C δ via a nongenomic mechanism and rapidly induces phosphorylation of a 33-kDa protein in acute promyelocytic NB4 cells. *J Biol Chem* 271: 16090-16096.
- Borgatti, P., Mazzoni, M., Carini, C., Neri, L.M., Machisio, M., Bertolaso, L., Previati, M., Zauli, G., Capitani, S. (1996) Changes of nuclear protein kinase C activity and isotype composition in PC12 cell proliferation and differentiation. *Exp Cell Res* 224: 72-78
- Brandner, G., Mueller, N., Graessmann, A., Graessmann, M., Niebel, J., Hoffmann, H. (1974) Inhibition by interferon of SV40 tumor antigen formation in cells injected with SV40 cRNA transcribed in vitro. *FEBS Lett* 39: 249-251
- Brewis, N., Phelan, A., Webb, J., Drew, J., Elliott, G., O'Hare, P. (2000) Evaluation of VP22 spread in tissue culture. *J Virol* 74: 1051-1056
- Brodie, C., Blumberg, P.M. (2003) Regulation of cell apoptosis by protein kinase c delta. *Apoptosis* 8: 19-27
- Buchner, K. (1995) Protein kinase C in the transduction of signals toward and within cell nucleus. *Eur J Biochem* 228: 211-221
- Buchner, K. (2000) The role of protein kinase C in the regulation of cell growth and in signalling to the cell nucleus. *J Cancer Res Clin Oncol* 126: 1-11
- Budihardjo, I., Oliver, H., Lutter, M., Luo, X., Wang, X. (1999) Biochemical pathways of caspase activation during apoptosis. *Annu Rev Cell Dev Biol* 15: 269-290
- Cain, K., Bratton, S.B., Langlais, C., Walker, G., Brown, D.G., Sun, X.M., Cohen, G.M. (2000) Apaf-1 oligomerizes into biologically active approximately 700-kDa and inactive approximately 1.4-MDa apoptosome complexes. *J Biol Chem* 275: 6067-6070
- Capitani, S., Cocco, L., Maraldi, N.M., Papa, S., Manzoli, F.A. (1986) Effect of phospholipids on transcription and ribonucleoprotein processing in isolated nuclei. *Adv Enzyme Regul* 25: 425-438
- Capitani, S., Girard, P.R., Mazzei, G.J., Kuo, J.F., Berezney, R., Manzoli, F.A. (1987) Immunochemical characterization of protein kinase C in rat liver nuclei and subnuclear fractions. *Biochem Biophys Res Commun* 142: 367-375
- Casciola-Rosen, L., Nicholson, D.W., Chong, T., Rowan, K.R., Thornberry, N.A., Miller, D.K., Rosen, A. (1996) Apopain/CPP32 cleaves proteins that are essential for cellular repair: a fundamental principle of apoptotic death. *J Exp Med* 183: 1957-1964
- Castagna, M., Takai, Y., Kaibuchi, K., Sano, K., Kikkawa, U., Nishizuka, Y. (1982) Direct activation of calcium-activated, phospholipid-dependent protein kinase by tumor-promoting phorbol esters. *J Biol Chem* 257: 7847-7851
- Celis, J.E. (1984) Microinjection of somatic cells with micropipettes: comparison with other transfer techniques. *Biochem J* 223: 281-291

- Chou, M.M., Hou, W., Johnson, J., Graham, L.K., Lee, M.H., Chen, C.S., Newton, A.C., Schaffhausen, B.S., Toker, A. (1998) Regulation of protein kinase C zeta by PI 3-kinase and PDK-1. *Curr Biol* 8: 1069-1077
- Cikala, M., Wilm, B., Hobmayer, E., Bottger, A., David, C.N. (1999) Identification of caspases and apoptosis in the simple metazoan Hydra. *Curr Biol* 9: 959-962
- Clemens, M.J., Trayner, I., Menaya, J. (1992) The role of protein kinase C isoenzymes in the regulation of cell proliferation and differentiation. *J Cell Sci* 103: 881-887
- Cocco, L., Martelli, A.M., Gilmour, R.S. (1994) Inositol lipid cycle in the nucleus. *Cell signal* 6: 481 - 485
- Colussi, P.A., Harvey, N.L., Kumar, S. (1998) Prodomain-dependent nuclear localization of the caspase-2 (Nedd2) precursor. A novel function for a caspase prodomain. *J Biol Chem* 273: 24535-24542
- Coussens, L., Parker, P.J., Rhee, L., Yang-Feng, T.L., Chen, E., Waterfield, M.D., Francke, U., Ullrich, A. (1986) Multiple, distinct forms of bovine and human protein kinase C suggest diversity in cellular signaling pathways. *Science* 233: 859 - 866
- Coussens, L., Rhee, L., Parker, P.J., Ullrich, A. (1987) Alternative splicing increases the diversity of the human protein kinase C family. *DNA* 6: 389 - 394
- Cryns, V., Yuan, J. (1998) Proteases to die for. *Genes Dev* 12: 1551-1570
- Dedhar, S., Rennie, P.S., Shago, M., Hagesteijn, C.Y., Yang, H., Filmus, J., Hawley, R.G., Bruchovsky, N., Cheng, H., Matusik, R.J. (1994) Inhibition of nuclear hormone receptor activity by calreticulin. *Nature* 367: 480-483
- Dekker, L.V., and Parker, P.J. (1994) Protein kinase C - a question of specificity. *Trends Biochem Sci* 19: 73-77
- Derer, W., Easwaran, H.P., Knopf, C.W., Leonhardt, H., Cardoso, M.C. (1999) Direct protein transfer to terminally differentiated muscle cells. *J Mol Med* 77: 609-613
- Derossi, D., Chassaing, G., and Prochiantz, A. (1998) Trojan peptides: the penetratin system for intracellular delivery. *Trends Cell Biol* 8: 84-87
- Dilber, M.S., Phelan, A., Aints, A., Mohamed, A.J., Elliott, G., Smith, C.I., O'Hare, P. (1999) Intercellular delivery of thymidine kinase prodrug activating enzyme by the herpes simplex virus protein, VP22. *Gene Ther* 6: 12-21
- Divecha, N., Banfic, H., Irvine, R.F. (1991) The polyphosphoinositide cycle exists in the nuclei of Swiss 3T3 cells under the control of a receptor (for IGF-I) in the plasma membrane, and stimulation of the cycle increases nuclear diacylglycerol and apparently induces translocation of protein kinase C to the nucleus. *EMBO J* 10: 3207-3214
- D'Santos, C.S., Clarke, J.H., Divecha, N. (1998) Phospholipid signalling in the nucleus. Een DAG uit het leven van de inositide signalering in de nucleus. *Biochim Biophys Acta* 1436: 201-232
- Earnshaw, W.C., Martins, L.M., Kaufmann, S.H. (1999) Mammalian caspases: structure, activation, substrates, and functions during apoptosis. *Annu Rev Biochem* 68: 383-424
- Elliott, G., O'Hare, P. (1997) Intercellular trafficking and protein delivery by a herpesvirus structural protein. *Cell* 88: 223-233
- Elliott, G., O'Hare, P. (1998) Herpes simplex virus type 1 tegument protein VP22 induces the stabilization and hyperacetylation of microtubules. *J Virol* 72: 6448-6455
- Elliott, G., O'Hare, P. (1999) Intercellular trafficking of VP22-GFP fusion proteins. *Gene Ther* 6: 149-151
- Ellis, H.M., Horvitz, H.R. (1986) Genetic control of programmed cell death in the nematode *C. elegans*. *Cell* 44: 817-829
- Emoto, Y., Manome, Y., Meinhardt, G., Kisaki, H., Kharbanda, S., Robertson, M., Ghayur, T., Wong, W.W., Kamen, R., Weichselbaum, R., et al. (1995) Proteolytic activation of protein kinase C delta by an ICE-like protease in apoptotic cells. *EMBO J* 14: 6148-6156
- Enari, M., Sakahira, H., Yokoyama, H., Okawa, K., Iwamatsu, A., Nagata, S. (1998) A caspase-activated DNase that degrades DNA during apoptosis, and its inhibitor ICAD. *Nature* 391: 43-50

- Evans, C.A., Lord, J.M., Owen-Lynch, P.J., Johnson, G., Dive, C., Whetton, AD. (1995) Suppression of apoptosis by v-ABL protein tyrosine kinase is associated with nuclear translocation and activation of protein kinase C in an interleukin-3-dependent haemopoietic cell line. *J Cell Sci* 108: 2591-2598
- Fang, B., Xu, B., Koch, P., Roth, J.A. (1998) Intercellular trafficking of VP22-GFP fusion proteins is not observed in cultured mammalian cells. *Gene Ther* 5: 1420-1424
- Fasshauer, D., Otto, H., Eliason, W. K., Jahn, R., and Brünger, A. T. (1997) Structural changes are associated with soluble N-Ethylmaleimide-sensitive fusion protein attachment protein receptor complex formation. *J Biol Chem* 272: 28036-28041
- Fawell, S., Seery, J., Daikh, Y., Moore, C., Chen, L.L., Pepinsky, B., Barsoum, J. (1994) Tat-mediated delivery of heterologous proteins into cells. *Proc Natl Acad Sci U S A* 91: 664-668
- Frankel, A.D., Pabo, C.O. (1988) Cellular uptake of the tat protein from human immunodeficiency virus. *Cell* 55: 1189-1193
- Gilchrist, J.S., Pierce, G.N. (1993) Identification and purification of a calcium-binding protein in hepatic nuclear membranes. *J Biol Chem* 268: 4291-4299
- Gordon, A.S., Yao, L., Wu, Z.L., Coe, I.R., Diamond, I. (1997) Ethanol alters the subcellular localization of delta- and epsilon protein kinase C in NG108-15 cells. *Mol Pharmacol* 52: 554-559
- Green, D.R. (2003) Fifteen minutes in the life and death of a cell. Vortrag auf dem Kongress "Apoptosis 2003 – From signaling pathways to therapeutic tools". 29.01. – 01.02. 2003 in Luxembourg
- Hengartner, M.O. (2000) The biochemistry of apoptosis. *Nature* 407: 770-776
- Herget, T. (2001) Apoptose: Kontrolle des Zellsterbens ist lebenswichtig. *Nachrichten aus der Chemie* 49: 328-331
- House, C., Kemp, B.E. (1987) Protein kinase C contains a pseudosubstrate prototope in its regulatory domain. *Science* 238: 1726-1728
- Hubbard, S.R., Bishop, W.R., Kirschmeier, P., George, S.J., Cramer, S.P., Wayne, A., Hendrickson, A. (1991) Identification and characterization of zinc binding sites in protein kinase C *Science* 254: 1776-1779
- Hucho, F., Buchner, K. (1997) Signal transduction and protein kinases: the long way from the plasma membrane into the nucleus. *Naturwissenschaften* 84: 281-290
- Hug, H., Sarre, T.F. (1993) Protein kinase C isoenzymes: divergence in signal transduction? *Biochem J* 291: 329-343.
- Hurley, J.H., Newton, A.C., Parker, P.J., Blumberg, P.M., Nishizuka, Y. (1997) Taxonomy and function of C1 protein kinase C homology domains. *Protein Sci* 6: 477-480
- Inoue, M., Kishimoto, A., Takai, Y. and Nishizuka, Y. (1977) Studies on a cyclic nucleotide-independent protein kinase and its proenzyme in mammalian tissues. II. Proenzyme and its activation by calcium-dependent protease from rat brain. *J Biol Chem* 252: 7610-7616
- Jacobson, M.D., Burne, J.F., Raff, M.C. (1994) Programmed cell death and Bcl-2 protection in the absence of a nucleus. *EMBO J* 13: 1899-1910
- Jelsch, C., Mourey, L., Masson, J.M., Samama, J.P. (1993) Crystal structure of *Escherichia coli* TEM1 beta-lactamase at 1,8Å resolution. *Proteins* 16: 364-383
- Jiang, X.H., Lam, S.K., Lin, M.C., Jiang, S.H., Kung, H.F., Slosberg, E.D., Soh, J.W., Weinstein, I.B., Wong, B.C. (2002) Novel target for induction of apoptosis by cyclo-oxygenase-2 inhibitor SC-236 through a protein kinase C-beta(1)-dependent pathway. *Oncogene* 21: 6113-6122
- Johannes, F.J., Prestle, J., Eis, S., Oberhagemann, P., Pfizenmaier, K. (1994) PKC μ is a novel, atypical member of the protein kinase C family. *J Biol Chem* 269: 6140-6148
- Johannes, F.J., Prestle, J., Dieterich, S., Oberhagemann, P., Link, G. and Pfizenmaier, K. (1995) Characterization of activators and inhibitors of protein kinase C μ . *Eur J Biochem* 227: 303-307
- Jones, T., Courage, C., Hubbard, A., Gescher, A. (1997) Cellular relocation of protein kinase C-theta caused by staurosporine and some of its analogues. *Biochem Pharmacol* 53: 1413-1418

- Kaibuchi, K., Fukumoto, Y., Oku, N., Takai, Y., Arai, K.-I., and Muramatsu (1989) Molecular genetic analysis of the regulatory and catalytic domains of protein kinase C. *J Biol Chem* 264: 13489-13496
- Kerr, J.F., Wyllie, A.H., Currie, A.R. (1972) Apoptosis: a basic biological phenomenon with wide-ranging implications in tissue kinetics. *Br J Cancer* 26: 239-257
- Krauss, Gerhard. *Biochemie der Regulation und Signaltransduktion*. Wiley-VCH. Weinheim. New York. 1997. 1.Aufl.
- Laemmli, U.K. (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227: 680-685
- Lai, Z., Han, I., Zirzow, G., Brady, R.O., Reiser, J. (2000) Intercellular delivery of a herpes simplex virus VP22 fusion protein from cells infected with lentiviral vectors. *Proc Natl Acad Sci U S A* 97: 11297-11302
- Lazebnik, Y.A., Kaufmann, S.H., Desnoyers, S., Poirier, G.G., Earnshaw, W.C. (1994) Cleavage of poly(ADP-ribose) polymerase by a proteinase with properties like ICE. *Nature* 371: 346-347
- Leach, K.L., Powers, E.A., Ruff, V.A., Jaken, S., Kaufmann, S. (1989) Type 3 protein kinase C localization to the nuclear envelope of phorbol ester-treated NIH 3T3 cells. *J Cell Biol* 109: 685-695
- Leverrier, S., Vallentin, A., Joubert, D. (2002) Positive feedback of protein kinase C proteolytic activation during apoptosis. *Biochem J* 368: 905-913
- Lewin, M., Carlesso, N., Tung, C.H., Tang, X.W., Cory, D., Scadden, D.T., Weissleder, R. (2000) Tat peptide-derivatized magnetic nanoparticles allow in vivo tracking and recovery of progenitor cells. *Nat Biotechnol* 18: 410-414
- Li, C., Fultz, M.E., Geng, W., Ohno, S., Norton, M., Wright, G.L. (2001) Concentration-dependent phorbol stimulation of PKC α localization at the nucleus or subplasmalemma in A7r5 cells. *Pflugers Arch* 443: 38-47
- Li, P., Nijhawan, D., Budihardjo, I., Srinivasula, S.M., Ahmad, M., Alnemri, E.S., Wang, X. (1997) Cytochrome c and dATP-dependent formation of Apaf-1/caspase-9 complex initiates an apoptotic protease cascade. *Cell* 91: 479-489
- Liou, J.S., Chen, C.Y., Chen, J.S., Faller, D.V. (2000) Oncogenic ras mediates apoptosis in response to protein kinase C inhibition through the generation of reactive oxygen species. *J Biol Chem* 275: 39001-39011
- Liscovitch, M. (1992) Crosstalk among multiple signal-activated phospholipases. *Trends Biochem Sci* 17: 393-399
- Livneh, E., Fishman, D.D. (1997) Linking protein kinase C to cell-cycle control. *Eur J Biochem* 248: 1-9
- Luschen, S., Ussat, S., Kronke, M., Adam-Klages, S. (1998) Cleavage of human cytosolic phospholipase A2 by caspase-1 (ICE) and caspase-8 (FLICE). *Biochem Biophys Res Commun* 253: 92-98
- Mann, D.A., Frankel, A.D. (1991) Endocytosis and targeting of exogenous HIV-1 Tat protein. *EMBO J* 10: 1733-1739
- Mao, P.L., Jiang, Y., Wee, B.Y., Porter, A.G. (1998) Activation of caspase-1 in the nucleus requires nuclear translocation of pro-caspase-1 mediated by its prodomain. *J Biol Chem* 273: 23621-23624
- Martelli, A.M., Neri, L.M., Gilmour, R.S., Barker, P.J., Huskisson, N.S., Manzoli, F.A., Cocco, L. (1991) Temporal changes in intracellular distribution of protein kinase C in Swiss 3T3 cells during mitogenic stimulation with insulin-like growth factor I and bombesin: translocation to the nucleus follows rapid changes in nuclear polyphosphoinositides. *Biochem Biophys Res Commun* 177:480-487
- Martelli, A.M., Sang, N., Borgatti, P., Capitani, S., and Neri, L.M. (1999) Multiple biological responses activated by nuclear Protein kinase C. *J Cell Biochem* 74: 499-521
- Mason-Garcia, M., Harlan, R.E., Mallia, C., Jeter, J.R., Steinberg, H.B., Fermin, C., Beckman, B.S. (1995) Interleukin-3 or erythropoietin induced nuclear localization of protein kinase C beta isoforms in hematopoietic target cells. *Cell Prolif* 28: 145-155
- Mellor, H., and Parker, P.J. (1998) The extended protein kinase C superfamily. *Biochem J* 332: 281-292

- Mochly-Rosen, D., Gordon, A. S. (1998) Anchoring proteins for protein kinase C: a means for isozyme selectivity. *FASEB J* 12: 35-42
- Muzio, M., Stockwell, B.R., Stennicke, H.R., Salvesen, G.S., Dixit, V.M. (1998) An induced proximity model for caspase-8 activation. *J Biol Chem* 273: 2926-2930
- Nagahara, H., Vocero-Akbani, A.M., Snyder, E.L., Ho, A., Latham, D.G., Lissy, N.A., Becker-Hapak, M., Ezhevsky, S.A., Dowdy, S.F. (1998) Transduction of full-length TAT fusion proteins into mammalian cells: TAT-p27Kip1 induces cell migration. *Nat Med* 4: 1449-1452
- Neri, L.M., Billi, A.M., Manzoli, L., Rubbini, S., Gilmour, R.S., Cocco, L., Martelli, A.M. (1994) Selective nuclear translocation of protein kinase C alpha in Swiss 3T3 cells treated with IGF-I, PDGF and EGF. *FEBS Lett* 347: 63-68
- Neri, L.M., Milani, D., Bertolaso, L., Stroschio, M., Bertagnolo, V., Capitani, S. (1994b) Nuclear translocation of phosphatidylinositol 3-kinase in rat pheochromocytoma PC 12 cells after treatment with nerve growth factor. *Cell Mol Biol* 40: 619-626
- Neri, L.M., Capitani, S., Borgatti, P., Martelli, A.M. (1999) Lipid signaling and cell responses at the nuclear level. *Histol Histopathol* 14: 321-335
- Nicholson, D.W. (1999) Caspase structure, proteolytic substrates, and function during apoptotic cell death. *Cell Death Differ* 6: 1028-1042
- Nicholson, D.W. (2000) From bench to clinic with apoptosis-based therapeutic agents. *Nature* 407: 810-816
- Nishizuka, Y. (1984) The role of protein kinase C in cell surface signal transduction and tumor promotion. *Nature* 308: 693-698
- Nishizuka, Y. (1992) Intracellular signaling by hydrolysis of phospholipids and activation of protein kinase C. *Science* 258: 607-614
- Oehrlein, S.A., Maelicke, A., Herget, T. (1998) Expression of protein kinase C gene family members is temporally and spatially regulated during neural development in vitro. *Eur J Cell Biol* 77: 323-337
- Ono, Y., Fuji, T., Ogita, K., Kikkawa, U., Igarashi, K. and Nishizuka, Y. (1987) Identification of three additional members of rat protein kinase C family: delta-, epsilon- and zeta-subspecies. *FEBS Lett* 226: 125-128
- Ono, Y., Fuji, T., Ogita, K., Kikkawa, U., Igarashi, K. and Nishizuka, Y. (1988) The structure, expression, and properties of additional members of the protein kinase C family. *J Biol Chem* 263: 6927-6932
- Ono, Y., Fuji, T., Ogita, K., Kikkawa, U., Igarashi, K., Nishizuka, Y. (1989) Protein kinase C zeta subspecies from rat brain: its structure, expression, and properties. *Proc Natl Acad Sci U S A* 86: 3099-3103
- Orr, J.W., Newton, A.C. (1994) Intra-peptide regulation of protein kinase C. *J Biol Chem* 269: 8383-8387
- Osada, S., Mizuno, K., Saido, T.C., Akita, Y., Suzuki, K., Kuroki, T., Ohno, S. (1990) A phorbol ester receptor/ protein kinase, nPKC eta, a new member of the protein kinase C family predominantly expressed in lung and skin. *J Biol Chem* 265: 22434-22440
- Osada, S., Mizuno, K., Saido, T.C., Suzuki, K., Kuroki, T., Ohno, S. (1992) A new member of the protein kinase C family, nPKC theta, predominantly expressed in skeletal muscle. *Mol Cell Biol* 12: 3930-3938
- Parker, P.J., Coussens, L., Totty, N., Rhee, L., Young, S., Chen, E., Stabel, S., Waterfield, M.D., Ullrich, A. (1986) The complete primary structure of protein kinase C- the major phorbol ester receptor. *Science* 233: 853-859
- Pears, C.J., Kour, G., House, C., Kemp, B.E., Parker, P.J. (1990) Mutagenesis of the pseudosubstrate site of protein kinase C leads to activation. *Eur J Biochem* 194: 89-94
- Phelan, A., Elliot, G., O'Hare, P. (1998) Intercellular delivery of functional p53 by the herpesvirus protein VP22. *Nature Biotechnology* 16: 440-443
- Pongracz, J., Tuffley, W., Johnson, G.D., Deacon, E.M., Burnett, D., Stockley, R.A., Lord, J.M. (1995) Changes in protein kinase C isoenzyme expression associated with apoptosis in U937 myelomonocytic cells. *Exp Cell Res* 218: 430-438

- Raben, D.M., Jarpe, M.B., Leach, K.L. (1994) Nuclear lipid metabolism in NEST: Nuclear Envelope Signal Transduction. *J Membr Biol* 142: 1–7
- Rao, L., Perez, D., White, E. (1996) Lamin proteolysis facilitates nuclear events during apoptosis. *J Cell Biol* 135: 1441-1455
- Reed, J.C. (1997) Double identity for proteins of the Bcl-2 family. *Nature* 387: 773-776
- Robertson, J.D., Orrenius, S., Zhivotovsky, B. (2000) Nuclear Events in apoptosis. *J Struc Biol* 129: 346–358
- Rosenberger, U., Lehmann, I., Weise, C., Franke, P., Hucho, F., Buchner, K. (2002) Identification of PSF as a protein kinase Calpha-binding protein in the cell nucleus. *J Cell Biochem* 86: 394-402
- Roy, I., Holle, L., Song, W., Holle, E., Wagner, T., Yu, X. (2002) Efficient translocation and apoptosis induction by adenovirus encoded VP22-p53 fusion protein in human tumor cells in vitro. *Anticancer Res* 22:3185-3189
- Rudel, T., Bokoch, G.M. (1997) Membrane and morphological changes in apoptotic cells regulated by caspase-mediated activation of PAK2. *Science* 276: 1571-1574
- Ruvolo, P.P., Deng, X., Carr, B.K., May, W.S. (1998) A functional role for mitochondrial protein kinase Calpha in Bcl2 phosphorylation and suppression of apoptosis. *J Biol Chem* 273: 25436-25442
- Sambrook, J., Fritsch, E.F., Maniatis, T. *Molecular Cloning. A laboratory manual.* Cold Spring Harbor Laboratory Press. 1989. 2.Aufl.
- Schägger, H., von Jagow, G. (1987) Tricine-sodium dodecyl sulfate-polyacrylamide gel electrophoresis for the separation of proteins in the range from 1 to 100 kDa. *Anal Biochem* 166: 368-379
- Scheel-Toellner, D., Pilling, D., Akbar, A.N., Hardie, D., Lombardi, G., Salmon, M., Lord, J.M. (1999) Inhibition of T cell apoptosis by IFN-beta rapidly reverses nuclear translocation of protein kinase C-delta. *Eur J Immunol* 29: 2603-2612
- Schmalz, D., Kalkbrenner, F., Hucho, F., Buchner, K. (1996) Transport of protein kinase C α into the nucleus requires intact cytoskeleton while the transport of a protein containing a canonical nuclear localization signal does not. *J Cell Sci* 109: 2401-2406
- Schmalz, D., Hucho, F., Buchner, K. (1998) Nuclear import of protein kinase C occurs by a mechanism distinct from the mechanism used by proteins with a classical nuclear localization signal. *J Cell Sci* 111: 1823-1830
- Schulze-Osthoff, K., Walczak, H., Droge, W., Krammer, P.H. (1994) Cell nucleus and DNA fragmentation are not required for apoptosis. *J Cell Biol* 127: 15-20
- Schwarze, S.R., Ho, A., Vocero-Akbani, A., Dowdy, S.F. (1999) In vivo protein transduction: delivery of a biologically active protein into the mouse. *Science* 285: 1569-1572
- Selbie, L.A., Schmitzpeiffer, C., Sheng, Y.H., Biden, T.J. (1993) Molecular cloning and characterization of PKC iota, an atypical isoform of protein kinase C derived from insulin-secreting cells. *J Biol Chem* 268: 24296-24302
- Shao, R.G., Cao, C.X., Pommier, Y. (1997) Activation of PKC α downstream from caspases during apoptosis induced by 7-hydroxystaurosporine or the topoisomerase inhibitors, camptothecin and etoposide, in human myeloid leukemia HL60 cells. *J Biol Chem* 272: 31321-31325
- Sharkey, N., Blumberg, P. (1985) Kinetic evidence that 1,2-dioleoin inhibits phorbol ester binding to protein kinase C via a competitive mechanism. *Biochem Biophys Res Commun* 133: 1051–1056
- Shimizu, T., Cao, C.X., Shao, R.G., Pommier, Y. (1998) Lamin B phosphorylation by protein kinase calpha and proteolysis during apoptosis in human leukemia HL60 cells. *J Biol Chem* 273: 8669-8674
- Silver, P.A. (1991) How proteins enter the nucleus. *Cell* 64: 489-497
- Simboli-Campbell, M., Gagnon, A., Franks, D.J., Welsh, J. (1994) 1,25-Dihydroxyvitamin D3 translocates protein kinase C beta to nucleus and enhances plasma membrane association of protein kinase C alpha in renal epithelial cells. *J Biol Chem* 269: 3257-3264
- Sossin, W.S., Schwartz, J.H. (1993) Ca(2+)-independent protein kinase Cs contain an amino-terminal domain similar to the C2 consensus sequence. *Trends Biochem Sci* 18: 207-208

- Stephens, D.J., Pepperkok, R. (2001) The many ways to cross the plasma membrane. *Proc Natl Acad Sci U S A* 98: 4295-4298
- Takai, Y., Kishimoto, A., Iwasa, Y., Kawahara, Y., Mori, T., Nishizuka, Y. (1979) Calcium-dependent activation of a multifunctional protein kinase by membrane phospholipids. *J Biol Chem* 254: 3692-3695
- Thornberry, N.A., Rano, T.A., Peterson, E.P., Rasper, D.M., Timkey, T., Garcia-Calvo, M., Houtzager, V.M., Nordstrom, P.A., Roy, S., Vaillancourt, J.P., Chapman, K.T., Nicholson, D.W. (1997) A combinatorial approach defines specificities of members of the caspase family and granzyme B. Functional relationships established for key mediators of apoptosis. *J Biol Chem* 272: 17907-17911
- Thornberry, N.A., Lazebnik, Y. (1998) Caspases: enemies within. *Science* 281: 1312-1316
- Trubiani, O., Borgatti, P., Di Primio, R. (1994) Protein kinase C modulation in apoptotic rat thymocytes: an ultrastructural analysis. *Histochemistry* 102: 311-316
- Turkey JW. *Explanatory Data Analysis*. Reading, MA: Addison-Wesley, pp. 39-41, 1977
- Valverde, A.M., Sinnett-Smith, J., Van Lint, J., Rozengurt, E. (1994) Molecular cloning and characterization of protein kinase D: a target for diacylglycerol and phorbol esters with a distinctive catalytic domain. *Proc Natl Acad Sci* 91: 8572-8576
- Wills, K.N., Atencio, I.A., Avanzini, J.B., Neuteboom, S., Phelan, A., Philopena, J., Sutjipto, S., Vaillancourt, M.T., Wen, S.F., Ralston, R.O., Johnson, D.E. (2001) Intratumoral spread and increased efficacy of a p53-VP22 fusion protein expressed by a recombinant adenovirus. *J Virol* 75: 8733-8741
- Woo, M., Hakem, R., Soengas, M.S., Duncan, G.S., Shahinian, A., Kagi, D., Hakem, A., McCurrach, M., Khoo, W., Kaufman, S.A., Senaldi, G., Howard, T., Lowe, S.W., Mak, T.W. (1998) Essential contribution of caspase 3/CPP32 to apoptosis and its associated nuclear changes. *Genes Dev* 12: 806-819
- Wyllie, A.H. (1980) Glucocorticoid-induced thymocyte apoptosis is associated with endogenous endonuclease activation. *Nature* 284: 555-556
- Wooten, M.W., Zhou, G., Wooten, M.C., Seibenhener, M.L. (1997) Transport of protein kinase C isoforms to the nucleus of PC12 cells by nerve growth factor: association of atypical zeta-PKC with the nuclear matrix. *J Neurosci Res* 49: 393-403
- Zauli, G., Visani, G., Bassini, A., Caramelli, E., Ottaviani, E., Bertolaso, L., Bertagnolo, V., Borgatti, P., Capitani, S. (1996) Nuclear translocation of protein kinase C-alpha and -zeta isoforms in HL-60 cells induced to differentiate along the granulocytic lineage by all-trans retinoic acid. *Br J Haematol* 93: 542-550
- Zhivotovsky, B., Samali, A., Gahm, A., Orrenius, S. (1999) Caspases: their intracellular localization and translocation during apoptosis. *Cell Death Differ* 6: 644-651
- Zou, H., Henzel, W.J., Liu, X., Lutschg, A., Wang, X. (1997) Apaf-1, a human protein homologous to *C. elegans* CED-4, participates in cytochrome c-dependent activation of caspase-3. *Cell* 90: 405-413