

9 References

Abdou, O.M.; Radwan, Y.A.; Arab, R.M.; Soliman, A.S. and El-Neweehy, T. K. (1986):

A first record of milk lameness (chronic hypophosphataemia) in buffaloes in Egypt.

Vet. Med. J., Giza, Egypt, 34, 165 -181

Acorda, J.A.; Yamada, M.H. and Ghamsari, S.M. (1994a):

Evaluation of fatty infiltration of the liver in dairy cattle through digital analysis of hepatic ultrasonograms.

Vet. Radiology & Ultrasound, 35, 120 - 123

Acorda, J. A.; Yamada, M.H. and Ghamsari, S.M. (1994b):

Ultrasonographic features of diffuse hepatocellular disorders in dairy cattle.

Vet. Radiology & Ultrasound, 35, 196 – 200

Acorda, J.A.; Yamada, M.H. and Ghamsari, S.M. (1995):

Comparative evaluation of fatty infiltration of the liver in dairy cattle by using blood and serum analysis, ultrasonography and digital analysis.

Vet. Quarterly, 17, 12 – 14

Ahmed M.M.M.; Fadlalla, I.M.T. and Barri, M.E.S. (2002):

A possible association between dietary intake of copper, zinc and phosphate and delayed puberty in heifers in Sudan.

Tropical Animal Health Production, 34, 75 – 80

Allen, J.G. (1981):

An evaluation of lupinosis in cattle in Western Australia.

Aust. Vet. J., 57, 212-215

Andrews, A.H.; Laven R. and Maisey, I. (1991):

Treatment and control of an outbreak of fat cow syndrome in a large dairy herd.

Vet. Rec., 129, 216 – 219

Armentano, L.E.; Grummer, R.R.; Bertics, S.J.; Skaar, T.C. and Donkin, S.S. (1991):

Effect of energy balance on hepatic capacity for oleate and propionate metabolism and triglyceride secretion.

J. Dairy Sci., 74, 132 – 139

ARC (Agricultural Research Council) (1980):

The nutrient requirements of ruminants' livestock.

Slough, England, Commonwealth Agri. Bureaux

Baker, M.L. and Dalrymle, G.V. (1978):

Biological effects of diagnostic ultrasound.

Radiology J., 126, 479 – 483

Behan, M. and Kazam, E. (1978):

The echographic characteristics of fatty tissues and tumors.
Radiology J., 129, 143 – 151

Beighle, D.E.; Tucker, W.B. and Hemken, R.W. (1990):

Interaction of dietary cation-anion balance and phosphorus effect on blood, bone and fecal phosphorus concentration in dairy calves.
J. S. African Vet. Assoc., 61, 5 – 8

Bell, A. W. (1980):

Lipid metabolism in liver and selected tissues and in the whole body of ruminant animals.
Progress lipid research, 18, 117-164

Bertics, S.J.; Grummer, R.R.; Cadorniga-Valino, C. and Stoddard, E. E. (1992):

Effect of prepartum dry matter intake on liver triglyceride concentration and early lactation.
J. Dairy Sci., 75, 1914 – 1922

Bhikane, A.U.; Ali, M.; Narladkar, B.W. and Kawitkar, S.B. (1995):

Postparturient haemoglobinuria in a crossbred cow and its treatment.
Indian Vet. J., 72, 734 - 736

Braithwait, G.D. (1976):

Calcium and phosphorus metabolism in ruminant with special reference to parturient paresis.
J. Dairy Sci., 43, 501

Braun, U. (1990):

Ultrasonic examination of the liver in cows.
Am. J. Vet. Res., 53, 1522-1526

Braun, U. and Gerber, D. (1994):

Influence of age, breed, and stage of pregnancy on hepatic ultrasonography findings in cows.
Am. J. Vet. Res., 55, 1201 – 1205

Braun, U.; Götz, M. and Guscetti, F. (1994):

Ultrasonographic findings in cows with extra-hepatic cholestasis and cholangitis.
Schweiz. Arch. Tierheilkunde, 136, 8, 275 - 279

Braun, U.; Pospischil, A.; Pusterla, N. and Winder, C. (1995):

Ultrasonographic findings in cows with cholestasis.
Vet. Rec., 137, 537 – 543

Braun, U.; Pusterla, N. and Wild, K. (1996):

Ultrasonographic examination of the liver and gall bladder in cows: Abnormal Findings.
Compendium, 18, 11, 1255 – 1269

Braun, U.; Wild, K.K. and Wolfensberger, R.B. (2000):

Ultrasound - guided percutaneous portocentesis in 21 cows.
Vet. Rec., 147, 623 – 626

Brooks, H.V.; Cook, T.G.; Mansell, G.P. and Walker, G.A. (1984):

Phosphorus deficiency in a dairy herd.
New Zeal. Vet. J., 32, 174 – 176

Busato, A.; Faissler, D.; Küpfer, U. and Blum, J.W. (2002):

Body condition scores in dairy cows: Associations with metabolic and endocrine changes in healthy dairy cows.
J. Vet. Med. A, 49, 455 - 460

Byers, D.I. (1999):

Controlling metabolic diseases
Tri-state dairy nutrition conference, April, 1-9

Cai, T.Q.; Weston, P.G.; Lund, L.A.; Brodie, B.; Mc Kenna, D.J. and Wagner, W.C. (1994):

Association between neutrophil function and periparturient disorders in cows.
Am. J. Vet. Res., 55, 934 – 943

Call, J.W.; Butcher, J. E.; Shupe, J. L.; Blake, J.T. and Olson, A.E. (1986):

Dietary phosphorus for beef cows.
Am. J. Vet. Res., 47, 475 – 481

Care, A.D.; Barlet, J.P. and Abdel-Hafeez, H.M. (1980):

Calcium and phosphate homeostasis in ruminants and its relationship to the actiology and prevention of parturient paresis.
Digestive physiology and metabolism in ruminants, Y. Ruckebusch and D. Thivend, ed. AVI Publ. Co., Inc., Westport, CT., 429-445

Carlton, W.W. and McGavin, M.D. (1995):

Special veterinary pathology
Mosby-Year book, Inc., 2nd Ed.

Catania, L. and Renninger, M. (2003):

Hepatic lipidosis in dairy cattle.
<http://www.addl.purdue.edu/newsletters/2003/spring/hids.shtml/>

Collins, R.A.; Reid, I.M.; William, L.A. and Dennes, P.F. (1985):

Histological measurements of fat content of liver of dairy cows.
J. Comp. Pathol., 95, 437-441

Craig, A.M.; Pearson, E.G.; Meyer, C. and Schmitz, J.A. (1991):

Serum liver enzymes and histological changes in calves with chronic delayed *senecio jacobaea* toxicosis.
Am. J. Vet. Res., 52, 1969-1978

Da Silva, F.M.; Burvenich, C.; Massart-Ileen, A.M. and Bros, L. (1998):

Assessment of blood neutrophilic burst activity in dairy cows during the period of parturition.
J. Anim. Sci., 67, 421 – 426

Dirksen, G. (1967):

Gegenwärtiger Stand der Diagnostik, Therapie und Prophylaxe der Dislocatio abomasi sinistra des Rindes.

Dtsch. Tierärztl. Wschr., 46, 625 – 633

Dirksen, G.; Gründer, H.D. and Stöber, M. (2002):

Innere Medizin und Chirurgie des Rindes.

Blackwell Verlag, Berlin, Paul Parey, 4th Ed, 230-235

Drackley, J.K.; Richard, M.J.; Beitz, D.C. and Young, J.W. (1992):

Metabolic changes in dairy cows with ketonemia in response to feed restriction and dietary 1, 3-Butanediol.

J. Dairy Sci., 75, 1622-1634

Ellison, R.S.; Young, B.J. and Read, D.H. (1986):

Bovine post-parturient haemoglobineuria: two distinct entities in New Zealand.

New-Zeal Vet. J., 34, 7 – 10

Fishwick, G. and Hemingway, G. (1989):

Low phosphorus intakes by beef suckler cows in late pregnancy and early lactation.

Br. Vet. J., 145, 141-147

Forar, F.L.; Kincaid, R.L.; Preston, L.R. and Hillers, J.K. (1982):

Variation of inorganic phosphorus in blood plasma and milk of lactating cows.

J. Dairy Sci., 65, 760-763

Forrester, S.D.; Karen, J. and Moreland, J.K. (1989):

Hypophosphatemia (cause and clinical consequences).

JAVMA, 3, 149 – 159

Fraser, D.; Jones G. and Kooh, S.W. (1987):

Calcium and Phosphate metabolism in Tietz NW .

Fundamental of clinical chemistry, Philadelphia: Saunders 705 – 728

Gaal, T.; Reid, I.M.; Collins, R.A.; Roberts, C.J. and Pike, B.V. (1983):

Comparison of biochemical and histological methods of estimating fat content of liver of dairy cows.

Res. Vet. Sci., 34, 245-248

Gardner, D.E.; Martinovich, D. and Woodhouse, D.A. (1976):

Hematological and biochemical findings in bovine postparturient haemoglobinuria and the accompanying Heinz body anemia.

New-Zeal Vet. J., 24, 117 – 122

Gerloff, B.J. and Herdt, T.H. (1984):

Hepatic lipidosis from dietary restriction in non lactating cows.
JAVMA, 18, 223 – 224

Gerloff, B.J.; Herdt, T.H. and Emery, R.S. (1986):

Relationship of hepatic lipidosis to health and performance in dairy cattle.
JAVMA, 188, 845 - 850

Goff, J.P. (2000):

Pathophysiology of calcium and phosphorus disorder.
Vet. Clin. North Am. (Food Anim Pract.), 16, 319 – 337

Goff, J.P. and Horst, R.L. (1997):

Physiological changes at parturition and their relationship to metabolic disorders.
J. Dairy Sci., 80, 1260 -1268

Gröhn, Y. and Lindberg, L.A. (1982):

Methodological aspects of the microscopy of bovine liver biopsies.
J. Comp. Pathol., 92, 567 - 578

Gröhn, Y.; Lindberg, L.A.; Bruss, M.I. and Farver, T.V. (1983):

Fatty infiltration of liver in spontaneously ketotic dairy cows.
J. Dairy Sci., 66, 2320 – 2328

Grummer, R.; Bertics, R.; La count, D.W.; Snow, J.A.; Dentine, M.R. and Stauffacher, R.H. (1990):

Estrogen induction of fatty liver in dairy cattle.
J. Dairy Sci., 73, 1537

Grummer, R.R. (1993):

Etiology of lipid related metabolic disorders in periparturient dairy cattle.
J. Dairy Sci. 76 3882 – 3896

Harvey, R.B.; Lovering, S.; Bailey, E.M. and Norman, J.O. (1984):

The influence of multiple liver biopsies on hematological and serum biochemical values of sheep.
Cornell Vet., 74, 322-330

Herdt, T.H. (1988):

Fuel homeostasis in the ruminant (metabolic diseases of ruminant livestock).
Vet. Clin. North Am. Food animal practice, 4, 213

Herdt, T.H.; Gerloff, B.J.; Liesmann, G.S. and Emery, R.S. (1982):

Hepatic lipidosis and liver function in 49 cows with displacement abomasums.
Proc. XII World Congr. Dis. of Cattle, Amsterdam, Netherlands 522 – 526

Herdt, T.H.; Goeders, L.; Liesman, R.S. and Emery, R.S. (1983):

Test for estimation of bovine hepatic lipid content.

JAVMA, 182, 953-955

Herdt, T.H.; Wensing, T.; Haagsman, H.P.; Van Golde, L.M.G. and Breukink, H.J. (1988):

Hepatic triacylglycerol synthesis during a period of fatty liver development in sheep.

J. of Anim. Sci., 66, 1997 – 2013

Heuer, C.; Schukken, Y.H. and Dobbelaar, P. (2000):

Postpartum body condition score and results from first test day milk as predictors of disease, fertility, yield, and culling in commercial dairy herds.

J. Dairy Sci., 82, 295 – 304

Hibbitt, K.G.; Neill, D. and Radford, P. (1969):

The effect of diet on the incidence of induced ketosis in the lactating dairy cow.

Res. Vet. Sci., 10, 245 - 253

Holtenius, P. and Niskanen, R. (1985):

Leberzellverfettung bei Kühen mit Labmagenverlagerung.

Dtsch. Tierärztl. Wschr., 92, 398 – 400

Homa, S.T. and Brown, C.A. (1992):

Changes in linoleic acid during follicular development and inhibition of spontaneous breakdown of germinal vesicles in cumulus free bovine oocyte.

J. Reprod. Fertility, 94, 153 – 160

House, W.A. and Bell, A.W. (1993):

Mineral accretion in the fetus and adnexa during late gestation in Holstein cows.

J. Dairy Sci., 76, 2999-3010

Hussain, A.M. (1989):

Bovine uterine defense mechanisms "A Review".

J. Vet. Med. B, 36, 641 – 651

Itabisashi T.; Yamamoto R. and Satoh, M. (1987):

Ultrasonogram of hepatic abscess in cattle inoculated with *Fusobacterium necrophorum*.

Jpn. J.Vet. Sci., 49, 585 - 592

Itoh H.; Tamura K.; Motoi Y. and Kawawa, F. (1997):

Serum apolipoprotein B-100 concentration in healthy and diseased cattle.

J. Vet. Med. Sci., 59, 587 – 591

Jain, N.C. (1986):

Schalm's Veterinary hematology.

Lee & Febiger Philadelphia, 4th Ed.

Janson, C.; Birnbaum, G. and Baker, F.I. (1983):

Hypophosphatemia.

Annales emergency medicine, 12, 107 – 116

Johannsen, U.; Fürll, M.; Schäfer, W.; Ehrentraut, W.; Deckert, W. and Geinitz, D. (1991):
Untersuchung zum Lipidgehalt und zur Funktion der Leber von Kühen in Abhängigkeit vom Laktationsstadium.

Mh. Vet. Med., 46, 670-674

Jorritsma, R.; Jorritsma, H.; Schukken, Y.H. and Wentink, G.H. (2000):

Relationships between fatty liver and fertility and some periparturient diseases in commercial Dutch dairy herds.

Theriogenology, 54, 1065 – 1074

Joseph, A.E.A.; Dewbury, K.C. and Mcguire, P.G. (1979):

Ultrasound in the detection of chronic liver diseases.

Br. J. Radiology, 52, 184 – 188

Jubb, T.F.; Jerrett, I.V.; Browning, J.W. and Thomas, K.W. (1990):

Haemoglobinuria and hypophosphatemia in post-parturient dairy cows without dietary deficiency of phosphorus.

Aust. Vet. J., 67, 86 – 89

Katoh, N. (2002):

Relevance of apolipoprotein in the development of fatty liver and fatty liver-related peripartum diseases in dairy cows.

J. Vet. Med. Sci., 64, 293-307

Katoh, N.; Minoura, S.; Uchida, E. and Takahashi, K. (1993):

Effect of estradiol administration and subsequent non feeding on liver estrogen receptor, serum apolipoprotein B-100 and serum triglyceride concentration in steers.

Am. J. Vet. Res., 54, 1476 -1482

Klucinski, W.; Degorski, A.; Degorska, M.E.; Targowski, S. and Winnicka, A. (1988):

Effect of ketone bodies on the phagocytic activity of bovine milk macrophages and polymorphonuclear leukocytes.

J. Vet. Med. A, 35, 632-639

Knochel, J.P. (1977):

The pathophysiology and clinical characteristics of sever hypophosphatemia.

Arch. Internal Med., 137 203 – 220

Knox, F.G. and Haramati, A. (1985):

Renal regulation of phosphate excretion, In Seldin, D. W. and Giebisch, G. Eds (the Kidney: physiology and pathphysiology).

New York: Raven, 1381 – 1396

Komatsu, Y.; Itoh, N.; Taniyama, H.; Kitazawa, T.; Yokota, H.; Koiwa, M.; Ohtsuka, H.; Terasaki, N.; Maeno, K.; Mizoguchi, M.; Takeuchi, Y.; Tanigawa, M.; Nakamura, T.; Watanabe, H.; Matsuguchi, Y.; Kukino, T. and Honma, A. (2002):

Classification of abomasal displacement in cows according to histopathology of the liver and clinical chemistry.

J. Vet. Med. A., 49, 482 – 486

Lechtenberg, K.F. and Nagaraja, T.G. (1991):

Hepatic ultrasonography and blood changes in cattle with experimentally induced hepatic abscesses.

Am. J. Vet. Res., 52, 803 – 809

Leibholtz, J. (1974):

Flow of calcium and phosphorus in digestive tract of sheep.

Aust. J. Agri. Res., 25,147

Liberg, P. and Jösön, G. (1993):

Ultrasonography and determination of proteins and enzymes in blood for the diagnosis of liver abscesses in intensively fed beef cattle.

Act. Vet. Scand., 34, 21 – 28

Macwilliams, P.S.; Searcy, G.P.; and Bellamy, J.E.C. (1982):

Bovine postparturient hemoglobinuria: A review of the literature.

Canad. Vet. J., 23, 309 – 312

Margolles, E.; Colome, H. and Saez, C. (1988):

Biochemical characteristics of subclinical ketosis in a herd of high yielding Holstein cows 1- Ketone bodies, glucose and minerals.

Revista-cubana-de-ciencias- veterinarias, 19,129 – 143

Martin, J.E. and Davenport, D.F. (2002):

Phosphorus

http://www.mdschoice/elements/elements/major_minerals/phosphorus.htm

Martinovich, D. and Woodhouse, D. A. (1971):

Postparturient hemoglobinuria in cattle: A Heinz body hemolytic anemia.

New-Zeal Vet. J., 19, 259 – 263

Mizuguchi, S.; Hara, T.; Yoshimura, K. and Mori, H. (1986):

Ultrasonical diagnostic criteria of fatty liver in our hospital.

Proc. Jap. Soc. Ultrasonic Med., 557 – 558

Mohamed, T.; Sato, H.; Kurosawa, T. and Oikawa, S. (2002):

Echo-Guided studies on portal and hepatic blood in cattle.

J. Vet. Med. Sci., 64, 23 – 28

Monaghan, M.L. and Sheahan, B.J. (1987):

Liver biopsy in ragwort poisoning.

Vet. Rec., 11, 374

Morrow, D.A. (1976):

Fatty Cow Syndrome.

J. Dairy Sci., 59, 1625 – 1629

Morrow, D.A.; Hillman, D.; Dade, A.W. and Kitchen, H. (1979):

Clinical Investigation of a Dairy Herd with the Fat Cow Syndrome.

JAVMA, 174, 161-167

Mudgal, V.D. and Ray, S.N. (1967):

Studies on the associated effect of feeds on the utilization of nutrient from roughages.

Ind. J. Dairy Sci., 20, 5

Muyllé, E.; Van Den Hende, C.; Sustronck, B. and Deprez, P. (1990):

Biochemical profiles in cows with abomasal displacement estimated by blood and liver parameters.

J. Vet. Med. A., 37, 258 – 263

Nishimura, N.; Akamatsu, K.; Miyauchi, S. and Ohta, Y. (1986):

A study on non-invasive quantitative measurements of the degree of fatty metamorphosis in the liver.

Proc. Jap. Soc. Ultrasonic Med., 67 – 68

Nyland, T.G. and Hager, D. (1985):

Sonography of the liver, gall bladder and spleen.

Small Animal Practice, 15, 1123 – 1148

Oetzel, R.G. (2001):

Ketosis and hepatic lipidosis in dairy herds.

American Association of bovine practitioners 34th Annual convention, September 11-12

Ohtsuka, H.; Koiwa, M.; Hatsugaya, A.; Kudo, K.; Hoshi, F.; Itoh, N.; Yokota, H.; Okada, H. and Kawamura, S.I. (2001):

Relationship between serum TNF activity and insulin resistance in dairy cows affected with naturally occurring fatty liver.

J. Vet. Med. Sci., 63, 1021-1025

Ogawa, E.; Kobayashi, K.; Yoshiura, N. and Mukai, J. (1987):

Bovine postparturient hemoglobinemia: hypophosphatemia and metabolic disorder in red blood cells.

Am. J. Vet. Res., 48, 1300 – 1303

Ogawa, E.; Kobayashi, K.; Yoshiura, N. and Mukai, J. (1989):

Hemolytic anemia and red blood cell metabolic disorder attributable to low phosphorus intake in cows.

Am. J. Vet. Res., 50, 388-392

Oikawa, S.; Katoh, N.; Kawawa, F. and Ono, Y. (1997):

Decrease serum apolipoprotein B-100 and A-I concentrations in cows with ketosis and left displacement of the abomasums.

Am. J. Vet. Res., 58, 121-125

Osborne, T.B. and Mendel, L.B. (1918):

The inorganic element in nutrition.

Biochemical Chemistry, 33, 433 – 456

Pechova, A.; Illek, J. and Halouzka, R. (1997):

Diagnosis and control of the development of hepatic steatosis in dairy cows in the postparturient period.

Act. Vet. Brno, 66, 235 – 243

Pirzada, W.H. and Hessain, S.Z. (1998):

Parturient haemoglobinuria in buffaloes.

Tropical Animal Health Production, 30, 209 – 215

Pullen, D.L.; Liesman, J.S. and Emery, R.S. (1990):

A species comparison of liver slice synthesis and secretion of triglycerol from non esterified fatty acids in media.

J. Anim. Sci., 68, 1398 – 1399

Rabiee, A.R.; Lean, J.I.; Gooden, J.M.; Miller, B.G. and Scaramuzzi, R. J. (1997):

An evaluation of transovarian uptake of metabolites using arterio-venous difference methods in dairy cattle.

Anim. Reprod. Sci., 48, 25 – 29

Radostitis, O. M.; Gay, C.C.; Blood, D.C. and Hinchcliff, K.W. (2000):

Veterinary Medicine Text book

WB, Saunders, London, 9th Ed., 1417 – 1419

Rantanen, N.W. (1986):

Diseases of the liver.

Equine Practice, 2, 105 – 114

Rehage, J. ; Mertens, M. ; Stockhofe-Zurwieden, N. ; Kaske, M. and Scholz, H. (1996):

Post surgical convalescence of dairy cows with left abomasal displacement in relation to fatty liver.

Schweiz. Arch. Tierheilkunde, 138, 361 – 368

Rehage, J.; Qualmann, K.; Meier, C.; Stockhofe-Zurwieden, N. ; Hoeltershinken, M. and Pohlenz, J. (1999):

Total serum bile acid concentration in dairy cows with fatty liver and liver failure.

Dtsch. Tierarztl. Wschr., 106, 26-29

Reichel, P.; Vrzgula, L. and Sokol, J. (1989):

Fat cow syndrome in high performance cows-a topical problem in animal production.

Internationale Agrarindustrie Zeitschrift, 2, 143 – 145

Reid, I.M. (1986):

Fat cow syndrome and subclinical fatty liver.

In: Howard J.C (Hrsg): Current Veterinary therapy in food animal practice 1st Ed., 324 – 326

Reid, I.M. and Collins, R.A. (1980):

The pathology of postparturient fatty liver in high-yielding dairy cows.

Investigative and Cellular Pathol., 3, 237 – 249

Reid, I.M.; Collins, R.A.; Dew, A.M. and Hill, A. W. (1983a):

Peripheral leucocytes numbers and function in cows with fatty liver.

J. Pathol., 141, 515 – 516.

Reid, I.M.; Rowlands, G.J.; Dew, A.M.; Collins, R.A.; Roberts, C.J. and Manston, R. (1983b):

The relationship between post-parturient fatty liver and blood composition in dairy cows.

J. Agri. Sci. Camb, 10, 104 – 110

Reid, I.M.; Dew, A.M. and Williams, L.A. (1984):

Hematology of subclinical fatty liver in dairy cows.

Res.Vet. Sci., 37, 63 – 65

Reid I.M. and Roberts, C.J. (1983):

Subclinical fatty liver in dairy cows.

Irish Vet. J., 37, 104 – 110

Reinhardt, T.A.; Horst, R.L. and Goff, J.P. (1988):

Calcium, phosphorus, and magnesium homeostasis.

Vet. Clin. North Am. (Food Anim. Pract.), 4, 331

Romeis, B. (1989):

Mikroskopische Technik

Verlag Urban & Schwarzenberg, München, Wien, 17 Auflage

Rosenberger, G. (1990):

Clinical examination of cattle.

Berlin, Hamburg, Paul Parey, 2nd Ed., 68

Rukkwamsuk, T.; Kruip, T.A.M. and Wensing, T. (1999):

Relationship between overfeeding and over conditioning in the dry period and the problems of the high producing dairy cows during the postparturient period.

Vet. Quarterly, 21, 71 – 77

Sanders, R.C. and Everette, J.A. (1980):

The principle and practice of ultrasonography in obstetrics and gynecology.

New York, Appleton-Century-Croft, 2nd Ed.

Sato, S.; Suzuki, S. and Okada, K. (1995):

Suppression of mitogenic response of bovine peripheral blood lymphocytes by ketone bodies.

J. Vet. Med. Sci., 57, 183-185

Schäfer, M.; Fürll, M.; Johannsen, U.; Ehrenttraut, W.; Deckert, W. and Geinitz, D. (1991):

Verhalten klinisch-chemischer Kennwerte des Blut von Milchkühen in Abhängigkeit vom Fettgehalt der Leber.

Mh. Vet. Med., 46, 666 - 669

Schiff, L. (1965):

Diseases of the liver.

Lippincott J. B. Co., Philadelphia, 3rd Ed.

Schulze, H. (1985):

Behaviour of mineral balance parameters of cows with postpartum fatty degeneration of liver.

Mh. Vet. Med., 40, 849 – 850

Seigner, L. (1997):

Der Nachweis von Burkholderia salanacearum mit der PCR-Vergleich verschiedener DNA-Extraktionsmethoden .

Gesunde Pflanzen, 49, 37.

Sevinc, M.; Basoglu, A; Guzelbektas, H. and Boydak, M. (2003):

Lipid and lipoprotein levels in dairy cows with fatty liver.

Turk. J. Vet. Anim. Sci., 27, 295-299

Simpson, J.W. (1985):

A new biopsy needle for use in the diagnosis of liver diseases.

Vet. Rec., 117, 639-640

Smith, P. Bradford (1990):

Large animal internal medicine

C.V. Mosby Company. Philadelphia, 1st Ed.

Staufenbiel, R.; Lügner, D.; Lügner, E.; Dargel, D. and Rossow, N. (1991):

Zur Beurteilung des Leberfettgehaltes bei der Milchkuh.

Mh. Vet. Med., 46, 798 – 805

Staufenbiel; R.; Staufenbiel, B.; Rossow, N.; Klukas, H. and Johannsen, U. (1993):

Diagnostik der Leberverfettung bei der Milchkuh.

Dtsch. Tierärztl. Wschr., 100, 209 – 248

Strang, B.D.; Bertics, S.J.; Grummer, R.R. and Armentano, L.E. (1998):

Effect of long chain fatty acids on triglyceride accumulation, gluconeogenesis and ureagenesis in bovine hepatocytes.

J. Dairy Sci., 81, 728 – 739

Stöber, M. and Scholz, H. (1991):

Therapie des Lipomobilisationssyndromes der Milchkuh.

Mh. Vet. Med., 46, 563-566

Swenson, M.J. (1984):

Duke's physiology of domestic animal.

Cornell University Press, 10th Ed

Swanson, K.S.; Merchen, N.R.; Erdman, J.W.; Jr; Drackley, J.K.; Orias, F.; Douglas, G.N. and Huhn, J.C. (2000):

Technical note: A technique for multiple liver biopsies.

J. Anim. Sci., 78, 2459-2463

Taylor, K.J.W. and Milan, J. (1976):

Differential diagnosis of chronic splenomegaly by gray-scale ultrasonography: clinical observation and digital A-scan analysis.

Br. J. Radiology, 49, 519 – 525

Theiler, A.; Green, H.H. and Du Toit, P.J. (1924):

Phosphorus in the lives industry.

J. Dept. Agri. S. Africa, 8, 460

Treacher, R.J.; Reid, I.M. and Roberts, C.J. (1986):

Effect of body condition at calving on the health and performance of dairy cows.

Anim. Prod., 43, 1 – 6

Uchida, E.; Katoh, N. and Takahashi, K. (1992):

Induction of fatty liver in cows by ethionine administration and concomitant decrease of serum apolipoprotein B-100 and A-I concentration.

Am. J. Vet. Res, 53, 2035 - 2042

Underwood, E.J. (1981):

The mineral nutrition of livestock.

London, gland: CAB books, 1st Ed

Uvlund, M.J. (1990):

Ovine white liver disease (OWLD), vitamin B12 and methyl malonic acid (MMA) estimation in blood.

Act. Vet. Scand, 31, 267 - 275

Van Den Top, A.M.; Wensing, T.; Geelen, M.J.H.; Wentink G.H.; Van'T Klooster, A.T. and Beynen, A.C. (1995):

Time trends of plasma lipid and enzymes synthesizing hepatic triacylglycerol during postpartum development of fatty liver in dairy cows.

J Dairy Sci., 78, 2208 - 2220

Van Den Top, A.M.; Wensing, T.; Geelen, M.J.H.; Wentink, G.H.; Van'T Klooster, A.T. and Beynen, A.C. (1996):

Higher postpartum hepatic triacylglycerol concentration in dairy cows with free rather than restricted access to feed during the dry period are associated with lower activities of hepatic glycerolphosphate acyltransferase.

J. Nutr., 12, 76 – 85

Van Winden, S.C.L.; Jorritsma, R.; Müller, K.E. and Noordhuizen, P.T.M. (2003):

Feed intake, milk yield, and metabolic parameters prior to left displacement of abomasum in dairy cows.

J. Dairy Sci., 86, 1465-1471

Veenhuizen, J.J.; Drackley, J.K.; Richard, M.J.; Sanderson, T.P.; Miller, L.D. and Young, J.W. (1991):

Metabolic changes in blood and liver during development and early treatment of experimentally fatty liver and ketosis in cows.

J. Dairy Sci., 74, 4238-4253

Wang, X.L.; Gallagher, C.H.; McClure, T.J.; Reeve, V.E. and Canfield, P.J. (1985):

Bovine post-parturient haemoglobineuria: effect of inorganic phosphate on red cell metabolism.

Res.Vet. Sci., 39, 333 - 339

Wentink, G.H.; Rutten, V.P.M.G.; van den Ingh, T.S.G.A.M.; Hoek, A.; Müller, K.E. and Wensing, T.T. (1997):

Impaired specific immunoreactivity in cows with hepatic lipidosis.

Vet. Immunol. Immunopath., 56, 77 - 83

Wentink, G.H.; van den Dijk, S.; Goedegebuure, S.A.; Vos, J. and Wensing, T.T. (1992):

Hepatic lipidosis in pregnant cows on a dairy farm.

Vet. Quarterly, 14, 159 - 160

West, H.J. (1990):

Effect on liver function of acetonemia and the fat cow syndrome in cattle.

Res. Vet. Sci., 48, 221 - 227

Yamaga, Y. and Too, K. (1984):

Diagnostic ultrasound imaging in domestic animals: Fundamental studies on abdominal organs and fetuses.

Jpn. J. Vet. Sci. 46, 203 - 212

Young, D.S. (1980):

Phosphorus or phosphate.

Annales Internal. Med., 93, 631 - 642

Zerbe, H.; Schneider, N.; Leibold, W.; Wensing, T.; Kruip, T. A. M. and Schuberth, H. J. (2000):

Altered functional and immunophenotypical properties of neutrophilic granulocytes in postpartum cows associated with fatty liver.

Theriogenology, 54, 771 – 786

Zhu, L.H.; Armentano, L.E.; Bremmer, D.R.; Grummer, R.R. and Bertics, S.J. (2000):

Plasma concentration of urea, ammonia, glutamine around calving and the relation of hepatic triglyceride to plasma ammonia removal and blood acid-base balance.

J. Dairy Sci., 83, 734 - 740