
8. REFERENCE LIST

Ackermann,R. and Brack,C. (1996). A strong ubiquitous promoter-enhancer for development and aging of *Drosophila melanogaster*. *Nucleic Acids Res.* 24, 2452-2453.

Andrews,B.J., Proteau,G.A., Beatty,L.G., and Sadowski,P.D. (1985). The FLP recombinase of the 2 micron circle DNA of yeast: interaction with its target sequences. *Cell* 40, 795-803.

Antequera,F. and Bird,A. (1993). CpG islands. *EXS* 64, 169-185.

Antequera,F., Boyes,J., and Bird,A. (1990). High levels of de novo methylation and altered chromatin structure at CpG islands in cell lines. *Cell* 62, 503-514.

Artelt,P., Grannemann,R., Stocking,C., Friel,J., Bartsch,J., and Hauser,H. (1991). The prokaryotic neomycin-resistance-encoding gene acts as a transcriptional silencer in eukaryotic cells. *Gene* 99, 249-254.

Assaraf,Y.G. and Schimke,R.T. (1987). Identification of methotrexate transport deficiency in mammalian cells using fluoresceinated methotrexate and flow cytometry. *Proc. Natl. Acad. Sci. U. S. A* 84, 7154-7158.

Bachman,K.E., Park,B.H., Rhee,I., Rajagopalan,H., Herman,J.G., Baylin,S.B., Kinzler,K.W., and Vogelstein,B. (2003). Histone modifications and silencing prior to DNA methylation of a tumor suppressor gene. *Cancer Cell* 3, 89-95.

Bakken,A., Morgan,G., Sollner-Webb,B., Roan,J., Busby,S., and Reeder,R.H. (1982). Mapping of transcription initiation and termination signals on *Xenopus laevis* ribosomal DNA. *Proc. Natl. Acad. Sci. U. S. A* 79, 56-60.

Bestor,T.H. (2000a). Gene silencing as a threat to the success of gene therapy. *J Clin. Invest* 105, 409-411.

Bestor,T.H. (2000b). The DNA methyltransferases of mammals. *Hum. Mol. Genet.* 9, 2395-2402.

- Bird,A., Taggart,M., Frommer,M., Miller,O.J., and Macleod,D. (1985). A fraction of the mouse genome that is derived from islands of nonmethylated, CpG-rich DNA. *Cell* 40, 91-99.
- Boshart,M., Weber,F., Jahn,G., Dorsch-Hasler,K., Fleckenstein,B., and Schaffner,W. (1985). A very strong enhancer is located upstream of an immediate early gene of human cytomegalovirus. *Cell* 41, 521-530.
- Bouvier,G., Watrin,F., Naspetti,M., Verthuy,C., Naquet,P., and Ferrier,P. (1996). Deletion of the mouse T-cell receptor beta gene enhancer blocks alphabeta T-cell development. *Proc. Natl. Acad. Sci. U. S. A* 93, 7877-7881.
- Boyes,J. and Bird,A. (1992). Repression of genes by DNA methylation depends on CpG density and promoter strength: evidence for involvement of a methyl-CpG binding protein. *EMBO J* 11, 327-333.
- Cao,R., Wang,L., Wang,H., Xia,L., Erdjument-Bromage,H., Tempst,P., Jones,R.S., and Zhang,Y. (2002). Role of histone H3 lysine 27 methylation in Polycomb-group silencing. *Science* 298, 1039-1043.
- Chada,K., Magram,J., Raphael,K., Radice,G., Lacy,E., and Costantini,F. (1985). Specific expression of a foreign beta-globin gene in erythroid cells of transgenic mice. *Nature* 314, 377-380.
- Chen,J., Young,F., Bottaro,A., Stewart,V., Smith,R.K., and Alt,F.W. (1993). Mutations of the intronic IgH enhancer and its flanking sequences differentially affect accessibility of the JH locus. *EMBO J* 12, 4635-4645.
- Chevalier-Mariette,C., Henry,I., Montfort,L., Capgras,S., Forlani,S., Muschler,J., and Nicolas,J.F. (2003). CpG content affects gene silencing in mice: evidence from novel transgenes. *Genome Biol.* 4, R53.
- Chuang,L.S., Ian,H.I., Koh,T.W., Ng,H.H., Xu,G., and Li,B.F. (1997). Human DNA-(cytosine-5) methyltransferase-PCNA complex as a target for p21WAF1. *Science* 277, 1996-2000.

- Chung,J.Y., Kim,T.K., and Lee,G.M. (2000). Morphological selection of parental Chinese hamster ovary cell clones exhibiting high-level expression of recombinant protein. *Biotechniques* 29, 768-70, 762, 74.
- Clark,A.J., Harold,G., and Yull,F.E. (1997). Mammalian cDNA and prokaryotic reporter sequences silence adjacent transgenes in transgenic mice. *Nucleic Acids Res.* 25, 1009-1014.
- Clark,S.J., Harrison,J., and Frommer,M. (1995). CpNpG methylation in mammalian cells. *Nat Genet* 10, 20-27.
- Csink,A.K. and Henikoff,S. (1996). Genetic modification of heterochromatic association and nuclear organization in *Drosophila*. *Nature* 381, 529-531.
- Csink,A.K. and Henikoff,S. (1998). Large-scale chromosomal movements during interphase progression in *Drosophila*. *J Cell Biol* 143, 13-22.
- Davies,J. and Jacob,F. (1968). Genetic mapping of the regulator and operator genes of the lac operon. *J Mol Biol* 36, 413-417.
- Dernburg,A.F., Broman,K.W., Fung,J.C., Marshall,W.F., Philips,J., Agard,D.A., and Sedat,J.W. (1996). Perturbation of nuclear architecture by long-distance chromosome interactions. *Cell* 85, 745-759.
- Doerfler,W. (1992). DNA methylation: eukaryotic defense against the transcription of foreign genes? *Microb. Pathog.* 12, 1-8.
- Dorer,D.R. and Henikoff,S. (1994). Expansions of transgene repeats cause heterochromatin formation and gene silencing in *Drosophila*. *Cell* 77, 993-1002.
- Dynan,W.S. (1989). Modularity in promoters and enhancers. *Cell* 58, 1-4.
- Epner,E., Reik,A., Cimbor,D., Telling,A., Bender,M.A., Fiering,S., Enver,T., Martin,D.I., Kennedy,M., Keller,G., and Groudine,M. (1998). The beta-globin LCR is not necessary for an open chromatin structure or developmentally regulated transcription of the native mouse beta-globin locus. *Mol Cell* 2, 447-455.
- Felgner,P.L., Gadek,T.R., Holm,M., Roman,R., Chan,H.W., Wenz,M., Northrop,J.P., Ringold,G.M., and Danielsen,M. (1987). Lipofection: a highly

efficient, lipid-mediated DNA-transfection procedure. *Proc. Natl. Acad. Sci. U. S. A* 84, 7413-7417.

Feng,Y.Q., Alami,R., and Bouhassira,E.E. (1999). Enhancer-dependent transcriptional oscillations in mouse erythroleukemia cells. *Mol Cell Biol* 19, 4907-4917.

Feng,Y.Q., Lorincz,M.C., Fiering,S., Greally,J.M., and Bouhassira,E.E. (2001). Position effects are influenced by the orientation of a transgene with respect to flanking chromatin. *Mol. Cell Biol.* 21, 298-309.

Fiering,S., Northrop,J.P., Nolan,G.P., Mattila,P.S., Crabtree,G.R., and Herzenberg,L.A. (1990). Single cell assay of a transcription factor reveals a threshold in transcription activated by signals emanating from the T-cell antigen receptor. *Genes Dev* 4, 1823-1834.

Fiering,S., Whitelaw,E., and Martin,D.I. (2000). To be or not to be active: the stochastic nature of enhancer action. *Bioessays* 22, 381-387.

Finch,J.T., Lutter,L.C., Rhodes,D., Brown,R.S., Rushton,B., Levitt,M., and Klug,A. (1977). Structure of nucleosome core particles of chromatin. *Nature* 269, 29-36.

Fitzsimons,H.L., Bland,R.J., and During,M.J. (2002). Promoters and regulatory elements that improve adeno-associated virus transgene expression in the brain. *Methods* 28, 227-236.

Francastel,C., Walters,M.C., Groudine,M., and Martin,D.I. (1999). A functional enhancer suppresses silencing of a transgene and prevents its localization close to centromeric heterochromatin. *Cell* 99, 259-269.

Gardiner-Garden,M. and Frommer,M. (1987). CpG islands in vertebrate genomes. *J Mol Biol* 196, 261-282.

Garrick,D., Fiering,S., Martin,D.I., and Whitelaw,E. (1998c). Repeat-induced gene silencing in mammals. *Nat. Genet.* 18, 56-59.

Garrick,D., Fiering,S., Martin,D.I., and Whitelaw,E. (1998b). Repeat-induced gene silencing in mammals. *Nat. Genet.* 18, 56-59.

- Garrick,D., Fiering,S., Martin,D.I., and Whitelaw,E. (1998a). Repeat-induced gene silencing in mammals. *Nat. Genet.* 18, 56-59.
- Geiman,T.M. and Robertson,K.D. (2002). Chromatin remodeling, histone modifications, and DNA methylation-how does it all fit together? *J. Cell Biochem.* 87, 117-125.
- Goldman,L.A., Cutrone,E.C., Kotenko,S.V., Krause,C.D., and Langer,J.A. (1996). Modifications of vectors pEF-BOS, pcDNA1 and pcDNA3 result in improved convenience and expression. *Biotechniques* 21, 1013-1015.
- Gopalkrishnan,R.V., Christiansen,K.A., Goldstein,N.I., DePinho,R.A., and Fisher,P.B. (1999). Use of the human EF-1alpha promoter for expression can significantly increase success in establishing stable cell lines with consistent expression: a study using the tetracycline-inducible system in human cancer cells. *Nucleic Acids Res.* 27, 4775-4782.
- Goto,T. and Monk,M. (1998). Regulation of X-chromosome inactivation in development in mice and humans. *Microbiol. Mol. Biol. Rev.* 62, 362-378.
- Gram,G.J., Nielsen,S.D., and Hansen,J.E. (1998). Spontaneous silencing of humanized green fluorescent protein (hGFP) gene expression from a retroviral vector by DNA methylation. *J. Hematother.* 7, 333-341.
- Graubert,T.A., Hug,B.A., Wesselschmidt,R., Hsieh,C.L., Ryan,T.M., Townes,T.M., and Ley,T.J. (1998). Stochastic, stage-specific mechanisms account for the variegation of a human globin transgene. *Nucleic Acids Res.* 26, 2849-2858.
- Gronostajski,R.M. and Sadowski,P.D. (1985). Determination of DNA sequences essential for FLP-mediated recombination by a novel method. *J Biol Chem.* 260, 12320-12327.
- Grosveld,F., van Assendelft,G.B., Greaves,D.R., and Kollias,G. (1987). Position-independent, high-level expression of the human beta-globin gene in transgenic mice. *Cell* 51, 975-985.

- Groudine, M., Eisenman, R., and Weintraub, H. (1981). Chromatin structure of endogenous retroviral genes and activation by an inhibitor of DNA methylation. *Nature* 292, 311-317.
- Gu, H., Zou, Y.R., and Rajewsky, K. (1993). Independent control of immunoglobulin switch recombination at individual switch regions evidenced through Cre-loxP-mediated gene targeting. *Cell* 73, 1155-1164.
- Gu, M.B., Kern, J.A., Todd, P., and Kompala, D.S. (1992). Effect of amplification of dhfr and lac Z genes on growth and beta-galactosidase expression in suspension cultures of recombinant CHO cells. *Cytotechnology* 9, 237-245.
- Guarente, L. and Hoar, E. (1984). Upstream activation sites of the CYC1 gene of *Saccharomyces cerevisiae* are active when inverted but not when placed downstream of the "TATA box". *Proc. Natl. Acad. Sci. U. S. A* 81, 7860-7864.
- Guarente, L., Yocum, R.R., and Gifford, P. (1982). A GAL10-CYC1 hybrid yeast promoter identifies the GAL4 regulatory region as an upstream site. *Proc. Natl. Acad. Sci. U. S. A* 79, 7410-7414.
- Gubin, A.N., Koduru, S., Njoroge, J.M., Bhatnagar, R., and Miller, J.L. (1999). Stable expression of green fluorescent protein after liposomal transfection of K562 cells without selective growth conditions. *Biotechniques* 27, 1162-1170.
- Gubin, A.N., Reddy, B., Njoroge, J.M., and Miller, J.L. (1997). Long-term, stable expression of green fluorescent protein in mammalian cells. *Biochem. Biophys. Res. Commun.* 236, 347-350.
- Haber, D.A., Beverley, S.M., Kiely, M.L., and Schimke, R.T. (1981). Properties of an altered dihydrofolate reductase encoded by amplified genes in cultured mouse fibroblasts. *J Biol Chem.* 256, 9501-9510.
- Hanazono, Y., Yu, J.M., Dunbar, C.E., and Emmons, R.V. (1997). Green fluorescent protein retroviral vectors: low titer and high recombination frequency suggest a selective disadvantage. *Hum. Gene Ther.* 8, 1313-1319.

- Hata,K., Okano,M., Lei,H., and Li,E. (2002). Dnmt3L cooperates with the Dnmt3 family of de novo DNA methyltransferases to establish maternal imprints in mice. *Development* 129, 1983-1993.
- Henikoff,S. (2000). Heterochromatin function in complex genomes. *Biochim. Biophys. Acta* 1470, O1-O8.
- Henikoff,S., Jackson,J.M., and Talbert,P.B. (1995). Distance and pairing effects on the brownDominant heterochromatic element in *Drosophila*. *Genetics* 140, 1007-1017.
- Hobbs,S.L., Kpodar,P., and DeLong,C.M. (1990). The effect of T-DNA copy number, position and methylation on reporter gene expression in tobacco transformants. *Plant Mol Biol* 15, 851-864.
- Hofman,C.R., Dileo,J.P., Li,Z., Li,S., and Huang,L. (2001). Efficient in vivo gene transfer by PCR amplified fragment with reduced inflammatory activity. *Gene Ther.* 8, 71-74.
- HORWITZ,J.P., CHUA,J., NOEL,M., and DAROUGE,M.A. (1964). NUCLEOSIDES. IV. 1-(2-DEOXY-BETA-D-LYXOFURANOSYL)-5-IODOURACIL. *J Med. Chem.* 15, 385-386.
- Howe,M., Dimitri,P., Berloco,M., and Wakimoto,B.T. (1995). Cis-effects of heterochromatin on heterochromatic and euchromatic gene activity in *Drosophila melanogaster*. *Genetics* 140, 1033-1045.
- Hsieh,C.L. (1994). Dependence of transcriptional repression on CpG methylation density. *Mol. Cell Biol.* 14, 5487-5494.
- Hsieh,C.L. (1999). In vivo activity of murine de novo methyltransferases, Dnmt3a and Dnmt3b. *Mol. Cell Biol.* 19, 8211-8218.
- Hug,B.A., Wesselschmidt,R.L., Fiering,S., Bender,M.A., Epner,E., Groudine,M., and Ley,T.J. (1996). Analysis of mice containing a targeted deletion of beta-globin locus control region 5' hypersensitive site 3. *Mol Cell Biol* 16, 2906-2912.
- Irvine,R.A., Lin,I.G., and Hsieh,C.L. (2002). DNA methylation has a local effect on transcription and histone acetylation. *Mol. Cell Biol.* 22, 6689-6696.

Ivics,Z., Hackett,P.B., Plasterk,R.H., and Izsvak,Z. (1997). Molecular reconstruction of Sleeping Beauty, a Tc1-like transposon from fish, and its transposition in human cells. *Cell* 91, 501-510.

Jakowitsch,J., Papp,I., Moscone,E.A., van der,W.J., Matzke,M., and Matzke,A.J. (1999). Molecular and cytogenetic characterization of a transgene locus that induces silencing and methylation of homologous promoters in trans. *Plant J.* 17, 131-140.

Jasencakova,Z., Soppe,W.J., Meister,A., Gernand,D., Turner,B.M., and Schubert,I. (2003). Histone modifications in Arabidopsis- high methylation of H3 lysine 9 is dispensable for constitutive heterochromatin. *Plant J.* 33, 471-480.

Jaskelioff,M. and Peterson,C.L. (2003). Chromatin and transcription: histones continue to make their marks. *Nat. Cell Biol.* 5, 395-399.

Jayaram,M. (1985). Two-micrometer circle site-specific recombination: the minimal substrate and the possible role of flanking sequences. *Proc. Natl. Acad. Sci. U. S. A* 82, 5875-5879.

Jenuwein,T. and Allis,C.D. (2001). Translating the histone code. *Science* 293, 1074-1080.

Jones,P.A. and Baylin,S.B. (2002). The fundamental role of epigenetic events in cancer. *Nat. Rev. Genet.* 3, 415-428.

Jones,P.A. and Takai,D. (2001). The role of DNA methylation in mammalian epigenetics. *Science* 293, 1068-1070.

Jones,P.A., Wolkowicz,M.J., Rideout,W.M., III, Gonzales,F.A., Marziasz,C.M., Coetzee,G.A., and Tapscott,S.J. (1990). De novo methylation of the MyoD1 CpG island during the establishment of immortal cell lines. *Proc. Natl. Acad. Sci. U. S. A* 87, 6117-6121.

Jones,P.L., Veenstra,G.J., Wade,P.A., Vermaak,D., Kass,S.U., Landsberger,N., Strouboulis,J., and Wolffe,A.P. (1998). Methylated DNA and MeCP2 recruit histone deacetylase to repress transcription. *Nat. Genet.* 19, 187-191.

- Jorgensen,R. (1990). Altered gene expression in plants due to trans interactions between homologous genes. *Trends Biotechnol.* 8, 340-344.
- Kass,S.U., Landsberger,N., and Wolffe,A.P. (1997a). DNA methylation directs a time-dependent repression of transcription initiation. *Curr. Biol.* 7, 157-165.
- Kass,S.U., Landsberger,N., and Wolffe,A.P. (1997b). DNA methylation directs a time-dependent repression of transcription initiation. *Curr. Biol.* 7, 157-165.
- Keegan,L., Gill,G., and Ptashne,M. (1986). Separation of DNA binding from the transcription-activating function of a eukaryotic regulatory protein. *Science* 231, 699-704.
- Kerr,W.G., Nolan,G.P., and Herzenberg,L.A. (1989). In situ detection of transcriptionally active chromatin and genetic regulatory elements in individual viable mammalian cells. *Immunol. Suppl* 2, 74-78.
- Kim,D.W., Uetsuki,T., Kaziro,Y., Yamaguchi,N., and Sugano,S. (1990). Use of the human elongation factor 1 alpha promoter as a versatile and efficient expression system. *Gene* 91, 217-223.
- Kim,S.J., Kim,N.S., Ryu,C.J., Hong,H.J., and Lee,G.M. (1998). Characterization of chimeric antibody producing CHO cells in the course of dihydrofolate reductase-mediated gene amplification and their stability in the absence of selective pressure. *Biotechnol. Bioeng.* 58, 73-84.
- Kirsch,P., Hafner,M., Zentgraf,H., and Schilling,L. (2003). Time course of fluorescence intensity and protein expression in HeLa cells stably transfected with hrGFP. *Mol Cells* 15, 341-348.
- Ko,M.S., Nakauchi,H., and Takahashi,N. (1990). The dose dependence of glucocorticoid-inducible gene expression results from changes in the number of transcriptionally active templates. *EMBO J* 9, 2835-2842.
- Kofman,A., Graf,M., Deml,L., Kharazova,A., Wolf,H., and Wagner,R. (2003). Co-influence of transgene expression in mammalian cells. Mutual influence of transgenes on their expression in mammalian cells. *Tsitologija* 45, 387-391.

- Kornberg,R.D. (1974). Chromatin structure: a repeating unit of histones and DNA. *Science* 184, 868-871.
- Krieg,A.M. (2002). CpG motifs in bacterial DNA and their immune effects. *Annu. Rev. Immunol.* 20, 709-760.
- Larsen,F., Gundersen,G., Lopez,R., and Prydz,H. (1992). CpG islands as gene markers in the human genome. *Genomics* 13, 1095-1107.
- Lemon,B. and Tjian,R. (2000). Orchestrated response: a symphony of transcription factors for gene control. *Genes Dev* 14, 2551-2569.
- Leonhardt,H., Rahn,H.P., and Cardoso,M.C. (1999). Functional links between nuclear structure, gene expression, DNA replication, and methylation. *Crit Rev. Eukaryot. Gene Expr.* 9, 345-351.
- Lichtenberg,U., Zock,C., and Doerfler,W. (1988). Integration of foreign DNA into mammalian genome can be associated with hypomethylation at site of insertion. *Virus Res.* 11, 335-342.
- Linn,F., Heidmann,I., Saedler,H., and Meyer,P. (1990). Epigenetic changes in the expression of the maize A1 gene in *Petunia hybrida*: role of numbers of integrated gene copies and state of methylation. *Mol Gen. Genet* 222, 329-336.
- Lipshutz,G.S., Gruber,C.A., Cao,Y., Hardy,J., Contag,C.H., and Gaensler,K.M. (2001). In utero delivery of adeno-associated viral vectors: intraperitoneal gene transfer produces long-term expression. *Mol Ther.* 3, 284-292.
- Lorincz,M.C., Dickerson,D.R., Schmitt,M., and Groudine,M. (2004). Intragenic DNA methylation alters chromatin structure and elongation efficiency in mammalian cells. *Nat Struct. Mol Biol* 11, 1068-1075.
- Lorincz,M.C., Schubeler,D., Goeke,S.C., Walters,M., Groudine,M., and Martin,D.I. (2000). Dynamic analysis of proviral induction and De Novo methylation: implications for a histone deacetylase-independent, methylation density-dependent mechanism of transcriptional repression. *Mol. Cell Biol.* 20, 842-850.

- Loser,P., Jennings,G.S., Strauss,M., and Sandig,V. (1998). Reactivation of the previously silenced cytomegalovirus major immediate-early promoter in the mouse liver: involvement of NFkappaB. *J Virol.* 72, 180-190.
- Magis,W., Fiering,S., Groudine,M., and Martin,D.I. (1996). An upstream activator of transcription coordinately increases the level and epigenetic stability of gene expression. *Proc. Natl. Acad. Sci. U. S. A* 93, 13914-13918.
- Martin,D.I. (2001). Transcriptional enhancers--on/off gene regulation as an adaptation to silencing in higher eukaryotic nuclei. *Trends Genet* 17, 444-448.
- Matzke,A.J. and Matzke,M.A. (1998). Position effects and epigenetic silencing of plant transgenes. *Curr. Opin. Plant Biol.* 1, 142-148.
- Matzke,M.A. and Matzke,A.J. (1991). Differential inactivation and methylation of a transgene in plants by two suppressor loci containing homologous sequences. *Plant Mol Biol* 16, 821-830.
- Matzke,M.A., Mette,M.F., and Matzke,A.J. (2000). Transgene silencing by the host genome defense: implications for the evolution of epigenetic control mechanisms in plants and vertebrates. *Plant Mol. Biol.* 43, 401-415.
- McBurney,M.W., Lau,S., Jardine,K., Yang,X., and Davies,B. (2001). Reexpression of a cluster of silenced transgenes is associated with their rearrangement. *Genes Chromosomes. Cancer* 32, 311-323.
- McBurney,M.W., Mai,T., Yang,X., and Jardine,K. (2002). Evidence for repeat-induced gene silencing in cultured Mammalian cells: inactivation of tandem repeats of transfected genes. *Exp. Cell Res.* 274, 1-8.
- Miskey,C., Izsvak,Z., Plasterk,R.H., and Ivics,Z. (2003). The Frog Prince: a reconstructed transposon from *Rana pipiens* with high transpositional activity in vertebrate cells. *Nucleic Acids Res.* 31, 6873-6881.
- Morgan,G.T., Reeder,R.H., and Bakken,A.H. (1983). Transcription in cloned spacers of *Xenopus laevis* ribosomal DNA. *Proc. Natl. Acad. Sci. U. S. A* 80, 6490-6494.

-
- Muller,J., Hart,C.M., Francis,N.J., Vargas,M.L., Sengupta,A., Wild,B., Miller,E.L., O'Connor,M.B., Kingston,R.E., and Simon,J.A. (2002). Histone methyltransferase activity of a *Drosophila* Polycomb group repressor complex. *Cell* 111, 197-208.
- Mutskov,V. and Felsenfeld,G. (2004). Silencing of transgene transcription precedes methylation of promoter DNA and histone H3 lysine 9. *EMBO J.* 23, 138-149.
- Mutskov,V.J., Farrell,C.M., Wade,P.A., Wolffe,A.P., and Felsenfeld,G. (2002). The barrier function of an insulator couples high histone acetylation levels with specific protection of promoter DNA from methylation. *Genes Dev.* 16, 1540-1554.
- Nan,X., Ng,H.H., Johnson,C.A., Laherty,C.D., Turner,B.M., Eisenman,R.N., and Bird,A. (1998). Transcriptional repression by the methyl-CpG-binding protein MeCP2 involves a histone deacetylase complex. *Nature* 393, 386-389.
- Newlands,S., Levitt,L.K., Robinson,C.S., Karpf,A.B., Hodgson,V.R., Wade,R.P., and Hardeman,E.C. (1998). Transcription occurs in pulses in muscle fibers. *Genes Dev* 12, 2748-2758.
- Ng,H.H. and Bird,A. (1999). DNA methylation and chromatin modification. *Curr Opin. Genet Dev* 9, 158-163.
- O'Gorman,S., Fox,D.T., and Wahl,G.M. (1991). Recombinase-mediated gene activation and site-specific integration in mammalian cells. *Science* 251, 1351-1355.
- Okano,M., Bell,D.W., Haber,D.A., and Li,E. (1999). DNA methyltransferases Dnmt3a and Dnmt3b are essential for de novo methylation and mammalian development. *Cell* 99, 247-257.
- Okano,M., Xie,S., and Li,E. (1998). Dnmt2 is not required for de novo and maintenance methylation of viral DNA in embryonic stem cells. *Nucleic Acids Res.* 26, 2536-2540.

- Orend,G., Kuhlmann,I., and Doerfler,W. (1991). Spreading of DNA methylation across integrated foreign (adenovirus type 12) genomes in mammalian cells. *J. Virol.* 65, 4301-4308.
- Palmiter,R.D. and Brinster,R.L. (1986). Germ-line transformation of mice. *Annu. Rev. Genet* 20, 465-499.
- Paro,R. (1990). Imprinting a determined state into the chromatin of *Drosophila*. *Trends Genet* 6, 416-421.
- Peterson,K.R., Clegg,C.H., Huxley,C., Josephson,B.M., Haugen,H.S., Furukawa,T., and Stamatoyannopoulos,G. (1993). Transgenic mice containing a 248-kb yeast artificial chromosome carrying the human beta-globin locus display proper developmental control of human globin genes. *Proc. Natl. Acad. Sci. U. S. A* 90, 7593-7597.
- Pikaart,M.J., Recillas-Targa,F., and Felsenfeld,G. (1998). Loss of transcriptional activity of a transgene is accompanied by DNA methylation and histone deacetylation and is prevented by insulators. *Genes Dev.* 12, 2852-2862.
- Pontecorvo,G. (1944). Structure of heterochromatin. *Nature* 3882, 365-367.
- Porcu,S., Kitamura,M., Witkowska,E., Zhang,Z., Muter,A., Lin,C., Chang,J., and Gaensler,K.M. (1997). The human beta globin locus introduced by YAC transfer exhibits a specific and reproducible pattern of developmental regulation in transgenic mice. *Blood* 90, 4602-4609.
- Ptashne,M. (1986). Gene regulation by proteins acting nearby and at a distance. *Nature* 322, 697-701.
- Razin,A. and Riggs,A.D. (1980). DNA methylation and gene function. *Science* 210, 604-610.
- Rea,S., Eisenhaber,F., O'Carroll,D., Strahl,B.D., Sun,Z.W., Schmid,M., Opravil,S., Mechtler,K., Ponting,C.P., Allis,C.D., and Jenuwein,T. (2000). Regulation of chromatin structure by site-specific histone H3 methyltransferases. *Nature* 406, 593-599.

- Reddy,S., DeGregori,J.V., von Melchner,H., and Ruley,H.E. (1991). Retrovirus promoter-trap vector to induce lacZ gene fusions in mammalian cells. *J Virol.* 65, 1507-1515.
- Rodolosse,A., Barbat,A., Chantret,I., Lacasa,M., Brot-Laroche,E., Zweibaum,A., and Rousset,M. (1998). Selecting agent hygromycin B alters expression of glucose-regulated genes in transfected Caco-2 cells. *Am. J Physiol* 274, G931-G938.
- Ross,I.L., Browne,C.M., and Hume,D.A. (1994). Transcription of individual genes in eukaryotic cells occurs randomly and infrequently. *Immunol. Cell Biol* 72, 177-185.
- Russell,L.B. and Bangham,J.W. (1961). Variegated-type position effects in the mouse. *Genetics* 46, 509-525.
- Sauer,B. (1994). Site-specific recombination: developments and applications. *Curr Opin. Biotechnol.* 5, 521-527.
- Scheid,O.M., Paszkowski,J., and Potrykus,I. (1991). Reversible inactivation of a transgene in *Arabidopsis thaliana*. *Mol Gen. Genet* 228, 104-112.
- Schott,B., Iraj,E.S., and Roninson,I.B. (1996). Effects of infection rate and selection pressure on gene expression from an internal promoter of a double gene retroviral vector. *Somat. Cell Mol Genet* 22, 291-309.
- Scrabble,H. and Stambrook,P.J. (1997). Activation of the lac repressor in the transgenic mouse. *Genetics* 147, 297-304.
- Senecoff,J.F., Bruckner,R.C., and Cox,M.M. (1985). The FLP recombinase of the yeast 2-micron plasmid: characterization of its recombination site. *Proc. Natl. Acad. Sci. U. S. A* 82, 7270-7274.
- Shaffer,C.D., Wallrath,L.L., and Elgin,S.C. (1993). Regulating genes by packaging domains: bits of heterochromatin in euchromatin? *Trends Genet* 9, 35-37.

- Shimshek,D.R., Kim,J., Hubner,M.R., Spergel,D.J., Buchholz,F., Casanova,E., Stewart,A.F., Seeburg,P.H., and Sprengel,R. (2002). Codon-improved Cre recombinase (iCre) expression in the mouse. *Genesis*. 32, 19-26.
- Sleckman,B.P., Bardon,C.G., Ferrini,R., Davidson,L., and Alt,F.W. (1997). Function of the TCR alpha enhancer in alphabeta and gammadelta T cells. *Immunity*. 7, 505-515.
- Smith,K.T., Coffee,B., and Reines,D. (2004). Occupancy and synergistic activation of the FMR1 promoter by Nrf-1 and Sp1 in vivo. *Hum. Mol. Genet.* 13, 1611-1621.
- Stein,R., Razin,A., and Cedar,H. (1982). In vitro methylation of the hamster adenine phosphoribosyltransferase gene inhibits its expression in mouse L cells. *Proc. Natl. Acad. Sci. U. S. A* 79, 3418-3422.
- Strahl,B.D., Ohba,R., Cook,R.G., and Allis,C.D. (1999). Methylation of histone H3 at lysine 4 is highly conserved and correlates with transcriptionally active nuclei in *Tetrahymena*. *Proc. Natl. Acad. Sci. U. S. A* 96, 14967-14972.
- Struhl,K. (1984). Genetic properties and chromatin structure of the yeast gal regulatory element: an enhancer-like sequence. *Proc. Natl. Acad. Sci. U. S. A* 81, 7865-7869.
- Takai,D. and Jones,P.A. (2002). Comprehensive analysis of CpG islands in human chromosomes 21 and 22. *Proc. Natl. Acad. Sci. U. S. A* 99, 3740-3745.
- Tamaru,H. and Selker,E.U. (2001). A histone H3 methyltransferase controls DNA methylation in *Neurospora crassa*. *Nature* 414, 277-283.
- Tate,P.H. and Bird,A.P. (1993). Effects of DNA methylation on DNA-binding proteins and gene expression. *Curr. Opin. Genet. Dev.* 3, 226-231.
- Townes,T.M., Lingrel,J.B., Chen,H.Y., Brinster,R.L., and Palmiter,R.D. (1985). Erythroid-specific expression of human beta-globin genes in transgenic mice. *EMBO J* 4, 1715-1723.
- Treisman,R. and Maniatis,T. (1985). Simian virus 40 enhancer increases number of RNA polymerase II molecules on linked DNA. *Nature* 315, 73-75.

- Trendelenburg, M.F. and Gurdon, J.B. (1978). Transcription of cloned *Xenopus* ribosomal genes visualised after injection into oocyte nuclei. *Nature* 276, 292-294.
- Uetsuki, T., Naito, A., Nagata, S., and Kaziro, Y. (1989). Isolation and characterization of the human chromosomal gene for polypeptide chain elongation factor-1 alpha. *J Biol Chem.* 264, 5791-5798.
- Urieli-Shoval, S., Gruenbaum, Y., Sedat, J., and Razin, A. (1982). The absence of detectable methylated bases in *Drosophila melanogaster* DNA. *FEBS Lett.* 146, 148-152.
- Wakabayashi-Ito, N. and Nagata, S. (1994). Characterization of the regulatory elements in the promoter of the human elongation factor-1 alpha gene. *J Biol Chem.* 269, 29831-29837.
- Wakimoto, B.T. (1998). Beyond the nucleosome: epigenetic aspects of position-effect variegation in *Drosophila*. *Cell* 93, 321-324.
- Walters, M.C., Fiering, S., Eidemiller, J., Magis, W., Groudine, M., and Martin, D.I. (1995a). Enhancers increase the probability but not the level of gene expression. *Proc. Natl. Acad. Sci. U. S. A* 92, 7125-7129.
- Walters, M.C., Fiering, S., Eidemiller, J., Magis, W., Groudine, M., and Martin, D.I. (1995b). Enhancers increase the probability but not the level of gene expression. *Proc. Natl. Acad. Sci. U. S. A* 92, 7125-7129.
- Walters, M.C., Magis, W., Fiering, S., Eidemiller, J., Scalzo, D., Groudine, M., and Martin, D.I. (1996). Transcriptional enhancers act in cis to suppress position-effect variegation. *Genes Dev* 10, 185-195.
- Weber, F. and Schaffner, W. (1985). Simian virus 40 enhancer increases RNA polymerase density within the linked gene. *Nature* 315, 75-77.
- Weiler, K.S. and Wakimoto, B.T. (1995). Heterochromatin and gene expression in *Drosophila*. *Annu. Rev. Genet* 29, 577-605.
- Weintraub, H. (1988a). Formation of stable transcription complexes as assayed by analysis of individual templates. *Proc. Natl. Acad. Sci. U. S. A* 85, 5819-5823.

- Weintraub,H. (1988b). Formation of stable transcription complexes as assayed by analysis of individual templates. *Proc. Natl. Acad. Sci. U. S. A* 85, 5819-5823.
- Wolffe,A.P. and Pruss,D. (1996). Deviant nucleosomes: the functional specialization of chromatin. *Trends Genet.* 12, 58-62.
- Xu,G.L. and Bestor,T.H. (1997). Cytosine methylation targetted to pre-determined sequences. *Nat Genet* 17, 376-378.
- Xu,R., Janson,C.G., Mastakov,M., Lawlor,P., Young,D., Mouravlev,A., Fitzsimons,H., Choi,K.L., Ma,H., Dragunow,M., Leone,P., Chen,Q., Dicker,B., and During,M.J. (2001). Quantitative comparison of expression with adeno-associated virus (AAV-2) brain-specific gene cassettes. *Gene Ther.* 8, 1323-1332.
- Yates,P.A., Burman,R., Simpson,J., Ponomoreva,O.N., Thayer,M.J., and Turker,M.S. (2003). Silencing of mouse Aprt is a gradual process in differentiated cells. *Mol. Cell Biol.* 23, 4461-4470.
- Yew,N.S., Zhao,H., Przybylska,M., Wu,I.H., Tousignant,J.D., Scheule,R.K., and Cheng,S.H. (2002). CpG-depleted plasmid DNA vectors with enhanced safety and long-term gene expression in vivo. *Mol Ther.* 5, 731-738.
- Yoder,J.A., Walsh,C.P., and Bestor,T.H. (1997). Cytosine methylation and the ecology of intragenomic parasites. *Trends Genet.* 13, 335-340.
- Yokochi,T. and Robertson,K.D. (2002). Preferential methylation of unmethylated DNA by Mammalian de novo DNA methyltransferase Dnmt3a. *J. Biol. Chem.* 277, 11735-11745.