

**Regulation of Malt1 and Bcl10 Function by the
Ubiquitin and SUMO Systems:
Implications for NF- κ B Signaling in Lymphocytes**

Dissertation zur Erlangung des akademischen Grades
des Doktors der Naturwissenschaften (Dr. rer. nat.)

eingereicht im Fachbereich Biologie, Chemie und Pharmazie
der Freien Universität Berlin

vorgelegt von
Andrea Oeckinghaus

geb. am 30.09.1978
in Waiblingen

Berlin, im August 2007

1. Gutachter: Prof. Dr. Claus Scheidereit
2. Gutachter: Prof. Dr. Udo Heinemann

Disputation am: 8.11.2007

Table of contents

1	Introduction	1
1.1	The ubiquitin system	2
1.1.1	Molecular mechanism of ubiquitination	2
1.1.2	Mono- and poly-ubiquitination	3
1.1.3	The small ubiquitin-like modifier SUMO	5
1.2	The NF- κ B signaling pathway – an overview	6
1.2.1	NF- κ B and I κ B protein families	6
1.2.2	NF- κ B - stimuli and target genes	8
1.3	Mechanisms of NF- κ B activation	9
1.3.1	The canonical NF- κ B signaling pathway	10
1.3.2	The non-canonical NF- κ B signaling pathway	10
1.3.3	DNA damage induced signaling to NF- κ B	10
1.3.4	The I κ B kinase (IKK) complex – gatekeeper of NF- κ B signaling	11
1.4	NF- κ B - a central regulator of inflammatory and innate immune responses	13
1.4.1	NF- κ B activation by Toll-like receptors	13
1.4.2	NF- κ B activation by TNF-receptors	14
1.5	NF- κ B in the adaptive immune response	16
1.5.1	The adaptive immune response	16
1.5.2	Activation of T cells	17
1.5.2.1	The T cell receptor	17
1.5.2.2	The co-receptors CD4 and CD8	17
1.5.2.3	Co-stimulatory signals	18
1.5.2.4	The immunological synapse	18
1.5.2.5	T cell receptor mediated activation of transcription	19
1.5.2.5.1	Receptor proximal events	19
1.5.2.5.2	Signaling by the co-stimulatory receptor CD28	20
1.5.2.6	T cell receptor dependent activation of NF- κ B	21
1.5.2.6.1	PKC θ	21
1.5.2.6.2	Carma1, Bcl10 and Malt1 link PKC θ activation to the IKK complex	22
1.5.2.6.3	Signaling via the Carma1/Bcl10/Malt1 complex (CBM)	25
1.5.2.6.4	Negative regulation of CBM signaling	28
1.5.2.6.5	CBM complex dysfunctions in lymphomas	28
2	Results	31
2.1	Functional role of Malt1 in IKK/NF- κ B signaling	31
2.1.1	CBM complex formation upon T cell activation	31
2.1.2	Stimulus-dependent Malt1 ubiquitination in Jurkat T cells	33
2.1.3	TRAF6 functions as an E3 ligase for Malt1	34
2.1.4	TRAF6 mediates Malt1 ubiquitination upon T cell activation	38
2.1.5	TRAF6 binding sites in Malt1 are critical for NF- κ B activation in T cells	40
2.1.6	Multiple C-terminal lysines of Malt1 can serve as ubiquitin acceptor sites	45
2.1.7	Malt1 ubiquitination is crucial for NF- κ B activation and IL-2 production	49
2.1.8	IKK γ is recruited to ubiquitinated Malt1	53
2.2	Nuclear Bcl10 is modified by sumoylation	57
2.2.1	Sumoylation of Bcl10	57
2.2.2	Nuclear localization enhances Bcl10 sumoylation	58
2.2.3	Lysine 110 of Bcl10 serves as acceptor lysine for sumoylation	60
2.2.4	Bcl10-SUMO fusion promotes nuclear localization	61
2.2.5	Bcl10-SUMO fusion enhances NF- κ B activation by Bcl10	62

3	Discussion	65
3.1	Ubiquitination of Malt1	65
3.1.1	CBM complex formation and Malt1 ubiquitination	65
3.1.2	TRAF6 function in Malt1 ubiquitination and TCR signaling	66
3.1.3	IKK γ recruitment to the CBM complex	70
3.1.4	Multiple lysines as ubiquitin acceptor sites	72
3.1.5	A new model for CBM mediated IKK/NF- κ B activation	74
3.1.6	Implications for other signaling pathways	76
3.1.7	Conclusions and perspectives	77
3.2	Sumoylation of Bcl10	78
3.2.1	Bcl10 sumoylation and nucleocytoplasmic translocation	78
3.2.2	Enhanced NF- κ B activation by Bcl10-SUMO	81
3.2.3	A working model for nuclear localization of Bcl10 in MALT lymphomas	82
3.2.4	Conclusions and perspectives	85
4	Summary / Zusammenfassung	87
5	Materials	91
5.1	Instruments and equipment	91
5.2	Chemicals	92
5.3	Enzymes and Kits	93
5.4	Bacteria	93
5.5	Eukaryotic cell lines	94
5.6	Recombinant proteins	94
5.7	Vectors and oligonucleotides	94
5.8	Antibodies	98
5.9	Buffers and solutions	99
6	Methods	102
6.1	Molecular biology techniques	102
6.1.1	Polymerase chain reaction (PCR)	102
6.1.2	PCR-based mutagenesis	102
6.1.3	PCR purification and restriction digests	103
6.1.4	Agarose gel electrophoresis and gel extraction	103
6.1.5	Ligation	103
6.1.6	Preparation of competent <i>E. coli</i>	103
6.1.7	Transformation	104
6.1.8	Isolation of plasmid DNA	104
6.1.9	Control restriction digest	105
6.1.10	Sequencing	105
6.2	Cell culture	106
6.2.1	Culture and plasmid transfection of HEK293 cells	106
6.2.2	Culture and plasmid transfection of Phoenix packaging cells	106
6.2.3	Culture and plasmid transfection of COS-7 cells	107
6.2.4	Jurkat T cells	107
6.2.4.1	Culture and plasmid transfection	107
6.2.4.2	siRNA transfection	108
6.2.4.3	Activation	108
6.2.5	Primary CD4 ⁺ T cells	109
6.2.5.1	Isolation and culture	109
6.2.5.2	Retroviral infection	110
6.2.5.3	Activation	111
6.3	Immunofluorescence	111
6.3.1	Intracellular protein staining in CD4 ⁺ T cells for flow cytometric analysis	112

6.3.2	Intracellular protein staining in COS-7 cells for fluorescence microscopy.....	113
6.4	Biochemical methods.....	113
6.4.1	Determination of protein concentrations	113
6.4.2	Sodium dodecylsulfate polyacrylamide-gel electrophoresis (SDS-PAGE)	113
6.4.3	Western Blotting.....	114
6.4.4	Immunodetection	114
6.4.5	(Co-)immunoprecipitations	114
6.4.6	Detection of protein ubiquitination	115
6.4.7	Size-exclusion chromatography	115
6.5	Pull-down experiments	116
6.5.1	Recombinant protein expression and purification.....	116
6.5.2	StrepIKK γ Pull-down	117
6.6	In vitro ubiquitination assays	117
6.6.1	Recombinant protein expression and purification.....	117
6.6.2	Ubiquitination reactions	118
6.7	NF- κ B reporter assay	118
7	Abbreviations.....	119
8	References	122
9	Appendix	134
	Publications.....	134
	Curriculum Vitae	135