

7. REFERENCES

- Akama, T. O., Nakagawa, H., Wong, N. K., Sutton-Smith, M., Dell, A., Morris, H. R., Nakayama, J., Nishimura, S., Pai, A., Moremen, K. W., *et al.* (2006). Essential and mutually compensatory roles of $\{\alpha\}$ -mannosidase II and $\{\alpha\}$ -mannosidase IIx in N-glycan processing in vivo in mice. *Proc Natl Acad Sci U S A* **103**, 8983-8988.
- Akiyama, H., Chaboissier, M. C., Martin, J. F., Schedl, A., and de Crombrugghe, B. (2002). The transcription factor Sox9 has essential roles in successive steps of the chondrocyte differentiation pathway and is required for expression of Sox5 and Sox6. *Genes Dev* **16**, 2813-2828.
- Albig, A. R., and Schiemann, W. P. (2005). Fibulin-5 function during tumorigenesis. *Future Oncol* **1**, 23-35.
- Al-Gazali, L. I., Sztriha, L., Skaff, F., and Haas, D. (2001). Gerodermia osteodysplastica and wrinkly skin syndrome: are they the same? *Am J Med Genet* **101**, 213-220.
- Allan, B. B., Moyer, B. D., and Balch, W. E. (2000). Rab1 recruitment of p115 into a cis-SNARE complex: programming budding COPII vesicles for fusion. *Science* **289**, 444-448.
- Andersen, D. C., and Goochee, C. F. (1994). The effect of cell-culture conditions on the oligosaccharide structures of secreted glycoproteins. *Curr Opin Biotechnol* **5**, 546-549.
- Ang, S. L., and Rossant, J. (1994). HNF-3 beta is essential for node and notochord formation in mouse development. *Cell* **78**, 561-574.
- Arnold, J. N., Wormald, M. R., Sim, R. B., Rudd, P. M., and Dwek, R. A. (2007). The impact of glycosylation on the biological function and structure of human immunoglobulins. *Annu Rev Immunol* **25**, 21-50.
- Baguma-Nibasheka, M., and Kablar, B. (2008). Pulmonary hypoplasia in the connective tissue growth factor (Ctgf) null mouse. *Dev Dyn* **237**, 485-493.
- Bailey, A. J. (2001). Molecular mechanisms of ageing in connective tissues. *Mech Ageing Dev* **122**, 735-755.
- Bamatter, F., Franceschetti, A., Klein, D., and Sierro, A. (1950). Gerodermie osteodysplastique hereditaire. *Ann Pediat* **174**, 126-127.
- Barr, F. A., and Short, B. (2003). Golgins in the structure and dynamics of the Golgi apparatus. *Curr Opin Cell Biol* **15**, 405-413.
- Barr, F. A., and Warren, G. (1996). Disassembly and reassembly of the Golgi apparatus. *Seminars in Cell & Developmental Biology* **7**, 505-510.

- Baumann, L. (2007). Skin ageing and its treatment. *J Pathol* 211, 241-251.
- Bi, W., Deng, J. M., Zhang, Z., Behringer, R. R., and de Crombrugghe, B. (1999). Sox9 is required for cartilage formation. *Nat Genet* 22, 85-89.
- Blanpain, C., and Fuchs, E. (2006). Epidermal stem cells of the skin. *Annu Rev Cell Dev Biol* 22, 339-373.
- Boehm, M., Aguilar, R. C., and Bonifacino, J. S. (2001). Functional and physical interactions of the adaptor protein complex AP-4 with ADP-ribosylation factors (ARFs). *Embo J* 20, 6265-6276.
- Boreux, G. (1969). [Osteodysplastic geroderma of sex-linked heredity, a new clinical and genetic entity]. *J Genet Hum* 17, 137-138.
- Bos, J. L., Rehmann, H., and Wittinghofer, A. (2007). GEFs and GAPs: critical elements in the control of small G proteins. *Cell* 129, 865-877.
- Bouwman, P., Gollner, H., Elsasser, H. P., Eckhoff, G., Karis, A., Grosveld, F., Philipsen, S., and Suske, G. (2000). Transcription factor Sp3 is essential for post-natal survival and late tooth development. *Embo J* 19, 655-661.
- Boyce, B. F., and Xing, L. (2006). Osteoclasts, no longer osteoblast slaves. *Nat Med* 12, 1356-1358.
- Cardoso, W. V. (2001). Molecular regulation of lung development. *Annu Rev Physiol* 63, 471-494.
- Carrino, D. A., Sorrell, J. M., and Caplan, A. I. (2000). Age-related changes in the proteoglycans of human skin. *Arch Biochem Biophys* 373, 91-101.
- Cheung, P., Pawling, J., Partridge, E. A., Sukhu, B., Grynpas, M., and Dennis, J. W. (2007). Metabolic homeostasis and tissue renewal are dependent on {beta}1,6GlcNAc-branched N-glycans
10.1093/glycob/cwm048. *Glycobiology* 17, 828-837.
- Christoforidis, S., and Zerial, M. (2000). Purification and identification of novel Rab effectors using affinity chromatography. *Methods* 20, 403-410.
- Clark, J. C., Wert, S. E., Bachurski, C. J., Stahlman, M. T., Stripp, B. R., Weaver, T. E., and Whitsett, J. A. (1995). Targeted disruption of the surfactant protein B gene disrupts surfactant homeostasis, causing respiratory failure in newborn mice. *Proc Natl Acad Sci U S A* 92, 7794-7798.
- Clark, M. A., and Weiss, A. S. (1995). Hutchinson-Gilford progeria types defined by differential binding of lectin DSA. *Biochim Biophys Acta* 1270, 142-148.

- Colvin, J. S., White, A. C., Pratt, S. J., and Ornitz, D. M. (2001). Lung hypoplasia and neonatal death in Fgf9-null mice identify this gene as an essential regulator of lung mesenchyme. *Development* 128, 2095-2106.
- Corthesy-Theulaz, I., Pauloin, A., and Pfeffer, S. R. (1992). Cytoplasmic dynein participates in the centrosomal localization of the Golgi complex. *J Cell Biol* 118, 1333-1345.
- Cummings, S. R., and Melton, L. J. (2002). Epidemiology and outcomes of osteoporotic fractures. *Lancet* 359, 1761-1767.
- Curran, M. E., Atkinson, D. L., Ewart, A. K., Morris, C. A., Leppert, M. F., and Keating, M. T. (1993). The elastin gene is disrupted by a translocation associated with supravalvular aortic stenosis. *Cell* 73, 159-168.
- Davidson, J. M., and Giro, M. (2006). Healing slack skin. *J Invest Dermatol* 126, 2563-2564.
- de Crombrugghe, B., Lefebvre, V., and Nakashima, K. (2001). Regulatory mechanisms in the pathways of cartilage and bone formation. *Curr Opin Cell Biol* 13, 721-727.
- Del Nery, E., Miserey-Lenkei, S., Falguieres, T., Nizak, C., Johannes, L., Perez, F., and Goud, B. (2006). Rab6A and Rab6A' GTPases Play Non-overlapping Roles in Membrane Trafficking
doi:10.1111/j.1600-0854.2006.00395.x. *Traffic* 7, 394-407.
- Di, Y., Li, J., Fang, J., Xu, Z., He, X., Zhang, F., Ling, J., Li, X., Xu, D., Li, L., et al. (2003). Cloning and characterization of a novel gene which encodes a protein interacting with the mitosis-associated kinase-like protein NTKL. *J Hum Genet* 48, 315-321.
- Ducy, P., Zhang, R., Geoffroy, V., Ridall, A. L., and Karsenty, G. (1997). Osf2/Cbfα1: A Transcriptional Activator of Osteoblast Differentiation. *Cell* 89, 747-754.
- Eller, M. S., Liao, X., Liu, S., Hanna, K., Backvall, H., Opresko, P. L., Bohr, V. A., and Gilchrest, B. A. (2006). A role for WRN in telomere-based DNA damage responses. *Proc Natl Acad Sci U S A* 103, 15073-15078.
- Eriksson, M., Brown, W. T., Gordon, L. B., Glynn, M. W., Singer, J., Scott, L., Erdos, M. R., Robbins, C. M., Moses, T. Y., Berglund, P., et al. (2003). Recurrent de novo point mutations in lamin A cause Hutchinson-Gilford progeria syndrome. *Nature* 423, 293-298.
- Ewart, A. K., Jin, W., Atkinson, D., Morris, C. A., and Keating, M. T. (1994). Supravalvular aortic stenosis associated with a deletion disrupting the elastin gene. *J Clin Invest* 93, 1071-1077.
- Ewart, A. K., Morris, C. A., Atkinson, D., Jin, W., Sternes, K., Spallone, P., Stock, A. D., Leppert, M., and Keating, M. T. (1993). Hemizygosity at the elastin locus in a developmental disorder, Williams syndrome. *Nat Genet* 5, 11-16.

- Faid, V., Chirat, F., Seta, N., Foulquier, F., and Morelle, W. (2007). A rapid mass spectrometric strategy for the characterization of N- and O-glycan chains in the diagnosis of defects in glycan biosynthesis. *Proteomics* 7, 1800-1813.
- Foster, J. W., Dominguez-Steglich, M. A., Guioli, S., Kowk, G., Weller, P. A., Stevanovic, M., Weissenbach, J., Mansour, S., Young, I. D., Goodfellow, P. N., and et al. (1994). Campomelic dysplasia and autosomal sex reversal caused by mutations in an SRY-related gene. *Nature* 372, 525-530.
- Fritzler, M., Hamel, J., Ochs, R., and Chan, E. (1993). Molecular characterization of two human autoantigens: unique cDNAs encoding 95- and 160-kD proteins of a putative family in the Golgi complex
10.1084/jem.178.1.49. *J Exp Med* 178, 49-62.
- Girod, A., Storrie, B., Simpson, J. C., Johannes, L., Goud, B., Roberts, L. M., Lord, J. M., Nilsson, T., and Pepperkok, R. (1999). Evidence for a COP-I-independent transport route from the Golgi complex to the endoplasmic reticulum. *Nat Cell Biol* 1, 423-430.
- Gong, Y., Slee, R. B., Fukai, N., Rawadi, G., Roman-Roman, S., Reginato, A. M., Wang, H., Cundy, T., Glorieux, F. H., Lev, D., et al. (2001). LDL receptor-related protein 5 (LRP5) affects bone accrual and eye development. *Cell* 107, 513-523.
- Grigoriev, I., Splinter, D., Keijzer, N., Wulf, P. S., Demmers, J., Ohtsuka, T., Modesti, M., Maly, I. V., Grosveld, F., Hoogenraad, C. C., and Akhmanova, A. (2007). Rab6 Regulates Transport and Targeting of Exocytic Carriers. *Developmental Cell* 13, 305-314.
- Grosshans, B. L., Ortiz, D., and Novick, P. (2006). Rabs and their effectors: achieving specificity in membrane traffic. *Proc Natl Acad Sci U S A* 103, 11821-11827.
- Grunder, A., Ebel, T. T., Mallo, M., Schwarzkopf, G., Shimizu, T., Sippel, A. E., and Schrewe, H. (2002). Nuclear factor I-B (Nfib) deficient mice have severe lung hypoplasia. *Mech Dev* 112, 69-77.
- Hoogenraad, C. C., Akhmanova, A., Howell, S. A., Dortland, B. R., De Zeeuw, C. I., Willemse, R., Visser, P., Grosveld, F., and Galjart, N. (2001). Mammalian Golgi-associated Bicaudal-D2 functions in the dynein-dynactin pathway by interacting with these complexes. *Embo J* 20, 4041-4054.
- Hu, Q., Loeys, B. L., Coucke, P. J., De Paepe, A., Mecham, R. P., Choi, J., Davis, E. C., and Urban, Z. (2006). Fibulin-5 mutations: mechanisms of impaired elastic fiber formation in recessive cutis laxa. *Hum Mol Genet* 15, 3379-3386.
- Huchtagowder, V., Sausgruber, N., Kim, K. H., Angle, B., Marmorstein, L. Y., and Urban, Z. (2006). Fibulin-4: a novel gene for an autosomal recessive cutis laxa syndrome. *Am J Hum Genet* 78, 1075-1080.
- Hunter, A. G. (1988). Is geroderma osteodysplastica underdiagnosed? *J Med Genet* 25, 854-857.

- Hunter, A. G., Martsolf, J. T., Baker, C. G., and Reed, M. H. (1978). Geroderma osteodysplastica. A report of two affected families. *Hum Genet* 40, 311-324.
- Jaatinen, T., Hemmoranta, H., Hautaniemi, S., Niemi, J., Nicorici, D., Laine, J., Yli-Harja, O., and Partanen, J. (2006). Global gene expression profile of human cord blood-derived CD133+ cells. *Stem Cells* 24, 631-641.
- Jaeken, J., and Matthijs, G. (2007). Congenital disorders of glycosylation: a rapidly expanding disease family. *Annu Rev Genomics Hum Genet* 8, 261-278.
- Jasmin, B. J., Goud, B., Camus, G., and Cartaud, J. (1992). The low molecular weight guanosine triphosphate-binding protein Rab6p associates with distinct post-Golgi vesicles in *Torpedo marmorata* electrocytes. *Neuroscience* 49, 849-855.
- Jones, M. E., Boon, W. C., McInnes, K., Maffei, L., Carani, C., and Simpson, E. R. (2007). Recognizing rare disorders: aromatase deficiency. *Nat Clin Pract Endocrinol Metab* 3, 414-421.
- Kato, M., Yano, K.-i., Morotomi-Yano, K., Saito, H., and Miki, Y. (2002). Identification and Characterization of the Human Protein Kinase-like Gene NTKL: Mitosis-Specific Centrosomal Localization of an Alternatively Spliced Isoform. *Genomics* 79, 760-767.
- Kawasaki, M., Nakayama, K., and Wakatsuki, S. (2005). Membrane recruitment of effector proteins by Arf and Rab GTPases. *Curr Opin Struct Biol* 15, 681-689.
- Kenyon, C., Chang, J., Gensch, E., Rudner, A., and Tabtiang, R. (1993). A *C. elegans* mutant that lives twice as long as wild type. *Nature* 366, 461-464.
- Khosla, S., Westendorf, J. J., and Oursler, M. J. (2008). Building bone to reverse osteoporosis and repair fractures. *J Clin Invest* 118, 421-428.
- Kocher, M., and Shapiro, F. (1998). Osteogenesis imperfecta. *J Am Acad Orthop Surg* 6, 225-236.
- Komori, T., Yagi, H., Nomura, S., Yamaguchi, A., Sasaki, K., Deguchi, K., Shimizu, Y., Bronson, R. T., Gao, Y.-H., Inada, M., *et al.* (1997). Targeted Disruption of Cbfa1 Results in a Complete Lack of Bone Formation owing to Maturational Arrest of Osteoblasts. *Cell* 89, 755-764.
- Kong, Y.-Y., Yoshida, H., Sarosi, I., Tan, H.-L., Timms, E., Capparelli, C., Morony, S., Oliveira-dos-Santos, A. J., Van, G., Itie, A., *et al.* (1999). OPGL is a key regulator of osteoclastogenesis, lymphocyte development and lymph-node organogenesis. *Nature* 397, 315-323.
- Kooy, J., Toh, B., Pettitt, J., Erlich, R., and Gleeson, P. (1992). Human autoantibodies as reagents to conserved Golgi components. Characterization of a peripheral, 230-kDa compartment-specific Golgi protein. *J Biol Chem* 267, 20255-20263.

- Kornak, U., and Mundlos, S. (2003). Genetic disorders of the skeleton: a developmental approach. *Am J Hum Genet* 73, 447-474.
- Kornak, U., Reynders, E., Dimopoulou, A., van Reeuwijk, J., Fischer, B., Rajab, A., Budde, B., Nurnberg, P., Foulquier, F., Lefeber, D., *et al.* (2008). Impaired glycosylation and cutis laxa caused by mutations in the vesicular H⁺-ATPase subunit ATP6V0A2. *Nat Genet* 40, 32-34.
- Kudlow, B. A., Kennedy, B. K., and Monnat, R. J., Jr. (2007). Werner and Hutchinson-Gilford progeria syndromes: mechanistic basis of human progeroid diseases. *Nat Rev Mol Cell Biol* 8, 394-404.
- Labat-Robert, J., and Robert, L. (1988). Aging of the extracellular matrix and its pathology. *Exp Gerontol* 23, 5-18.
- Lavker, R. M., Zheng, P. S., and Dong, G. (1987). Aged skin: a study by light, transmission electron, and scanning electron microscopy. *J Invest Dermatol* 88, 44s-51s.
- Lefebvre, V., Li, P., and de Crombrugghe, B. (1998). A new long form of Sox5 (L-Sox5), Sox6 and Sox9 are coexpressed in chondrogenesis and cooperatively activate the type II collagen gene. *Embo J* 17, 5718-5733.
- Leng, R. P., Lin, Y., Ma, W., Wu, H., Lemmers, B., Chung, S., Parant, J. M., Lozano, G., Hakem, R., and Benchimol, S. (2003). Pirh2, a p53-Induced Ubiquitin-Protein Ligase, Promotes p53 Degradation. *Cell* 112, 779-791.
- Li, D. Y., Toland, A. E., Boak, B. B., Atkinson, D. L., Ensing, G. J., Morris, C. A., and Keating, M. T. (1997). Elastin point mutations cause an obstructive vascular disease, supravalvular aortic stenosis. *Hum Mol Genet* 6, 1021-1028.
- Lindahl, P., Karlsson, L., Hellstrom, M., Gebre-Medhin, S., Willetts, K., Heath, J. K., and Betsholtz, C. (1997). Alveogenesis failure in PDGF-A-deficient mice is coupled to lack of distal spreading of alveolar smooth muscle cell progenitors during lung development. *Development* 124, 3943-3953.
- Linstedt, A. D., Jesch, S. A., Mehta, A., Lee, T. H., Garcia-Mata, R., Nelson, D. S., and Sztul, E. (2000). Binding relationships of membrane tethering components. The giantin N terminus and the GM130 N terminus compete for binding to the p115 C terminus. *J Biol Chem* 275, 10196-10201.
- Liu, B., Wang, J., Chan, K. M., Tjia, W. M., Deng, W., Guan, X., Huang, J. D., Li, K. M., Chau, P. Y., Chen, D. J., *et al.* (2005). Genomic instability in laminopathy-based premature aging. *Nat Med* 11, 780-785.
- Liu, S. C. H., Lane, W. S., and Lienhard, G. E. (2000a). Cloning and preliminary characterization of a 105 kDa protein with an N-terminal kinase-like domain. *Biochimica et Biophysica Acta (BBA) - Gene Structure and Expression* 1517, 148-152.

- Liu, X., Rapp, N., Deans, R., and Cheng, L. (2000b). Molecular cloning and chromosomal mapping of a candidate cytokine gene selectively expressed in human CD34+ cells. *Genomics* *65*, 283-292.
- Liu, X., Zhao, Y., Gao, J., Pawlyk, B., Starcher, B., Spencer, J. A., Yanagisawa, H., Zuo, J., and Li, T. (2004). Elastic fiber homeostasis requires lysyl oxidase-like 1 protein. *Nat Genet* *36*, 178-182.
- Loeys, B., Van Maldergem, L., Mortier, G., Coucke, P., Gerniers, S., Naeyaert, J. M., and De Paepe, A. (2002). Homozygosity for a missense mutation in fibulin-5 (FBLN5) results in a severe form of cutis laxa. *Hum Mol Genet* *11*, 2113-2118.
- Malsam, J., Satoh, A., Pelletier, L., and Warren, G. (2005). Golgin tethers define subpopulations of COPI vesicles. *Science* *307*, 1095-1098.
- Mao, J., Wang, J., Liu, B., Pan, W., Farr, G. H., 3rd, Flynn, C., Yuan, H., Takada, S., Kimelman, D., Li, L., and Wu, D. (2001). Low-density lipoprotein receptor-related protein-5 binds to Axin and regulates the canonical Wnt signaling pathway. *Mol Cell* *7*, 801-809.
- Markova, D., Zou, Y., Ringpfeil, F., Sasaki, T., Kostka, G., Timpl, R., Uitto, J., and Chu, M. L. (2003). Genetic heterogeneity of cutis laxa: a heterozygous tandem duplication within the fibulin-5 (FBLN5) gene. *Am J Hum Genet* *72*, 998-1004.
- Marks, S. J., and Hermey, D. (1996). The structure and development of bone (San Diego, Academic Press).
- Martin, E., and Shapiro, J. R. (2007). Osteogenesis imperfecta:epidemiology and pathophysiology. *Curr Osteoporos Rep* *5*, 91-97.
- Martin, G. M. (1978). Genetic syndromes in man with potential relevance to the pathobiology of aging. *Birth Defects Orig Artic Ser* *14*, 5-39.
- Martin, G. M. (2005). Genetic Modulation of Senescent Phenotypes in Homo sapiens. *Cell* *120*, 523-532.
- Martinez, D. E. (1998). Mortality patterns suggest lack of senescence in hydra. *Exp Gerontol* *33*, 217-225.
- Martinez, O., Antony, C., Pehau-Arnaudet, G., Berger, E. G., Salamero, J., and Goud, B. (1997). GTP-bound forms of rab6 induce the redistribution of Golgi proteins into the endoplasmic reticulum
10.1073/pnas.94.5.1828. *Proceedings of the National Academy of Sciences* *94*, 1828-1833.
- Martinez, O., Schmidt, A., Salamero, J., Hoflack, B., Roa, M., and Goud, B. (1994). The small GTP-binding protein rab6 functions in intra-Golgi transport
10.1083/jcb.127.6.1575. *J Cell Biol* *127*, 1575-1588.

- Matanis, T., Akhmanova, A., Wulf, P., Del Nery, E., Weide, T., Stepanova, T., Galjart, N., Grosveld, F., Goud, B., De Zeeuw, C. I., *et al.* (2002). Bicaudal-D regulates COPI-independent Golgi-ER transport by recruiting the dynein-dynactin motor complex. *Nat Cell Biol* 4, 986-992.
- Mattout, A., Dechat, T., Adam, S. A., Goldman, R. D., and Gruenbaum, Y. (2006). Nuclear lamins, diseases and aging. *Current Opinion in Cell Biology Nucleus and gene expression* 18, 335-341.
- McLaughlin, P. J., Chen, Q., Horiguchi, M., Starcher, B. C., Stanton, J. B., Broekelmann, T. J., Marmorstein, A. D., McKay, B., Mecham, R., Nakamura, T., and Marmorstein, L. Y. (2006). Targeted disruption of fibulin-4 abolishes elastogenesis and causes perinatal lethality in mice. *Mol Cell Biol* 26, 1700-1709.
- Mecham, R. P., and Davis, E. C. (1994). *Elastic fiber structure and assembly* (New York, Academic Press).
- Miettinen, P. J., Warburton, D., Bu, D., Zhao, J. S., Berger, J. E., Minoo, P., Koivisto, T., Allen, L., Dobbs, L., Werb, Z., and Derynck, R. (1997). Impaired lung branching morphogenesis in the absence of functional EGF receptor. *Dev Biol* 186, 224-236.
- Molnar, J., Fong, K. S., He, Q. P., Hayashi, K., Kim, Y., Fong, S. F., Fogelgren, B., Szauter, K. M., Mink, M., and Csiszar, K. (2003). Structural and functional diversity of lysyl oxidase and the LOX-like proteins. *Biochim Biophys Acta* 1647, 220-224.
- Morava, E., Wopereis, S., Coucke, P., Gillessen-Kaesbach, G., Voit, T., Smeitink, J., Wevers, R., and Grunewald, S. (2005). Defective protein glycosylation in patients with cutis laxa syndrome. *Eur J Hum Genet* 13, 414-421.
- Mornet, E. (2007). Hypophosphatasia. *Orphanet J Rare Dis* 2, 40.
- Morris, C. A., Loker, J., Ensing, G., and Stock, A. D. (1993). Supravalvular aortic stenosis cosegregates with a familial 6; 7 translocation which disrupts the elastin gene. *Am J Med Genet* 46, 737-744.
- Mundlos, S., and Olsen, B. R. (1997). Heritable diseases of the skeleton. Part II: Molecular insights into skeletal development-matrix components and their homeostasis. *Faseb J* 11, 227-233.
- Mundlos, S., Otto, F., Mundlos, C., Mulliken, J. B., Aylsworth, A. S., Albright, S., Lindhout, D., Cole, W. G., Henn, W., Knoll, J. H., *et al.* (1997). Mutations involving the transcription factor CBFA1 cause cleidocranial dysplasia. *Cell* 89, 773-779.
- Muragaki, Y., Mundlos, S., Upton, J., and Olsen, B. R. (1996). Altered growth and branching patterns in synpolydactyly caused by mutations in HOXD13. *Science* 272, 548-551.

- Nakamura, N., Lowe, M., Levine, T. P., Rabouille, C., and Warren, G. (1997). The vesicle docking protein p115 binds GM130, a cis-Golgi matrix protein, in a mitotically regulated manner. *Cell* *89*, 445-455.
- Nakamura, T., Lozano, P. R., Ikeda, Y., Iwanaga, Y., Hinek, A., Minamisawa, S., Cheng, C. F., Kobuke, K., Dalton, N., Takada, Y., *et al.* (2002). Fibulin-5/DANCE is essential for elastogenesis in vivo. *Nature* *415*, 171-175.
- Navarro, C. L., Cau, P., and Levy, N. (2006). Molecular bases of progeroid syndromes 10.1093/hmg/ddl214. *Hum Mol Genet* *15*, R151-161.
- Nelson, D. S., Alvarez, C., Gao, Y. S., Garcia-Mata, R., Fialkowski, E., and Sztul, E. (1998). The membrane transport factor TAP/p115 cycles between the Golgi and earlier secretory compartments and contains distinct domains required for its localization and function. *J Cell Biol* *143*, 319-331.
- Oikarinen, A. (1990). The aging of skin: chronoaging versus photoaging. *Photodermatol Photoimmunol Photomed* *7*, 3-4.
- Olsen, B. R. (1995). New insights into the function of collagens from genetic analysis. *Curr Opin Cell Biol* *7*, 720-727.
- Olson, T. M., Michels, V. V., Urban, Z., Csiszar, K., Christiano, A. M., Driscoll, D. J., Feldt, R. H., Boyd, C. D., and Thibodeau, S. N. (1995). A 30 kb deletion within the elastin gene results in familial supravalvular aortic stenosis. *Hum Mol Genet* *4*, 1677-1679.
- Ooi, C. E., Dell'Angelica, E. C., and Bonifacino, J. S. (1998). ADP-Ribosylation factor 1 (ARF1) regulates recruitment of the AP-3 adaptor complex to membranes. *J Cell Biol* *142*, 391-402.
- Opdam, F., Echard, A., Croes, H., van den Hurk, J., van de Vorstenbosch, R., Ginsel, L., Goud, B., and Fransen, J. (2000). The small GTPase Rab6B, a novel Rab6 subfamily member, is cell-type specifically expressed and localised to the Golgi apparatus. *J Cell Sci* *113*, 2725-2735.
- Otto, F., Thornell, A. P., Crompton, T., Denzel, A., Gilmour, K. C., Rosewell, I. R., Stamp, G. W., Beddington, R. S., Mundlos, S., Olsen, B. R., *et al.* (1997). Cbfa1, a candidate gene for cleidocranial dysplasia syndrome, is essential for osteoblast differentiation and bone development. *Cell* *89*, 765-771.
- Paassilta, P., Lohiniva, J., Annunen, S., Bonaventure, J., Le Merrer, M., Pai, L., and Ala-Kokko, L. (1999). COL9A3: A third locus for multiple epiphyseal dysplasia. *Am J Hum Genet* *64*, 1036-1044.
- Pasquali-Ronchetti, I., and Baccarani-Contri, M. (1997). Elastic fiber during development and aging. *Microsc Res Tech* *38*, 428-435.

- Peters, K., Werner, S., Liao, X., Wert, S., Whitsett, J., and Williams, L. (1994). Targeted expression of a dominant negative FGF receptor blocks branching morphogenesis and epithelial differentiation of the mouse lung. *Embo J* 13, 3296-3301.
- Pfeffer, S. R. (2007). Unsolved mysteries in membrane traffic. *Annu Rev Biochem* 76, 629-645.
- Rajab, A., Kornak, U., Budde, B. S., Hoffmann, K., Jaeken, J., Nürnberg, P., and Mundlos, S. (2008). Geroderma osteodysplasticum hereditaria and wrinkly skin syndrome in 22 patients from Oman. *American Journal of Medical Genetics Part A* 146A, 965-976.
- Rosing, M., Ossendorf, E., Rak, A., and Barnekow, A. (2007). Giantin interacts with both the small GTPase Rab6 and Rab1. *Exp Cell Res* 313, 2318-2325.
- Sandoval, I. V., Bonifacino, J. S., Klausner, R. D., Henkart, M., and Weiland, J. (1984). Role of microtubules in the organization and localization of the Golgi apparatus. *J Cell Biol* 99, 113s-118s.
- Schmidt, W. M., Kraus, C., Höger, H., Hochmeister, S., Oberndorfer, F., Branka, M., Bingemann, S., Lassmann, H., Müller, M., Macedo-Souza, L. I., et al. (2007). Mutation in the Scyl1 gene encoding amino-terminal kinase-like protein causes a recessive form of spinocerebellar neurodegeneration. *EMBO reports* 8, 691–697.
- Short, B., Haas, A., and Barr, F. A. (2005). Golgins and GTPases, giving identity and structure to the Golgi apparatus. *Biochimica et Biophysica Acta (BBA) - Molecular Cell Research*
The Golgi Complex 1744, 383-395.
- Short, B., Preisinger, C., Schaletzky, J., Kopajtich, R., and Barr, F. A. (2002). The Rab6 GTPase regulates recruitment of the dynein complex to Golgi membranes. *Curr Biol* 12, 1792-1795.
- Shuster, S., Black, M. M., and McVitie, E. (1975). The influence of age and sex on skin thickness, skin collagen and density. *Br J Dermatol* 93, 639-643.
- Simonet, W. S., Lacey, D. L., Dunstan, C. R., Kelley, M., Chang, M. S., Luthy, R., Nguyen, H. Q., Wooden, S., Bennett, L., Boone, T., et al. (1997). Osteoprotegerin: a novel secreted protein involved in the regulation of bone density. *Cell* 89, 309-319.
- Sonnichsen, B., Lowe, M., Levine, T., Jamsa, E., Dirac-Svejstrup, B., and Warren, G. (1998). A role for giantin in docking COPI vesicles to Golgi membranes. *J Cell Biol* 140, 1013-1021.
- Takayanagi, H. (2005). Mechanistic insight into osteoclast differentiation in osteoimmunology. *J Mol Med* 83, 170-179.
- Takayanagi, H. (2007). Osteoimmunology: shared mechanisms and crosstalk between the immune and bone systems. 7, 292-304.

- Tassabehji, M., Metcalfe, K., Donnai, D., Hurst, J., Reardon, W., Burch, M., and Read, A. P. (1997). Elastin: genomic structure and point mutations in patients with supravalvular aortic stenosis. *Hum Mol Genet* 6, 1029-1036.
- Tassabehji, M., Metcalfe, K., Fergusson, W. D., Carette, M. J., Dore, J. K., Donnai, D., Read, A. P., Proschel, C., Gutowski, N. J., Mao, X., and Sheer, D. (1996). LIM-kinase deleted in Williams syndrome. *Nat Genet* 13, 272-273.
- Tassabehji, M., Metcalfe, K., Hurst, J., Ashcroft, G. S., Kiely, C., Wilmot, C., Donnai, D., Read, A. P., and Jones, C. J. (1998). An elastin gene mutation producing abnormal tropoelastin and abnormal elastic fibres in a patient with autosomal dominant cutis laxa. *Hum Mol Genet* 7, 1021-1028.
- Tassabehji, M., Read, A. P., Newton, V. E., Harris, R., Balling, R., Gruss, P., and Strachan, T. (1992). Waardenburg's syndrome patients have mutations in the human homologue of the Pax-3 paired box gene. *Nature* 355, 635-636.
- Teitelbaum, S. L. (2000). Bone Resorption by Osteoclasts
10.1126/science.289.5484.1504. *Science* 289, 1504-1508.
- Tremblay, L. O., Nagy Kovacs, E., Daniels, E., Wong, N. K., Sutton-Smith, M., Morris, H. R., Dell, A., Marcinkiewicz, E., Seidah, N. G., McKerlie, C., and Herscovics, A. (2007). Respiratory distress and neonatal lethality in mice lacking Golgi alpha1,2-mannosidase IB involved in N-glycan maturation. *J Biol Chem* 282, 2558-2566.
- Uitto, J. (1979). Biochemistry of the elastic fibers in normal connective tissues and its alterations in diseases. *J Invest Dermatol* 72, 1-10.
- Uitto, J., and Pulkkinen, L. (2002). Heritable diseases affecting the elastic tissues: cutis laxa, pseudoxanthoma elasticum and related disorders, 4th ed edn (New York, Churchill Livingstone).
- Utskarpen, A., Slagsvold, H. H., Iversen, T.-G., Walchli, S., and Sandvig, K. (2006). Transport of Ricin from Endosomes to the Golgi Apparatus is Regulated by Rab6A and Rab6A'
doi:10.1111/j.1600-0854.2006.00418.x. *Traffic* 7, 663-672.
- Vanhoren, V., Desmyter, L., Liu, X. E., Cardelli, M., Franceschi, C., Federico, A., Libert, C., Laroy, W., Dewaele, S., Contreras, R., and Chen, C. (2007). N-glycomic changes in serum proteins during human aging. *Rejuvenation Res* 10, 521-531a.
- Vrhovski, B., and Weiss, A. S. (1998). Biochemistry of tropoelastin. *Eur J Biochem* 258, 1-18.
- Wagner, T., Wirth, J., Meyer, J., Zabel, B., Held, M., Zimmer, J., Pasantes, J., Bricarelli, F. D., Keutel, J., Hustert, E., and et al. (1994). Autosomal sex reversal and campomelic dysplasia are caused by mutations in and around the SRY-related gene SOX9. *Cell* 79, 1111-1120.

- Warburton, D., Schwarz, M., Tefft, D., Flores-Delgado, G., Anderson, K. D., and Cardoso, W. V. (2000). The molecular basis of lung morphogenesis. *Mech Dev* 92, 55-81.
- Warman, M. L., Abbott, M., Apte, S. S., Hefferon, T., McIntosh, I., Cohn, D. H., Hecht, J. T., Olsen, B. R., and Francomano, C. A. (1993). A type X collagen mutation causes Schmid metaphyseal chondrodysplasia. *Nat Genet* 5, 79-82.
- Weinstein, M., Xu, X., Ohyama, K., and Deng, C. X. (1998). FGFR-3 and FGFR-4 function cooperatively to direct alveogenesis in the murine lung. *Development* 125, 3615-3623.
- White, J., Johannes, L., Mallard, F., Girod, A., Grill, S., Reinsch, S., Keller, P., Tzschaschel, B., Echard, A., Goud, B., and Stelzer, E. H. K. (1999). Rab6 Coordinates a Novel Golgi to ER Retrograde Transport Pathway in Live Cells 10.1083/jcb.147.4.743. *J Cell Biol* 147, 743-760.
- Wu, X., Steet, R. A., Bohorov, O., Bakker, J., Newell, J., Krieger, M., Spaapen, L., Kornfeld, S., and Freeze, H. H. (2004). Mutation of the COG complex subunit gene COG7 causes a lethal congenital disorder. *Nat Med* 10, 518-523.
- Young, J., Stauber, T., del Nery, E., Vernos, I., Pepperkok, R., and Nilsson, T. (2005). Regulation of Microtubule-dependent Recycling at the Trans-Golgi Network by Rab6A and Rab6A'. 10.1091/mbc.E04-03-0260. *Mol Biol Cell* 16, 162-177.
- Yu, C. E., Oshima, J., Fu, Y. H., Wijsman, E. M., Hisama, F., Alisch, R., Matthews, S., Nakura, J., Miki, T., Ouais, S., et al. (1996). Positional cloning of the Werner's syndrome gene. *Science* 272, 258-262.
- Zelzer, E., and Olsen, B. R. (2003). The genetic basis for skeletal diseases. *Nature* 423, 343-348.
- Zhang, L., Li, J., Wang, C., Ma, Y., and Huo, K. (2005). A new human gene hNTKL-BP1 interacts with hPirh2. *Biochem Biophys Res Commun* 330, 293-297.
- Zhang, M. C., He, L., Giro, M., Yong, S. L., Tiller, G. E., and Davidson, J. M. (1999). Cutis laxa arising from frameshift mutations in exon 30 of the elastin gene (ELN). *J Biol Chem* 274, 981-986.
- Zheng, Q., Davis, E. C., Richardson, J. A., Starcher, B. C., Li, T., Gerard, R. D., and Yanagisawa, H. (2007). Molecular analysis of fibulin-5 function during de novo synthesis of elastic fibers. *Mol Cell Biol* 27, 1083-1095.