

## **6. References**

- Adjei, A., Sundberg, D., Miller, D., Chun, A., Bioavailability of Leuprolide acetate following nasal and inhalation delivery to rats and healthy humans. *Pharm. Res.* 9, 244-249, **1992**.
- Agrawal, C.M., Athanasiou, K.A., Technique to control pH in vicinity of biodegrading PLA-PGA implants. *J. Biomed. Mater. Res.* 38, 105-114, **1997**.
- Alkan-Onyuksel, H., Ramakrishnan, S., Chai, H.B., Pezzuto, J.M., A mixed micellar formulation suitable for the parenteral administration of taxol. *Pharm. Res.* 11, 206-212, **1994**.
- Anderson, J.M., Shive, M.S., Biodegradation and biocompatibility of PLA and PLGA microspheres. *Adv. Drug Deliv. Rev.* 28, 5-24, **1997**.
- Athanasiou, K.A., Niederauer, G.G., Agrawal, C.M., Sterilization, toxicity, biocompatibility and clinical applications of polylactic acid/polyglycolic acid copolymers. *Biomaterials* 17, 93-102, **1996**.
- Bae, Y.H., Kim, S.W., Hydrogel delivery systems based on polymer blends, block co-polymers or interpenetrating networks. *Adv. Drug Deliv. Rev.* 11, 109-135, **1993**.
- Banga, A.K., Chien, Y.W., Systemic delivery of therapeutic peptides and proteins. *Int. J. Pharm.* 48, 15-50, **1988**.
- Batycky, R.P., Hanes, J., Langer, R., Edwards, D.A., A theoretical model of erosion and macromolecular drug release from biodegrading microspheres. *J. Pharm. Sci.* 86 1464-1477, **1997**.
- Berkland, C., Kim, K., Pack, D.W., Fabrication of PLG microspheres with precisely controlled and monodisperse size distributions. *J. Control. Release* 73, 59-74, **2001**.
- Bezwada, R.S., Arnold, S.C., Liquid absorbable copolymers for parenteral applications. US Patent 5,653,992, **1997**.
- Bezwada, R.S., Liquid copolymers of epsilon-caprolactone and lactide. US Patent 5,442,033, **1995**.
- Bhardwaj, R., Blanchard, J., Controlled-release delivery system for the  $\alpha$ -MSH analog melanotan-I using Poloxamer 407. *J. Pharm. Sci.* 85, 915-919, **1996**.
- Blanco, M.D., Alonso, M.J., Development and characterization of protein-loaded poly(lactide-co-glycolide) nanospheres. *Eur. J. Pharm. Biopharm.* 43, 287-294, **1997**.
- Bodmeier, R., McGinity, J.W., The preparation and evaluation of drug-containing poly(D,L-lactide) microspheres formed by the solvent evaporation method. *Pharm. Res.* 4, 465-471, **1987**.

- Bodmeier, R., Oh, K.H., Chen, H., The effect of the addition of low molecular weight poly(DL-lactide) on drug release from biodegradable poly(DL-lactide) drug release systems. *Int. J. Pharm.* 51, 1-8, **1989**.
- Bodmeier, R., Verfahren zur in-situ Herstellung von Partikeln. Offenlegungsschrift, Germany Patent 197,24,784, **1997**.
- Bodmer, D., Kissel, T., Traechslin, E., Factors influencing the release of peptides and proteins from biodegradable parenteral depot systems. *J. Control. Release* 21, 129-137, **1992**.
- Boring, C.C., Squires, T.S., Tong, T., Cancer statistics, 1993, *CA Cancer J. Clin.* 43, 7-26, **1993**.
- Bourke, S.L., Kohn, J., Polymers derived from the amino acid L-tyrosine: polycarbonates, polyarylates and copolymers with poly(ethylene glycol). *Adv. Drug. Deliv. Rev.* 55, 447-466, **2003**.
- Brodbeck, K.J., DesNoyer, J.R., McHugh, A.J., Phase inversion dynamics of PLGA solutions related to drug delivery Part II. The role of solution thermodynamics and bath-side mass transfer. *J. Control. Release* 62, 333-344, **1999a**.
- Brodbeck, K.J., Pushpala, S., McHung, A.J., Sustained release of human growth hormone from PLGA solution depots. *Pharm. Res.* 16, 1825-1829, **1999b**.
- Brodbeck, K.J., Gaynor-Duarte, A.T., Shen, T.T., Gel compositions and methods. U.S. Patent 6,130,200, **2000**.
- Burns, P.J., Gibson, J.W., Tipton, A.J., Compositions suitable for controlled release of the hormone GNRH and its analogs. U.S. Patent 6,051,558, **2000**.
- Cavalier, M., Benoît, J.P., Thies, C., The formulation and characterization of hydrocortisone loaded poly(D,L-lactide) microspheres. *J. Pharm. Pharmacol.* 38, 249-253, **1986**.
- Cha, Y., Pitt, C.G., The acceleration of degradation-controlled drug delivery from polyester microspheres. *J. Control. Release* 8, 259-265, **1989**.
- Chern, R.T., Zingermann, J.R., Liquid polymeric compositions for controlled release of bioactive substances. WO Publication 9947073, **1999**.
- Chi, E.Y., Krishnan, S., Randolph, T.W., Carpenter, J.F., Physical Stability of Proteins in Aqueous Solution: Mechanism and Driving Forces in Nonnative Protein Aggregation. *Pharm. Rev.* 20, 1325-1336, **2003**.
- Chu, F.M., Jayson, M., Dineen, M.K., Perez, R., Harkaway, R., Tyler, R.C., A clinical study of 22.5 mg La-2550: a new subcutaneous depot delivery system for leuprolide acetate for the treatment of prostate cancer. *J. Urol.* 168, 1199-1203, **2002**.

- Cleland, J.L., Duenas, E., Daugherty, A., Marian, M., Yang, J., Wilson, M., Celniker, A.C., Shahzamani, A., Quarmby, V., Chu, H., Recombinant human growth hormone poly(lactic-co-glycolic acid) (PLGA) microspheres provide a long lasting effect. *J. Control. Release* 49, 193–205, **1997a**.
- Cleland, J.L., Lim, A., Barrón, L., Duenas, E.T., Powell, M.F., Development of a single-shot subunit vaccine for HIV-1: Part 4. Optimizing microencapsulation and pulsatile release of MN rgp120 from biodegradable microspheres. *J. Control. Release* 47, 135-150, **1997b**.
- Cleland, J.L., Jones, A.J.S., Stable formulations of recombinant human growth hormone and interferon- $\gamma$  for microencapsulation in biodegradable polymers. *Pharm. Res.* 13, 1462-1473, **1996**.
- Cohen, S., Lobel, E., Trevigoda, A., Peled, Y., A novel in situ-forming ophthalmic drug delivery system from alginates undergoing gelation in the eye. *J. Control. Release* 44, 201-208, **1997**.
- Cohen, S., Yoshioka, T., Lucarelli, M., Hwang, L.H., Langer, R., Controlled delivery systems for proteins based on poly(lactic/glycolic acid) microspheres. *Pharm. Res.* 82, 289-307, **2002**.
- Collins-Gold, L.C., Lyons, R.T., Batholow, L.C., Parenteral emulsions for drug delivery. *Adv. Drug Deliv. Rev.* 5, 189-208, **1990**.
- Crommelin, D.J.A., Storm, G., Verrijck, R., Leede, L.D., Jiskoot, W., Hennink, W.E., Shifting paradigms: biopharmaceuticals versus low molecular weight drugs. *Int. J. Pharm.* 266, 3-16, **2003**.
- Cullander, C., Guy, R.H., Transdermal delivery of peptides and proteins. *Adv. Drug. Deliv. Rev.* 8, 291-329, **1992**.
- Cunningham, B.C., Mulkerrin, M.G., Wells, J.A., Dimerization of human growth hormone by zinc. *Science* 253, 545-549, **1991**.
- Danckwerts, M., Fassih, A., Implantable controlled release drug delivery systems: a Review. *Drug Dev. Ind. Pharm.* 17, 1465–1502, **1991**.
- Diwan, M., Park, T.G., Pegylation enhances protein stability during encapsulation in PLGA microspheres. *J. Control. Release* 73, 233–244, **2001**.
- Dunn, R.L., English, J.P., Cowsar, D.R., Vanderbilt, D.P., Biodegradable in-situ forming implants and methods of producing the same. U.S. Patent 4,938,763, **1990**.

- Dunn, R.L., Garrett, J.S., Ravivarapu, H., Chandrashekar, B.L., Polymeric delivery formulations of leuprolide with improved efficacy. U.S. Patent 6,565,874, **2003**.
- Dunn, R.L., Tipton, A.J., Polymeric compositions useful as controlled release implants. US Patent 5,702,716, **1997**.
- Engstrom, S., Engstrom, L., Phase behavior of the lidocaine– monoolein–water system. *Int. J. Pharm.* 79, 113-122, **1992**.
- Erden, N., Celebi, N., Factors influencing release of salbutamol sulphate from poly(lactide-co-glycolide) microspheres prepared by water-in-oil-in-water emulsion technique. *Int. J. Pharm.* 137, 57-66, **1996**.
- Esposito, E., Cortesi, R., Bortolotti, F., Manegatti, E., Nastruzzi, C., Production and characterization of biodegradable microparticles for the controlled delivery of proteinase inhibitors. *Int. J. Pharm.* 129, 263-273, **1996**.
- Florence, A.T., Whitehill, D., The formulation and stability of multiple emulsions. *Int. J. Pharm.* 11, 277-308, **1982**.
- Folkman, J., Long, D.M., Rosenbaum, R., Silicone rubber: a new diffusion property useful for general anesthesia. *Science* 154, 148-149, **1966**.
- Fong, J.W., Process for preparation of microspheres. U.S. Patent 4,166,800, **1979**.
- Freytag, T., Dashevsky, A., Tillman, L., Hardee, G.E., Bodmeier, R., Improvement of the encapsulation efficiency of oligonucleotide-containing biodegradable microspheres. *J. Control. Release* 69, 197-207, **2000**.
- Fukazaki, H., Yoshida, M., Asano, M., Kumakura, M., Mashimo, T., Yuasa, H., Imai, K., Yamanaka, H., In vivo characteristics of high molecular weight copoly(L-lactide/glycolide) with S-type degradation pattern for application in drug delivery systems. *Biomaterials* 12, 433-437, **1991**.
- Fung, L.K., Saltzman, W.M., Polymeric implants for cancer chemotherapy. *Adv. Drug Deliv. Rev.* 26, 209-230, **1997**.
- Ganguly, S., Dash, A.K., A novel in situ gel for sustained drug delivery and targeting. *Int. J. Pharm.* 276, 83-92, **2004**.
- Gao, Z., Shukla, A.J., Johnson, J.R., Crowley, W.R., Controlled release of contraceptive steroid from biodegradable and injectable gel formulations: in-vitro evaluation. *Pharm. Res.* 12, 857-863, **1995a**.

- Gao, Z., Crowley, W.R., Shukla, A.J., Johnson, J.R., Reger, J.F., Controlled release of contraceptive steroids from biodegradable and injectable gel formulations: in-vivo evaluation. *Pharm. Res.* 12, 864-868, **1995b**.
- Gaspar, M.M., Blanco, D., Curz, M.E.M, Alonso, M.J., Formulation of L-asparaginase-loaded poly(lactide-co-glycolide) nanoparticles: Influence of polymer properties on enzyme loading, activity and in vitro release. *J. Control. Release* 52, 53-62, **1998**.
- Gilding, D.K., Reed, A.M., Biodegradable polymers for use in surgery—polyglycolic/poly(lactic acid) homo- and copolymers: 1. *Polymer* 20, 1459-1464, **1979**.
- Göpferich, A., Mechanisms of polymer degradation and erosion. *Biomaterials* 17, 103-114, **1996a**.
- Göpferich, A., Polymer degradation and erosion: mechanisms and application. *Eur. J. Pharm. Biopharm.* 42, 1-11, **1996b**.
- Graham, N.B., Polymeric inserts and implants for the controlled release of drugs. *Br Poly J.* 10, 260-266, **1978**.
- Graham, P.D., Brodbeck, K.J., McHugh, A.J., Phase inversion dynamics of PLGA solutions related to drug delivery. *J. Control. Release* 58, 233-245, **1999**.
- Hagelund, B.A., Joshi, R., Himmelstein, K.J., An in situ gelling system for parenteral delivery. *J. Control. Release* 41, 229-235, **1996**.
- Han, K., Lee, K.D., Gao, Z.G., Park, J.S., Preparation and evaluation of poly(L-lactic acid) microspheres containing rhEGF for chronic gastric ulcer healing. *J. Control. Release* 75, 259-269, **2001**.
- Hatefi, A., Amsden, B., Biodegradable injectable in situ forming drug delivery systems. *J. Control. Release* 80, 9-28, **2002**.
- Hausberger, A.G., DeLuca, P.P., Characterization of biodegradable poly(D,L-lactide-co-glycolide) polymers and microparticles. *J. Pharm. Biomed. Anal.* 13, 747-760, **1995**.
- He, R., Craig, D.Q.M., Glyceryl monoolein / water gel systems using low frequency dielectric spectroscopy. *J. Pharm. Sci.* 88, 634-639, **1999**.
- Heller, J., Barr, J., Ng, S.Y., Abdellauoi, K.S., Gurny, R., Poly(ortho esters): synthesis, characterization, properties and uses. *Adv. Drug. Deliv. Rev.* 54, 1015-1039, **2002**.
- Herrmann, J., Bodmeier, R., Biodegradable, somatostatin acetate containing microspheres prepared by various aqueous and non-aqueous solvent evaporation methods. *Eur. J. Pharm. Biopharm.* 45, 75-82, **1998**.

- Herrmann, J., Bodmeier, R., Somatostatin containing biodegradable microspheres prepared by a modified solvent evaporation method based on W/O/W-multiple emulsions. *Int. J. Pharm.* 126, 129-138, **1995a**.
- Herrmann, J., Bodmeier, R., The effect of particle microstructure on the somatostatin release from poly(lactide) microspheres prepared by a W/O/W solvent evaporation method. *J. Control. Release* 36, 63-71, **1995b**.
- Ho, N.F.H., Barshun, C.L., Burton, P.S., Merkle, H.P., Mechanistic insights to buccal delivery of proteinaceous substances. *Adv. Drug. Deliv. Rev.* 8, 197-235, **1992**.
- Hubbell, J.A., Hydrogel systems for barriers and local drug delivery in the control of wound healing. *J. Control. Release* 39, 305-313, **1996**.
- Husmann, M., Schenderlein, S., Lück, M., Lindner, H., Kleinebudde, P., Polymer erosion in PLGA microparticles produced by phase separation method. *Int. J. Pharm.* 242, 277-280, **2002**.
- Igartua, M., Hernández, R.M., Esquisabel, A., Gascón, A.R., Calvo, M.B., Pedraz, J.L., Stability of BSA encapsulated into PLGA microspheres using PAGE and capillary electrophoresis. *Int. J. Pharm.* 169, 45-54, **1998**.
- Jain, R.A., Rhodes, C.T., Railkar, A.M., Malick, A.W., Shah, N.H., Controlled release of drugs from injectable in situ formed biodegradable PLGA microspheres: effect of various formulation variables. *Eur. J. Pharm. Biopharm.* 50, 257-262, **2000a**.
- Jain, R.A., Rhodes, C.T., Railkar, A.M., Malick, A.W., Shah, N.H., Controlled delivery of drugs from a novel injectable in situ formed biodegradable PLGA microsphere system. *J. Microencapsul.* 17 343-362, **2000b**.
- Jain, R.A., Rhodes, C.T., Railkar, A.M., Malick, A.W., Shah, N.H., Comparison of various injectable protein-loaded biodegradable poly(lactide-co-glycolide) (PLGA) devices: in-situ-formed implant versus in-situ-formed microspheres versus isolated microspheres. *Pharm. Dev. Technol.* 5, 201-207, **2000c**.
- Jain, R.A., The manufacturing techniques of various drug loaded biodegradable poly(lactide-co-glycolide) (PLGA) devices. *Biomaterials* 21, 2475-2490, **2000d**.
- Jalil, R., Nixon, J.R., Microencapsulation using poly(DL-lactic acid) III: Effect of polymer molecular weight on the release kinetics. *J. Microencapsul.* 7, 357-374, **1990a**.

- Jalil, R., Nixon, J.R., Biodegradable poly(lactic acid) and poly(lactide-co-glycolide) microcapsules: problems associated with preparative techniques and release properties. *J. Microencapsul.* 7, 297-325, **1990b**.
- Jamshidi, K., Hyon, S.H., Ikada, Y., Thermal characterization of polylactides. *Polymer* 29, 2229-2234, **1988**.
- Jenning, V., Dissertation: Feste Lipid-Nanoparticle (SLN<sup>®</sup>) als Trägersystem für die dermale Applikation von Retinol, Department of Biology, Chemistry, Pharmacy, Freie Universität Berlin, **1999**.
- Jeong, B., Bae, Y.H., Kim, S.W., Biodegradable block copolymers as injectable drug-delivery systems. *Nature* 388, 860-862, **1997**.
- Jeong, B., Bae, Y.H., Kim, S.W., Drug release from biodegradable injectable thermosensitive hydrogel of PEG-PLGA-PEG triblock copolymers. *J. Control. Release* 63, 155-163, **2000**.
- Jeong, B., Choi, Y.K., Bae, Y.H., Zentner, G., Kim, S.W., New biodegradable polymers for injectable drug delivery systems. *J. Control. Release* 62, 109-114, **1999**.
- Johnson, O.L., Jaworowicz, W., Cleland, J.L., Bailey, L., Charnis, M., Duenas, E., Wu, C., Shepard, D., Magil, S., Last, T., Jones, A.J.S., Putney, S.D., Characterization and encapsulation of human growth hormone into biodegradable microspheres. *Pharm. Res.* 14, 730-735, **1997**.
- Johnston, T.P., Punjabi, M., Froelich, C.J., Sustained delivery of interleukin-2 from Poloxamer 407 gel matrix following intraperitoneal injection in mice. *Pharm. Res.* 9, 425-434, **1992**.
- Joshi, A., Ding, S., Himmelstein, K.J., Reversible gelation composition and method of use. U.S. patent 5,252,318, **1993**.
- Joshi, R., Arora, V., Desjardin, J.P., Robinson, D., Himmelstein, K.J., Iversen, P.L., In vivo properties of an in situ forming gel for parenteral delivery of macromolecular drugs. *Pharm. Res.* 15, 1189-1195, **1998**.
- Kimmerle, K., Strathmann, H., Analysis of the structure-determining process of phase inversion membranes. *Desalination* 79, 283-302, **1990**.
- Kochhar, C., Imanidis, G., In vitro transdermal iontophoretic delivery of leuprolide under constant current application. *J. Control. Release* 98, 25-35, **2004**.



- Kranz, H., Brazeau, G.A., Napaporn, J., Martin, R.L., Millard, W., Bodmeier, R., Myotoxicity studies of injectable biodegradable in-situ forming drug delivery systems. *Int. J. Pharm.* 212, 11-18, **2001**.
- Krezanoski, J.Z., Clear, water-miscible, liquid pharmaceutical vehicle which gels at body temperature for drug delivery to mucous membranes. U.S. patent 4,188,373, **1980**.
- Kumar, N., Langer, R.S., Domb, A.J., Polyanhydrides: an overview. *Adv. Drug. Deliv. Rev.* 54, 889-910, **2002**.
- Lakshmi, S., Katti, D.S., Laurencin, C.T., Biodegradable polyphosphazenes for drug delivery applications. *Adv. Drug. Deliv. Rev.* 55, 467-482, **2003**.
- Lambert, W.J., Peck, K.D., Development of an in situ forming biodegradable poly-lactide-co-glycolide system for the controlled release of proteins. *J. Control. Release* 33, 189-195, **1995**.
- Lapka, G.G., Masson, N.S., Thies, C., Process for preparation of microcapsules. U.S. Patent, 4,622,244, **1986**.
- Larsen, D.B., Joergensen, S., Olsen, N.V., Hansen, S.H., Larsen, C., In vivo release of bupivacaine from subcutaneously administered oily solution. Comparison with in vitro release. *J. Control. Release* 81, 145-154, **2002a**.
- Larsen, D.B., Parshad, H., Fredholt, K., Larsen, C., Characteristics of drug substances in oily solutions. Drug release rate, partitioning and solubility. *Int. J. Pharm.* 232, 107-117, **2002b**.
- Leenslag, J.W., Pennings, A.J., Bos, R.R., Rozema, F.R., Boering, G., Resorbable materials of poly(L-lactide). *Biomaterials* 8, 70-73, **1987**.
- Lemay, A., Quesnel, G., Potential new treatment of endometriosis: reversible inhibition of pituitary–ovarian function by chronic intranasal administration of a leutinizing hormone-releasing hormone (LHRH) agonist. *Fertil. Steril.* 38, 376–379, **1982**.
- Li, L.C., Deng, J., Stephens, D., Polyanhydride implant for antibiotic delivery—from the bench to the clinic. *Adv. Drug Del. Rev.* 54 963-986, **2002**.
- Li, S., Girod-Holland, S., Vert, M., Hydrolytic degradation of poly(DL-lactic acid) in the presence of caffeine base. *J. Control Release*, 40, 41-53, **1996**.
- Li, S., Hydrolytic degradation characteristics of aliphatic polyesters derived from lactic and glycolic acids. *J. Biomed. Mater. Res.* 48, 342-353, **1999**.

- Li, W., Anderson, K.W., Mehta, R.C., DeLuca, P.P., Prediction of solvent removal profile and effect on properties for peptide-loaded PLGA microspheres prepared by solvent extraction/evaporation method. *J. Control. Release* 37, 199-214, **1995**.
- Li, X., Deng, X., Huang, Z., In vitro protein release and degradation of poly-dl-lactide-poly(ethylene glycol) microspheres with entrapped human serum albumin: quantitative evaluation of the factors involved in protein release phases. *Pharm. Res.* 18, 117-124, **2001**.
- Mandal, T.K., Tanjarla, S., Preparation of biodegradable microcapsules of zidovudine using solvent evaporation: effect of the modification of aqueous phase. *Int. J. Pharm.* 137, 187-197, **1996**.
- Manning M. C., Patel K., Borchardt R. T., Stability of protein pharmaceuticals. *Pharm. Res.* **6**, 903 – 918, **1989**.
- Masters, D.B., Berde, C.B., Dutta, S., Turek, T., Langer, R., Sustained Local Anesthetic Release from Bioerodible Polymer Matrices: A Potential Method for Prolonged Regional Anesthesia. *Pharm. Rev.* 10, 1523-1532, **1993**.
- Matschke, C., Isele, U., Hoogevest, P., Fahr, A., sustained-release injectables formed in situ and their potential use for veterinary products. *J. Control. Release* 85, 1-15, **2002**.
- Mauduit, J., Bukh, N., Vert, M., Gentamycin/poly(lactic acid) blends aimed at sustained release local antibiotic therapy administered per-operatively. I. The case of gentamycin base and gentamycin sulfate in poly(DL-lactic acid) oligomers. *J. Control. Release* 23, 209-220, **1993**.
- Miyazaki, S., Ohkawa, Y., Takada, M., Attwood, D., Antitumor effect of Pluronic F-127 gel containing Mitomycin C on Sarcoma-180 ascites tumor. *Chem. Pharm. Bull.* 40, 2224-2226, **1992**.
- Miyazaki, S., Yamaguchi, H., Yokouchi, C., Takada, M., How, W.M., Sustained-release and intragastric-floating granules of indomethacin using chitosan in rabbits. *Chem. Pharm. Bull* 36, 4033-4038, **1988**.
- Morlock, M., Koll, H., Winter, G., Kissel, T., Microencapsulation of rh-erythropoietin using biodegradable poly(D,L-lactide-co-glycolide): Protein stability and the effects of stabilizing excipients. *Eur. J. Pharm. Biopharm.* 43, 29-36, **1997**.

- Mortensen, K., Pedersen, J.S., Structural study on the micelle formation of poly(ethylene oxide)-polypropylene oxide)-poly(ethylene oxide) triblock copolymers in aqueous solution. *Macromolecules* 26, 805-812, **1993**.
- Müller, R.H., Rühl, D., Runge, S., Schulze-Forster, K., Mehnert, W., Cytotoxicity of solid lipid nanoparticles as a function of the lipid matrix and the surfactant. *Pharm. Res.* 14, 458-462, **1997**.
- Negrín, C.M., Delgado, A., Llabrés, M., Évora, C., Methadone implants for methadone maintenance treatment. In vitro and in vivo animal studies. *J. Control. Release* 95, 413-421, **2004**.
- Nihant, N., Grandfils, C., Jérôme, R., Teyssié, P., Microencapsulation by coacervation of poly(lactide-co-glycolide) IV. Effect of the processing parameters on coacervation and encapsulation. *J. Control. Release* 35, 117-125, **1995**.
- Ogawa, Y., Yamamoto, M., Takada, S., Okada, H., Shimamoto, T., Controlled-release of leuprolide acetate from polylactic acid or copoly(lactic / glycolic) acid microcapsules: influence of molecular weight and copolymer ratio of polymer. *Chem. Pharm. Bull.* 36, 1502-1507, **1988**.
- Okada, H., Doken, Y., Ogawa, Y., Toguchi, H., Preparation of three-month depot injectable microspheres of leuprorelin acetate using biodegradable polymers. *Pharm. Res.* 11, 1143-1147, **1994**.
- Okada, H., Inoue, Y., Heya, T., Ueno, H., Ogawa, Y., Toguchi, H., Pharmacokinetics of once-a-month injectable microspheres of leuprolide acetate. *Pharm. Res.* 8, 787-791, **1991**.
- Okada, H., Ogawa, Y., Yashiki, T., Prolonged release microcapsule and its production. US Patent, 4,652,441, **1987**.
- Okada, H., One- and three-month release injectable microspheres of the LH-RH superagonist leuprorelin acetate. *Adv. Drug. Del. Rev.* 28, 43-70, **1997**.
- Okada, H., Toguchi, H., Biodegradable microspheres in drug delivery. *Clin. Rev. Ther. Drug Sys.* 12, 1-99, **1995**.
- Okada, H., Yamamoto, M., Heya, T., Inoue, Y., Kamei, S., Ogawa, Y., Toguchi, H., Drug delivery using biodegradable microspheres. *J. Control. Release* 28 121-129, **1994**.
- Okada, H., Yamazaki, I., Ogawa, Y., Hirai, S., Yashiki, T., Mima, H., Vaginal absorption of a potent luteinizing hormone-releasing hormone analog (leuprolide) in rats. I. Absorption by various routes and absorption enhancement. *J. Pharm. Sci.* 71, 1367-1371, **1982**.

- Omelczuk, M.O., McGinity, J.W., The influence of polymer glass transition temperature and molecular weight on drug release from tablets containing poly(DL-lactic acid). *Pharm. Res.* 9, 26-32, **1992**.
- Packhaeuser, C.B., Schnieders, J., Oster, C.G., Kissel, T., In situ forming parenteral drug delivery systems: an overview. *Eur. J. Pharm. Biopharm.* 58, 445-455, **2004**.
- Park, T.G., Degradation of poly(D,L-lactic acid) microspheres: effect of molecular weight. *J. Control. Release* 30, 161-173, **1994**.
- Pavanetto, F., Genta, I., Giunchedi, P., Conti, B., Evaluation of spray drying as a method for polyhactide and polylactide-co-glycolide microsphere preparation. *J. Microencapsul.* 10, 487-497, **1993**.
- Pitt, C.G., The controlled parenteral delivery of polypeptides and proteins. *Int. J. Pharm.* 59, 173-196, **1990**.
- Ravivarapu, H.B., Moyer, K.L., Dunn, R.L., Parameters affecting the efficacy of a sustained release polymeric implant of leuprolide. *Int. J. Pharm.* 194, 181-191, **2000a**.
- Ravivarapu, H.B., Moyer, K.L., Dunn, R.L., Sustained suppression of pituitary-gonadal axis with an injectable, in situ forming implant of leuprolide acetate. *J. Pharm. Sci.* 89, 732-741, **2000b**.
- Ravivarapu, H.B., Burton, K., DeLuca, P.P., Polymer and microsphere blending to alter the release of a peptide from PLGA microspheres. *Eur. J. Pharm. Biopharm.* 50, 263-270, **2000c**.
- Ravivarapu, H.B., Lee, H., DeLuca, P.P., Enhancing initial release of peptide from poly(*d,l*-lactide-*co*-glycolide) (PLGA) microspheres by addition of a porosigen and increasing drug load. *Pharm. Dev. Technol.* 5, 287-296, **2000d**.
- Romoren, K., Thu, B.J., Evensen, O., Immersion delivery of plasmid DNA: II. A study of the potentials of a chitosan based delivery system in rainbow trout (*Oncorhynchus mykiss*) fry. *J. Control. Release* 85, 215-225, **2002**.
- Rothen-Weinhold, A., Besseghir, K., De Zelicourt, Y., Gurny, R., Development and evaluation in vivo of a long-term delivery system for vapreotide, a somatostatin analogue. *J. Control. Release* 52, 205-213, **1998**.
- Rothen-Weinhold, A., Besseghir, K., Vuaridel, E., Sublet, E., Oudry, N., Kubel F., Gurny, R., Injection-molding versus extrusion as manufacturing technique for the preparation of biodegradable implants. *Eur. J. Pharm. Biopharm.* 48, 113-121, **1999**.

- Royals, M.A., Fujita, S.M., Yewey, G.L., Rodriguez, J., Schultheiss, P.C., Dunn, R.L., Biocompatibility of a biodegradable in-situ forming implant system in rhesus monkeys. *J. Biomed. Mater. Res.* 45, 231-239, **1999**.
- Ruiz, J.M., Benoît, J.P., In vivo peptide release from poly(DL-lactic acid-co-glycolic acid) copolymer 50/50 microspheres. *J. Control. Release* 16, 177-186, **1991**.
- Sadhale, Y., Shah, J.C., Stabilization of insulin against agitation-induced aggregation by the GMO cubic phase gel. *Int. J. Pharm.* 191, 51-64, **1999a**.
- Sadhale, Y., Shah, J.C., Biological activity of insulin in GMO gels and the effect of agitation. *Int. J. Pharm* 191, 65-74, **1999b**.
- Sah, H., Protein behavior at the water/methylene chloride interface. *J. Pharm. Sci.* 88, 1320-1325, **1999a**.
- Sah, H., Stabilization of proteins against methylene chloride/water interface-induced denaturation and aggregation. *J. Control. Release* 58, 143-151, **1999b**.
- Sah, H., Toddywala, R., Chien, Y.W., Continuous release of proteins from biodegradable microcapsules and in vivo evaluation of their potential as a vaccine adjuvant. *J. Control. Release* 35, 137-144, **1995**.
- Sanders, L.M., Kent, J.S., McRae, G.I., Vickery, B.H., Tice, T.R., Lewis, D.H., Controlled release of a luteinizing hormone-releasing hormone analogue from poly(D,L-lactide-co-glycolide) microspheres. *J. Pharm. Sci.* 73, 1294-1297, **1984**.
- Sanghvi, S.P., Nairn, J.G., Phase diagram studies for microencapsulation of pharmaceuticals using cellulose acetate trimellitate. *J. Pharm. Sci.* 80, 394-398, **1991**.
- Sansdrap, P., Moes, A.J., Influence of additives on the release profile of nifedipine from poly(DL-lactide-co-glycolide) microspheres. *J. Microencap.* 15, 545-553, **1998**.
- Sawhney, A.S., Pathak, C.P., Hubbell, J.A., Bioerodible hydrogels based on photopolymerized poly(ethylene glycol)-co-poly( $\alpha$ -hydroxy acid) diacrylate macromers. *Macromolecules* 26, 581-587, **1993**.
- Schlicher, E.J.A.M., Postma, N.S., Zuidema, J., Talsma, H., Hennink, W.E., Preparation and characterisation of Poly (D,L-lactic-co-glycolic acid) microspheres containing desferrioxamine. *Int. J. Pharm.* 153, 235-245, **1997**.
- Shah, J.C., Sadhale, Y., Chilukuri, D.M., Cubic phase gels as drug delivery systems. *Adv. Drug Deliv. Rev.* 47, 229-250, **2001**.

- Sharifi, R., Soloway, M., Clinical study of leuprolide depot formulation in the treatment of advanced prostate cancer. *J. Urol.* 143, 68–71, **1990**.
- Sharma, A., Sharma, U.S., Liposomes in drug delivery: progress and limitations. *Int. J. Pharm.* 154, 123-140, **1997**.
- Shi, F.Y., Gross, R.A., Rutherford, D.R., Microbial polyester synthesis: Effect on poly(ethylene glycol) on product composition, repeat unit sequence, and end group structure. *Macromolecules* 29, 10-17, **1996**.
- Singh, M., Singh, O., Talwar, G.P., Biodegradable delivery system for a birth control vaccine: immunogenicity studies in rats and monkeys. *Pharm. Res.* 12, 1796-1800, **1995**.
- Sinha, V.R., Bansal, K., Kaushik, R., Kumria, R., Trehan, A., Poly- $\epsilon$ -caprolactone microspheres and nanospheres: an overview. *Int. J. Pharm.* 278, 1-23, **2004**.
- Sinha, V.R., Trehan, A., Biodegradable microspheres for protein delivery. *J. Control. Release* 90, 261-280, **2003**.
- Spenlehauer, G., Veillard, M., Benoît, J.-P., Formation and characterization of cisplatin loaded poly(*d,l*-lactide) microspheres for chemoembolization. *J. Pharm. Sci.* 75 750-755, **1986**.
- Strathmann, H., Kock, K., The formation mechanism of phase inversion membranes. *Desalination* 21, 241-255, **1977**.
- Suzuki, Y., Nishimura, Y., Tanihara, M., Suzuki, K., Shimizu, Y., Yamawaki, Y., Kakimaru, Y., Evaluation of a novel alginate gel dressing: cytotoxicity to fibroblasts in vitro and foreign-body reaction in pig's skin in vivo. *J. Biomed. Mater. Res.* 39, 317-322, **1998**.
- Thomasin, C., Merkle, H.P., Gander, B.A., Physico-chemical parameters governing protein microencapsulation into biodegradable polyesters by coacervation. *Int. J. Pharm.* 147, 173-186, **1997**.
- Tipton, A.J., High viscosity liquid controlled delivery system as a device. U.S. Patent 5,968,542, **1999**.
- Tipton, A.J., Trumpore, W.U.V., Dunn, R.L., A biodegradable, injectable delivery system for naltrexone. Paper presented at the US-Japan symposium on drug delivery, December, 16-20, **1991**.
- Traul, K.A., Driedger, A., Ingle, D.L., Nakhasi, D., Review of the toxicologic properties of medium-chain triglycerides. *Food Chem. Toxicol.* 38, 79-98, **2000**.
- Ueno, N., Rofojo, M.F., Liu, L.H.S., Controlled release rate of a lipophilic drug (BCNU) from a refillable silicone rubber device. *J. Biomed. Mater. Res.* 16, 669-677, **1982**.

- Urata, T., Arimori, K., Nakano, M., Modification of release rates of cyclosporin A from poly(L-lactic acid) microspheres by fatty acid esters and in vivo evaluation of the microspheres. *J. Control. Release* 58, 133-141, **1999**.
- Vauthier, C., Dubernet, C., Fattal, E., Pinto-Alphandary, H., Couvreur, P., Poly(alkylcyanoacrylates) as biodegradable materials for biomedical applications. *Adv. Drug Deliv. Rev.* 55, 519-548, **2003**.
- Verma, R.K., Kaushal, A.M., Garg, S., Development and evaluation of extended release formulations of isosorbide mononitrate based on osmotic technology. *Int. J. Pharm.* 263, 9-24, **2003**.
- Vert, M., Li, S., Garreau, H., More about the degradation of LA / GA-derived matrices in aqueous media. *J. Control. Release* 16, 15-26, **1991**.
- Wang, J., Wang, B.M., Schwendeman, S.P., Characterization of the initial burst release of a model peptide from poly(D,L-lactide-co-glycolide) microspheres. *J. Control. Release* 82, 289-307, **2002**.
- Wang, L., Kleiner, L., Venkatraman, S., Structure formation in injectable poly(lactide-co-glycolide) depots. *J. Control. Release* 90, 345-354, **2003**.
- Wienk, I.M., Boom, R.M., Beerlage, M.A.M., Bulte, A.M.W., Smolders, C.A., Strathmann, H., Recent advances in the formation of phase inversion membranes made from amorphous or semi-crystalline polymers. *J. Membr. Sci.* 113, 361-371, **1996**.
- Winternitz, C.I., Jackson, J.K., Oktaba, A.M., Burt, H.M., Development of a polymeric surgical paste formulation for taxol. *Pharm. Res.* 13, 368 – 375, **1996**.
- Witschi, C., Doelker, E., Influence of the microencapsulation method and peptide loading on poly(lactic acid) and poly(lactic-co-glycolic acid) degradation during in vitro testing. *J. Control. Release* 51, 327-341, **1998**.
- Witschi, C., Doelker, E., Residual solvents in pharmaceutical products: acceptable limits, influences on physicochemical properties, analytical methods and documented values. *Eur. J. Pharm. Biopharm.* 43, 215-242, **1997**.
- Woo, B.H., Kostanski, J.W., Gebrekidan, S., Dani, B.A., Thanoo, B.C., DeLuca, P.P., Preparation, characterization and in vivo evaluation of 120-day poly (D,L-lactide) leuprolide microspheres. *J. Control. Release* 75, 307-315, **2001**.

- Woo, B.H., Na, K.H., Dani, B.A., Jiang, G., Thanoo, B.C., DeLuca, P.P., *In vitro* characterization and *in vivo* testosterone suppression of 6-month release poly(D,L-lactide) Leuprolide microspheres. *Pharm. Res.* 19, 546-550, **2002**.
- Wright, J.C., Leonard, S.T., Stevenson, C.L., Beck, J.C., Chen, G., Jao, R., Johnson, P.A., Leonard, J., Skowronski, R.J., An *in vivo/ in vitro* comparison with a leuprolide osmotic implant for the treatment of prostate cancer. *J. Control. Release* 75, 1-10, **2001**.
- Wyatt, D.M., Dorschel, D., A cubic-phase delivery system composed of glyceryl monooleat and water for sustained release of water-soluble drugs. *Pharm. Technol.* 10, 116-130, **1992**.
- Youxin, L., Kissel, T., Synthesis and properties of biodegradable ABA triblock copolymers consisting of poly(L-lactic) acid or poly(L-lactic-co-glycolic) acid A-blocks attached to central poly(oxyethylene) B-blocks. *J. Control. Release* 27, 247-257, **1993**.
- Zhang, X., Jackson, J.K., Wong, W., Min, W., Cruz, T., Hunter, W.L., Burt, H.M., Development of biodegradable polymeric paste formulations for taxol: an *in vitro* and *in vivo* study. *Int. J. Pharm.* 137, 199-208, **1996**.
- Zhu, G., Mallery, S.P., Schwendeman, S.P., Stabilization of proteins encapsulated in injectable poly(lactide-co-glycolide). *Nature Biotechnol.* 18, 52-57, **2000**.
- Zhu, G., Schwendeman, S.P., Stabilization of Proteins Encapsulated in Cylindrical Poly(lactide-co-glycolide) Implants: Mechanism of Stabilization by Basic Additives. *Pharm. Rev.* 17, 351-357, **2000**.