

## **6. REFERENZEN**

1. Allen JW, Ivanova SA, Fan L, Espey MG, Basile AS, Faden AI (1999) Group II metabotropic glutamate receptor activation attenuates traumatic neuronal injury and improves neurological recovery after traumatic brain injury. *J Pharmacol Exp Ther* 290: 112-120.
2. Amara SG, Fontana AC (2002) Excitatory amino acid transporters: keeping up with glutamate. *Neurochem Int* 41: 313-318.
3. Arimura A (1992) Pituitary adenylate cyclase activating polypeptide (PACAP): discovery and current status of research. *Regul Pept* 37: 287-303.
4. Arriza JL, Eliasof S, Kavanaugh MP, Amara SG (1997) Excitatory amino acid transporter 5, a retinal glutamate transporter coupled to a chloride conductance. *Proc Natl Acad Sci U S A* 94: 4155-4160.
5. Back SA, Han BH, Luo NL, et al. (2002) Selective vulnerability of late oligodendrocyte progenitors to hypoxia-ischemia. *J Neurosci* 22: 455-463.
6. Barradas PC, Ferraz AS, Ferreira AA, Daumas RP, Moura EG (2000) 2'3'Cyclic nucleotide 3'phosphodiesterase immunohistochemistry shows an impairment on myelin compaction in hypothyroid rats. *Int J Dev Neurosci* 18: 887-892.
7. Bignami A, Eng LF, Dahl D, Uyeda CT (1972) Localization of the glial fibrillary acidic protein in astrocytes by immunofluorescence. *Brain Res* 43: 429-435.
8. Bourne JA (1983) *Handbuch I der Immunperoxidase Färbemethoden*. DAKO Corporation.
9. Breasted J (1922) The Edwin Smith Papyrus. *Quart Bull New York Hist Soc* 6: 1-31.
10. Cajal SR y (1911) *Histologie du système nerveux de l'homme et des vertébrés*. Maloine.
11. Chaudhry FA, Lehre KP, Lookeren Campagne M, Ottersen OP, Danbolt NC, Storm-Mathisen J (1995) Glutamate transporters in glial plasma membranes: highly differentiated localizations revealed by quantitative ultrastructural immunocytochemistry. *Neuron* 15: 711-720.
12. Chen Y, Swanson RA (2003) The glutamate transporters EAAT2 and EAAT3 mediate cysteine uptake in cortical neuron cultures. *J Neurochem* 84: 1332-1339.
13. Choi DW (1992) Excitotoxic cell death. *J Neurobiol* 23: 1261-1276.
14. Conti F, De Biasi S, Minelli A, Rothstein JD, Melone M (1998) EAAC1, a high-affinity glutamate transporter, is localized to astrocytes and gabaergic neurons besides pyramidal cells in the rat cerebral cortex. *Cereb Cortex* 8: 108-116.
15. Dai X, Lercher LD, Clinton PM, et al. (2003) The trophic role of oligodendrocytes in the basal forebrain. *J Neurosci* 23: 5846-5853.

16. Dai X, Qu P, Dreyfus CF (2001) Neuronal signals regulate neurotrophin expression in oligodendrocytes of the basal forebrain. *Glia* 34: 234-239.
17. Danbolt NC (2001) Glutamate uptake. *Prog Neurobiol* 65: 1-105.
18. Danbolt NC, Storm-Mathisen J, Kanner BI (1992) An [Na<sup>+</sup> + K<sup>+</sup>]coupled L-glutamate transporter purified from rat brain is located in glial cell processes. *Neuroscience* 51: 295-310.
19. Danbolt NC, Storm-Mathisen J, Ottersen OP (1994) Sodium/potassium-coupled glutamate transporters, a "new" family of eukaryotic proteins: do they have "new" physiological roles and could they be new targets for pharmacological intervention? *Prog Brain Res* 100: 53-60.
20. Daneyemez M (1999) Microangiographic changes following cerebral contusion in rats. *Neuroscience* 92: 783-790.
21. Davis KE, Straff DJ, Weinstein EA, et al. (1998) Multiple signaling pathways regulate cell surface expression and activity of the excitatory amino acid carrier 1 subtype of Glu transporter in C6 glioma. *J Neurosci* 18: 2475-2485.
22. Delgado M (2002) Vasoactive intestinal peptide and pituitary adenylate cyclase-activating polypeptide inhibit CBP-NF-kappaB interaction in activated microglia. *Biochem Biophys Res Commun* 297: 1181-1185.
23. Delgado M, Jonakait GM, Ganea D (2002) Vasoactive intestinal peptide and pituitary adenylate cyclase-activating polypeptide inhibit chemokine production in activated microglia. *Glia* 39: 148-161.
24. Delgado M, Leceta J, Ganea D (2003) Vasoactive intestinal peptide and pituitary adenylate cyclase-activating polypeptide inhibit the production of inflammatory mediators by activated microglia. *J Leukoc Biol* 73: 155-164.
25. Dewar D, Underhill SM, Goldberg MP (2003) Oligodendrocytes and ischemic brain injury. *J Cereb Blood Flow Metab* 23: 263-274.
26. Domercq M, Sanchez-Gomez MV, Areso P, Matute C (1999) Expression of glutamate transporters in rat optic nerve oligodendrocytes. *Eur J Neurosci* 11: 2226-2236.
27. Eng LF, Gerstl B, Vanderhaeghen JJ (1970) A study of proteins in old multiple sclerosis plaques. *Transactions of the American Society of Neurochemistry* 1: 42.
28. Faden AI, Demediuk P, Panter SS, Vink R (1989) The role of excitatory amino acids and NMDA receptors in traumatic brain injury. *Science* 244: 798-800.
29. Fairman WA, Vandenberg RJ, Arriza JL, Kavanaugh MP, Amara SG (1995) An excitatory amino-acid transporter with properties of a ligand-gated chloride channel. *Nature* 375: 599-603.

30. Farkas O, Tamas A, Zsombok A, et al. (2004) Effects of pituitary adenylate cyclase activating polypeptide in a rat model of traumatic brain injury [In Process Citation]. *Regul Pept* 123: 69-75.
31. Figiel M, Engele J (2000) Pituitary adenylate cyclase-activating polypeptide (PACAP), a neuron-derived peptide regulating glial glutamate transport and metabolism. *J Neurosci* 20: 3596-3605.
32. Franke K (1972) Epidemiologie des Schädel-Hirntraumas (SHT). (Jonasch E, ed), pp 143-145. Salzburg.
33. Frechilla D, Garcia-Osta A, Palacios S, Cenarruzabeitia E, Del Rio J (2001) BDNF mediates the neuroprotective effect of PACAP-38 on rat cortical neurons. *Neuroreport* 12: 919-923.
34. Gegelashvili G, Dehnes Y, Danbolt NC, Schousboe A (2000) The high-affinity glutamate transporters GLT1, GLAST, and EAAT4 are regulated via different signalling mechanisms. *Neurochem Int* 37: 163-170.
35. Gegelashvili G, Schousboe A (1997) High affinity glutamate transporters: regulation of expression and activity. *Mol Pharmacol* 52: 6-5.
36. Gonzalez BJ, Basille M, Vaudry D, Fournier A, Vaudry H (1997) Pituitary adenylate cyclase-activating polypeptide promotes cell survival and neurite outgrowth in rat cerebellar neuroblasts. *Neuroscience* 78: 419-430.
37. Gonzalez D, Dees WL, Hiney JK, Ojeda SR, Saneto RP (1990) Expression of beta-nerve growth factor in cultured cells derived from the hypothalamus and cerebral cortex. *Brain Res* 511: 249-258.
38. Graham D, Gennarelli T, McIntosh T (2002) Trauma. In: *Greenfield's Neuropathology* (Graham D, Lantos P, eds), pp 823-898. London: Arnold.
39. Graham SH, Chen J, Sharp FR, Simon RP (1993) Limiting ischemic injury by inhibition of excitatory amino acid release. *J Cereb Blood Flow Metab* 13: 88-97.
40. Hagberg H, Lehmann A, Sandberg M, Nystrom B, Jacobson I, Hamberger A (1985) Ischemia-induced shift of inhibitory and excitatory amino acids from intra- to extracellular compartments. *J Cereb Blood Flow Metab* 5: 413-419.
41. Haugeto O, Ullensvang K, Levy LM, et al. (1996) Brain glutamate transporter proteins form homomultimers. *J Biol Chem* 271: 27715-27722.
42. Hsu SM, Raine L (1981) Protein A, avidin, and biotin in immunohistochemistry. *J Histochem Cytochem* 29: 1349-1353.
43. Ikematsu K, Tsuda R, Kondo T, Nakasono I (2002) The expression of excitatory amino acid transporter 2 in traumatic brain injury. *Forensic Sci Int* 130: 83-89.
44. Jackson M, Song W, Liu MY, et al. (2001) Modulation of the neuronal glutamate transporter EAAT4 by two interacting proteins. *Nature* 410: 89-93.

45. Jaworski DM (2000) Expression of pituitary adenylate cyclase-activating polypeptide (PACAP) and the PACAP-selective receptor in cultured rat astrocytes, human brain tumors, and in response to acute intracranial injury. *Cell Tissue Res* 300: 219-230.
46. Juurlink BH, Thorburne SK, Hertz L (1998) Peroxide-scavenging deficit underlies oligodendrocyte susceptibility to oxidative stress. *Glia* 22: 371-378.
47. Kanai Y, Hediger MA (1992) Primary structure and functional characterization of a high-affinity glutamate transporter. *Nature* 360: 467-471.
48. Kanner BI, Schuldiner S (1987) Mechanism of transport and storage of neurotransmitters. *CRC Crit Rev Biochem* 22: 1-8.
49. Katayama Y, Becker DP, Tamura T, Hovda DA (1990) Massive increases in extracellular potassium and the indiscriminate release of glutamate following concussive brain injury. *J Neurosurg* 73: 889-900.
50. Koizumi H, Fujisawa H, Ito H, Maekawa T, Di X, Bullock R (1997) Effects of mild hypothermia on cerebral blood flow-independent changes in cortical extracellular levels of amino acids following contusion trauma in the rat. *Brain Res* 747: 304-312.
51. Komuro H, Rakic P (1993) Modulation of neuronal migration by NMDA receptors. *Science* 260: 95-97.
52. Kondo K, Hashimoto H, Kitanaka J, et al. (1995) Expression of glutamate transporters in cultured glial cells. *Neurosci Lett* 188: 140-142.
53. Kondo T, Tominaga T, Ichikawa M, Iijima T (1997) Differential alteration of hippocampal synaptic strength induced by pituitary adenylate cyclase activating polypeptide-38 (PACAP-38). *Neurosci Lett* 221: 189-192.
54. Kozlov G, Lee J, Elias D, et al. (2003) Structural Evidence That Brain Cyclic Nucleotide Phosphodiesterase Is a Member of the 2H Phosphodiesterase Superfamily [In Process Citation]. *J Biol Chem* 278: 46021-4608.
55. Kugler P, Schmitt A (1999) Glutamate transporter EAAC1 is expressed in neurons and glial cells in the rat nervous system. *Glia* 27: 129-142.
56. Lehre KP, Levy LM, Ottersen OP, Storm-Mathisen J, Danbolt NC (1995) Differential expression of two glial glutamate transporters in the rat brain: quantitative and immunocytochemical observations. *J Neurosci* 15: 1835-1853.
57. Levy LM, Lehre KP, Rolstad B, Danbolt NC (1993) A monoclonal antibody raised against an [Na(+)+K+]coupled L-glutamate transporter purified from rat brain confirms glial cell localization. *FEBS Lett* 317: 79-84.
58. Lin CI, Orlov I, Ruggiero AM, et al. (2001) Modulation of the neuronal glutamate transporter EAAC1 by the interacting protein GTRAP3-18. *Nature* 410: 84-88.

59. Lortet S, Samuel D, Had-Aissouni L, Masméjean F, Kerkerian-Le Goff L, Pisano P (1999) Effects of PKA and PKC modulators on high affinity glutamate uptake in primary neuronal cell cultures from rat cerebral cortex. *Neuropharmacology* 38: 395-402.
60. Lozán JL, Kausch H (1998) *Angewandte Statistik für Naturwissenschaftler*. Parey Buchverlag im Blackwell Wissenschafts-Verlag.
61. Lu N, Cicco-Bloom E (1997) Pituitary adenylate cyclase-activating polypeptide is an autocrine inhibitor of mitosis in cultured cortical precursor cells. *Proc Natl Acad Sci U S A* 94: 3357-3362.
62. Ludwin SK (1979) The perineuronal satellite oligodendrocyte. A role in remyelination. *Acta Neuropathol (Berl)* 47: 49-53.
63. Ludwin SK (1984) The function of perineuronal satellite oligodendrocytes: an immunohistochemical study. *Neuropathol Appl Neurobiol* 10: 143-149.
64. Lyons SA, Kettenmann H (1998) Oligodendrocytes and microglia are selectively vulnerable to combined hypoxia and hypoglycemia injury in vitro. *J Cereb Blood Flow Metab* 18: 521-530.
65. Ma W, Bisby MA (1999) Ultrastructural localization of increased neuropeptide immunoreactivity in the axons and cells of the gracile nucleus following chronic constriction injury of the sciatic nerve. *Neuroscience* 93: 335-348.
66. May V, Braas KM (1995) Pituitary adenylate cyclase-activating polypeptide (PACAP) regulation of sympathetic neuron neuropeptide Y and catecholamine expression. *J Neurochem* 65: 978-987.
67. McDonald JW, Althomsons SP, Hyrc KL, Choi DW, Goldberg MP (1998) Oligodendrocytes from forebrain are highly vulnerable to AMPA/kainate receptor-mediated excitotoxicity. *Nat Med* 4: 291-297.
68. McDonald JW, Johnston MV (1990) Physiological and pathophysiological roles of excitatory amino acids during central nervous system development. *Brain Res Brain Res Rev* 15: 41-70.
69. Miyata A, Arimura A, Dahl RR, et al. (1989) Isolation of a novel 38 residue-hypothalamic polypeptide which stimulates adenylate cyclase in pituitary cells. *Biochem Biophys Res Commun* 164: 567-574.
70. Mukhin A, Fan L, Faden AI (1996) Activation of metabotropic glutamate receptor subtype mGluR1 contributes to post-traumatic neuronal injury. *J Neurosci* 16: 6012-6020.
71. Nicholls D, Attwell D (1990) The release and uptake of excitatory amino acids. *Trends Pharmacol Sci* 11: 462-468.
72. Nilsson P, Hillered L, Ponten U, Ungerstedt U (1990) Changes in cortical extracellular levels of energy-related metabolites and amino acids following concussive brain injury in rats. *J Cereb Blood Flow Metab* 10: 631-637.

73. Nomura M, Ueta Y, Serino R, Yamamoto Y, Shibuya I, Yamashita H (1999) Effects of centrally administered pituitary adenylate cyclase-activating polypeptide on c-fos gene expression and heteronuclear RNA for vasopressin in rat paraventricular and supraoptic nuclei. *Neuroendocrinology* 69: 167-180.
74. O'Shea RD (2002) Roles and regulation of glutamate transporters in the central nervous system. *Clin Exp Pharmacol Physiol* 29: 1018-1023.
75. Oka A, Belliveau MJ, Rosenberg PA, Volpe JJ (1993) Vulnerability of oligodendroglia to glutamate: pharmacology, mechanisms, and prevention. *J Neurosci* 13: 1441-1453.
76. Olney JW (1969) Brain lesions, obesity, and other disturbances in mice treated with monosodium glutamate. *Science* 164: 719-721.
77. Palmer AM, Marion DW, Botscheller ML, Swedlow PE, Styren SD, De Kosky ST (1993) Traumatic brain injury-induced excitotoxicity assessed in a controlled cortical impact model. *J Neurochem* 61: 2015-2024.
78. Pantaloni C, Brabet P, Bilanges B, et al. (1996) Alternative splicing in the N-terminal extracellular domain of the pituitary adenylate cyclase-activating polypeptide (PACAP) receptor modulates receptor selectivity and relative potencies of PACAP-27 and PACAP-38 in phospholipase C activation. *J Biol Chem* 271: 22146-22151.
79. Patneau DK, Wright PW, Winters C, Mayer ML, Gallo V (1994) Glial cells of the oligodendrocyte lineage express both kainate- and AMPA-preferring subtypes of glutamate receptor. *Neuron* 12: 357-371.
80. Pearce IA, Cambray-Deakin MA, Burgoyne RD (1987) Glutamate acting on NMDA receptors stimulates neurite outgrowth from cerebellar granule cells. *FEBS Lett* 223: 143-147.
81. Pellegrini G, Magistretti PJ, Martin JL (1998) VIP and PACAP potentiate the action of glutamate on BDNF expression in mouse cortical neurones. *Eur J Neurosci* 10: 272-280.
82. Pines G, Danbolt NC, Bjoras M, et al. (1992) Cloning and expression of a rat brain L-glutamate transporter. *Nature* 360: 464-467.
83. Pisegna JR, Wank SA (1996) Cloning and characterization of the signal transduction of four splice variants of the human pituitary adenylate cyclase activating polypeptide receptor. Evidence for dual coupling to adenylate cyclase and phospholipase C. *J Biol Chem* 271: 17267-17274.
84. Pitt D, Nagelmeier IE, Wilson HC, Raine CS (2003) Glutamate uptake by oligodendrocytes: Implications for excitotoxicity in multiple sclerosis. *Neurology* 61: 1113-1120.
85. Rajan I, Cline HT (1998) Glutamate receptor activity is required for normal development of tectal cell dendrites in vivo. *J Neurosci* 18: 7836-7846.

86. Rao VL, Baskaya MK, Dogan A, Rothstein JD, Dempsey RJ (1998) Traumatic brain injury down-regulates glial glutamate transporter (GLT-1 and GLAST) proteins in rat brain. *J Neurochem* 70: 2020-2027.
87. Rao VL, Dogan A, Bowen KK, Todd KG, Dempsey RJ (2001a) Antisense knockdown of the glial glutamate transporter GLT-1 exacerbates hippocampal neuronal damage following traumatic injury to rat brain. *Eur J Neurosci* 13: 119-128.
88. Rao VL, Dogan A, Todd KG, et al. (2001b) Antisense knockdown of the glial glutamate transporter GLT-1, but not the neuronal glutamate transporter EAAC1, exacerbates transient focal cerebral ischemia-induced neuronal damage in rat brain. *J Neurosci* 21: 1876-1883.
89. Reglodi D, Somogyvari-Vigh A, Vigh S, Kozicz T, Arimura A (2000) Delayed systemic administration of PACAP38 is neuroprotective in transient middle cerebral artery occlusion in the rat. *Stroke* 31: 1411-1417.
90. Reynolds R, Herschkowitz N (1986) Selective uptake of neuroactive amino acids by both oligodendrocytes and astrocytes in primary dissociated culture: a possible role for oligodendrocytes in neurotransmitter metabolism. *Brain Res* 371: 253-266.
91. Rossi DJ, Oshima T, Attwell D (2000) Glutamate release in severe brain ischaemia is mainly by reversed uptake. *Nature* 403: 316-321.
92. Rossi DJ, Slater NT (1993) The developmental onset of NMDA receptor-channel activity during neuronal migration. *Neuropharmacology* 32: 1239-1248.
93. Rothstein JD, Dykes-Hoberg M, Pardo CA, et al. (1996) Knockout of glutamate transporters reveals a major role for astroglial transport in excitotoxicity and clearance of glutamate. *Neuron* 16: 675-686.
94. Rothstein JD, Jin L, Dykes-Hoberg M, Kuncl RW (1993) Chronic inhibition of glutamate uptake produces a model of slow neurotoxicity. *Proc Natl Acad Sci U S A* 90: 6591-6595.
95. Rothstein JD, Martin L, Levey AI, et al. (1994) Localization of neuronal and glial glutamate transporters. *Neuron* 13: 713-725.
96. Rothstein JD, Patel S, Regan MR, et al. (2005) Beta-lactam antibiotics offer neuroprotection by increasing glutamate transporter expression. *Nature* 433: 73-77.
97. Royds JA, Ironside JW, Taylor CB, Graham DI, Timperley WR (1986) An immunohistochemical study of glial and neuronal markers in primary neoplasms of the central nervous system. *Acta Neuropathol (Berl)* 70: 320-326.
98. Schluter K, Figiel M, Rozyczka J, Engele J (2002) CNS region-specific regulation of glial glutamate transporter expression. *Eur J Neurosci* 16: 836-842.

99. Schmitt A, Asan E, Lesch KP, Kugler P (2002) A splice variant of glutamate transporter GLT1/EAAT2 expressed in neurons: cloning and localization in rat nervous system. *Neuroscience* 109: 45-61.
100. Schubert D, Piasecki D (2001) Oxidative glutamate toxicity can be a component of the excitotoxicity cascade. *J Neurosci* 21: 7455-7462.
101. Schück F (1928) Kopfverletzungen. Bericht über 300 Fälle. *Arch Clin Chir* 153: 77-93.
102. Shoge K, Mishima HK, Saitoh T, et al. (1999) Attenuation by PACAP of glutamate-induced neurotoxicity in cultured retinal neurons. *Brain Res* 839: 66-73.
103. Simard M, Nedergaard M (2004) The neurobiology of glia in the context of water and ion homeostasis [In Process Citation]. *Neuroscience* 129: 877-896.
104. Sims KD, Straff DJ, Robinson MB (2000) Platelet-derived growth factor rapidly increases activity and cell surface expression of the EAAC1 subtype of glutamate transporter through activation of phosphatidylinositol 3-kinase. *J Biol Chem* 275: 5228-5237.
105. Skoglosa Y, Lewen A, Takei N, Hillered L, Lindholm D (1999) Regulation of pituitary adenylate cyclase activating polypeptide and its receptor type 1 after traumatic brain injury: comparison with brain-derived neurotrophic factor and the induction of neuronal cell death. *Neuroscience* 90: 235-247.
106. Slusher BS, Vornov JJ, Thomas AG, et al. (1999) Selective inhibition of NAALADase, which converts NAAG to glutamate, reduces ischemic brain injury. *Nat Med* 5: 1396-1402.
107. Sollmann WP (1997) [Cranioerebral trauma. Diagnosis, surgical and conservative therapy]. *Unfallchirurg* 100: 895-907.
108. Statistisches Jahrbuch Berlin (2005), Kapitel: Gesundheitswesen, p.94. Hrsg.: Statistisches Landesamt Berlin. Kulturbuch-Verlag GmbH, Berlin.
109. Storck T, Schulte S, Hofmann K, Stoffel W (1992) Structure, expression, and functional analysis of a Na(+)-dependent glutamate/aspartate transporter from rat brain. *Proc Natl Acad Sci U S A* 89: 10955-10959.
110. Storm-Mathisen J, Danbolt NC, Rothe F, et al. (1992) Ultrastructural immunocytochemical observations on the localization, metabolism and transport of glutamate in normal and ischemic brain tissue. *Prog Brain Res* 94: 225-241.
111. Suk K, Park JH, Lee WH (2004) Neuropeptide PACAP inhibits hypoxic activation of brain microglia: a protective mechanism against microglial neurotoxicity in ischemia [In Process Citation]. *Brain Res* 1026: 151-16.
112. Tanaka H, Katayama Y, Kawamata T, Tsubokawa T (1994) Excitatory amino acid release from contused brain tissue into surrounding brain areas. *Acta Neurochir Suppl (Wien)* 60: 524-527.



113. Tanaka K, Watase K, Manabe T, et al. (1997) Epilepsy and exacerbation of brain injury in mice lacking the glutamate transporter GLT-1. *Science* 276: 1699-1702.
114. Thomas A, Berlinghof HG, Bock KH, Lampl L (2000) [Outcome factors in severe skull-brain trauma. A retrospective analysis of 228 (161) patients]. *Anesthesiol Intensivmed Notfallmed Schmerzther* 35: 91-97.
115. Thomas C (1998) Nervensystem. In: *Histopathologie: Lehrbuch und Atlas zur allgemeinen und speziellen Pathologie* (Thomas C, ed), pp 36-37. Stuttgart; New York: Schattauer.
116. Thorburne SK, Juurlink BH (1996) Low glutathione and high iron govern the susceptibility of oligodendroglial precursors to oxidative stress. *J Neurochem* 67: 1014-1022.
117. Uchida D, Arimura A, Somogyvari-Vigh A, Shioda S, Banks WA (1996) Prevention of ischemia-induced death of hippocampal neurons by pituitary adenylate cyclase activating polypeptide. *Brain Res* 736: 280-286.
118. Vallano ML (1998) Developmental aspects of NMDA receptor function. *Crit Rev Neurobiol* 12: 177-204.
119. van den Pol AN, Gao XB, Patrylo PR, Ghosh PK, Obrietan K (1998) Glutamate inhibits GABA excitatory activity in developing neurons. *J Neurosci* 18: 10749-10761.
120. van Landeghem FK, Stover JF, Bechmann I, et al. (2001) Early expression of glutamate transporter proteins in ramified microglia after controlled cortical impact injury in the rat. *Glia* 35: 167-179.
121. van Landeghem FK, Stichling K, Weiss T, Burucker J, Kaempfe N, von Deimling A (unpublished) Satellite oligodendrocytes are involved in perineuronal glutamate transport and regulation.
122. Vaudry D, Gonzalez BJ, Basille M, Fournier A, Vaudry H (1999) Neurotrophic activity of pituitary adenylate cyclase-activating polypeptide on rat cerebellar cortex during development. *Proc Natl Acad Sci U S A* 96: 9415-9420.
123. Vaudry D, Gonzalez BJ, Basille M, Yon L, Fournier A, Vaudry H (2000) Pituitary adenylate cyclase-activating polypeptide and its receptors: from structure to functions. *Pharmacol Rev* 52: 269-324.
124. Villalba M, Bockaert J, Journot L (1997) Pituitary adenylate cyclase-activating polypeptide (PACAP-38) protects cerebellar granule neurons from apoptosis by activating the mitogen-activated protein kinase (MAP kinase) pathway. *J Neurosci* 17: 83-90.
125. Volterra A, Trotti D, Floridi S, Racagni G (1994) Reactive oxygen species inhibit high-affinity glutamate uptake: molecular mechanism and neuropathological implications. *Ann N Y Acad Sci* 738: 153-162.

126. Watase K, Hashimoto K, Kano M, et al. (1998) Motor discoordination and increased susceptibility to cerebellar injury in GLAST mutant mice. *Eur J Neurosci* 10: 976-988.
127. Wosik K, Ruffini F, Almazan G, Olivier A, Nalbantoglu J, Antel JP (2004) Resistance of human adult oligodendrocytes to AMPA/kainate receptor-mediated glutamate injury [In Process Citation]. *Brain* 127: 2636-248.
128. Yoshioka A, Yamaya Y, Saiki S, et al. (2000) Non-N-methyl-D-aspartate glutamate receptors mediate oxygen-glucose deprivation-induced oligodendroglial injury. *Brain Res* 854: 207-215.
129. Zeleniaia O, Schlag BD, Gochenauer GE, et al. (2000) Epidermal growth factor receptor agonists increase expression of glutamate transporter GLT-1 in astrocytes through pathways dependent on phosphatidylinositol 3-kinase and transcription factor NF-kappaB. *Mol Pharmacol* 57: 667-678.
130. Zhang H, Zhang X, Zhang T, Chen L (2001) Excitatory amino acids in cerebrospinal fluid of patients with acute head injuries. *Clin Chem* 47: 1458-1462.