

TABLE OF CONTENT

	Page
Acknowledgment	
Abbreviations and Symbol	iii
List of Tables	v
List of Figures	vi
1 Introduction and Objectives	1
2 Flow Injection Analysis	6
2.1 Introduction	6
2.2 Principle of the FIA	8
2.3 Dispersion in the FIA	9
2.4 Detection in the FIA	12
2.5 Application of the FIA	18
3 Sample preparation	21
3.1 Extraction	22
3.1.1 Liquid-liquid Extraction	23
3.1.2 Liquid-solid Extraction	26
3.1.3 Solid phase Extraction	27
3.1.4 Solid phase Microextraction	28
3.1.5 Solid Bar Sorptive Extraction	29
3.1.6 Extraction and Preconcentration in the FIA of Pharmaceuticals	30
3.2 Derivatization	31
4 Chromatomembrane Method	36
4.1 Principle and Development of the chromatomembrane cell (CMC)	37
4.2 Application of the CMC	41
5 Chromatomembrane Method as Sample Preparation of Pharmaceuticals for HPLC	45
5.1 Determination of Ethinylestradiol and Levonorgestrel	45
5.1.1 Introduction	45
5.1.2 Experimental	49
5.1.2.1 Preparation of Standard Solutions, Reagents, and Samples	49
5.1.2.2 Apparatus	51
5.1.2.3 Analytical Procedure	52
5.1.3 Results and Discussion	54
5.1.3.1 Optimization of Extraction Conditions	54
5.1.3.2 Optimization of Parameters for the HPLC System	57
5.1.3.3 Determination of Percent Recovery and Enrichment Factor	60
5.1.3.4 Calibration, Reproducibility, and Detection Limit	61

5.1.3.5	Detemination of Ethinylestradiol and Levonorgestrel in Pharmaceutical Preparations	65
5.1.4	Summary	67
6	Chromatomembrane Method as Sample Preparation for Spectrophotometric Determination of zinc and copper in Pharmaceuticals	70
6.1	Determination of zinc and copper	72
6.1.1	Introduction	72
6.1.2	Experimental	77
6.1.2.1	Preparation of Standard Solutions, Reagents, and Samples	77
6.1.2.2	Apparatus	78
6.1.2.3	Analytical Procedure	79
6.1.3	Results and Discussion	81
6.1.3.1	Optimization of the FIA System	81
6.1.3.2	Analytical Figure of Merit	88
6.1.3.3	Determination of zinc and copper in Pharmaceutical Preparations	90
6.1.4	Summary	93
7	General Conclusion	97
8	Zusammenfassung	100
9	References	103
	Appendix	112
	Curriculum Vitae	130

LIST OF TABLES

	Page	
Table 3.1	Chemical reactions and reagents used for the derivatization of pharmaceutical	33
Table 3.2	The characteristics of procedures for the flow injection determination of pharmaceuticals with photochemical derivatization	34
Table 3.3	Characteristics of flow injection procedures for determining physiologically active compounds using reactors with immobilized enzymes	35
Table 4.1	The main analytical characteristics of procedures using chromatomembrane sample preparation	44
Table 5.1	Effect of methanol in sample on the extraction efficiency	55
Table 5.2	Data for mobile phase optimization	59
Table 5.3	Data for flow rate optimization	59
Table 5.4	Data for attenuation optimization	59
Table 5.5	Calibration data for the determination of LEV	62
Table 5.6	Calibration data for the determination of ETE	64
Table 5.7	Determination of LEV and ETE in pharmaceutical preparations	66
Table 6.1	Device sequence for the FIA system	80
Table 6.2	The optimum conditions for the determination of zinc and copper	88
Table 6.3	Analytical figures of merit	89
Table 6.4	The data of the pharmaceutical preparations	91
Table 6.5	Determination of zinc and copper in pharmaceutical preparations	92

LIST OF FIGURES

	Page	
Figure 2.1	Schematic diagram of the basic FI system	8
Figure 2.2	The dispersion process typical of FIA system	10
Figure 3.1	Steps in a process analysis including sample preparation	21
Figure 3.2	Classification of extraction techniques	23
Figure 4.1	Schematic diagram of the CMC	38
Figure 4.2	Schematic of the CMC used in the experiments	41
Figure 5.1	Structures of ETE and LEV	47
Figure 5.2	Scheme of the LEV and ETE analysis	52
Figure 5.3	Effect of methanol in sample on the extraction efficiency	55
Figure 5.4	Calibration curve of LEV	62
Figure 5.5	Calibration curve of ETE	64
Figure 5.6	Analysis of LEV in pharmaceutical preparation	66
Figure 5.7	Analysis of ETE in pharmaceutical preparations	67
Figure 6.1	Reaction of PAN with divalent metal ion	76
Figure 6.2	Schematic diagram of the FIA for determination of zinc and copper	79
Figure 6.3	Effect of the PAN concentration	83
Figure 6.4	Effect of the preconcentration time on the analytical signal of the metal-PAN complexes and the enrichment factor	84
Figure 6.5	Effect of the flow rate of the sample on analytical signal of the metal-PAN complexes and the enrichment factor	85
Figure 6.6	Effect of the chloroform flow rate on analytical signal and the read time of the peak of the metal-PAN complexes	86
Figure 6.7	Effect of the reaction coil on the analytical signal of the metal_PAN complexes	87
Figure 6.8	Calibration curves of metal-PAN complexes	89