

VI References

Ackerman, S. H., Martin, J. and Tzagoloff, A. (1992). **Characterization of ATP11 and detection of the encoded protein in mitochondria of *Saccharomyces cerevisiae***, *J Biol Chem*, 267, 7386-94.

Amann, E. and Brosius, J. (1985). **'ATG vectors' for regulated high-level expression of cloned genes in *Escherichia coli***, *Gene*, 40, 183-90.

Antonny, B., Otto-Bruc, A., Chabre, M. and Vuong, T. M. (1993). **GTP hydrolysis by purified alpha-subunit of transducin and its complex with the cyclic GMP phosphodiesterase inhibitor**, *Biochemistry*, 32, 8646-53.

Arnis, S., Fahmy, K., Hofmann, K. P. and Sakmar, T. P. (1994). **A conserved carboxylic acid group mediates light-dependent proton uptake and signaling by rhodopsin**, *J Biol Chem*, 269, 23879-81.

Barak, L. S., Warabi, K., Feng, X., Caron, M. G. and Kwatra, M. M. (1999). **Real-time visualization of the cellular redistribution of G protein-coupled receptor kinase 2 and beta-arrestin 2 during homologous desensitization of the substance P receptor**, *J Biol Chem*, 274, 7565-9.

Barker, D. F. and Campbell, A. M. (1981). **The *birA* gene of *Escherichia coli* encodes a biotin holoenzyme synthetase**, *J Mol Biol*, 146, 451-67.

Barker, D. F. and Campbell, A. M. (1981). **Genetic and biochemical characterization of the *birA* gene and its product: evidence for a direct role of biotin holoenzyme synthetase in repression of the biotin operon in *Escherichia coli***, *J Mol Biol*, 146, 469-92.

Basinger, S. F. and Hall, M. O. (1973). **Rhodopsin biosynthesis in vitro**, *Biochemistry*, 12, 1996-2003.

Bayer, E. A., Zalis, M. G. and Wilchek, M. (1985). **3-(N-Maleimido-propionyl)biocytin: a versatile thiol-specific biotinylation reagent**, *Anal Biochem*, 149, 529-36.

Bennett, N. and Dupont, Y. (1985). **The G-protein of retinal rod outer segments (transducin). Mechanism of interaction with rhodopsin and nucleotides**, *J Biol Chem*, 260, 4156-68.

Bieri, C., Ernst, O. P., Heyse, S., Hofmann, K. P. and Vogel, H. (1999). **Micropatterned immobilization of a G protein-coupled receptor and direct detection of G protein activation**, *Nat Biotechnol*, 17, 1105-8.

=====

Birge, R. R., Murray, L. P., Pierce, B. M., Akita, H., Balogh-Nair, V., Findsen, L. A. and Nakanishi, K. (1985). **Two-photon spectroscopy of locked-11-cis-rhodopsin: evidence for a protonated Schiff base in a neutral protein binding site**, Proc Natl Acad Sci U S A, 82, 4117-21.

Bohm, A., Gaudet, R. and Sigler, P. B. (1997). **Structural aspects of heterotrimeric G-protein signaling**, Curr Opin Biotechnol, 8, 480-7.

Bourne, H. R. (1997). **How receptors talk to trimeric G proteins**, Curr Opin Cell Biol, 9, 134-42.

Bruckert, F., Vuong, T. M. and Chabre, M. (1988). **Light and GTP dependence of transducin solubility in retinal rods. Further analysis by near infra-red light scattering**, Eur Biophys J, 16, 207-18.

Bruckert, F., Chabre, M. and Vuong, T. M. (1992). **Kinetic analysis of the activation of transducin by photoexcited rhodopsin. Influence of the lateral diffusion of transducin and competition of guanosine diphosphate and guanosine triphosphate for the nucleotide site**, Biophys J, 63, 616-29.

Buoncristiani, M. R., Howard, P. K. and Otsuka, A. J. (1986). **DNA-binding and enzymatic domains of the bifunctional biotin operon repressor (BirA) of Escherichia coli**, Gene, 44, 255-61.

Chandler, C. S. and Ballard, F. J. (1988). **Regulation of the breakdown rates of biotin-containing proteins in Swiss 3T3-L1 cells**, Biochem J, 251, 749-55.

Chapman-Smith, A. and Cronan, J. E., Jr. (1999). **The enzymatic biotinylation of proteins: a post-translational modification of exceptional specificity**, Trends Biochem Sci, 24, 359-63.

Chapman-Smith, A. and Cronan, J. E., Jr. (1999). **In vivo enzymatic protein biotinylation**, Biomol Eng, 16, 119-25.

Clark L.C., Lyons C, (1962). **Electrod systems for continuous monitoring in cardiovascular surgery**. Annals of the New York Academy of Sciences. 102, 29-45.

Conklin, B. R., Farfel, Z., Lustig, K. D., Julius, D. and Bourne, H. R. (1993). **Substitution of three amino acids switches receptor specificity of Gq alpha to that of Gi alpha**, Nature, 363, 274-6.

Consler, T. G., Persson, B. L., Jung, H., Zen, K. H., Jung, K., Prive, G. G., Verner, G. E. and Kaback, H. R. (1993). **Properties and purification of an active biotinylated lactose permease from Escherichia coli**, Proc Natl Acad Sci U S A, 90, 6934-8.

- Cronan, J. E., Jr. (1990). **Biotination of proteins in vivo. A post-translational modification to label, purify, and study proteins**, *J Biol Chem*, 265, 10327-33.
- Cull, M. G., Miller, J. F. and Schatz, P. J. (1992). **Screening for receptor ligands using large libraries of peptides linked to the C terminus of the lac repressor**, *Proc Natl Acad Sci U S A*, 89, 1865-9.
- Cush, R., J. M. Cronin and W. J. Stewart C. H. Maule and J. Molloy N. J. Goddard, (1993). **The resonant mirror: a novel optical biosensor for direct sensing of biomolecular interactions Part I: Principle of operation and associated instrumentation**, *Anal. Biochem.*, 8, 347-354,
- Doi, T., Molday, R. S. and Khorana, H. G. (1990). **Role of the intradiscal domain in rhodopsin assembly and function**, *Proc Natl Acad Sci U S A*, 87, 4991-5.
- Eisenberg, M. A., Prakash, O. and Hsiung, S. C. (1982). **Purification and properties of the biotin repressor. A bifunctional protein**, *J Biol Chem*, 257, 15167-73.
- Ernst, O. P., Hofmann, K. P. and Sakmar, T. P. (1995). **Characterization of rhodopsin mutants that bind transducin but fail to induce GTP nucleotide uptake. Classification of mutant pigments by fluorescence, nucleotide release, and flash-induced light-scattering assays**, *J Biol Chem*, 270, 10580-6.
- Ernst, O. P., Meyer, C. K., Marin, E. P., Henklein, P., Fu, W. Y., Sakmar, T. P. and Hofmann, K. P. (2000). **Mutation of the fourth cytoplasmic loop of rhodopsin affects binding of transducin and peptides derived from the carboxyl-terminal sequences of transducin alpha and gamma subunits**, *J Biol Chem*, 275, 1937-43.
- Ernst, O. P., Bieri, C., Vogel, H. and Hofmann, K. P. (2000). **Intrinsic biophysical monitors of transducin activation: fluorescence, UV-visible spectroscopy, light scattering, and evanescent field techniques**, *Methods Enzymol*, 315, 471-89.
- Fahmy, K., Jager, F., Beck, M., Zvyaga, T. A., Sakmar, T. P. and Siebert, F. (1993). **Protonation states of membrane-embedded carboxylic acid groups in rhodopsin and metarhodopsin II: a Fourier-transform infrared spectroscopy study of site-directed mutants**, *Proc Natl Acad Sci U S A*, 90, 10206-10.
- Fahmy, K., Siebert, F. and Sakmar, T. P. (1995). **Photoactivated state of rhodopsin and how it can form**, *Biophys Chem*, 56, 171-81.
- Fahmy, K., Sakmar, T. P. and Siebert, F. (2000). **Transducin-dependent protonation of glutamic acid 134 in rhodopsin**, *Biochemistry*, 39, 10607-12.
- Fall, R. R. (1979). **Analysis of microbial biotin proteins**, *Methods Enzymol*, 62, 390-8.
- =====

- Farrens, D. L. and Khorana, H. G. (1995). **Structure and function in rhodopsin. Measurement of the rate of metarhodopsin II decay by fluorescence spectroscopy**, *J Biol Chem*, 270, 5073-6.
- Faurobert, E., Otto-Bruc, A., Chardin, P. and Chabre, M. (1993). **Tryptophan W207 in transducin T alpha is the fluorescence sensor of the G protein activation switch and is involved in the effector binding**, *Embo J*, 12, 4191-8.
- Felber, S., Breuer, H. P., Petruccione, F., Honerkamp, J. and Hofmann, K. P. (1996). **Stochastic simulation of the transducin GTPase cycle**, *Biophys J*, 71, 3051-63.
- Feng, X., Verdegem, P. J., Eden, M., Sandstrom, D., Lee, Y. K., Bovee-Geurts, P. H., de Grip, W. J., Lugtenburg, J., de Groot, H. J. and Levitt, M. H. (2000). **Determination of a molecular torsional angle in the metarhodopsin-I photointermediate of rhodopsin by double-quantum solid-state NMR**, *J Biomol NMR*, 16, 1-8.
- Fivash, M., Towler, E. M. and Fisher, R. J. (1998). **BIAcore for macromolecular interaction**, *Curr Opin Biotechnol*, 9, 97-101.
- Franke, R. R., Konig, B., Sakmar, T. P., Khorana, H. G. and Hofmann, K. P. (1990). **Rhodopsin mutants that bind but fail to activate transducin**, *Science*, 250, 123-5.
- Franke, R. R., Sakmar, T. P., Graham, R. M. and Khorana, H. G. (1992). **Structure and function in rhodopsin. Studies of the interaction between the rhodopsin cytoplasmic domain and transducin**, *J Biol Chem*, 267, 14767-74.
- Fung, B. K. and Nash, C. R. (1983). **Characterization of transducin from bovine retinal rod outer segments. II. Evidence for distinct binding sites and conformational changes revealed by limited proteolysis with trypsin**, *J Biol Chem*, 258, 10503-10.
- Garcia, P. D., Onrust, R., Bell, S. M., Sakmar, T. P. and Bourne, H. R. (1995). **Transducin-alpha C-terminal mutations prevent activation by rhodopsin: a new assay using recombinant proteins expressed in cultured cells**, *Embo J*, 14, 4460-9.
- Garcia-Higuera, I., Fenoglio, J., Li, Y., Lewis, C., Panchenko, M. P., Reiner, O., Smith, T. F. and Neer, E. J. (1996). **Folding of proteins with WD-repeats: comparison of six members of the WD-repeat superfamily to the G protein beta subunit**, *Biochemistry*, 35, 13985-94.
- Garland P.B., 1(996), **Optical evanescent wave methods for the study of biomolecular interactions**, *Q Rev Biophys*, 29, 91-117.
- Gershon, P. D. and Khilko, S. (1995). **Stable chelating linkage for reversible immobilization of oligohistidine tagged proteins in the BIAcore surface plasmon resonance detector**, *J Immunol Methods*, 183, 65-76.
- =====

- Green, N. M. (1975). **Avidin**, *Adv Protein Chem*, 29, 85-133.
- Guo, X. X., Huang, Z., Bell, M. W., Chen, H. and Anderson, R. E. (2000). **Tyrosine phosphorylation is involved in phosphatidylinositol 3-kinase activation in bovine rod outer segments**, *Mol Vis*, 6, 216-21.
- Hall, D. R. and Winzor, D. J. (1997). **Use of a resonant mirror biosensor to characterize the interaction of carboxypeptidase A with an elicited monoclonal antibody**, *Anal Biochem*, 244, 152-60.
- Hall, D. R. and Winzor, D. J. (1999). **Reassessment of the calibration constant for the IAsys biosensor**, *J Chromatogr A*, 844, 395-401.
- Hall, D. (2001). **Use of optical biosensors for the study of mechanistically concerted surface adsorption processes**, *Anal Biochem*, 288, 109-25.
- Hamm, H. E., Deretic, D., Arendt, A., Hargrave, P. A., Koenig, B. and Hofmann, K. P. (1988). **Site of G protein binding to rhodopsin mapped with synthetic peptides from the alpha subunit**, *Science*, 241, 832-5.
- Hamm, H. E. and Gilchrist, A. (1996). **Heterotrimeric G proteins**, *Curr Opin Cell Biol*, 8, 189-96.
- Hamm, H. E. (1998). **The many faces of G protein signaling**, *J Biol Chem*, 273, 669-72.
- Han, M. and Smith, S. O. (1995). **NMR constraints on the location of the retinal chromophore in rhodopsin and bathorhodopsin**, *Biochemistry*, 34, 1425-32.
- Hargrave, P. A., Bownds, D., Wang, J. K. and McDowell, J. H. (1982). **Retinyl peptide isolation and characterization**, *Methods Enzymol*, 81, 211-4.
- Hargrave, P. A., McDowell, J. H., Curtis, D. R., Wang, J. K., Juszczak, E., Fong, S. L., Rao, J. K. and Argos, P. (1983). **The structure of bovine rhodopsin**, *Biophys Struct Mech*, 9, 235-44.
- Hargrave, P. A. and McDowell, J. H. (1992). **Rhodopsin and phototransduction: a model system for G protein-linked receptors**, *Faseb J*, 6, 2323-31.
- He, W., Cowan, C. W. and Wensel, T. G. (1998). **RGS9, a GTPase accelerator for phototransduction**, *Neuron*, 20, 95-102.
- Heck, M. and Hofmann, K. P. (1993). **G-protein-effector coupling: a real-time light-scattering assay for transducin-phosphodiesterase interaction**, *Biochemistry*, 32, 8220-7.
- =====

- Heck, M., Pulvermuller, A. and Hofmann, K. P. (2000). **Light scattering methods to monitor interactions between rhodopsin-containing membranes and soluble proteins**, *Methods Enzymol*, 315, 329-47.
- Heck, M. and Hofmann, K. P. (2001). **Maximal rate and nucleotide dependence of rhodopsin-catalyzed transducin activation: initial rate analysis based on a double displacement mechanism**, *J Biol Chem*, 276, 10000-9.
- Helmreich, E. J. and Hofmann, K. P. (1996). **Structure and function of proteins in G-protein-coupled signal transfer**, *Biochim Biophys Acta*, 1286, 285-322.
- Heyse, S., Stora, T., Schmid, E., Lakey, J. H. and Vogel, H. (1998). **Emerging techniques for investigating molecular interactions at lipid membranes**, *Biochim Biophys Acta*, 1376, 319-38.
- Heyse, S., Ernst, O. P., Dienes, Z., Hofmann, K. P. and Vogel, H. (1998). **Incorporation of rhodopsin in laterally structured supported membranes: observation of transducin activation with spatially and time-resolved surface plasmon resonance**, *Biochemistry*, 37, 507-22.
- Hofmann K.P. D.Emeis, and P.P.M. Schnetkamp, (1983) **Inteerplay between Hydroxylamine, Metarhodopsin II and GTP-Binding protein in bovine photoreceptor membranes**. *Biochem. Biophys. Acta*,725:60-70
- Hofmann, K. P. (1985). **Effect of GTP on the rhodopsin-G-protein complex by transient formation of extra metarhodopsin II**, *Biochim Biophys Acta*, 810, 278-81.
- Hofmann, K. P., Pulvermuller, A., Buczylo, J., Van Hooser, P. and Palczewski, K. (1992). **The role of arrestin and retinoids in the regeneration pathway of rhodopsin**, *J Biol Chem*, 267, 15701-6.
- Hofmann, K. P. (1999). **Signalling states of photoactivated rhodopsin**, *Novartis Found Symp*, 224, 158-75; discussion 175-80.
- Hovius, R., Schmid, E. L., Tairi, A. P., Blasey, H., Bernard, A. R., Lundstrom, K. and Vogel, H. (1999). **Fluorescence techniques for fundamental and applied studies of membrane protein receptors: the 5HT3 serotonin receptor**, *J Recept Signal Transduct Res*, 19, 533-45.
- Howard, P. K., Shaw, J. and Otsuka, A. J. (1985). **Nucleotide sequence of the birA gene encoding the biotin operon repressor and biotin holoenzyme synthetase functions of Escherichia coli**, *Gene*, 35, 321-31.
- =====

- Hwa, J., Reeves, P. J., Klein-Seetharaman, J., Davidson, F. and Khorana, H. G. (1999). **Structure and function in rhodopsin: further elucidation of the role of the intradiscal cysteines, Cys-110, -185, and -187, in rhodopsin folding and function**, Proc Natl Acad Sci U S A, 96, 1932-5.
- Iiri, T., Farfel, Z. and Bourne, H. R. (1998). **G-protein diseases furnish a model for the turn-on switch**, Nature, 394, 35-8.
- Jager, F., Fahmy, K., Sakmar, T. P. and Siebert, F. (1994). **Identification of glutamic acid 113 as the Schiff base proton acceptor in the metarhodopsin II photointermediate of rhodopsin**, Biochemistry, 33, 10878-82.
- Jager, S., Szundi, I., Lewis, J. W., Mah, T. L. and Kliger, D. S. (1998). **Effects of pH on rhodopsin photointermediates from lumirhodopsin to metarhodopsin II**, Biochemistry, 37, 6998-7005.
- Jander, G., Cronan, J. E., Jr. and Beckwith, J. (1996). **Biotinylation in vivo as a sensitive indicator of protein secretion and membrane protein insertion**, J Bacteriol, 178, 3049-58.
- Johnson, S. J., Bayerl, T. M., McDermott, D. C., Adam, G. W., Rennie, A. R., Thomas, R. K. and Sackmann, E. (1991). **Structure of an adsorbed dimyristoylphosphatidylcholine bilayer measured with specular reflection of neutrons**, Biophys J, 59, 289-94.
- Kahlert, M. and Hofmann, K. P. (1991). **Reaction rate and collisional efficiency of the rhodopsin-transducin system in intact retinal rods**, Biophys J, 59, 375-86.
- Kaushal, S., Ridge, K. D. and Khorana, H. G. (1994). **Structure and function in rhodopsin: the role of asparagine-linked glycosylation**, Proc Natl Acad Sci U S A, 91, 4024-8.
- Kelleher, D. J. and Johnson, G. L. (1988). **Transducin inhibition of light-dependent rhodopsin phosphorylation: evidence for beta gamma subunit interaction with rhodopsin**, Mol Pharmacol, 34, 452-60.
- Kellermann, O. K. and Ferenci, T. (1982). **Maltose-binding protein from Escherichia coli**, Methods Enzymol, 90, 459-63.
- Kisselev, O. G., Ermolaeva, M. V. and Gautam, N. (1994). **A farnesylated domain in the G protein gamma subunit is a specific determinant of receptor coupling**, J Biol Chem, 269, 21399-402.
- Kisselev, O., Ermolaeva, M. and Gautam, N. (1995). **Efficient interaction with a receptor requires a specific type of prenyl group on the G protein gamma subunit**, J Biol Chem, 270, 25356-8.
- =====

- Kisselev, O. G., Kao, J., Ponder, J. W., Fann, Y. C., Gautam, N. and Marshall, G. R. (1998). **Light-activated rhodopsin induces structural binding motif in G protein alpha subunit**, Proc Natl Acad Sci U S A, 95, 4270-5.
- Kisselev, O. G., Meyer, C. K., Heck, M., Ernst, O. P. and Hofmann, K. P. (1999). **Signal transfer from rhodopsin to the G-protein: evidence for a two-site sequential fit mechanism**, Proc Natl Acad Sci U S A, 96, 4898-903.
- Klein-Seetharaman, J., Getmanova, E. V., Loewen, M. C., Reeves, P. J. and Khorana, H. G. (1999). **NMR spectroscopy in studies of light-induced structural changes in mammalian rhodopsin: applicability of solution (19)F NMR**, Proc Natl Acad Sci U S A, 96, 13744-9.
- Knowles, J. R. (1989). **The mechanism of biotin-dependent enzymes**, Annu Rev Biochem, 58, 195-221.
- Kohanski, R. A. and Lane, M. D. (1990). **Monovalent avidin affinity columns**, Methods Enzymol, 184, 194-200.
- Kohl, B. and Hofmann, K. P. (1987). **Temperature dependence of G-protein activation in photoreceptor membranes. Transient extra metarhodopsin II on bovine disk membranes**, Biophys J, 52, 271-7.
- Kokame, K., Fukada, Y., Yoshizawa, T., Takao, T. and Shimonishi, Y. (1992). **Lipid modification at the N terminus of photoreceptor G-protein alpha-subunit**, Nature, 359, 749-52.
- Kuhn, H., Bennett, N., Michel-Villaz, M. and Chabre, M. (1981). **Interactions between photoexcited rhodopsin and GTP-binding protein: kinetic and stoichiometric analyses from light-scattering changes**, Proc Natl Acad Sci U S A, 78, 6873-7.
- Kuhn, H. (1982). **Light-regulated binding of proteins to photoreceptor membranes and its use for the purification of several rod cell proteins**, Methods Enzymol, 81, 556-64.
- Kwok-Keung Fung, B. and Stryer, L. (1980). **Photolyzed rhodopsin catalyzes the exchange of GTP for bound GDP in retinal rod outer segments**, Proc Natl Acad Sci U S A, 77, 2500-4.
- Lambright, D. G., Noel, J. P., Hamm, H. E. and Sigler, P. B. (1994). **Structural determinants for activation of the alpha-subunit of a heterotrimeric G protein**, Nature, 369, 621-8.
- =====

- Lambright, D. G., Sondek, J., Bohm, A., Skiba, N. P., Hamm, H. E. and Sigler, P. B. (1996). **The 2.0 Å crystal structure of a heterotrimeric G protein**, *Nature*, 379, 311-9.
- Leon-Del-Rio, A., Leclerc, D., Akerman, B., Wakamatsu, N. and Gravel, R. A. (1995). **Isolation of a cDNA encoding human holocarboxylase synthetase by functional complementation of a biotin auxotroph of *Escherichia coli***, *Proc Natl Acad Sci U S A*, 92, 4626-30.
- Lewis, J. W. and Kliger, D. S. (2000). **Absorption spectroscopy in studies of visual pigments: spectral and kinetic characterization of intermediates**, *Methods Enzymol*, 315, 164-78.
- Lewis, J. W., Szundi, I. and Kliger, D. S. (2000). **Structural constraints imposed by a non-native disulfide cause reversible changes in rhodopsin photointermediate kinetics**, *Biochemistry*, 39, 7851-5.
- Liedberg, B., Lundstorm I., Stenberg E., (1993) **Principles of biosensing with an extended coupling matrix and *Sens. Actuat(B)***, 11, 63-72.
- Lin, S. W., Sakmar, T. P., Franke, R. R., Khorana, H. G. and Mathies, R. A. (1992). **Resonance Raman microprobe spectroscopy of rhodopsin mutants: effect of substitutions in the third transmembrane helix**, *Biochemistry*, 31, 5105-11.
- Lin, S. W. and Sakmar, T. P. (1996). **Specific tryptophan UV-absorbance changes are probes of the transition of rhodopsin to its active state**, *Biochemistry*, 35, 11149-59.
- Liu, J., Conklin, B. R., Blin, N., Yun, J. and Wess, J. (1995). **Identification of a receptor/G-protein contact site critical for signaling specificity and G-protein activation**, *Proc Natl Acad Sci U S A*, 92, 11642-6.
- Lukosz, W. (1991), **Principles and sensitivities of integrated optical and surface plasmon sensors for direct affinity sensing and immunosensing**, *Biosens. Bioelectron*, 6, 215-225,
- Malmqvist, M. (1993). **Biospecific interaction analysis using biosensor technology**, *Nature*, 361, 186-7.
- Malmqvist, M. and Karlsson, R. (1997). **Biomolecular interaction analysis: affinity biosensor technologies for functional analysis of proteins**, *Curr Opin Chem Biol*, 1, 378-83.
- Mao, S. Y. (1999). **Biotinylation of antibodies**, *Methods Mol Biol*, 115, 39-41.
- =====

- Marin, E. P. and Neubig, R. R. (1995). **Lack of association of G-protein beta 2 and gamma 2-subunit N-terminal fragments provides evidence against the coiled-coil model of subunit-beta gamma assembly**, *Biochem J*, 309, 377-80.
- Marin, E. P., Krishna, A. G., Zvyaga, T. A., Isele, J., Siebert, F. and Sakmar, T. P. (2000). **The amino terminus of the fourth cytoplasmic loop of rhodopsin modulates rhodopsin-transducin interaction**, *J Biol Chem*, 275, 1930-6.
- Marin, E. P., Krishna, A. G., Archambault, V., Simuni, E., Fu, W. Y. and Sakmar, T. P. (2001). **The function of interdomain interactions in controlling nucleotide exchange rates in transducin**, *J Biol Chem*, 276, 23873-80.
- Marin, E. P., Krishna, A. G. and Sakmar, T. P. (2001). **Rapid activation of transducin by mutations distant from the nucleotide-binding site: evidence for a mechanistic model of receptor-catalyzed nucleotide exchange by G proteins**, *J Biol Chem*, 276, 27400-5.
- Matsuda, T., Hashimoto, Y., Ueda, H., Asano, T., Matsuura, Y., Doi, T., Takao, T., Shimonishi, Y. and Fukada, Y. (1998). **Specific isoprenyl group linked to transducin gamma-subunit is a determinant of its unique signaling properties among G-proteins**, *Biochemistry*, 37, 9843-50.
- McAllister, H. C. and Coon, M. J. (1966). **Further studies on the properties of liver propionyl coenzyme A holocarboxylase synthetase and the specificity of holocarboxylase formation**, *J Biol Chem*, 241, 2855-61.
- Medkova M, Preininger AM, Yu NJ, Hubbell WL, Hamm HE (2002). **Conformational changes in the amino-terminal helix of the G protein alpha(i1) following dissociation from Gbetagamma subunit and activation**. *Biochemistry*, 41(31):9962-72.
- Melia, T. J., Jr., Cowan, C. W., Angleson, J. K. and Wensel, T. G. (1997). **A comparison of the efficiency of G protein activation by ligand-free and light-activated forms of rhodopsin**, *Biophys J*, 73, 3182-91.
- Meyer, C. K., Bohme, M., Ockenfels, A., Gartner, W., Hofmann, K. P. and Ernst, O. P. (2000). **Signaling states of rhodopsin. Retinal provides a scaffold for activating proton transfer switches**, *J Biol Chem*, 275, 19713-8.
- Morton, T. A. and Myszka, D. G. (1998). **Kinetic analysis of macromolecular interactions using surface plasmon resonance biosensors**, *Methods Enzymol*, 295, 268-94.
- Molday R. S. and D. Mackenzie, (1983). **Monoclonal antibodies to rhodopsin: characterization, cross-reactivity and application as structural probes**. *Biochemistry*, 22: 653-660
- =====

- Muller, W., Ringsdorf, H., Rump, E., Wildburg, G., Zhang, X., Angermaier, L., Knoll, W., Liley, M. and Spinke, J. (1993). **Attempts to mimic docking processes of the immune system: recognition-induced formation of protein multilayers**, *Science*, 262, 1706-8.
- Murtif, V. L. and Samols, D. (1987). **Mutagenesis affecting the carboxyl terminus of the biotinyl subunit of transcarboxylase. Effects on biotination**, *J Biol Chem*, 262, 11813-6.
- Myszka, D. G., Morton, T. A., Doyle, M. L. and Chaiken, I. M. (1997). **Kinetic analysis of a protein antigen-antibody interaction limited by mass transport on an optical biosensor**, *Biophys Chem*, 64, 127-37.
- Nathans, J. and Hogness, D. S. (1983). **Isolation, sequence analysis, and intron-exon arrangement of the gene encoding bovine rhodopsin**, *Cell*, 34, 807-14.
- Nathans, J. and Hogness, D. S. (1984). **Isolation and nucleotide sequence of the gene encoding human rhodopsin**, *Proc Natl Acad Sci U S A*, 81, 4851-5.
- Natochin, M., Granovsky, A. E., Muradov, K. G. and Artemyev, N. O. (1999). **Roles of the transducin alpha-subunit alpha4-helix/alpha4-beta6 loop in the receptor and effector interactions**, *J Biol Chem*, 274, 7865-9.
- Neer, E. J., Schmidt, C. J., Nambudripad, R. and Smith, T. F. (1994). **The ancient regulatory-protein family of WD-repeat proteins**, *Nature*, 371, 297-300.
- Noel, J. P., Hamm, H. E. and Sigler, P. B. (1993). **The 2.2 Å crystal structure of transducin-alpha complexed with GTP gamma S**, *Nature*, 366, 654-63.
- Oancea, E., Teruel, M. N., Quest, A. F. and Meyer, T. (1998). **Green fluorescent protein (GFP)-tagged cysteine-rich domains from protein kinase C as fluorescent indicators for diacylglycerol signaling in living cells**, *J Cell Biol*, 140, 485-98.
- O'callaghan CA, Byford MF, Wyer JR, Willcox BE, et al (1999). **BirA enzyme: production and application in the study of membrane receptor-ligand interactions by site-specific biotinylation**, *Anal Biochem*, 266(1),9-15.
- Ohno, K., Levin, B. and Meruelo, D. (1996). **Cell-specific, multidrug delivery system using streptavidin-protein A fusion protein**, *Biochem Mol Med*, 58, 227-33.
- Okada, T., Takeda, K. and Kouyama, T. (1998). **Highly selective separation of rhodopsin from bovine rod outer segment membranes using combination of divalent cation and alkyl(thio)glucoside**, *Photochem Photobiol*, 67, 495-9.
- =====

Okada, T., Le Trong, I., Fox, B. A., Behnke, C. A., Stenkamp, R. E. and Palczewski, K. (2000). **X-Ray diffraction analysis of three-dimensional crystals of bovine rhodopsin obtained from mixed micelles**, J Struct Biol, 130, 73-80.

Oprian, D. D., Molday, R. S., Kaufman, R. J. and Khorana, H. G. (1987). **Expression of a synthetic bovine rhodopsin gene in monkey kidney cells**, Proc Natl Acad Sci U S A, 84, 8874-8.

Osawa, S. and Weiss, E. R. (1995). **The effect of carboxyl-terminal mutagenesis of Gt alpha on rhodopsin and guanine nucleotide binding**, J Biol Chem, 270, 31052-8.

Ovchinnikov Yu, A. (1982). **Rhodopsin and bacteriorhodopsin: structure-function relationships**, FEBS Lett, 148, 179-91.

Palczewski, K., Kumasaka, T., Hori, T., Behnke, C. A., Motoshima, H., Fox, B. A., Le Trong, I., Teller, D. C., Okada, T., Stenkamp, R. E., Yamamoto, M. and Miyano, M. (2000). **Crystal structure of rhodopsin: A G protein-coupled receptor**, Science, 289, 739-45.

Palings, I., Pardoen, J. A., van den Berg, E., Winkel, C., Lugtenburg, J. and Mathies, R. A. (1987). **Assignment of fingerprint vibrations in the resonance Raman spectra of rhodopsin, isorhodopsin, and bathorhodopsin: implications for chromophore structure and environment**, Biochemistry, 26, 2544-56.

Papermaster, D. S. (1982). **Preparation of retinal rod outer segments**, Methods Enzymol, 81, 48-52.

Parrott, M. B. and Barry, M. A. (2000). **Metabolic biotinylation of recombinant proteins in mammalian cells and in mice**, Mol Ther, 1, 96-104.

Phillips, W. J. and Cerione, R. A. (1988). **The intrinsic fluorescence of the alpha subunit of transducin. Measurement of receptor-dependent guanine nucleotide exchange**, J Biol Chem, 263, 15498-505.

Phillips, W. J. and Cerione, R. A. (1992). **Rhodopsin/transducin interactions. I. Characterization of the binding of the transducin-beta gamma subunit complex to rhodopsin using fluorescence spectroscopy**, J Biol Chem, 267, 17032-9.

Phillips, W. J., Wong, S. C. and Cerione, R. A. (1992). **Rhodopsin/transducin interactions. II. Influence of the transducin-beta gamma subunit complex on the coupling of the transducin-alpha subunit to rhodopsin**, J Biol Chem, 267, 17040-6.

Plowman T. E., Saavedra S. S., Reichert W. M., (1998) **Planar integrated optical methods for examining thin films and their surface adlayers**, Biomaterials, 19, 341-55.

- Popp, A., Ujj, L. and Atkinson, G. H. (1996). **Bathorhodopsin structure in the room-temperature rhodopsin photosequence: picosecond time-resolved coherent anti-Stokes Raman scattering**, Proc Natl Acad Sci U S A, 93, 372-6.
- Rando, R. R. (1996). **Polyenes and vision**, Chem Biol, 3, 255-62.
- Reed, K. E. and Cronan, J. E., Jr. (1991). **Escherichia coli exports previously folded and biotinated protein domains**, J Biol Chem, 266, 11425-8.
- Remmers, A. E. and Neubig, R. R. (1996). **Partial G protein activation by fluorescent guanine nucleotide analogs. Evidence for a triphosphate-bound but inactive state**, J Biol Chem, 271, 4791-7.
- Rich R. L., Myszka D. G., (2000), **Advances in surface plasmon resonance biosensor analysis**, Curr Opin Biotechnol, 11, 54-61.
- Robinson, B. H., Oei, J., Saunders, M. and Gravel, R. (1983). **[3H]biotin-labeled proteins in cultured human skin fibroblasts from patients with pyruvate carboxylase deficiency**, J Biol Chem, 258, 6660-4.
- Sachs, K., Maretzki, D. and Hofmann, K. P. (2000). **Assays for activation of opsin by all-trans-retinal**, Methods Enzymol, 315, 238-51.
- Sackmann, E. (1996). **Supported membranes: scientific and practical applications**, Science, 271, 43-8.
- Sakmar, TP., Menon, S., Marin, E. and Awad, S., (2002). **RHODOPSIN: Insights from Recent Structural Studies**, Annu. Rev. Biophys. Biomol. Struct, 31: 443-484
- Salamon, Z., Wang, Y., Soulages, J. L., Brown, M. F. and Tollin, G. (1996). **Surface plasmon resonance spectroscopy studies of membrane proteins: transducin binding and activation by rhodopsin monitored in thin membrane films**, Biophys J, 71, 283-94.
- Salamon, Z. and Tollin, G. (1996). **Surface plasmon resonance studies of complex formation between cytochrome c and bovine cytochrome c oxidase incorporated into a supported planar lipid bilayer. II. Binding of cytochrome c to oxidase-containing cardiolipin/phosphatidylcholine membranes**, Biophys J, 71, 858-67.
- Salamon Z., Macleod H. A., Tollin G., (1997) **Surface plasmon resonance spectroscopy as a tool for investigating the biochemical and biophysical properties of membrane protein systems. I: Theoretical principles**, *Biochim Biophys Acta*, 8, 1331, 117-29.
- =====

Samols, D., Thornton, C. G., Murtif, V. L., Kumar, G. K., Haase, F. C. and Wood, H. G. (1988). **Evolutionary conservation among biotin enzymes**, *J Biol Chem*, 263, 6461-4.

Satpaev, D. K., Chen, C. K., Scotti, A., Simon, M. I., Hurley, J. B. and Slepak, V. Z. (1998). **Autophosphorylation and ADP regulate the Ca²⁺-dependent interaction of recoverin with rhodopsin kinase**, *Biochemistry*, 37, 10256-62.

Satpaev, D. K. and Slepak, V. Z. (2000). **Analysis of protein-protein interactions in phototransduction cascade using surface plasmon resonance**, *Methods Enzymol*, 316, 20-40.

Schatz, P. J. (1993). **Use of peptide libraries to map the substrate specificity of a peptide-modifying enzyme: a 13 residue consensus peptide specifies biotinylation in *Escherichia coli***, *Biotechnology (N Y)*, 11, 1138-43.

Schechter, B., Silberman, R., Arnon, R. and Wilchek, M. (1990). **Tissue distribution of avidin and streptavidin injected to mice. Effect of avidin carbohydrate, streptavidin truncation and exogenous biotin**, *Eur J Biochem*, 189, 327-31.

Scheer, A. and Gierschik, P. (1995). **S-prenylated cysteine analogues inhibit receptor-mediated G protein activation in native human granulocyte and reconstituted bovine retinal rod outer segment membranes**, *Biochemistry*, 34, 4952-61.

Schleicher, A. and Hofmann, K. P. (1987). **Kinetic study on the equilibrium between membrane-bound and free photoreceptor G-protein**, *J Membr Biol*, 95, 271-81.

Schuck, P. (1997). **Reliable determination of binding affinity and kinetics using surface plasmon resonance biosensors**, *Curr Opin Biotechnol*, 8, 498-502.

Schuster, S. C., Swanson, R. V., Alex, L. A., Bourret, R. B. and Simon, M. I. (1993). **Assembly and function of a quaternary signal transduction complex monitored by surface plasmon resonance**, *Nature*, 365, 343-7.

Severs A. H. and R. B. M. Schasfoort, (1993) **Enhanced surface plasmon resonance inhibition test (ESPRIT) using latex particles**, *Biosens. Bioelectron*, 8, 365-370.

Slep, K. C., Kercher, M. A., He, W., Cowan, C. W., Wensel, T. G. and Sigler, P. B. (2001). **Structural determinants for regulation of phosphodiesterase by a G protein at 2.0 Å**, *Nature*, 409, 1071-7.

Slepak, V. Z., Artemyev, N. O., Zhu, Y., Dumke, C. L., Sabacan, L., Sondek, J., Hamm, H. E., Bownds, M. D. and Arshavsky, V. Y. (1995). **An effector site that stimulates G-protein GTPase in photoreceptors**, *J Biol Chem*, 270, 14319-24.

- Slepek, V. Z. (2000). **Application of surface plasmon resonance for analysis of protein-protein interactions in the G protein-mediated signal transduction pathway**, *J Mol Recognit*, 13, 20-6.
- Smith, J. S., Keller, J. R., Lohrey, N. C., McCauslin, C. S., Ortiz, M., Cowan, K. and Spence, S. E. (1999). **Redirected infection of directly biotinylated recombinant adenovirus vectors through cell surface receptors and antigens**, *Proc Natl Acad Sci U S A*, 96, 8855-60.
- Sondek, J., Bohm, A., Lambright, D. G., Hamm, H. E. and Sigler, P. B. (1996). **Crystal structure of a G-protein beta gamma dimer at 2.1A resolution**, *Nature*, 379, 369-74.
- Sprang, S. R. (1997). **G protein mechanisms: insights from structural analysis**, *Annu Rev Biochem*, 66, 639-78.
- Stenberg E, Persson B, Roos H, Urbanicz, Y C, (1991). **Quantitative-determination of surface concentration of protein with SPR using radiolabeled proteins**. *J. Coll. Int. Sci*, 143, 513-526.
- Strader, C. D., Fong, T. M., Tota, M. R., Underwood, D. and Dixon, R. A. (1994). **Structure and function of G protein-coupled receptors**, *Annu Rev Biochem*, 63, 101-32.
- Stryer, L. (1988). **Molecular basis of visual excitation**, *Cold Spring Harb Symp Quant Biol*, 53, 283-94.
- Surya, A., Stadel, J. M. and Knox, B. E. (1998). **Evidence for multiple, biochemically distinguishable states in the G protein-coupled receptor, rhodopsin**, *Trends Pharmacol Sci*, 19, 243-7.
- Tai, A. W., Chuang, J. Z., Bode, C., Wolfrum, U. and Sung, C. H. (1999). **Rhodopsin's carboxy-terminal cytoplasmic tail acts as a membrane receptor for cytoplasmic dynein by binding to the dynein light chain Tctex-1**, *Cell*, 97, 877-87.
- Tatsumi, H., Fukuda, S., Kikuchi, M. and Koyama, Y. (1996). **Construction of biotinylated firefly luciferases using biotin acceptor peptides**, *Anal Biochem*, 243, 176-80.
- Taylor, J. M., Jacob-Mosier, G. G., Lawton, R. G., VanDort, M. and Neubig, R. R. (1996). **Receptor and membrane interaction sites on Gbeta. A receptor-derived peptide binds to the carboxyl terminus**, *J Biol Chem*, 271, 3336-9.
- Tissot, G., Job, D., Douce, R. and Alban, C. (1996). **Protein biotinylation in higher plants: characterization of biotin holocarboxylase synthetase activity from pea (*Pisum sativum*) leaves**, *Biochem J*, 314, 391-5.
- =====

- Wald, G. (1968). **Molecular basis of visual excitation**, Science, 162, 230-9.
- Wall, M. A., Coleman, D. E., Lee, E., Iniguez-Lluhi, J. A., Posner, B. A., Gilman, A. G., and Sprang, S. R. (1995) **The structure of the G protein heterotrimer $G_{i1}\alpha_1\beta_2$** . Cell 83, 1047-1058
- Wang, Q., Schoenlein, R. W., Peteanu, L. A., Mathies, R. A. and Shank, C. V. (1994). **Vibrationally coherent photochemistry in the femtosecond primary event of vision**, Science, 266, 422-4.
- Wedegaertner, P. B., Wilson, P. T. and Bourne, H. R. (1995). **Lipid modifications of trimeric G proteins**, J Biol Chem, 270, 503-6.
- Wilbur, D. S., Pathare, P. M., Hamlin, D. K., Stayton, P. S., To, R., Klumb, L. A., Buhler, K. R. and Vessella, R. L. (1999). **Development of new biotin/streptavidin reagents for pretargeting**, Biomol Eng, 16, 113-8.
- Wilden, U. and Kuhn, H. (1982). **Light-dependent phosphorylation of rhodopsin: number of phosphorylation sites**, Biochemistry, 21, 3014-22.
- Wink, Thijs., Joris de Beer, Wim E. Hennink, Auke Bult, and Wouter P. van Bennekom, (1999). **Interaction between Plasmid DNA and Cationic Polymers Studied by Surface Plasmon Resonance Spectrometry**, *Anal. Chem.*, 71, 801 –805.
- Wilson, K. P., Shewchuk, L. M., Brennan, R. G., Otsuka, A. J. and Matthews, B. W. (1992). **Escherichia coli biotin holoenzyme synthetase/bio repressor crystal structure delineates the biotin- and DNA-binding domains**, Proc Natl Acad Sci U S A, 89, 9257-61.
- Wojciechowski, M. et al. (1999) **Multichannel electrochemical detection system for quantitative monitoring of PCR amplification**. Clin. Chem.45, 1690-1693.
- Yoshiki Itoh, Kewen Cai, and H. Gobind Khorana. (2001) **Mapping of contact sites in complex formation between light-activated rhodopsin and transducin by covalent crosslinking: Use of a chemically preactivated reagent**. PNAS 2001 98: 4883-4887
- Zhukovsky, E. A. and Oprian, D. D. (1989). **Effect of carboxylic acid side chains on the absorption maximum of visual pigments**, Science, 246, 928-30.
- =====