

## VII. REFERENCES

- Abbas**, A.K., Lichtman, A.H. and Proper, J.S. (1994) In: *Cellular and molecular immunology*, 2<sup>nd</sup> edition, W.B. Saunders comp, London, U.K.
- Abbas**, A. K., Murphy, K.M. and Sher, A. (1996) Functional diversity of helper T-lymphocytes. *Nature* **383**, 787-93.
- Abdalla**, O., Kiaii, S., Hansson, L., Rossmann, E. D., Jeddi-Tehrani, M., Shokri, F., Österborg, A., Mellstedt, H. and Rabbani, H. (2003) Kinetics of cytokine gene expression in human CD4<sup>+</sup> and CD8<sup>+</sup> T lymphocyte subsets using quantitative real-time PCR. *Scand J Immunol* **58**, 601-606.
- Abdul-Careem**, M.F., Hunter, B.D., Nagy, E., Read, L.R., Sanei, B., Spencer, J.L. and Sharif, S. (2006) Development of a real-time PCR assay using SYBR Green chemistry for monitoring Marek's disease virus genome load in feather tips. *J Virol Methods* **133**, 34-40.
- Acha**, P.N. and Szyfres, B. (2003) In: *Zoonoses and communicable diseases common to man and animals*, Zoonotic tuberculosis, 3<sup>rd</sup> edition, (Acha, P.N. and Szyfres, B. eds.), Volume I, Pp. 283-299, Pan American Health Organization, Washington D.C., USA.
- Ahmed**, R. and Gray, D. (1996) Immunological memory and protective immunity: understanding their relation. *Science* **272**, 54-60.
- Akiba**, H., Miyahira, Y., Atsuta, M., Takeda, K., Nohara, C., Futagawa, T., Matsuda, H., Aoki, T., Yagita, H. and Okumura, K. (2000) Critical contribution of OX40 ligand to T helper cell type 2 differentiation in experimental leishmaniasis. *J Exp Med* **191**, 375-80.
- Allen**, G.P. (2006) Antemortem detection of latent infection with neuropathogenic strains of *equine herpesvirus-1* in horses. *Am J Vet Res* **67**, 1401-5.
- Allen**, G.P., Kydd, J.H., Slater, J.D. and Smith, K.C. (2004) In: *Infectious diseases of livestock, Equid herpesvirus-1 and equid herpesvirus-4 infections*, 2<sup>nd</sup> edition, (Coetzer, J.A.W. and Tustin, R.C. eds.), Volume 2, Chapter 76, Pp.829-859. Oxford University Press (Cape Town), Oxford, UK.
- Alvarez-Martinez**, M.J., Miro, J.M., Valls, M.E., Moreno, A., Rivas, P.V., Sole, M., Benito, N., Domingo, P., Munoz, C., Rivera, E., Zar, H.J., Wissmann, G., Diehl, A.R., Prolla, J.C., de Anta, M.T., Gatell, J.M., Wilson, P.E. and Meshnick, S.R. (2006) Sensitivity and specificity of nested and real-time PCR for the detection of *Pneumocystis jiroveci* in clinical specimens. *Diagn Microbiol Infect Dis* **56**, 153-60.
- Amadori**, M., Lyashchenko, K. P., Gennaro, M.L., Pollock, J.M. and Zerbini, I. (2002) Use of recombinant proteins in antibody tests for bovine tuberculosis. *Vet Microbiol* **85**, 379-89.
- Andersen**, P., Munk, M.E., Pollock, J.M. and Doherty, T.M. (2000) Specific immune-based diagnosis of tuberculosis. *Lancet* **356**, 1099-104.

- Aoudjehane**, L., Podevin, P., Scatton, O., Jaffray, P., Dusanter-Fourt, I., Feldmann, G., Massault, P.P., Grira, L., Bringquier, A., Dousset, B., Chouzenoux, S., Soubrane, O., Calmus, Y. and Conti, F. (2007) Interleukin-4 induces human hepatocyte apoptosis through a Fas-independent pathway. *Faseb J.* **21**, 1433-44.
- Appelberg**, R., Castro, A.G., Pedrosa, J., Silva, R.A., Orme, I.M. and Minoprio, P. (1994) Role of gamma interferon and tumor necrosis factor alpha during T-cell-independent and -dependent phases of *Mycobacterium avium* infection. *Infect Immun* **62**, 3962-71.
- Arinobu**, Y., Atamas, S.P., Otsuka, T., Niiro, H., Yamaoka, K., Mitsuyasu, H., Niho, Y., Hamasaki, N., White, B. and Izuhara, K. (1999) Antagonistic effects of an alternative splice variant of human IL-4, IL-4delta2, on IL-4 activities in human monocytes and B cells. *Cell Immunol* **191**, 161-7.
- Aruffo**, A. and Seed, B. (1987) Molecular cloning of a CD28 cDNA by a high-efficiency COS cell expression system. *Proc Natl Acad Sci U S A* **84**, 8573-7.
- Asnagli**, H. and Murphy, K.M. (2001) Stability and commitment in T helper cell development. *Curr Opin Immunol* **13**, 242-7.
- Atamas**, S.P., Choi, J., Yurovsky, V.V. and White, B. (1996) An alternative splice variant of human IL-4, IL-4 delta 2, inhibits IL-4-stimulated T cell proliferation. *J Immunol* **156**, 435-41.
- Azuma**, M., Ito, D., Yagita, H., Okumura, K., Phillips, J.H., Lanier, L.L. and Somoza, C. (1993) B70 antigen is a second ligand for CTLA-4 and CD28. *Nature* **366**, 76-9.
- Bach**, E.A., Aguet M, Schreiber RD. (1997) The IFN-gamma receptor: a paradigm for cytokine receptor signaling. *Annu Rev Immunol* **15**, 563-591.
- Bach**, H.J., Jessen, I., Schloter, M. and Munch, J.C. (2003) A TaqMan-PCR protocol for quantification and differentiation of the phytopathogenic *Clavibacter michiganensis* subspecies. *J Microbiol Methods* **52**, 85-91.
- Barnes**, P.F. (2004) Diagnosing latent tuberculosis infection: turning glitter to gold. *Am J Respir Crit Care Med* **170**, 5-6.
- Barnes**, P. F., Fong, S.J., Brennan, P.J., Twomey, P.E., Mazumder, A. and Modlin, R.L. (1990) Local production of tumor necrosis factor and IFN-gamma in tuberculous pleuritis. *J Immunol* **145**, 149-54.
- Baxi**, M.K., Borchers, K., Bartels, T., Schellenbach, A., Baxi, S. and Field, H.J. (1996) Molecular studies of the acute infection, latency and reactivation of equine herpesvirus-1 (EHV-1) in the mouse model. *Virus Res* **40**, 33-45.
- Beyer**, J. C., Stich, R. W., Hoover, D.S., Brown, W.C. and Cheevers, W.P. (1998) Cloning and expression of caprine interferon-gamma. *Gene* **210**, 103-8.
- Beyersdorf**, N., Hanke, T., Kerkau, T. and Hunig, T. (2005) Superagonistic anti-CD28 antibodies: potent activators of regulatory T cells for the therapy of autoimmune diseases. *Ann Rheum Dis* **64** Suppl 4, iv 91-5.

- Bian**, Y., Hiraoka, S., Tomura, M., Zhou, X.Y., Yashiro-Ohtani, Y., Mori, Y., Shimizu, J., Ono, S., Dunussi-Joannopoulos, K., Wolf, S. and Fujiwara, H. (2005) The capacity of the natural ligands for CD28 to drive IL-4 expression in naïve and antigen-primed CD4+ and CD8+ T cells. *Int Immunol* **17**, 73-83.
- Bidwell**, J., Keen, L., Gallagher, G., Kimberly, R., Huizinga, T., McDermott, M.F., Oksenberg, J., McNicholl, J., Pociot, F., Hardt, C. and D'Alfonso, S. (1999) Cytokine gene polymorphism in human disease: on-line databases. *Genes Immun* **1**, 3-19.
- Bierer**, B. E., Sleckman, B. P., Ratnofsky, S.E. and Burakoff, S.J. (1989) The biologic roles of CD2, CD4, and CD8 in T-cell activation. *Annu Rev Immunol* **7**, 579-99.
- Billiau**, A. (1996) Interferon-gamma: biology and role in pathogenesis. *Adv Immunol* **62**, 61-130.
- Blanchard-Channell**, M., Moore, P.F. and Stott, J.L. (1994) Characterization of monoclonal antibodies specific for equine homologues of CD3 and CD5. *Immunology* **82**, 548-54.
- Bluestone**, J. A., Khattri, R., Sciammas, R. and Sperling, A.I. (1995) TCR gamma delta cells: a specialized T-cell subset in the immune system. *Annu Rev Cell Dev Biol* **11**, 307-53.
- Blunden**, A.S., Smith, K.C., Whitwell, K.E. and Dunn, K.A. (1998) Systemic infection by equid *herpesvirus-1* in a Grevy's zebra stallion (*Equus grevyi*) with particular reference to genital pathology. *J Comp Pathol* **119**, 485-93.
- Bocek**, P., Jr., Foucras, G. and Paul, W.E. (2004) Interferon gamma enhances both *in vitro* and *in vivo* priming of CD4+ T cells for IL-4 production. *J Exp Med* **199**, 1619-30.
- Boehm**, U., Klamp, T., Groot, M. and Howard, J.C. (1997) Cellular responses to interferon-gamma. *Annu Rev Immunol* **15**, 749-95.
- Boise**, L.H., Minn, A.J., Noel, P.J., June, C.H., Accavitti, M.A., Lindsten, T. and Thompson, C.B. (1995) CD28 costimulation can promote T cell survival by enhancing the expression of Bcl-XL. *Immunity* **3**, 87-98.
- Bookout**, A.L. and Mangelsdorf, D.J. (2003) Quantitative real-time PCR protocol for analysis of nuclear receptor signaling pathways. *Nucl Recept Signal* **1**, e012.
- Borchers**, K. and Slater, J. (1993) A nested PCR for the detection and differentiation of *EHV-1* and *EHV-4*. *J Virol Methods* **45**, 331-6.
- Breathnach**, C.C., Soboll, G., Suresh, M. and Lunn, D.P. (2005) *Equine herpesvirus-1* infection induces IFN-gamma production by equine T lymphocyte subsets. *Vet Immunol Immunopathol* **103**, 207-15.
- Bromberg**, J.F., Horvath, C.M., Wen, Z., Schreiber, R.D. and Darnell, J.E., Jr. (1996) Transcriptionally active Stat1 is required for the antiproliferative effects of both interferon alpha and interferon gamma. *Proc Natl Acad Sci U S A* **93**, 7673-8.
- Brown**, M.A. and Hural, J. (1997) Functions of IL-4 and control of its expression. *Crit Rev Immunol* **17**, 1-32.

- Bruijnesteijn Van Coppenraet**, E.S., Lindeboom, J.A., Prins, J.M., Peeters, M.F., Claas, E.C. and Kuijper, E.J. (2004) Real-time PCR assay using fine-needle aspirates and tissue biopsy specimens for rapid diagnosis of mycobacterial lymphadenitis in children. *J Clin Microbiol* **42**, 2644-50.
- Bullens**, D.M., Rafiq, K., Kasran, A., Van Gool, S.W. and Ceuppens, J.L. (1999) Naïve human T cells can be a source of IL-4 during primary immune responses. *Clin Exp Immunol* **118**, 384-91.
- Byrne**, K.M., Davis, W.C., Holmes, M.A., Brassfield, A.L. and McGuire, T.C. (1997) Cytokine RNA expression in an equine CD4+ subset differentiated by expression of a novel 46-kDa surface protein. *Vet Immunol Immunopathol* **56**, 191-204.
- Carvalho-Gaspar**, M., Billing, J. S., Spriewald, B.M. and Wood, K.J. (2005) Chemokine gene expression during allograft rejection: comparison of two quantitative PCR techniques. *J Immunol Methods* **301**, 41-52.
- Cerretti**, D.P., McKereghan, K., Larsen, A., Cosman, D., Gillis, S. and Baker, P.E. (1986) Cloning, sequence, and expression of bovine interferon-gamma. *J Immunol* **136**, 4561-4.
- Chan**, J., Xing, Y., Magliozzo, R.S. and Bloom, B.R. (1992) Killing of virulent *Mycobacterium tuberculosis* by reactive nitrogen intermediates produced by activated murine macrophages. *J Exp Med* **175**, 1111-22.
- Chaplin**, P.J., Casey, G., De Rose, R., Buchan, G., Wood, P.R. and Scheerlinck, J.P. (2000) The expression and biologic effects of ovine interleukin-4 on T and B cell proliferation. *J Interferon Cytokine Res* **20**, 419-25.
- Cheevers**, W.P., Beyer, J.C. and Knowles, D.P. (1997) Type 1 and type 2 cytokine gene expression by viral gp135 surface protein-activated T lymphocytes in *caprine arthritis-encephalitis lentivirus* infection. *J Virol* **71**, 6259-63.
- Chiaramonte**, M.G., Mentink-Kane, M., Jacobson, B.A., Cheever, A.W., Whitters, M.J., Goad, M.E., Wong, A., Collins, M., Donaldson, D.D., Grusby, M.J. and Wynn, T.A. (2003) Regulation and function of the interleukin 13 receptor alpha 2 during a T helper cell type 2-dominant immune response. *J Exp Med* **197**, 687-701.
- Chowdhury**, S. I., Ludwig, H. and Buhk, H.J. (1988) Molecular biological characterization of *equine herpesvirus type 1 (EHV-1)* isolates from ruminant hosts. *Virus Res* **11**, 127-39.
- Constant**, S.L. and Bottomly, K. (1997) Induction of Th1 and Th2 CD4+ T cell responses: the alternative approaches. *Annu Rev Immunol* **15**, 297-322.
- Coombs**, D. K., Patton, T., Kohler, A.K., Soboll, G., Breathnach, C., Townsend, H.G. and Lunn, D.P. (2006) Cytokine responses to *EHV-1* infection in immune and non-immune ponies. *Vet Immunol Immunopathol* **111**, 109-16.
- Cooper**, A.M., Dalton, D. K., Stewart, T.A., Griffin, J.P., Russell, D.G. and Orme, I.M. (1993) Disseminated tuberculosis in interferon gamma gene-disrupted mice. *J Exp Med* **178**, 2243-7.

- Cosivi**, O., Grange, J. M., Daborn, C. J., Raviglione, M. C., Fujikura, T., Cousins, D., Robinson, R. A., Huchzermeyer, H. F., de Kantor, I. and Meslin, F. X (1998) Zoonotic tuberculosis due to *Mycobacterium bovis* in developing countries. *Emerg Infect Dis* **4**, 59-70.
- Crandell**, R.A., Ichimura, H. and Kit, S. (1988) Isolation and comparative restriction endonuclease DNA fingerprinting of *equine herpesvirus-1* from cattle. *Am J Vet Res* **49**, 1807-13.
- Croft**, M. (2003) Co-stimulatory members of the TNFR family: keys to effective T-cell immunity? *Nat Rev Immunol* **3**, 609-20.
- Croft**, M., Bradley, L.M. and Swain, S.L. (1994) Naïve *versus* memory CD4 T cell response to antigen. Memory cells are less dependent on accessory cell costimulation and can respond to many antigen-presenting cell types including resting B cells. *J Immunol* **152**, 2675-85.
- Dalley**, D., Chambers, M.A., Cockle, P., Pressling, W., Gavier-Widen, D. and Hewinson, R.G. (1999) A lymphocyte transformation assay for the detection of *Mycobacterium bovis* infection in the Eurasian badger (*Meles meles*). *Vet Immunol Immunopathol* **70**, 85-94.
- de Lisle**, G. W., Bengis, R. G., Schmitt, S.M. and O'Brien, D.J. (2002) Tuberculosis in free-ranging wildlife: detection, diagnosis and management. *Rev Sci Tech* **21**, 317-34.
- Demissie**, A., Abebe, M., Aseffa, A., Rook, G., Fletcher, H., Zumla, A., Weldingh, K., Brock, I., Andersen, P. and Doherty, T.M. (2004) Healthy individuals that control a latent infection with *Mycobacterium tuberculosis* express high levels of Th1 cytokines and the IL-4 antagonist IL-4delta2. *J Immunol* **172**, 6938-43.
- Devos**, K., Duerinck, F., Van Audenhove, K. and Fiers, W. (1992) Cloning and expression of the canine interferon-gamma gene. *J Interferon Res* **12**, 95-102.
- de Waal Malefyt**, R., Figdor, C.G. and de Vries, J.E. (1993) Effects of interleukin 4 on monocyte functions: comparison to interleukin 13. *Res Immunol* **144**, 629-33.
- Döcke**, W.D., Randow, F., Syrbe, U., Krausch, D., Asadullah, K., Reinke, P., Volk, H.D. and Kox, W. (1997) Monocyte deactivation in septic patients: restoration by IFN-gamma treatment. *Nat Med* **3**, 678-81.
- Dohmann**, K., Wagner, B., Horohov, D.W. and Leibold, W. (2000) Expression and characterisation of equine interleukin 2 and interleukin 4. *Vet Immunol Immunopathol* **77**, 243-56.
- Dong**, H., Zhu, G., Tamada, K. and Chen, L. (1999) B7-H1, a third member of the B7 family, co-stimulates T-cell proliferation and interleukin-10 secretion. *Nat Med* **5**, 1365-9.
- Dussault**, A.A. and Pouliot, M. (2006) Rapid and simple comparison of messenger RNA levels using real-time PCR. *Biol Proced Online* **8**, 1-10.
- Dutton**, R. W., Bradley, L. M. and Swain, S. L. (1998) T cell memory. *Annu Rev Immunol*. **16**, 201-23.

- Ehrt**, S., Schnappinger, D., Bekiranov, S., Drenkow, J., Shi, S., Gingeras, T.R., Gaasterland, T., Schoolnik, G. and Nathan, C. (2001) Reprogramming of the macrophage transcriptome in response to interferon-gamma and *Mycobacterium tuberculosis*: signaling roles of nitric oxide synthase-2 and phagocyte oxidase. *J Exp Med* **194**, 1123-40.
- Ekerfelt**, C., Ernerudh, J. and Jenmalm, M.C. (2002) Detection of spontaneous and antigen-induced human interleukin-4 responses *in vitro*: comparison of ELISPOT, a novel ELISA and real-time RT-PCR. *J Immunol Methods* **260**, 55-67.
- Else**, K. J., Finkelman, F. D., Maliszewski, C.R. and Grencis, R.K. (1994) Cytokine-mediated regulation of chronic intestinal helminth infection. *J Exp Med* **179**, 347-51.
- Fan**, J., Nishanian, P., Breen, E.C., McDonald, M. and Fahey, J.L. (1998) Cytokine gene expression in normal human lymphocytes in response to stimulation. *Clin Diagn Lab Immunol* **5**, 335-40.
- Farrar**, M.A. and Schreiber, R.D. (1993) The molecular cell biology of interferon-gamma and its receptor. *Annu Rev Immunol* **11**, 571-611.
- Fernandez**, M.H. and Vrba, E.S. (2005) A complete estimate of the phylogenetic relationships in *Ruminantia*: a dated species-level supertree of the extant ruminants. *Biological Reviews* **80**, 269-302.
- Fernandez**, V., Andersson, J., Andersson, U. and Troye-Blomberg, M. (1994) Cytokine synthesis analyzed at the single-cell level before and after revaccination with tetanus toxoid. *Eur J Immunol* **24**, 1808-15.
- Ferreira**, I.D., Rosario, V.E. and Cravo, P.V. (2006) Real-time quantitative PCR with SYBR Green I detection for estimating copy numbers of nine drug resistance candidate genes in *Plasmodium falciparum*. *Malar J* **5**, 1.
- Fickel**, J., Richman, L.K., Montali, R., Schaftenaar, W., Goritz, F., Hildebrandt, T.B. and Pitra, C. (2001) A variant of the *endotheliotropic herpesvirus* in Asian elephants (*Elephas maximus*) in European zoos. *Vet Microbiol* **82**, 103-9.
- Fischer-Tenhagen**, C., Hamblin, C., Quandt, S. and Frölich, K. (2000) Serosurvey for selected infectious disease agents in free-ranging black and white rhinoceros in Africa. *J Wildl Dis* **36**, 316-23.
- Fletcher**, H.A., Owiafe, P., Jeffries, D., Hill, P., Rook, G.A., Zumla, A., Doherty, T.M. and Brookes, R.H. (2004) Increased expression of mRNA encoding interleukin (IL)-4 and its splice variant IL-4delta2 in cells from contacts of *Mycobacterium tuberculosis*, in the absence of *in vitro* stimulation. *Immunology* **112**, 669-73.
- Flynn**, J.L., Chan, J., Triebold, K.J., Dalton, D.K., Stewart, T.A. and Bloom, B.R. (1993) An essential role for interferon gamma in resistance to *Mycobacterium tuberculosis* infection. *J Exp Med* **178**, 2249-54.
- Franchini**, M., Gilli, U., Akens, M.K., Fellenberg, R.V. and Bracher, V. (1998) The role of neutrophil chemotactic cytokines in the pathogenesis of equine chronic obstructive pulmonary disease (COPD). *Vet Immunol Immunopathol* **66**, 53-65.

- Francis**, J., Seiler, R.J., Wilkie, I.W., O'Boyle, D., Lumsden, M.J. and Frost, A.J. (1978) The sensitivity and specificity of various tuberculin tests using bovine PPD and other tuberculins. *Vet Rec* **103**, 420-5.
- Frauwirth**, K.A. and Thompson, C.B. (2002) Activation and inhibition of lymphocytes by costimulation. *J Clin Invest* **109**, 295-9.
- Frauwirth**, K.A. and Thompson, C.B. (2004) Regulation of T lymphocyte metabolism. *J Immunol* **172**, 4661-5.
- Freeman**, G.J., Borriello, F., Hodes, R.J., Reiser, H., Hathcock, K.S., Laszlo, G., McKnight, A.J., Kim, J., Du, L., Lombard, D.B. and et al. (1993a) Uncovering of functional alternative CTLA-4 counter-receptor in B7-deficient mice. *Science* **262**, 907-9.
- Freeman**, G. J., Gribben, J.G., Boussiotis, V.A., Ng, J.W., Restivo, V.A., Jr., Lombard, L.A., Gray, G.S. and Nadler, L.M. (1993b) Cloning of B7-2: a CTLA-4 counter-receptor that costimulates human T cell proliferation. *Science* **262**, 909-11.
- Fukushi**, H., Tomita, T., Taniguchi, A., Ochiai, Y., Kirisawa, R., Matsumura, T., Yanai, T., Masegi, T., Yamaguchi, T. and Hirai, K. (1997) *Gazelle herpesvirus-1*: a new neurotropic *herpesvirus* immunologically related to *equine herpesvirus-1*. *Virology* **227**, 34-44.
- Gaus**, H., Lipford, G.B., Wagner, H. and Heeg, K. (1993) Quantitative analysis of lymphokine mRNA expression by a nonradioactive method using PCR and anion exchange chromatography. *J Immunol Methods* **158**, 229-36.
- Gautherot**, I., Burdin, N., Seguin, D., Aujame, L. and Sodoyer, R. (2002) Cloning of interleukin-4 delta2 splice variant (IL-4delta2) in chimpanzee and cynomolgus macaque: phylogenetic analysis of delta2 splice variant appearance, and implications for the study of IL-4-driven immune processes. *Immunogenetics* **54**, 635-44.
- Gelmini**, S., Orlando, C., Sestini, R., Vona, G., Pinzani, P., Ruocco, L. and Pazzagli, M. (1997) Quantitative polymerase chain reaction-based homogeneous assay with fluorogenic probes to measure c-erbB-2 oncogene amplification. *Clin Chem* **43**, 752-8.
- Gett**, A. V., Sallusto, F., Lanzavecchia, A. and Geginat, J. (2003) T cell fitness determined by signal strength. *Nat Immunol* **4**, 355-60.
- Gibson**, U.E., Heid, C.A. and Williams, P.M. (1996) A novel method for real time quantitative RT-PCR. *Genome Res* **6**, 995-1001.
- Giguere**, S. and Prescott, J.F. (1999) Quantitation of equine cytokine mRNA expression by reverse transcription-competitive polymerase chain reaction. *Vet Immunol Immunopathol* **67**, 1-15.
- Giulietti**, A., Overbergh, L., Valckx, D., Decallonne, B., Bouillon, R. and Mathieu, C. (2001) An overview of real-time quantitative PCR: applications to quantify cytokine gene expression. *Methods* **25**, 386-401.

- Glare, E.M., Divjak, M., Rolland, J.M. and Walters, E.H.** (1999) Asthmatic airway biopsy specimens are more likely to express the IL-4 alternative splice variant IL-4delta2. *J Allergy Clin Immunol* **104**, 978-82.
- Goldsby, R.A., Kindt, T.J. and Osborne, B.A.** (2000) In: *Kuby Immunology*, 4<sup>th</sup> edition, ISBN-10: 0716733315, Freeman, W.H. and company, New York, USA.
- Goodbourn, S., Didcock, L. and Randall, R.E.** (2000) Interferons: cell signalling, immune modulation, antiviral response and virus countermeasures. *J Gen Virol* **81**, 2341-64.
- Green, J. M., Noel, P. J., Sperling, A. I., Walunas, T.L., Gray, G.S., Bluestone, J.A. and Thompson, C.B.** (1994) Absence of B7-dependent responses in CD28-deficient mice. *Immunity* **1**, 501-8.
- Griffin, J.F., Cross, J.P., Chinn, D.N., Rodgers, C.R. and Buchan, G.S.** (1994) Diagnosis of tuberculosis due to *Mycobacterium bovis* in New Zealand red deer (*Cervus elaphus*) using a composite blood test and antibody assays. *N Z Vet J* **42**, 173-9.
- Groves, C.P. and Bell, H.B.** (2004) New investigations on the taxonomy of the Zebras genus *Equus*, subgenus *Hippotigris*. *Mammalian Biology*. **69**, 182-196.
- Grubb, P.** (1993) In: *Mammal Species of the World, a Taxonomic and Geographic Reference*. Order Artiodactyla, 2<sup>nd</sup> edition, (Wilson, D. E and Reeder, D. M. eds.), Pp. 377-414, Smithsonian Institution Press, Washington, D.C., USA.
- Gunnlaugsdottir, B., Maggadottir, S.M. and Ludviksson, B.R.** (2005) Anti-CD28-induced co-stimulation and TCR avidity regulates the differential effect of TGF-beta1 on CD4+ and CD8+ naïve human T-cells. *Int Immunol* **17**, 35-44.
- Gutmann, S., Zawatzky, R. and Müller, M.** (2005) Characterisation and quantification of equine interferon gamma. *Vet Immunol Immunopathol* **104**, 105-15.
- Harding, F.A., McArthur, J.G., Gross, J.A., Raulet, D.H. and Allison, J.P.** (1992) CD28-mediated signalling co-stimulates murine T cells and prevents induction of anergy in T-cell clones. *Nature* **356**, 607-9.
- Harrington, N.P., Surujballi, O.P. and Prescott, J.F.** (2006) Cervine (*Cervus elaphus*) cytokine mRNA quantification by real-time polymerase chain reaction. *J Wildl Dis* **42**, 219-33.
- He, Y.W. and Malek, T.R.** (1995) The IL-2 receptor gamma c chain does not function as a subunit shared by the IL-4 and IL-13 receptors. Implication for the structure of the IL-4 receptor. *J Immunol* **155**, 9-12.
- Heid, C. A., Stevens, J., Livak, K.J. and Williams, P.M.** (1996) Real time quantitative PCR. *Genome Res* **6**, 986-94.
- Heidelberger, M and Kendall, F. E.** (1935) A quantitative theory of the precipitin reaction: A study of an Azoprotein-antibody system. *J Exp Med* **62**, 467-483.

- Hein**, I., Lehner, A., Rieck, P., Klein, K., Brandl, E. and Wagner, M. (2001) Comparison of different approaches to quantify *Staphylococcus aureus* cells by real-time quantitative PCR and application of this technique for examination of cheese. *Appl Environ Microbiol* **67**, 3122-6.
- Heinzel**, F.P., Sadick, M.D., Holaday, B.J., Coffman, R.L. and Locksley, R.M. (1989) Reciprocal expression of interferon gamma or interleukin 4 during the resolution or progression of murine leishmaniasis. Evidence for expansion of distinct helper T cell subsets. *J Exp Med* **169**, 59-72.
- Henninger**, R.W., Reed, S.M., Saville, W.J., Allen, G.P., Hass, G.F., Kohn, C.W. and Sofaly, C. (2007) Outbreak of neurologic disease caused by *equine herpesvirus-1* at a university equestrian center. *J Vet Intern Med* **21**, 157-65.
- Hermansson**, A. and Lindgren, P.E. (2001) Quantification of ammonia-oxidizing bacteria in arable soil by real-time PCR. *Appl Environ Microbiol* **67**, 972-6.
- Hernandez-Pando**, R., de la Luz Streber, M., Orozco, H., Arriaga, K., Pavon, L., Marti, O., Lightman, S.L. and Rook, G.A. (1998) Emergent immunoregulatory properties of combined glucocorticoid and anti-glucocorticoid steroids in a model of tuberculosis. *Qjm* **91**, 755-66.
- Heussler**, V.T., Eichhorn, M. and Dobbelaere, D.A. (1992) Cloning of a full-length cDNA encoding bovine interleukin 4 by the polymerase chain reaction. *Gene* **114**, 273-8.
- Holland**, P.M., Abramson, R.D., Watson, R. and Gelfand, D.H. (1991) Detection of specific polymerase chain reaction product by utilizing the 5'----3' exonuclease activity of *Thermus aquaticus* DNA polymerase. *Proc Natl Acad Sci U S A* **88**, 7276-80.
- Hook**, S.M., Crawford, A.M., Chinn, D.N., Griffin, J.F. and Buchan, G.S. (1994) Cloning and expression of the cervine interleukin 4 gene. *Scand J Immunol* **40**, 71-6.
- Horohov**, D.W., Beadle, R.E., Mouch, S. and Pourciau, S.S. (2005) Temporal regulation of cytokine mRNA expression in equine recurrent airway obstruction. *Vet Immunol Immunopathol* **108**, 237-45.
- Howard**, M., Farrar, J., Hilfiker, M., Johnson, B., Takatsu, K., Hamaoka, T. and Paul, W.E. (1982) Identification of a T cell-derived b-cell growth factor distinct from interleukin-2. *J Exp Med* **155**, 914-23.
- Hristova**, K. R., Lutenegger, C.M. and Scow, K.M. (2001) Detection and quantification of methyl tert-butyl ether-degrading strain PM1 by real-time TaqMan PCR. *Appl Environ Microbiol* **67**, 5154-60.
- Huang**, S., Hendriks, W., Althage, A., Hemmi, S., Bluethmann, H., Kamijo, R., Vilcek, J., Zinkernagel, R.M. and Aguet, M. (1993) Immune response in mice that lack the interferon-gamma receptor. *Science* **259**, 1742-5.
- Hutloff**, A., Dittrich, A.M., Beier, K.C., Eljaschewitsch, B., Kraft, R., Anagnostopoulos, I. and Kroczek, R.A. (1999) ICOS is an inducible T-cell co-stimulator structurally and functionally related to CD28. *Nature* **397**, 263-6.

- Ibrahim, S.** (2007) In: *Analysis of monoclonal antibody cross-reactivity with leukocytes from equids and cloning of CD28*. PhD thesis, Faculty of Veterinary Medicine, Free University, Berlin, Germany.
- Inoue, Y., Itou, T., Sakai, T. and Oike, T.** (1999) Cloning and sequencing of a bottle-nosed dolphin (*Tursiops truncatus*) interleukin-4-encoding cDNA. *J Vet Med Sci* **61**, 693-6.
- Isaacs, A. and Lindenmann, J.** (1957) Virus interference. I. The interferon. *Proc R Soc Lond B Biol Sci* **147**, 258-67.
- Janeway, C.A., Jr.** (1992) The T cell receptor as a multicomponent signalling machine: CD4/CD8 coreceptors and CD45 in T cell activation. *Annu Rev Immunol* **10**, 645-74.
- Jensen, B., Kurpisz, M. and Rubin, B.** (1977) Antigen specific lymphocyte activity *in vitro* by peripheral blood leucocytes from Mantoux positive and negative human beings. I. Comparison of quantitative and qualitative differences in the PPD-specific lymphoproliferative response of lymphocytes from the two kinds of donors. *Clin Exp Immunol* **27**, 303-12.
- June, C. H., Bluestone, J. A., Nadler, L.M. and Thompson, C.B.** (1994) The B7 and CD28 receptor families. *Immunol Today* **15**, 321-31.
- June, C.H., Jackson, K.M., Ledbetter, J.A., Leiden, J.M., Lindsten, T. and Thompson, C.B.** (1989) Two distinct mechanisms of interleukin-2 gene expression in human T-lymphocytes. *J Autoimmun* **2**, Suppl., 55-65.
- June, C. H., Ledbetter, J. A., Linsley, P.S. and Thompson, C.B.** (1990) Role of the CD28 receptor in T-cell activation. *Immunol Today* **11**, 211-6.
- Jung, T., Wijdenes, J., Neumann, C., de Vries, J.E. and Yssel, H.** (1996) Interleukin-13 is produced by activated human CD45RA+ and CD45RO+ T cells: modulation by interleukin-4 and interleukin-12. *Eur J Immunol* **26**, 571-7.
- Jungi, T.W., Brcic, M., Sager, H., Dobbelaere, D.A., Furger, A. and Roditi, I.** (1997) Antagonistic effects of IL-4 and interferon-gamma (IFN-gamma) on inducible nitric oxide synthase expression in bovine macrophages exposed to gram-positive bacteria. *Clin Exp Immunol* **109**, 431-8.
- Kabelitz, D.** (1990) Do CD2 and CD3-TCR T-cell activation pathways function independently? *Immunol Today* **11**, 44-7.
- Kamijo, R., Shapiro, D., Le, J., Huang, S., Aguet, M. and Vilcek, J.** (1993) Generation of nitric oxide and induction of major histocompatibility complex class II antigen in macrophages from mice lacking the interferon gamma receptor. *Proc Natl Acad Sci U S A* **90**, 6626-30.
- Kelso, A.** (1995) Th1 and Th2 subsets: paradigms lost? *Immunol Today* **16**, 374-9.
- Khatlani, T. S., Ohno, K., Ma, Z., Inokuma, H. and Onishi, T.** (1999) Cloning of a full length cDNA encoding canine Interleukin-4. *J Vet Med Sci* **61**, 967-9.
- Killeen, A.A.** (1997) Quantification of nucleic acids. *Clin Lab Med* **17**, 1-19.

- Klingel**, H. and E. Thenius (1990) In: *Grzimek's Encyclopedia of Mammals*. Odd-toed Ungulates, (Parker, S. P. ed.), Volume IV, Pp. 547-556, McGraw-Hill, New York, USA.
- Korte**, A., Moricke, A., Beyermann, B., Kochling, J., Taube, T., Kebelmann-Betzing, C., Henze, G. and Seeger, K. (1999) Extensive alternative splicing of interleukin-7 in malignant hematopoietic cells: implication of distinct isoforms in modulating IL-7 activity. *J Interferon Cytokine Res* **19**, 495-503.
- Kotenko**, S.V., Izotova, L.S., Pollack, B.P., Mariano, T.M., Donnelly, R.J., Muthukumaran, G., Cook, J.R., Garotta, G., Silvennoinen, O., Ihle, J.N. and et al. (1995) Interaction between the components of the interferon gamma receptor complex. *J Biol Chem* **270**, 20915-21.
- Kruse**, N., Shen, B.J., Arnold, S., Tony, H.P., Müller, T. and Sebald, W. (1993) Two distinct functional sites of human interleukin 4 are identified by variants impaired in either receptor binding or receptor activation. *Embo J* **12**, 5121-9.
- Kunth**, K., Hofler, H. and Atkinson, M.J. (1994) Quantification of messenger RNA expression in tumors: which standard should be used for best RNA normalization?. *Verh Dtsch Ges Pathol* **78**, 226-30.
- Kutyavin**, I.V., Afonina, I.A., Mills, A., Gorn, V.V., Lukhtanov, E.A., Belousov, E.S., Singer, M.J., Walburger, D.K., Lohkov, S.G., Gall, A.A., Dempcy, R., Reed, M.W., Meyer, R.B. and Hedgpeth, J. (2000) 3'-minor groove binder-DNA probes increase sequence specificity at PCR extension temperatures. *Nucleic Acids Res* **28**, 655-61.
- Kydd**, J., Antczak, D.F., Allen, W.R., Barbis, D., Butcher, G., Davis, W., Duffus, W.P., Edington, N., Grunig, G., Holmes, M.A. and et al. (1994) Report of the First International Workshop on Equine Leucocyte Antigens, Cambridge, UK, July 1991. *Vet Immunol Immunopathol* **42**, 3-60.
- Kydd**, J.H., Townsend, H.G. and Hannant, D. (2006) The equine immune response to *equine herpesvirus-1*: the virus and its vaccines. *Vet Immunol Immunopathol* **111**, 15-30.
- Lafferty**, K.J. and Cunningham, A.J. (1975) A new analysis of allogeneic interactions. *Aust J Exp Biol Med Sci* **53**, 27-42.
- Lalvani**, A. (2003) Spotting latent infection: the path to better tuberculosis control. *Thorax* **58**, 916-8.
- Landt**, O. (2001) In: *Rapid Cycle Real-time PCR: Methods and Applications*, (Meuer, S., Wittwer, C. and Nakagawara, K. eds.), Pp. 35–41, Springer Verlag, Germany.
- Lane**, P. (2000) Role of OX40 signals in coordinating CD4 T cell selection, migration, and cytokine differentiation in T helper (Th)1 and Th2 cells. *J Exp Med* **191**, 201-6.
- Lanzavecchia**, A. and Sallusto, F. (2002) Progressive differentiation and selection of the fittest in the immune response. *Nat Rev Immunol* **2**, 982-7.

- Larsen**, R.S., Salman, M.D., Mikota, S.K., Isaza, R., Montali, R.J. and Triantis, J. (2000) Evaluation of a multiple-antigen enzyme-linked immunosorbent assay for detection of *Mycobacterium tuberculosis* infection in captive elephants. *J Zoo Wildl Med* **31**, 291-302.
- Lauener**, R. P., Goyert, S.M., Geha, R.S. and Vercelli, D. (1990) Interleukin 4 down-regulates the expression of CD14 in normal human monocytes. *Eur J Immunol* **20**, 2375-81.
- Le Gros**, G., Ben-Sasson, S.Z., Seder, R., Finkelman, F.D. and Paul, W.E. (1990) Generation of interleukin 4 (IL-4)-producing cells *in vivo* and *in vitro*: IL-2 and IL-4 are required for *in vitro* generation of IL-4-producing cells. *J Exp Med* **172**, 921-9.
- Ledbetter**, J.A., Imboden, J.B., Schieven, G.L., Grosmaire, L.S., Rabinovitch, P.S., Lindsten, T., Thompson, C.B. and June, C.H. (1990) CD28 ligation in T-cell activation: evidence for two signal transduction pathways. *Blood* **75**, 1531-9.
- Lehn**, M., Weiser, W.Y., Engelhorn, S., Gillis, S. and Remold, H.G. (1989) IL-4 inhibits H<sub>2</sub>O<sub>2</sub> production and antileishmanial capacity of human cultured monocytes mediated by IFN-gamma. *J Immunol* **143**, 3020-4.
- Lekanne Deprez**, R.H., Fijnvandraat, A.C., Ruijter, J.M. and Moorman, A.F. (2002) Sensitivity and accuracy of quantitative real-time polymerase chain reaction using SYBR-green I depends on cDNA synthesis conditions. *Anal Biochem* **307**, 63-9.
- Lenschow**, D.J., Walunas, T.L. and Bluestone, J.A. (1996) CD28/B7 system of T cell costimulation. *Annu Rev Immunol* **14**, 233-58.
- Lepper**, A.W., Newton-Tabrett, D.A., Corner, L.A., Carpenter, M.T., Scanlan, W.A., Williams, O.J. and Helwig, D.M. (1977) The use of bovine PPD tuberculin the single caudal fold test to detect tuberculosis in beef cattle. *Aust Vet J* **53**, 208-13.
- Leutenegger**, C.M., von Rechenberg, B., Huder, J.B., Zlinsky, K., Mislin, C., Akens, M.K., Auer, J. and Lutz, H. (1999) Quantitative real-time PCR for equine cytokine mRNA in nondecalcified bone tissue embedded in methyl methacrylate. *Calcif Tissue Int* **65**, 378-83.
- Lewerin**, S.S., Olsson, S.L., Eld, K., Roken, B., Ghebremichael, S., Koivula, T., Kallenius, G. and Bolske, G. (2005) Outbreak of *Mycobacterium tuberculosis* infection among captive Asian elephants in a Swedish zoo. *Vet Rec* **156**, 171-5.
- Li**, B.W., Rush, A.C., Tan, J. and Weil, G.J. (2004) Quantitative analysis of gender-regulated transcripts in the filarial nematode *Brugia malayi* by real-time RT-PCR. *Mol Biochem Parasitol* **137**, 329-37.
- Li**, W., Whaley, C. D., Bonnevier, J. L., Mondino, A., Martin, M.E., Aagaard-Tillery, K.M. and Mueller, D.L. (2001) CD28 signaling augments Elk-1-dependent transcription at the c-fos gene during antigen stimulation. *J Immunol* **167**, 827-35.

- Ling**, V., Wu, P.W., Finnerty, H.F., Bean, K.M., Spaulding, V., Fouser, L.A., Leonard, J.P., Hunter, S.E., Zollner, R., Thomas, J.L., Miyashiro, J.S., Jacobs, K.A. and Collins, M. (2000) Cutting edge: identification of GL50, a novel B7-like protein that functionally binds to ICOS receptor. *J Immunol* **164**, 1653-7.
- Linsley**, P.S., Brady, W., Grosmaire, L., Aruffo, A., Damle, N.K. and Ledbetter, J.A. (1991) Binding of the B cell activation antigen B7 to CD28 costimulates T cell proliferation and interleukin 2 mRNA accumulation. *J Exp Med* **173**, 721-30.
- Linsley**, P.S. and Ledbetter, J.A. (1993) The role of the CD28 receptor during T cell responses to antigen. *Annu Rev Immunol* **11**, 191-212.
- Linton**, P.J., Bautista, B., Biederman, E., Bradley, E.S., Harbertson, J., Kondrack, R.M., Padrick, R.C. and Bradley, L.M. (2003) Costimulation via OX40L expressed by B cells is sufficient to determine the extent of primary CD4 cell expansion and Th2 cytokine secretion *in vivo*. *J Exp Med* **197**, 875-83.
- Lohoff**, M., Gessner, A., Bogdan, C. and Rollinghoff, M. (1998) The Th1/Th2 paradigm and experimental murine leishmaniasis. *Int Arch Allergy Immunol* **115**, 191-202.
- Lopez**, A.J. (1998) Alternative splicing of pre-mRNA: developmental consequences and mechanisms of regulation. *Annu Rev Genet* **32**, 279-305.
- Lucey**, D. R., Clerici, M. and Shearer, G.M. (1996) Type 1 and type 2 cytokine dysregulation in human infectious, neoplastic, and inflammatory diseases. *Clin Microbiol Rev* **9**, 532-62.
- Lühder**, F., Huang, Y., Dennehy, K.M., Guntermann, C., Müller, I., Winkler, E., Kerkau, T., Ikemizu, S., Davis, S.J., Hanke, T. and Hunig, T. (2003) Topological requirements and signaling properties of T cell-activating, anti-CD28 antibody superagonists. *J Exp Med* **197**, 955-66.
- Lukacs**, N.W., Addison, C.L., Gauldie, J., Graham, F., Simpson, K., Strieter, R.M., Warmington, K., Chensue, S.W. and Kunkel, S.L. (1997) Transgene-induced production of IL-4 alters the development and collagen expression of T helper cell 1-type pulmonary granulomas. *J Immunol* **158**, 4478-84.
- Lundgren**, M., Persson, U., Larsson, P., Magnusson, C., Smith, C.I., Hammarstrom, L. and Severinson, E. (1989) Interleukin 4 induces synthesis of IgE and IgG4 in human B cells. *Eur J Immunol* **19**, 1311-5.
- Lunn**, D.P., Holmes, M.A., Antczak, D.F., Agerwal, N., Baker, J., Bendali-Ahcene, S., Blanchard-Channell, M., Byrne, K.M., Cannizzo, K., Davis, W., Hamilton, M.J., Hannant, D., Kondo, T., Kydd, J.H., Monier, M.C., Moore, P.F., O'Neil, T., Schram, B.R., Sheoran, A., Stott, J.L., Sugiura, T. and Vagnoni, K.E. (1998) Report of the Second Equine Leucocyte Antigen Workshop, Squaw valley, California, July 1995. *Vet Immunol Immunopathol* **62**, 101-43.
- Ma**, H., Shieh, K., Chen, G., Qiao, X. and Chuang, M. (2006) Application of real-time polymerase chain reaction. *J Am Sci* **2**, 1-15.

- MacKay, R.J.** and Socher, S.H. (1992) Anti-equine tumor necrosis factor (TNF) activity of antisera raised against human TNF-alpha and peptide segments of human TNF-alpha. *Am J Vet Res* **53**, 921-4.
- Marsters, S.A.**, Pennica, D., Bach, E., Schreiber, R.D. and Ashkenazi, A. (1995) Interferon gamma signals via a high-affinity multisubunit receptor complex that contains two types of polypeptide chain. *Proc Natl Acad Sci U S A* **92**, 5401-5.
- Matsuda, H.**, Watanabe, N., Kiso, Y., Hirota, S., Ushio, H., Kannan, Y., Azuma, M., Koyama, H. and Kitamura, Y. (1990) Necessity of IgE antibodies and mast cells for manifestation of resistance against larval *Haemaphysalis longicornis* ticks in mice. *J Immunol* **144**, 259-62.
- Mauel, S.** (2002) In: *Cloning and expression of eq. IFN $\gamma$ , eq. GM-CSF and eq. IL-4 and their influence on monocytic horse cells*. PhD thesis, Faculty of Veterinary Medicine, Free University, Berlin, Germany.
- Mauel, S.**, Steinbach, F. and Ludwig, H. (2006) Monocyte-derived dendritic cells from horses differ from dendritic cells of humans and mice. *Immunology* **117**, 463-73.
- May, S.A.**, Hooke, R.E. and Lees, P. (1990) The characterisation of equine interleukin-1. *Vet Immunol Immunopathol* **24**, 169-75.
- Mayer, S.**, Laumer, M., Mackensen, A., Andreesen, R. and Krause, S.W. (2002) Analysis of the immune response against tetanus toxoid: enumeration of specific T helper cells by the Elispot assay. *Immunobiology* **205**, 282-9.
- Mena, A.**, Ioannou, X.P., Van Kessel, A., Van Drunen Little-Van Den Hurk, S., Popowych, Y., Babiuk, L.A. and Godson, D.L. (2002) Th1/Th2 biasing effects of vaccination in cattle as determined by real-time PCR. *J Immunol Methods* **263**, 11-21.
- Messi, M.**, Giacchetto, I., Nagata, K., Lanzavecchia, A., Natoli, G. and Sallusto, F. (2003) Memory and flexibility of cytokine gene expression as separable properties of human T(H)1 and T(H)2 lymphocytes. *Nat Immunol* **4**, 78-86.
- Michel, A.L.**, Bengis, R. G., Keet, D. F., Hofmeyr, M., Klerk, L.M., Cross, P.C., Jolles, A.E., Cooper, D., Whyte, I.J., Buss, P. and Godfroid, J. (2006) Wildlife tuberculosis in South African conservation areas: implications and challenges. *Vet Microbiol* **112**, 91-100.
- Mikota, S.K.**, Peddie, L., Peddie, J., Isaza, R., Dunker, F., West, G., Lindsay, W., Larsen, R.S., Salman, M.D., Chatterjee, D., Payeur, J., Whipple, D., Thoen, C., Davis, D.S., Sedgwick, C., Montali, R.J., Ziccardi, M. and Maslow, J. (2001) Epidemiology and diagnosis of *Mycobacterium tuberculosis* in captive Asian elephants (*Elephas maximus*). *J Zoo Wildl Med* **32**, 1-16.
- Miyamoto, M.M.**, Tanhauser, S.M. and Laipis, PJ (1989) Systematic relationships in the *Artiodactyl* tribe *Bovini* (Family *Bovidae*), as determined from mitochondrial DNA sequences. *Syst Zool* **38**, 342-349.

- Mocellin**, S., Provenzano, M., Rossi, C.R., Pilati, P., Nitti, D. and Lise, M. (2003) Use of quantitative real-time PCR to determine immune cell density and cytokine gene profile in the tumor microenvironment. *J Immunol Methods* **280**, 1-11.
- Montali**, R. J., Mikota, S.K. and Cheng, L.I. (2001) *Mycobacterium tuberculosis* in zoo and wildlife species. *Rev Sci Tech* **20**, 291-303.
- Monteleone**, G., Parrello, T., Lanza, F. and Pallone, F. (1998) Response of human intestinal lamina propria T lymphocytes to interleukin 12: additive effects of interleukin 15 and 7. *Gut* **43**, 620-8.
- Moreira**, A.L., Tsanova, L., Murray, P.J., Freeman, S., Bergtold, A., Chiriboga, L. and Kaplan, G. (2000) Aerosol infection of mice with recombinant BCG secreting murine IFN-gamma partially reconstitutes local protective immunity. *Microb Pathog* **29**, 175-85.
- Morris**, D.D., Crowe, N., Moore, J.N. and Moldawer, L.L. (1992) Endotoxin-induced production of interleukin 6 by equine peritoneal macrophages *in vitro*. *Am J Vet Res* **53**, 1298-301.
- Morris**, E. A., McDonald, B. S., Webb, A.C. and Rosenwasser, L.J. (1990) Identification of interleukin-1 in equine osteoarthritic joint effusions. *Am J Vet Res* **51**, 59-64.
- Morrison**, T.B., Ma, Y., Weis, J.H. and Weis, J.J. (1999) Rapid and sensitive quantification of *Borrelia burgdorferi*-infected mouse tissues by continuous fluorescent monitoring of PCR. *J Clin Microbiol* **37**, 987-92.
- Morrison**, T.B., Weis, J.J. and Wittwer, C.T. (1998) Quantification of low-copy transcripts by continuous SYBR-green I monitoring during amplification. *Biotechniques* **24**, 954-8.
- Mosmann**, T. R., Cherwinski, H., Bond, M.W., Giedlin, M.A. and Coffman, R.L. (1986) Two types of murine helper T cell clone. I. Definition according to profiles of lymphokine activities and secreted proteins. *J Immunol* **136**, 2348-57.
- Mosmann**, T.R. and Coffman, R.L. (1989a) Heterogeneity of cytokine secretion patterns and functions of helper T cells. *Adv Immunol* **46**, 111-47.
- Mosmann**, T.R. and Coffman, R.L. (1989b) TH1 and TH2 cells: different patterns of lymphokine secretion lead to different functional properties. *Annu Rev Immunol* **7**, 145-73.
- Müller**, S. (1998) In: *Characterization of the new cytokines ATAC on the cDNA and protein levels*. PhD thesis, Faculty of Science, Chemistry, Free University, Berlin, Germany.
- Murata**, K., Ishii, N., Takano, H., Miura, S., Ndhlovu, L.C., Nose, M., Noda, T. and Sugamura, K. (2000) Impairment of antigen-presenting cell function in mice lacking expression of OX40 ligand. *J Exp Med* **191**, 365-74.
- Murray**, H.W. (1988) Interferon-gamma, the activated macrophage, and host defense against microbial challenge. *Ann Intern Med* **108**, 595-608.

- Nakazawa**, M., Sugi, N., Kawaguchi, H., Ishii, N., Nakajima, H. and Minami, M. (1997) Predominance of type 2 cytokine-producing CD4+ and CD8+ cells in patients with atopic dermatitis. *J Allergy Clin Immunol* **99**, 673-82.
- Nathan**, C.F., Murray, H.W., Wiebe, M.E. and Rubin, B.Y. (1983) Identification of interferon-gamma as the lymphokine that activates human macrophage oxidative metabolism and antimicrobial activity. *J Exp Med* **158**, 670-89.
- Noel**, P. J., Boise, L.H. and Thompson, C.B. (1996) Regulation of T cell activation by CD28 and CTLA4. *Adv Exp Med Biol* **406**, 209-17.
- Ocmant**, A., Michils, A., Schandene, L., Peignois, Y., Goldman, M. and Stordeur, P. (2005) IL-4 and IL-13 mRNA real-time PCR quantification on whole blood to assess allergic response. *Cytokine* **31**, 375-81.
- Odbileg**, R., Lee, S. I., Ohashi, K. and Onuma, M. (2005) Cloning and sequence analysis of llama (*lama glama*) Th2 (IL-4, IL-10 and IL-13) cytokines. *Vet Immunol Immunopathol* **104**, 145-53.
- Odbileg**, R., Lee, S.I., Yoshida, R., Chang, K.S., Ohashi, K., Sugimoto, C. and Onuma, M. (2004) Cloning and sequence analysis of llama cytokines related to cell-mediated immunity. *Vet Immunol Immunopathol* **102**, 93-102.
- Odbileg**, R., Purevtseren, B., Batsukh, Z., Konnai, S., Ohashi, K. and Onuma, M. (2006) Complete cDNA sequences and phylogenetic analyses of the Th1 and Th2 cytokines of the Bactrian camel (*Camelus bactrianus*). *J Vet Med Sci* **68**, 941-6.
- Olive**, D., Chambost, H., Sainty, D., Stoppa, A.M., Blaise, D., el Marsafy, S., Brandely, M., Mannoni, P., Mawas, C. and Maraninchi, D. (1994) Modifications of leukemic blast cells induced by *in vivo* high-dose recombinant interleukin-2. *Leukemia* **8**, 1230-5.
- Oppenheim**, J.J. (1968) Relationship of *in vitro* lymphocyte transformation to delayed hypersensitivity in guinea pigs and man. *Fed Proc* **27**, 21-8.
- Outeridge**, P.M. and Lepper, A.W. (1973) Immunosuppressive factors released by transforming lymphocytes in the delayed hypersensitivity skin response to tuberculin. *Immunology* **25**, 981-94.
- Pai**, M. (2005) Alternatives to the tuberculin skin test: interferon-gamma assays in the diagnosis of *Mycobacterium tuberculosis* infection. *Indian J Med Microbiol* **23**, 151-8.
- Pai**, M., Riley, L.W. and Colford, J.M., Jr. (2004) Interferon-gamma assays in the immunodiagnosis of tuberculosis: a systematic review. *Lancet Infect Dis* **4**, 761-76.
- Paillet**, R., Daly, J. M., Juillard, V., Minke, J. M., Hannant, D. and Kydd, J.H. (2005) Equine interferon gamma synthesis in lymphocytes after *in vivo* infection and *in vitro* stimulation with *EHV-1*. *Vaccine* **23**, 4541-51.
- Paillet**, R., Daly, J. M., Luce, R., Montesso, F., Davis-Poynter, N., Hannant, D. and Kydd, J.H. (2007) Frequency and phenotype of *EHV-1* specific, IFN-gamma synthesising lymphocytes in ponies: the effects of age, pregnancy and infection. *Dev Comp Immunol* **31**, 202-14.

- Paillet, R.**, Ellis, S.A., Daly, J.M., Audonnet, J.C., Minke, J.M., Davis-Poynter, N., Hannant, D. and Kydd, J.H. (2006) Characterisation of CTL and IFN-gamma synthesis in ponies following vaccination with a NYVAC-based construct coding for *EHV-1* immediate early gene, followed by challenge infection. *Vaccine* **24**, 1490-500
- Parra, E.** (2002) The role of the B7-1/2, LFA-3 and ICAM-1 costimulatory molecules in the modulation of T cell responses. *Inmunologia* **21**, 102-114.
- Parry, R.V.**, Rumbley, C.A., Vandenberghe, L.H., June, C.H. and Riley, J.L. (2003) CD28 and inducible costimulatory protein Src homology 2 binding domains show distinct regulation of phosphatidylinositol 3-kinase, Bcl-xL, and IL-2 expression in primary human CD4 T lymphocytes. *J Immunol* **171**, 166-74.
- Parsons, L.M.**, Brosch, R., Cole, S.T., Somoskovi, A., Loder, A., Bretzel, G., Van Soolingen, D., Hale, Y.M. and Salfinger, M. (2002) Rapid and simple approach for identification of *Mycobacterium tuberculosis complex* isolates by PCR-based genomic deletion analysis. *J Clin Microbiol* **40**, 2339-45.
- Patton, K.M.**, McGuire, T.C., Fraser, D.G. and Hines, S.A. (2004) *Rhodococcus equi*-infected macrophages are recognized and killed by CD8+ T lymphocytes in a major histocompatibility complex class I-unrestricted fashion. *Infect Immun* **72**, 7073-83.
- Paul, W.E.** (1991) Interleukin-4: a prototypic immunoregulatory lymphokine. *Blood* **77**, 1859-70.
- Pavlik, I.**, Ayele, W.Y., Parmova, I., Melicharek, I., Hanzlikova, M., Svejnochova, M. and Kormendy, B. (2003) *Mycobacterium tuberculosis* in animal and human populations in six Central European countries during 1990-1999. *Veterinarni Medicina* **48**, 83-89.
- Peach, R.J.**, Bajorath, J., Brady, W., Leytze, G., Greene, J., Naemura, J. and Linsley, P.S. (1994) Complementarity determining region 1 (CDR1)- and CDR3-analogous regions in CTLA-4 and CD28 determine the binding to B7-1. *J Exp Med* **180**, 2049-58.
- Pearl, J.E.**, Saunders, B., Ehlers, S., Orme, I.M. and Cooper, A.M. (2001) Inflammation and lymphocyte activation during mycobacterial infection in the interferon-gamma-deficient mouse. *Cell Immunol* **211**, 43-50.
- Perkins, H.D.**, van Leeuwen, B.H., Hardy, C.M. and Kerr, P.J. (2000) The complete cDNA sequences of IL-2, IL-4, IL-6 AND IL-10 from the European rabbit (*Oryctolagus cuniculus*). *Cytokine* **12**, 555-65.
- Peters, J. H.**, Gieseler, R., Thiele, B. and Steinbach, F. (1996) Dendritic cells: from ontogenetic orphans to myelomonocytic descendants. *Immunol Today* **17**, 273-8.
- Ponchel, F.**, Toomes, C., Bransfield, K., Leong, F.T., Douglas, S.H., Field, S.L., Bell, S.M., Combaret, V., Puisieux, A., Mighell, A.J., Robinson, P.A., Inglehearn, C.F., Isaacs, J.D. and Markham, A.F. (2003) Real-time PCR based on SYBR-green I fluorescence: an alternative to the TaqMan assay for a relative quantification of gene rearrangements, gene amplifications and micro gene deletions. *BMC Biotechnol* **3**, 18.

- Powers**, R., Garrett, D.S., March, C.J., Frieden, E.A., Gronenborn, A.M. and Clore, G.M. (1992) Three-dimensional solution structure of human interleukin-4 by multidimensional heteronuclear magnetic resonance spectroscopy. *Science* **256**, 1673-7.
- Puig-Kroger**, A., Sanz-Rodriguez, F., Longo, N., Sanchez-Mateos, P., Botella, L., Teixido, J., Bernabeu, C. and Corbi, A.L. (2000) Maturation-dependent expression and function of the CD49d integrin on monocyte-derived human dendritic cells. *J Immunol* **165**, 4338-45.
- Pusterla**, N., Madigan, J.E. and Leutenegger, C.M. (2006) Real-time polymerase chain reaction: a novel molecular diagnostic tool for equine infectious diseases. *J Vet Intern Med* **20**, 3-12.
- Qing**, Y. and Stark, G.R. (2004) Alternative activation of STAT1 and STAT3 in response to interferon-gamma. *J Biol Chem* **279**, 41679-85.
- Quentmeier**, H., Duschl, A., Hu, Z.B., Schnarr, B., Zaborski, M. and Drexler, H.G. (1996) MUTZ-3, a monocytic model cell line for interleukin-4 and lipopolysaccharide studies. *Immunology* **89**, 606-12.
- Quentmeier**, H., Kolsdorf, K., Zaborski, M. and Drexler, H.G. (1994) IL-4 inhibits the LPS-induced expression of CD14 and monocyte-specific esterase mRNA in MONO-MAC-6 cells. *Leukemia* **8**, 1551-6.
- Raab**, M., Cai, Y.C., Bunnell, S.C., Heyeck, S.D., Berg, L.J. and Rudd, C.E. (1995) p56Lck and p59Fyn regulate CD28 binding to phosphatidylinositol 3-kinase, growth factor receptor-bound protein GRB-2, and T cell-specific protein-tyrosine kinase ITK: implications for T-cell costimulation. *Proc Natl Acad Sci U S A* **92**, 8891-5.
- Radford**, A. J., Hodgson, A.L., Rothel, J.S. and Wood, P.R. (1991) Cloning and sequencing of the ovine gamma-interferon gene. *Aust Vet J* **68**, 82-4.
- Radunz**, B.L. and Lepper, A.W. (1985) Suppression of skin reactivity to bovine tuberculin in repeat tests. *Aust Vet J* **62**, 191-4.
- Rama Iniguez**, S., Dea-Ayuela, M.A., Sanchez-Brunete, J.A., Torrado, J.J., Alunda, J.M. and Bolas-Fernandez, F. (2006) Real-time reverse transcription-PCR quantification of cytokine mRNA expression in golden Syrian hamster infected with *Leishmania infantum* and treated with a new amphotericin B formulation. *Antimicrob Agents Chemother* **50**, 1195-201.
- Rautajoki**, K. J., Marttila, E.M., Nyman, T.A. and Lahesmaa, R. (2007) Interleukin-4 Inhibits Caspase-3 by Regulating Several Proteins in the Fas Pathway during Initial Stages of Human T Helper 2 Cell Differentiation. *Mol Cell Proteomics* **6**, 238-251.
- Rebhun**, W.C., Jenkins, D.H., Riis, R.C., Dill, S.G., Dubovi, E.J. and Torres, A. (1988) An epizootic of blindness and encephalitis associated with a *herpesvirus* indistinguishable from *equine herpesvirus I* in a herd of alpacas and llamas. *J Am Vet Med Assoc* **192**, 953-6.

- Reid**, C. E., Hildebrandt, T. B., Marx, N., Hunt, M., Thy, N., Reynes, J.M., Schaftenaar, W. and Fickel, J. (2006) *Endotheliotropic elephant herpes virus (EEHV)* infection. The first PCR-confirmed fatal case in Asia. *Vet Q* **28**, 61-4.
- Rhodes**, S.G., Palmer, N., Graham, S.P., Bianco, A.E., Hewinson, R.G. and Vordermeier, H.M. (2000) Distinct response kinetics of gamma interferon and interleukin-4 in bovine tuberculosis. *Infect Immun* **68**, 5393-400.
- Roberts**, T., Beyers, N., Aguirre, A. and Walzl, G. (2007) Immunosuppression during Active Tuberculosis Is Characterized by Decreased Interferon- gamma Production and CD25 Expression with Elevated Forkhead Box P3, Transforming Growth Factor- beta, and Interleukin-4 mRNA Levels. *J Infect Dis* **195**, 870-8.
- Rohrs**, M. and E. Thenius (1990) In: *Grzimek's Encyclopedia of Mammals*. Ungulates: Introduction and Phylogeny. (Parker, S. P. ed.), Volume IV, Pp. 440-448, McGraw-Hill, New York, USA.
- Roizman**, B. and Pellett, P. E (2001) In: *Fields' Virology*, The family *Herpesviridae*: a brief introduction, (Knipe, D.M, Howley, P.M., Griffin, D.E., Martin, R.A., Lamb, R.A., Roizman, B and Straus, S.E eds.), 4<sup>th</sup> edition, Volumes II, *Herpesviridae*, Pp. 2381-2397. (Lippincott Williams and Wilkins), Philadelphia, USA.
- Rook**, G. A., Hernandez-Pando, R., Dheda, K. and Teng Seah, G. (2004) IL-4 in tuberculosis: implications for vaccine design. *Trends Immunol* **25**, 483-8.
- Rothel**, J.S., Jones, S.L., Corner, L.A., Cox, J.C. and Wood, P.R. (1990) A sandwich enzyme immunoassay for bovine interferon-gamma and its use for the detection of tuberculosis in cattle. *Aust Vet J* **67**, 134-7.
- Rudd**, C.E. (1996) Upstream-downstream: CD28 cosignaling pathways and T cell function. *Immunity* **4**, 527-34.
- Ruppert**, J., Friedrichs, D., Xu, H. and Peters, J.H. (1991) IL-4 decreases the expression of the monocyte differentiation marker CD14, paralleled by an increasing accessory potency. *Immunobiology* **182**, 449-64.
- Russell**, S.M., Keegan, A.D., Harada, N., Nakamura, Y., Noguchi, M., Leland, P., Friedmann, M.C., Miyajima, A., Puri, R.K., Paul, W.E. and et al. (1993) Interleukin-2 receptor gamma chain: a functional component of the interleukin-4 receptor. *Science* **262**, 1880-3.
- Sakkas**, L.I., Tourtellotte, C., Berney, S., Myers, A.R. and Platsoucas, C.D. (1999) Increased levels of alternatively spliced interleukin 4 (IL-4delta2) transcripts in peripheral blood mononuclear cells from patients with systemic sclerosis. *Clin Diagn Lab Immunol* **6**, 660-4.
- Salgame**, P., Abrams, J.S., Clayberger, C., Goldstein, H., Convit, J., Modlin, R.L. and Bloom, B.R. (1991) Differing lymphokine profiles of functional subsets of human CD4 and CD8 T cell clones. *Science* **254**, 279-82.
- Sambrook**, J., Fritsch, E., and Maniatis, T. (1989) In: *Molecular cloning: a laboratory manual*, 2<sup>nd</sup> edition, Cold Spring Harbor Laboratory Press, New York, USA.

- Schmittgen**, T.D. and Zakrajsek, B.A. (2000) Effect of experimental treatment on housekeeping gene expression: validation by real-time, quantitative RT-PCR. *J Biochem Biophys Methods* **46**, 69-81.
- Schneider**, H., Cai, Y.C., Prasad, K.V., Shoelson, S.E. and Rudd, C.E. (1995) T cell antigen CD28 binds to the GRB-2/SOS complex, regulators of p21ras. *Eur J Immunol* **25**, 1044-50.
- Schweitzer**, A.N., Borriello, F., Wong, R.C., Abbas, A.K. and Sharpe, A.H. (1997) Role of costimulators in T cell differentiation: studies using antigen-presenting cells lacking expression of CD80 or CD86. *J Immunol* **158**, 2713-22.
- Scott**, P. and Trinchieri, G. (1995) The role of natural killer cells in host-parasite interactions. *Curr Opin Immunol* **7**, 34-40.
- Seah**, G.T., Gao, P.S., Hopkin, J.M. and Rook, G.A. (2001) Interleukin-4 and its alternatively spliced variant (IL-4delta2) in patients with atopic asthma. *Am J Respir Crit Care Med* **164**, 1016-8.
- Seah**, G.T., Scott, G.M. and Rook, G.A. (2000) Type 2 cytokine gene activation and its relationship to extent of disease in patients with tuberculosis. *J Infect Dis* **181**, 385-9.
- Seder**, R.A. and Paul, W.E. (1994) Acquisition of lymphokine-producing phenotype by CD4+ T cells. *Annu Rev Immunol* **12**, 635-73.
- Shahinian**, A., Pfeffer, K., Lee, K.P., Kundig, T.M., Kishihara, K., Wakeham, A., Kawai, K., Ohashi, P.S., Thompson, C.B. and Mak, T.W. (1993) Differential T cell costimulatory requirements in CD28-deficient mice. *Science* **261**, 609-12.
- Sharma**, M., Sharma, S., Roy, S., Varma, S. and Bose, M. (2007) Pulmonary epithelial cells are a source of interferon-gamma in response to *Mycobacterium tuberculosis* infection. *Immunol Cell Biol*. **85**, 229-37.
- Sharpe**, A. H. and Freeman G. J. (2002) The B7-CD28 superfamily. *Nat Rev Immunol* **2**, 116-26.
- Shojaei**, H., Magee, J.G., Freeman, R., Yates, M., Horadagoda, N.U. and Goodfellow, M. (2000) *Mycobacterium elephantis* sp. nov., a rapidly growing non-chromogenic *Mycobacterium* isolated from an elephant. *Int J Syst Evol Microbiol* **50** Pt 5, 1817-20.
- Shtrichman**, R. and Samuel, C.E. (2001) The role of gamma interferon in antimicrobial immunity. *Curr Opin Microbiol* **4**, 251-9.
- Skinner**, J.D. and Smithers, R.H.N. (1990). In: *The mammals of the Southern African subregion*, 2<sup>nd</sup> edition, University of Pretoria, Pretoria Republic of South Africa.
- Slater**, J.D., Borchers, K., Thackray, A.M. and Field, H.J. (1994) The trigeminal ganglion is a location for equine herpesvirus-1 latency and reactivation in the horse. *J Gen Virol* **75**, 2007-16.

- Snekvik**, K.R., Beyer, J.C., Bertoni, G., Von Beust, B.R., Baszler, T.V., Palmer, G.H., McElwain, T.F. and Cheevers, W.P. (2001) Characterization of caprine interleukin-4. *Vet Immunol Immunopathol* **78**, 219-29.
- Sorg**, R.V., Enczmann, J., Sorg, U.R., Schneider, E.M. and Wernet, P. (1993) Identification of an alternatively spliced transcript of human interleukin-4 lacking the sequence encoded by exon 2. *Exp Hematol* **21**, 560-3.
- Stack**, R.M., Lenschow, D.J., Gray, G.S., Bluestone, J.A. and Fitch, F.W. (1994) IL-4 treatment of small splenic B cells induces costimulatory molecules B7-1 and B7-2. *J Immunol* **152**, 5723-33.
- Steinbach**, F., Henke, F., Krause, B., Thiele, B., Burmester, G.R. and Hiepe, F. (2000) Monocytes from systemic lupus erythematosus patients are severely altered in phenotype and lineage flexibility. *Ann Rheum Dis* **59**, 283-8.
- Steinbach**, F., Mauel, S. and Beier, I. (2002) Recombinant equine interferons: expression cloning and biological activity. *Vet Immunol Immunopathol* **84**, 83-95.
- Steinbach**, F., Stark, R., Ibrahim, S., Gawad, E.A., Ludwig, H., Walter, J., Commandeur, U. and Mauel, S. (2005) Molecular cloning and characterization of markers and cytokines for equid myeloid cells. *Vet Immunol Immunopathol* **108**, 227-36.
- Sternberg**, S., Bernoldt, K., Holmstrom, A. and Roken, B. (2002) Survey of tuberculin testing in Swedish zoos. *J Zoo Wildl Med* **33**, 378-80.
- Stott**, M.L. and Osburn, B.I. (1988) Establishment of equine T lymphocyte cultures dependent on recombinant human interleukin-2. *Am J Vet Res* **49**, 553-6.
- Suzuki**, T., Higgins, P.J. and Crawford, D.R. (2000) Control selection for RNA quantitation. *Biotechniques* **29**, 332-7.
- Swain**, S. L., Weinberg, A.D. and English, M. (1990a) CD4+ T cell subsets. Lymphokine secretion of memory cells and of effector cells that develop from precursors *in vitro*. *J Immunol* **144**, 1788-99.
- Swain**, S.L., Weinberg, A.D., English, M. and Huston, G. (1990b) IL-4 directs the development of Th2-like helper effectors. *J Immunol* **145**, 3796-806.
- Swiderski**, C.E., Klei, T.R. and Horohov, D.W. (1999) Quantitative measurement of equine cytokine mRNA expression by polymerase chain reaction using target-specific standard curves. *J Immunol Methods* **222**, 155-69.
- Takeda**, K., Tanaka, T., Shi, W., Matsumoto, M., Minami, M., Kashiwamura, S., Nakanishi, K., Yoshida, N., Kishimoto, T. and Akira, S. (1996) Essential role of Stat6 in IL-4 signalling. *Nature* **380**, 627-30.
- Thellin**, O., Zorzi, W., Lakaye, B., De Borman, B., Coumans, B., Hennen, G., Grisar, T., Igout, A. and Heinen, E. (1999) Housekeeping genes as internal standards: use and limits. *J Biotechnol* **75**, 291-5.

- Thoen**, C.O., Jarnagin, J.L., Muscoplat, C.C., Cram, L.S., Johnson, D.W. and Harrington, R., Jr. (1980) Potential use of lymphocyte blastogenic responses in diagnosis of bovine tuberculosis. *Comp Immunol Microbiol Infect Dis* **3**, 355-61.
- Thompson**, C.B., Lindsten, T., Ledbetter, J.A., Kunkel, S.L., Young, H.A., Emerson, S.G., Leiden, J.M. and June, C.H. (1989) CD28 activation pathway regulates the production of multiple T-cell-derived lymphokines/cytokines. *Proc Natl Acad Sci U S A* **86**, 1333-7.
- Tomura**, M., Zhou, X.Y., Maruo, S., Ahn, H.J., Hamaoka, T., Okamura, H., Nakanishi, K., Tanimoto, T., Kurimoto, M. and Fujiwara, H. (1998) A critical role for IL-18 in the proliferation and activation of NK1.1+ CD3- cells. *J Immunol* **160**, 4738-46.
- Tsytsikov**, V.N., Yurovsky, V.V., Atamas, S.P., Alms, W.J. and White, B. (1996) Identification and characterization of two alternative splice variants of human interleukin-2. *J Biol Chem* **271**, 23055-60.
- Urban**, J.F., Jr., Fayer, R., Sullivan, C., Goldhill, J., Shea-Donohue, T., Madden, K., Morris, S.C., Katona, I., Gause, W., Ruff, M., Mansfield, L.S. and Finkelman, F.D. (1996) Local TH1 and TH2 responses to parasitic infection in the intestine: regulation by IFN-gamma and IL-4. *Vet Immunol Immunopathol* **54**, 337-44.
- van Crevel**, R., Karyadi, E., Preyers, F., Leenders, M., Kullberg, B.J., Nelwan, R.H. and van der Meer, J.W. (2000) Increased production of interleukin 4 by CD4+ and CD8+ T cells from patients with tuberculosis is related to the presence of pulmonary cavities. *J Infect Dis* **181**, 1194-7.
- van Crevel**, R., Ottenhoff, T.H. and van der Meer, J.W. (2002) Innate immunity to *Mycobacterium tuberculosis*. *Clin Microbiol Rev* **15**, 294-309.
- van der Meulen**, K.M., Nauwynck, H.J. and Pensaert, M.B. (2002) Increased susceptibility of peripheral blood mononuclear cells to *equine herpes virus type 1* infection upon mitogen stimulation: a role of the cell cycle and of cell-to-cell transmission of the virus. *Vet Microbiol* **86**, 157-63.
- Van Wauwe**, J. P., De Mey, J.R. and Goossens, J.G. (1980) OKT3: a monoclonal anti-human T lymphocyte antibody with potent mitogenic properties. *J Immunol* **124**, 2708-13.
- Vandesompele**, J., De Paepe, A. and Speleman, F. (2002) Elimination of primer-dimer artifacts and genomic coamplification using a two-step SYBR-green I real-time RT-PCR. *Anal Biochem* **303**, 95-8.
- Vannier**, E., Miller, L.C. and Dinarello, C.A. (1992) Coordinated anti-inflammatory effects of interleukin 4: interleukin 4 suppresses interleukin 1 production but up-regulates gene expression and synthesis of interleukin 1 receptor antagonist. *Proc Natl Acad Sci U S A* **89**, 4076-80.
- Vasiliev**, A.M., Vasilenko, R.N., Kulikova, N.L., Andreev, S.M., Chikileva, I.O., Puchkova, G.Y., Kosarev, I.V., Khodyakova, A.V., Khlebnikov, V.S., Ptitsyn, L.R., Shcherbakov, G.Y., Uversky, V.N., DuBuske, L.M. and Abramov, V.M. (2003) Structural and functional properties of IL-4delta2, an alternative splice variant of human IL-4. *J Proteome Res* **2**, 273-81.

- Verwilghen, J.**, Vandenberghe, P., Wallays, G., de Boer, M., Anthony, N., Panayi, G.S. and Ceuppens, J.L. (1993) Simultaneous ligation of CD5 and CD28 on resting T lymphocytes induces T cell activation in the absence of T cell receptor/CD3 occupancy. *J Immunol* **150**, 835-46.
- Vilajanan, M.K.** and Eskola, J. (1977) PPD-induced lymphocyte transformation *in vitro* using whole blood. *Clin Immunol Immunopathol* **8**, 28-33.
- Vordermeier, H.M.**, Cockle, P.J., Whelan, A.O., Rhodes, S. and Hewinson, R.G. (2000) Toward the development of diagnostic assays to discriminate between *Mycobacterium bovis* infection and bacille Calmette-Guerin vaccination in cattle. *Clin Infect Dis* **30**, Suppl 3, S291-8.
- Wagner, W.N.**, Bogdan, J., Haines, D., Townsend, H.G. and Misra, V. (1992) Detection of *equine herpesvirus* and differentiation of *equine herpesvirus type 1* from type 4 by the polymerase chain reaction. *Can J Microbiol* **38**, 1193-6.
- Wagner, B.**, Hillegas, J.M. and Antczak, D.F. (2006) A monoclonal antibody to equine interleukin-4. *Vet Immunol Immunopathol* **110**, 363-7.
- Wagner, B.**, Robeson, J., McCracken, M., Wattrang, E. and Antczak, D.F. (2005) Horse cytokine/IgG fusion proteins--mammalian expression of biologically active cytokines and a system to verify antibody specificity to equine cytokines. *Vet Immunol Immunopathol* **105**, 1-14.
- Waldvogel, A.S.**, Lepage, M.F., Zakher, A., Reichel, M.P., Eicher, R. and Heussler, V.T. (2004) Expression of interleukin 4, interleukin 4 splice variants and interferon gamma mRNA in calves experimentally infected with *Fasciola hepatica*. *Vet Immunol Immunopathol* **97**, 53-63.
- Wall, D.A.**, Davis S.K. and Read, B.M. (1992) Phylogenetic relationships in subfamily *bovinae* (*Mammalia-Artiodactyla*) based upon ribosomal DNA. *J Mammal* **73**, 262-275.
- Wang, S.**, Zhu, G., Tamada, K., Chen, L. and Bajorath, J. (2002) Ligand binding sites of inducible costimulator and high avidity mutants with improved function. *J Exp Med* **195**, 1033-41.
- Weiss, A.**, Imboden, J., Hardy, K., Manger, B., Terhorst, C. and Stobo, J. (1986) The role of the T3/antigen receptor complex in T-cell activation. *Annu Rev Immunol* **4**, 593-619.
- Whetstone, J.R.** and Matherly, L.H. (2001) The basal promoters for the human reduced folate carrier gene are regulated by a GC-box and a cAMP-response element/AP-1-like element. Basis for tissue-specific gene expression. *J Biol Chem* **276**, 6350-8.
- Williams, S.D.** (2002) In: *Equids: Zebras, Asses and Horses*. Status and action plan for Grevy's zebra (*Equus grevyi*). Status Survey and Conservation Action Plan, (Moehlman, P.D. ed.), IUCN/SSC Equid Specialist Group. IUCN, Gland, Switzerland and Cambridge, UK.
- Wong, M.L.** and Medrano, J.F. (2005) Real-time PCR for mRNA quantitation. *Biotechniques* **39**, 75-85.

- Wood**, P.R., Corner, L.A. and Plackett, P. (1990) Development of a simple, rapid *in vitro* cellular assay for bovine tuberculosis based on the production of gamma interferon. *Res Vet Sci* **49**, 46-9.
- Wood**, P.R., Corner, L.A., Rothel, J.S., Baldock, C., Jones, S.L., Cousins, D.B., McCormick, B.S., Francis, B.R., Creeper, J. and Tweddle, N.E. (1991) Field comparison of the interferon-gamma assay and the intradermal tuberculin test for the diagnosis of bovine tuberculosis. *Aust Vet J* **68**, 286-90.
- Wood**, P.R., Corner, L.A., Rothel, J.S., Ripper, J.L., Fifis, T., McCormick, B.S., Francis, B., Melville, L., Small, K., de Witte, K. and et al. (1992) A field evaluation of serological and cellular diagnostic tests for bovine tuberculosis. *Vet Microbiol* **31**, 71-9.
- Wu**, D., Murakami, K., Liu, N., Inoshima, Y., Yokoyama, T., Kokuhoh, T., Inumaru, S., Matsumura, T., Kondo, T., Nakano, K. and Sentsui, H. (2002) Expression of biologically active recombinant equine interferon-gamma by two different *baculovirus* gene expression systems using insect cells and silkworm larvae. *Cytokine* **20**, 63-9.
- Wu**, Y.Y. and Rees, J.L. (2000) Variation in epidermal housekeeping gene expression in different pathological states. *Acta Derm Venereol* **80**, 2-3.
- Yatsenko**, O.P., Filipenko, M.L., Voronina, E.N., Khrapov, E.A., Sennikov, S.V. and Kozlov, V.A. (2004) Alternative splicing of murine interleukin-4 mRNA. *Bull Exp Biol Med* **137**, 179-81.
- Yoshinaga**, S.K., Whoriskey, J.S., Khare, S.D., Sarmiento, U., Guo, J., Horan, T., Shih, G., Zhang, M., Coccia, M.A., Kohno, T., Tafuri-Bladt, A., Brankow, D., Campbell, P., Chang, D., Chiu, L., Dai, T., Duncan, G., Elliott, G.S., Hui, A., McCabe, S.M., Scully, S., Shahinian, A., Shaklee, C.L., Van, G., Mak, T.W. and Senaldi, G. (1999) T-cell co-stimulation through B7RP-1 and ICOS. *Nature* **402**, 827-32.
- Zav'yalov**, V.P., Denesyuk, A.I., White, B., Yurovsky, V.V., Atamas, S.P. and Korpela, T. (1997) Molecular model of an alternative splice variant of human IL-4, IL-4 delta 2, a naturally occurring inhibitor of IL-4-stimulated T cell proliferation. *Immunol Lett* **58**, 149-52.