

7 Literaturverzeichnis

- Aaij C. & Borst P. - (1972)
The gel electrophoresis of DNA.
Biochim Biophys Acta 269 (2), pp. 192-200

- Abbott R.E. & Schachter D. - (1976)
Impermeant maleimides. Oriented probes of erythrocyte membrane proteins.
J Biol Chem 251 (22), pp. 7176-7183

- Allard W.J. & Lienhard G.E. - (1985)
Monoclonal antibodies to the glucose transporter from human erythrocytes.
Identification of the transporter as a Mr = 55,000 protein.
J Biol Chem 260 (15), pp. 8668-8675

- Alvarez J., Lee D.C., Baldwin S.A. & Chapman D. - (1987)
Fourier transform infrared spectroscopic study of the structure and conformational changes of the human erythrocyte glucose transporter.
J Biol Chem 262 (8), pp. 3502-3509

- Ambion-Incorporation - (1997)
mMESSAGE mMACHINE™ *Large Scale In Vitro Transcription Kits for Synthesis of Capped RNAs*.
Instruction Manual - Version 9802

- Ames G.F., Mimura C.S., Holbrook S.R. & Shyamala V. - (1992)
Traffic ATPases: a superfamily of transport proteins operating from *Escherichia coli* to humans.
Adv Enzymol Relat Areas Mol Biol 65, pp. 1-47

- Asano T., Shibasaki Y., Kasuga M., Kanazawa Y., Takaku F., Akanuma Y. & Oka Y. - (1988)
Cloning of a rabbit brain glucose transporter cDNA and alteration of glucose transporter mRNA during tissue development.
Biochem Biophys Res Commun 154 (3), pp. 1204-1211

- Asano T., Shibasaki Y., Lin J.L., Akanuma Y., Takaku F. & Oka Y. - (1989)
The nucleotide sequence of cDNA for a mouse liver-type glucose transporter protein.
Nucleic Acids Res 17 (15), pp. 6386

- Asano T., Katagiri H., Takata K., Lin J.L., Ishihara H., Inukai K., Tsukuda K., Kikuchi M., Hirano H., Yazaki Y. & et al. - (1991)
The role of N-glycosylation of GLUT1 for glucose transport activity.
J Biol Chem 266 (36), pp. 24632-24636

- Ausubel F.M. - (1991)
Current protocols in molecular biology.
New York: Wiley Interscience

- Bagley P.R., Tucker S.P., Nolan C., Lindsay J.G., Davies A., Baldwin S.A., Cremer J.E. & Cunningham V.J. - (1989)
Anatomical mapping of glucose transporter protein and pyruvate dehydrogenase in rat brain: an immunogold study.
Brain Res 499 (2), pp. 214-224

- Baker G.F. & Widdas W.F. - (1973)
The asymmetry of the facilitated transfer system for hexoses in human red cells and the simple kinetics of a two component model.
J Physiol 231 (1), pp. 143-165.

- Baldwin S.A. & Lienhard G.E. - (1989)
Purification and reconstitution of glucose transporter from human erythrocytes.
Methods Enzymol 174, pp. 39-50

- Baldwin S.A. - (1993)
Mammalian passive glucose transporters: members of an ubiquitous family of active and passive transport proteins.
Biochim Biophys Acta 1154 (1), pp. 17-49

- Baldwin S.A. - (1994)
Mammalian Na⁺-independent sugar transporters and their homologues in other organisms.
Cell Physiol Biochem 4, pp. 242-264

- Barros L.F., Beaumont N., Jarvis S.M., Young J.D., Henderson P.J., Yudilevich D.L., Thrasivoulou C. & Baldwin S.A. - (1992)
Nucleoside transporters in human placenta.
Biochem Soc Trans 20 (3), pp. 244S

- Batt E.R., Abbott R.E. & Schachter D. - (1976)
Impermeant maleimides. Identification of an exofacial component of the human erythrocyte hexose transport mechanism.
J Biol Chem 251 (22), pp. 7184-7190

- Ben Aziz R. & Soreq H. - (1990)
Improving poor in vitro transcription from G,C-rich genes.
Nucleic Acids Res 18 (11), pp. 3418

- Birnbaum M.J., Haspel H.C. & Rosen O.M. - (1986)
Cloning and characterization of a cDNA encoding the rat brain glucose transporter protein.
Proc Natl Acad Sci USA 83 (16), pp. 5784-5788

- Birnbaum M.J. - (1989)
Identification of a novel gene encoding an insulin-responsive glucose transporter protein.
Cell 57 (2), pp. 305-315

- Birnboim H.C. & Doly J. - (1979)
A rapid alkaline extraction procedure for screening recombinant plasmid DNA.
Nucleic Acids Res 7 (6), pp. 1513-1523

- Birnboim H.C. - (1983)
A rapid alkaline extraction method for the isolation of plasmid DNA.
Methods Enzymol 100, pp. 243-255

- Buchel D.E., Gronenborn B. & Muller-Hill B. - (1980)
Sequence of the lactose permease gene.
Nature 283 (5747), pp. 541-545

- Burant C.F. & Bell G.I. - (1992)
Mammalian facilitative glucose transporters: evidence for similar substrate recognition sites in functionally monomeric proteins.
Biochemistry 31 (42), pp. 10414-10420

- Burant C.F., Takeda J., Brot-Laroche E., Bell G.I. & Davidson N.O. - (1992)
Fructose transporter in human spermatozoa and small intestine is GLUT5.
J Biol Chem 267 (21), pp. 14523-14526

- Burchell A. - (1998)
A re-evaluation of GLUT7.
Biochem J 331 (3), pp. 973

- Cairns M.T., Alvarez J., Panico M., Gibbs A.F., Morris H.R., Chapman D. & Baldwin S.A. - (1987)
Investigation of the structure and function of the human erythrocyte glucose transporter by proteolytic dissection.
Biochim Biophys Acta 905 (2), pp. 295-310

- Carayannopoulos M.O., Chi M.M., Cui Y., Pingsterhaus J.M., McKnight R.A., Mueckler M., Devaskar S.U. & Moley K.H. - (2000)
GLUT8 is a glucose transporter responsible for insulin-stimulated glucose uptake in the blastocyst.
Proc Natl Acad Sci USA 97 (13), pp. 7313-7318

- Carruthers A. & Helgerson A.L. - (1989)
The human erythrocyte sugar transporter is also a nucleotide binding protein.
Biochemistry 28 (21), pp. 8337-8346

- Carruthers A. - (1990)
Facilitated diffusion of glucose.
Physiol Rev 70 (4), pp. 1135-1176

- Carruthers A. & Helgerson A.L. - (1991)
Inhibitions of sugar transport produced by ligands binding at opposite sides of the membrane. Evidence for simultaneous occupation of the carrier by maltose and cytochalasin B.
Biochemistry 30 (16), pp. 3907-3915

- Casey J.R., Ding Y. & Kopito R.R. - (1995)
The role of cysteine residues in the erythrocyte plasma membrane anion exchange protein, AE1.
J Biol Chem 270 (15), pp. 8521-8527

- Celenza J.L., Marshall-Carlson L. & Carlson M. - (1988)
The yeast SNF3 gene encodes a glucose transporter homologous to the mammalian protein.
Proc Natl Acad Sci USA 85 (7), pp. 2130-2134

- Chang Y.D. & Dickson R.C. - (1988)
Primary structure of the lactose permease gene from the yeast *Kluyveromyces lactis*. Presence of an unusual transcript structure.
J Biol Chem 263 (32), pp. 16696-16703

- Charron M.J., Brosius F.C., Alper S.L. & Lodish H.F. - (1989)
A glucose transport protein expressed predominately in insulin-responsive tissues.
Proc Natl Acad Sci USA 86 (8), pp. 2535-2539

- Chin J.J., Jung E.K. & Jung C.Y. - (1986)
Structural basis of human erythrocyte glucose transporter function in reconstituted vesicles.
J Biol Chem 261 (16), pp. 7101-7104

- Chin J.J., Jung E.K., Chen V. & Jung C.Y. - (1987)
Structural basis of human erythrocyte glucose transporter function in proteoliposome vesicles: circular dichroism measurements.
Proc Natl Acad Sci USA 84 (12), pp. 4113-4116

- Chou P.Y. & Fasman G.D. - (1978)
Empirical predictions of protein conformation.
Annu Rev Biochem 47, pp. 251-276

- Clark A.E. & Holman G.D. - (1990)
Exofacial photolabelling of the human erythrocyte glucose transporter with an azitrifluoroethylbenzoyl-substituted bismannose.
Biochem J 269 (3), pp. 615-622

- Clark A.E., Holman G.D. & Kozka I.J. - (1991)
Determination of the rates of appearance and loss of glucose transporters at the cell surface of rat adipose cells.
Biochem J 278 (1), pp. 235-241

- Coderre P.E., Cloherty E.K., Zottola R.J. & Carruthers A. - (1995)
Rapid substrate translocation by the multisubunit, erythroid glucose transporter requires subunit associations but not cooperative ligand binding.
Biochemistry 34 (30), pp. 9762-9773

- Colman A., Bhamra S. & Valle G. - (1984)
Post-translational modification of exogenous proteins in *Xenopus laevis* oocytes.
Biochem Soc Trans 12 (6), pp. 932-937

- Colville C.A. & Gould G.W. - (1994).
Expression of membrane transport proteins in *Xenopus oocytes*.
In: Membrane protein expression systems - a user's guide. G.W. Gould (Ed.)
London: Portland Press, pp. 243-274

- Concha I., Velasquez F.V., Martinez J.M., Angulo C., Droppelmann A., Reyes A.M., Slebe J.C., Vera J.C. & Golde D.W. - (1997)
Human erythrocytes express GLUT5 and transport fructose.
Blood 89 (11), pp. 4190-4195

- Conley E.C. & Saunders J.R. - (1984)
Recombination-dependent recircularization of linearized pBR322 plasmid DNA following transformation of *Escherichia coli*.
Mol Gen Genet 194 (1-2), pp. 211-218

- Cope D.L., Holman G.D., Baldwin S.A. & Wolstenholme A.J. - (1994)
Domain assembly of the GLUT1 glucose transporter.
Biochem J 300 (Pt 2), pp. 291-294

- Corvera S., Chawla A., Chakrabarti R., Joly M., Buxton J. & Czech M.P. - (1994)
A double leucine within the GLUT4 glucose transporter COOH-terminal domain functions as an endocytosis signal.
J Cell Biol 126 (4), pp. 979-989

- Cushman S.W. & Wardzala L.J. - (1980)
Potential mechanism of insulin action on glucose transport in the isolated rat adipose cell. Apparent translocation of intracellular transport systems to the plasma membrane.
J Biol Chem 255 (10), pp. 4758-4762

- Dahl G., Levine E., Rabadan-Diehl C. & Werner R. - (1991)
Cell/cell channel formation involves disulfide exchange.
Eur J Biochem 197 (1), pp. 141-144

- D'Amore T. & Lo T.C. - (1986)
Hexose transport in L6 rat myoblasts. II. The effects of sulfhydryl reagents.
J Cell Physiol 127 (1), pp. 106-113

- Davidson N.O., Hausman A.M., Ifkovits C.A., Buse J.B., Gould G.W., Burant C.F. & Bell G.I. - (1992)
Human intestinal glucose transporter expression and localization of GLUT5.
Am J Physiol 262 (3 Pt 1), pp. C795-800

- Davies A., Meeran K., Cairns M.T. & Baldwin S.A. - (1987)
Peptide-specific antibodies as probes of the orientation of the glucose transporter in the human erythrocyte membrane.
J Biol Chem 262 (19), pp. 9347-9352

- De Vivo D.C., Trifiletti R.R., Jacobson R.I., Ronen G.M., Behmand R.A. & Harik S.I. - (1991)
Defective glucose transport across the blood-brain barrier as a cause of persistent hypoglycorrhachia, seizures, and developmental delay.
N Engl J Med 325 (10), pp. 703-709

- Deng W.P. & Nickoloff J.A. - (1992)
Site-directed mutagenesis of virtually any plasmid by eliminating a unique site.
Anal Biochem 200 (1), pp. 81-88

- Deziel M.R., Jung C.Y. & Rothstein A. - (1985)
The topology of the major band 4.5 protein component of the human erythrocyte membrane: characterization of reactive cysteine residues.
Biochim Biophys Acta 819 (1), pp. 83-92

- Dick A.P., Harik S.I., Klip A. & Walker D.M. - (1984)
Identification and characterization of the glucose transporter of the blood-brain barrier by cytochalasin B binding and immunological reactivity.
Proc Natl Acad Sci USA 81 (22), pp. 7233-7237

- Dick E.G., Dick D.A. & Bradbury S. - (1970)
The effect of surface microvilli on the water permeability of single toad oocytes.
J Cell Sci 6 (2), pp. 451-476

- Doege H., Schurmann A., Ohnimus H., Monser V., Holman G.D. & Joost H.G. - (1998)
Serine-294 and threonine-295 in the exofacial loop domain between helices 7 and 8 of glucose transporters (GLUT) are involved in the conformational alterations during the transport process.
Biochem J 329 (2), pp. 289-293

- Doege H., Bocianski A., Joost H.G. & Schurmann A. - (2000a)
Activity and genomic organization of human glucose transporter 9 (GLUT9), a novel member of the family of sugar-transport facilitators predominantly expressed in brain and leucocytes.
Biochem J 350 (3), pp. 771-776

- Doege H., Schurmann A., Bahrenberg G., Brauers A. & Joost H.G. - (2000b)
GLUT8, a novel member of the sugar transport facilitator family with glucose transport activity.
J Biol Chem 275 (21), pp. 16275-16280
- Doege H., Bocianski A., Scheepers A., Axer H., Eckel J., Joost H.G. & Schurmann A. - (2001)
Characterization of human glucose transporter (GLUT) 11 (encoded by SLC2A11), a novel sugar-transport facilitator specifically expressed in heart and skeletal muscle.
Biochem J 359 (2), pp. 443-449.
- Ducarme P., Rahman M., Lins L. & Brasseur R. - (1996)
The erythrocyte/brain glucose transporter (GLUT1) may adopt a two-channel transmembrane alpha/beta structure.
J Mol Model [Electronic Publication] (2), pp. 27-45
- Due A.D., Cook J.A., Fletcher S.J., Qu Z.C., Powers A.C. & May J.M. - (1995a)
A "cysteineless" GLUT1 glucose transporter has normal function when expressed in *Xenopus* oocytes.
Biochem Biophys Res Commun 208 (2), pp. 590-596
- Due A.D., Qu Z.C., Thomas J.M., Buchs A., Powers A.C. & May J.M. - (1995b)
Role of the C-terminal tail of the GLUT1 glucose transporter in its expression and function in *Xenopus laevis* oocytes.
Biochemistry 34 (16), pp. 5462-5471
- Dumont J.N. - (1972)
Oogenesis in *Xenopus laevis* (Daudin). I. Stages of oocyte development in laboratory maintained animals.
J Morphol 136 (2), pp. 153-179.
- Dunten R.L., Sahin-Toth M. & Kaback H.R. - (1993)
Cysteine scanning mutagenesis of putative helix XI in the lactose permease of *Escherichia coli*.
Biochemistry 32 (47), pp. 12644-12650
- Eilam Y. & Stein W.D. - (1974).
In: Methods in Membrane Biology. E.D. Korn (Ed.)
New York: Plenum Press, Vol. 2, pp. 283-354
- Eisenberg D., Schwarz E., Komaromy M. & Wall R. - (1984)
Analysis of membrane and surface protein sequences with the hydrophobic moment plot.
J Mol Biol 179 (1), pp. 125-142
- Ellis R.J. - (1966)
Sulphur metabolism: the usefulness of N-ethylmaleimide.
Nature 211 (55), pp. 1266-1268

- Ferrannini E., Bjorkman O., Reichard G.A., Jr., Pilo A., Olsson M., Wahren J. & DeFronzo R.A. - (1985)
The disposal of an oral glucose load in healthy subjects. A quantitative study.
Diabetes 34 (6), pp. 580-588

- Fischbarg J., Kuang K.Y., Hirsch J., Lecuona S., Rogozinski L., Silverstein S.C. & Loike J. - (1989)
Evidence that the glucose transporter serves as a water channel in J774 macrophages.
Proc Natl Acad Sci USA 86 (21), pp. 8397-8401

- Fischbarg J., Kuang K.Y., Vera J.C., Arant S., Silverstein S.C., Loike J. & Rosen O.M. - (1990)
Glucose transporters serve as water channels.
Proc Natl Acad Sci USA 87 (8), pp. 3244-3247

- Fischbarg J., Cheung M., Czegledy F., Li J., Iserovich P., Kuang K., Hubbard J., Garner M., Rosen O.M. & Golde D.W. - (1993)
Evidence that facilitative glucose transporters may fold as beta-barrels.
Proc Natl Acad Sci USA 90 (24), pp. 11658-11662

- Fischbarg J., Cheung M., Li J., Iserovich P., Czegledy F., Kuang K. & Garner M. - (1994)
Are most transporters and channels beta barrels?
Mol Cell Biochem 140 (2), pp. 147-162

- Fletcher L.M. & Tavaré J.M. - (1999)
Divergent signalling mechanisms involved in insulin-stimulated GLUT4 vesicle trafficking to the plasma membrane.
Biochem Soc Trans 27 (4), pp. 677-683

- Frillingos S., Sahin-Toth M., Persson B. & Kaback H.R. - (1994)
Cysteine-scanning mutagenesis of putative helix VII in the lactose permease of *Escherichia coli*.
Biochemistry 33 (26), pp. 8074-8081

- Frillingos S. & Kaback H.R. - (1997)
The role of helix VIII in the lactose permease of *Escherichia coli*: II. Site-directed sulfhydryl modification.
Protein Sci 6 (2), pp. 438-443

- Frillingos S., Sun J., Gonzalez A. & Kaback H.R. - (1997)
Cysteine-scanning mutagenesis of helix II and flanking hydrophilic domains in the lactose permease of *Escherichia coli*.
Biochemistry 36 (1), pp. 269-273

- Frillingos S., Sahin-Toth M., Wu J. & Kaback H.R. - (1998)
Cys-scanning mutagenesis: a novel approach to structure function relationships in polytopic membrane proteins.
Faseb J 12 (13), pp. 1281-1299

- Froehner S.C., Davies A., Baldwin S.A. & Lienhard G.E. - (1988)
The blood-nerve barrier is rich in glucose transporter.
J Neurocytol 17 (2), pp. 173-178

- Fukumoto H., Seino S., Imura H., Seino Y., Eddy R.L., Fukushima Y., Byers M.G., Shows T.B. & Bell G.I. - (1988)
Sequence, tissue distribution, and chromosomal localization of mRNA encoding a human glucose transporter-like protein.
Proc Natl Acad Sci USA 85 (15), pp. 5434-5438

- Fukumoto H., Kayano T., Buse J.B., Edwards Y., Pilch P.F., Bell G.I. & Seino S. - (1989)
Cloning and characterization of the major insulin-responsive glucose transporter expressed in human skeletal muscle and other insulin-responsive tissues.
J Biol Chem 264 (14), pp. 7776-7779

- Gaedigk-Nitschko K., Ding M.X., Levy M.A. & Schlesinger M.J. - (1990)
Site-directed mutations in the Sindbis virus 6K protein reveal sites for fatty acylation and the underacylated protein affects virus release and virion structure.
Virology 175 (1), pp. 282-291

- Garcia J.C., Strube M., Leingang K., Keller K. & Mueckler M. - (1992)
Amino acid substitutions at tryptophan 388 and tryptophan 412 of the HepG2 (GLUT1) glucose transporter inhibit transport activity and targeting to the plasma membrane in *Xenopus* oocytes.
J Biol Chem 267 (11), pp. 7770-7776

- Geck P. - (1971)
Properties of an asymmetrical carrier model for the transport of sugars by human erythrocytes.
Biochim Biophys Acta 241 (2), pp. 462-472

- Geever R.F., Huiet L., Baum J.A., Tyler B.M., Patel V.B., Rutledge B.J., Case M.E. & Giles N.H. - (1989)
DNA sequence, organization and regulation of the qa gene cluster of *Neurospora crassa*.
J Mol Biol 207 (1), pp. 15-34

- Gerhart D.Z. & Drewes L.R. - (1990)
Glucose transporters at the blood-nerve barrier are associated with perineurial cells and endoneurial microvessels.
Brain Res 508 (1), pp. 46-50

- Goswitz V.C. & Brooker R.J. - (1995)
Structural features of the uniporter/symporter/antiporter superfamily.
Protein Sci 4 (3), pp. 534-537

- Gould G.W. & Lienhard G.E. - (1989)
Expression of a functional glucose transporter in *Xenopus* oocytes.
Biochemistry 28 (24), pp. 9447-9452
- Gould G.W., Thomas H.M., Jess T.J. & Bell G.I. - (1991)
Expression of human glucose transporters in *Xenopus* oocytes: kinetic characterization and substrate specificities of the erythrocyte, liver, and brain isoforms.
Biochemistry 30 (21), pp. 5139-5145
- Gould G.W. & Holman G.D. - (1993)
The glucose transporter family: structure, function and tissue-specific expression.
Biochem J 295 (2), pp. 329-341
- Griffith J.K., Baker M.E., Rouch D.A., Page M.G., Skurray R.A., Paulsen I.T., Chater K.F., Baldwin S.A. & Henderson P.J. - (1992)
Membrane transport proteins: implications of sequence comparisons.
Curr Opin Cell Biol 4 (4), pp. 684-695
- Gurdon J.B., Lane C.D., Woodland H.R. & Marbaix G. - (1971)
Use of frog eggs and oocytes for the study of messenger RNA and its translation in living cells.
Nature 233 (5316), pp. 177-182
- Gurdon J.B. & Wickens M.P. - (1983)
The use of *Xenopus* oocytes for the expression of cloned genes.
Methods Enzymol 101, pp. 370-386
- Hacker H.J., Thorens B. & Grobholz R. - (1991)
Expression of facilitative glucose transporter in rat liver and choroid plexus. A histochemical study in native cryostat sections.
Histochemistry 96 (5), pp. 435-439
- Harik S.I., Kalaria R.N., Whitney P.M., Andersson L., Lundahl P., Ledbetter S.R. & Perry G. - (1990)
Glucose transporters are abundant in cells with "occluding" junctions at the blood-eye barriers.
Proc Natl Acad Sci USA 87 (11), pp. 4261-4264
- Hashiramoto M., Kadowaki T., Clark A.E., Muraoka A., Momomura K., Sakura H., Tobe K., Akanuma Y., Yazaki Y. & Holman G.D. - (1992)
Site-directed mutagenesis of GLUT1 in helix 7 residue 282 results in perturbation of exofacial ligand binding.
J Biol Chem 267 (25), pp. 17502-17507
- Haupts U., Tittor J. & Oesterhelt D. - (1999)
Closing in on bacteriorhodopsin: progress in understanding the molecule.
Annu Rev Biophys Biomol Struct 28, pp. 367-399

- Hawkins A.R., Lamb H.K., Smith M., Keyte J.W. & Roberts C.F. - (1988)
Molecular organisation of the quinic acid utilization (QUT) gene cluster in *Aspergillus nidulans*.
Mol Gen Genet 214 (2), pp. 224-231

- He M.M., Sun J. & Kaback H.R. - (1996)
Cysteine-scanning mutagenesis of transmembrane domain XII and the flanking periplasmic loop in the lactose permease of *Escherichia coli*.
Biochemistry 35 (39), pp. 12909-12914

- Hebert D.N. & Carruthers A. - (1991)
Cholate-solubilized erythrocyte glucose transporters exist as a mixture of homodimers and homotetramers.
Biochemistry 30 (19), pp. 4654-4658

- Hebert D.N. & Carruthers A. - (1992)
Glucose transporter oligomeric structure determines transporter function. Reversible redox-dependent interconversions of tetrameric and dimeric GLUT1.
J Biol Chem 267 (33), pp. 23829-23838

- Hediger M.A., Coady M.J., Ikeda T.S. & Wright E.M. - (1987)
Expression cloning and cDNA sequencing of the Na⁺/glucose co-transporter.
Nature 330 (6146), pp. 379-381

- Helgerson A.L. & Carruthers A. - (1987)
Equilibrium ligand binding to the human erythrocyte sugar transporter. Evidence for two sugar-binding sites per carrier.
J Biol Chem 262 (12), pp. 5464-5475

- Helgerson A.L., Hebert D.N., Naderi S. & Carruthers A. - (1989)
Characterization of two independent modes of action of ATP on human erythrocyte sugar transport.
Biochemistry 28 (15), pp. 6410-6417

- Hilken G., Iglauer F. & Richter H.-P. - (1997)
Der Krallenfrosch *Xenopus laevis* als Labortier: Biologie, Haltung, Zucht und experimentelle Nutzung.
Stuttgart: Ferdinand Enke Verlag

- Hitchcock M.J., Ginns E.I. & Marcus-Sekura C.J. - (1987)
Microinjection into *Xenopus* oocytes: equipment.
Methods Enzymol 152, pp. 276-284

- Holman G.D. & Rees W.D. - (1987)
Photolabelling of the hexose transporter at external and internal sites: fragmentation patterns and evidence for a conformational change.
Biochim Biophys Acta 897 (3), pp. 395-405

- Holman G.D., Kozka I.J., Clark A.E., Flower C.J., Saltis J., Habberfield A.D., Simpson I.A. & Cushman S.W. - (1990)
Cell surface labeling of glucose transporter isoform GLUT4 by bis- mannose photolabel. Correlation with stimulation of glucose transport in rat adipose cells by insulin and phorbol ester.
J Biol Chem 265 (30), pp. 18172-18179
- Howard T.D., Mcauley-Hecht K.E. & Cogdell R.J. - (2000).
Crystallization of membrane proteins.
In: Membrane Transport - practical approach. S.A. Baldwin (Ed.)
Oxford, New York: Oxford University Press, pp. 269-307
- Hresko R.C., Kruse M., Strube M. & Mueckler M. - (1994)
Topology of the GLUT1 glucose transporter deduced from glycosylation scanning mutagenesis.
J Biol Chem 269 (32), pp. 20482-20488
- Hruz P.W. & Mueckler M. - (1999)
Cysteine-scanning mutagenesis of transmembrane segment 7 of the GLUT1 glucose transporter.
J Biol Chem 274 (51), pp. 36176-36180
- Hruz P.W. & Mueckler M. - (2000)
Cysteine-scanning mutagenesis of transmembrane segment 11 of the GLUT1 facilitative glucose transporter.
Biochemistry 39 (31), pp. 9367-9372
- Hruz P.W. & Mueckler M. - (2001)
Structural analysis of the GLUT1 facilitative glucose transporter (review).
Mol Membr Biol 18 (3), pp. 183-193.
- Ibberson M., Uldry M. & Thorens B. - (2000)
GLUTX1, a novel mammalian glucose transporter expressed in the central nervous system and insulin-sensitive tissues.
J Biol Chem 275 (7), pp. 4607-4612
- Ishihara H., Asano T., Katagiri H., Lin J.L., Tsukuda K., Shibasaki Y., Yazaki Y. & Oka Y. - (1991)
The glucose transport activity of GLUT1 is markedly decreased by substitution of a single amino acid with a different charge at residue 415.
Biochem Biophys Res Commun 176 (2), pp. 922-930
- Jahnig F. - (1990)
Structure predictions of membrane proteins are not that bad.
Trends Biochem Sci 15 (3), pp. 93-95
- James D.E., Brown R., Navarro J. & Pilch P.F. - (1988)
Insulin-regulatable tissues express a unique insulin-sensitive glucose transport protein.
Nature 333 (6169), pp. 183-185

- James D.E., Strube M. & Mueckler M. - (1989)
Molecular cloning and characterization of an insulin-regulatable glucose transporter.
Nature 338 (6210), pp. 83-87

- Jhun B.H., Rampal A.L., Liu H., Lachaal M. & Jung C.Y. - (1992)
Effects of insulin on steady state kinetics of GLUT4 subcellular distribution in rat adipocytes. Evidence of constitutive GLUT4 recycling.
J Biol Chem 267 (25), pp. 17710-17715

- Joost H.G. & Thorens B. - (2001)
The extended GLUT-family of sugar/polyol transport facilitators: nomenclature, sequence characteristics, and potential function of its novel members (review).
Mol Membr Biol 18 (4), pp. 247-256

- Joost H.G., Bell G.I., Best J.D., Birnbaum M.J., Charron M.J., Chen Y.T., Doege H., James D.E., Lodish H.F., Moley K.H., Moley J.F., Mueckler M., Rogers S., Schurmann A., Seino S. & Thorens B. - (2002)
Nomenclature of the GLUT/SLC2A family of sugar/polyol transport facilitators.
Am J Physiol Endocrinol Metab 282 (4), pp. E974-976

- Jung E.K., Chin J.J. & Jung C.Y. - (1986)
Structural basis of human erythrocyte glucose transporter function in reconstituted system. Hydrogen exchange.
J Biol Chem 261 (20), pp. 9155-9160

- Jung H., Jung K. & Kaback H.R. - (1994)
Cysteine 148 in the lactose permease of *Escherichia coli* is a component of a substrate binding site. 1. Site-directed mutagenesis studies.
Biochemistry 33 (40), pp. 12160-12165

- Kaback H.R., Jung K., Jung H., Wu J., Prive G.G. & Zen K. - (1993)
What's new with lactose permease.
J Bioenerg Biomembr 25 (6), pp. 627-636

- Kaback H.R. & Wu J. - (1997)
From membrane to molecule to the third amino acid from the left with a membrane transport protein.
Q Rev Biophys 30 (4), pp. 333-364

- Kaestner K.H., Christy R.J., McLenithan J.C., Braiterman L.T., Cornelius P., Pekala P.H. & Lane M.D. - (1989)
Sequence, tissue distribution, and differential expression of mRNA for a putative insulin-responsive glucose transporter in mouse 3T3-L1 adipocytes.
Proc Natl Acad Sci USA 86 (9), pp. 3150-3154

- Karlin A. & Akabas M.H. - (1998)
Substituted-cysteine accessibility method.
Methods Enzymol 293, pp. 123-145

- Karlson P., Doenecke D. & Koolman J. - (1994)
Kurzes Lehrbuch der Biochemie für Mediziner und Naturwissenschaftler.
Stuttgart, New York: Georg Thieme Verlag Stuttgart

- Kasahara M. & Hinkle P.C. - (1977)
Reconstitution and purification of the D-glucose transporter from human erythrocytes.
J Biol Chem 252 (20), pp. 7384-7390

- Kasanicki M.A., Cairns M.T., Davies A., Gardiner R.M. & Baldwin S.A. - (1987)
Identification and characterization of the glucose-transport protein of the bovine blood/brain barrier.
Biochem J 247 (1), pp. 101-108

- Katagiri H., Asano T., Shibasaki Y., Lin J.L., Tsukuda K., Ishihara H., Akanuma Y., Takaku F. & Oka Y. - (1991)
Substitution of leucine for tryptophan 412 does not abolish cytochalasin B labeling but markedly decreases the intrinsic activity of GLUT1 glucose transporter.
J Biol Chem 266 (12), pp. 7769-7773

- Kayano T., Fukumoto H., Eddy R.L., Fan Y.S., Byers M.G., Shows T.B. & Bell G.I. - (1988)
Evidence for a family of human glucose transporter-like proteins. Sequence and gene localization of a protein expressed in fetal skeletal muscle and other tissues.
J Biol Chem 263 (30), pp. 15245-15248

- Kayano T., Burant C.F., Fukumoto H., Gould G.W., Fan Y.S., Eddy R.L., Byers M.G., Shows T.B., Seino S. & Bell G.I. - (1990)
Human facilitative glucose transporters. Isolation, functional characterization, and gene localization of cDNAs encoding an isoform (GLUT5) expressed in small intestine, kidney, muscle, and adipose tissue and an unusual glucose transporter pseudogene-like sequence (GLUT6).
J Biol Chem 265 (22), pp. 13276-13282

- Keller K., Strube M. & Mueckler M. - (1989)
Functional expression of the human HepG2 and rat adipocyte glucose transporters in *Xenopus* oocytes. Comparison of kinetic parameters.
J Biol Chem 264 (32), pp. 18884-18889

- Keller K. & Mueckler M. - (1990)
Different mammalian facilitative glucose transporters expressed in *Xenopus* oocytes.
Biomed Biochim Acta 49 (12), pp. 1201-1203

- Keller K. & Olsowski A. - (1999)
Probing the local secondary structure and structure-function relationship of the glucose transporter GLUT1 by cysteine mutation and cysteine-scanning mutagenesis.
Recent Res Devel Biochem 1, pp. 29-44

- Klepper J., Vera J.C. & De Vivo D.C. - (1998)
Deficient transport of dehydroascorbic acid in the glucose transporter protein syndrome.
Ann Neurol 44 (2), pp. 286-287

- Krieg P.A. & Melton D.A. - (1987)
In vitro RNA synthesis with SP6 RNA polymerase.
Methods Enzymol 155, pp. 397-415

- Krieg P.A. - (1990)
Improved synthesis of full-length RNA probe at reduced incubation temperatures.
Nucleic Acids Res 18 (21), pp. 6463

- Kunkel T.A., Loeb L.A. & Goodman M.F. - (1984)
On the fidelity of DNA replication. The accuracy of T4 DNA polymerases in copying phi X174 DNA in vitro.
J Biol Chem 259 (3), pp. 1539-1545.

- Kunkel T.A., Sabatino R.D. & Bambara R.A. - (1987)
Exonucleolytic proofreading by calf thymus DNA polymerase delta.
Proc Natl Acad Sci USA 84 (14), pp. 4865-4869

- Kyte J. & Doolittle R.F. - (1982)
A simple method for displaying the hydropathic character of a protein.
J Mol Biol 157 (1), pp. 105-132

- Laybutt D.R., Thompson A.L., Cooney G.J. & Kraegen E.W. - (1997)
Selective chronic regulation of GLUT1 and GLUT4 content by insulin, glucose, and lipid in rat cardiac muscle in vivo.
Am J Physiol 273 (3 Pt 2), pp. H1309-1316

- Lebron J.A., Bennett M.J., Vaughn D.E., Chirino A.J., Snow P.M., Mintier G.A., Feder J.N. & Bjorkman P.J. - (1998)
Crystal structure of the hemochromatosis protein HFE and characterization of its interaction with transferrin receptor.
Cell 93 (1), pp. 111-123

- LeFevre P.G. - (1961)
Sugar transport in the red blood cell: structure-activity relationships in substrates and antagonists.
Pharmacol Rev (13), pp. 39-70

- Lengeler J.W., Titgemeyer F., Vogler A.P. & Wohrl B.M. - (1990)
Structures and homologies of carbohydrate: phosphotransferase system (PTS) proteins.
Philos Trans R Soc Lond B Biol Sci 326 (1236), pp. 489-504

- Lienhard G.E., Slot J.W., James D.E. & Mueckler M. - (1992)
How cells absorb glucose.
Sci Am 266 (1), pp. 86-91

- Lo B. & Silverman M. - (1998)
Cysteine scanning mutagenesis of the segment between putative transmembrane helices IV and V of the high affinity Na⁺/Glucose cotransporter SGLT1. Evidence that this region participates in the Na⁺ and voltage dependence of the transporter.
J Biol Chem 273 (45), pp. 29341-29351

- Lowe A.G. & Walmsley A.R. - (1986)
The kinetics of glucose transport in human red blood cells.
Biochim Biophys Acta 857 (2), pp. 146-154.

- Lund-Andersen H. - (1979)
Transport of glucose from blood to brain.
Physiol Rev 59 (2), pp. 305-352

- Maher F., Vannucci S., Takeda J. & Simpson I.A. - (1992)
Expression of mouse-GLUT3 and human-GLUT3 glucose transporter proteins in brain.
Biochem Biophys Res Commun 182 (2), pp. 703-711

- Maiden M.C., Davis E.O., Baldwin S.A., Moore D.C. & Henderson P.J. - (1987)
Mammalian and bacterial sugar transport proteins are homologous.
Nature 325 (6105), pp. 641-643

- Marger M.D. & Saier M.H., Jr. - (1993)
A major superfamily of transmembrane facilitators that catalyze uniport, symport and antiport.
Trends Biochem Sci 18 (1), pp. 13-20

- Marshall B.A., Murata H., Hresko R.C. & Mueckler M. - (1993)
Domains that confer intracellular sequestration of the GLUT4 glucose transporter in *Xenopus* oocytes.
J Biol Chem 268 (35), pp. 26193-26199

- May J.M. - (1985)
The inhibition of hexose transport by permeant and impermeant sulfhydryl agents in rat adipocytes.
J Biol Chem 260 (1), pp. 462-467

- May J.M., Buchs A. & Carter-Su C. - (1990)
Localization of a reactive exofacial sulfhydryl on the glucose carrier of human erythrocytes.
Biochemistry 29 (45), pp. 10393-10398

- McGrady P. - (1973)
The Persecuted Drug: The Story of DMSO.
New York: Charter

- McVie-Wylie A.J., Lamson D.R. & Chen Y.T. - (2001)
Molecular cloning of a novel member of the GLUT family of transporters, SLC2a10 (GLUT10), localized on chromosome 20q13.1: a candidate gene for NIDDM susceptibility.
Genomics 72 (1), pp. 113-117.

- Meins M., Jenö P., Müller D., Richter W.J., Rosenbusch J.P. & Erni B. - (1993)
Cysteine phosphorylation of the glucose transporter of *Escherichia coli*.
J Biol Chem 268 (16), pp. 11604-11609

- Merriman-Smith R., Donaldson P. & Kistler J. - (1999)
Differential expression of facilitative glucose transporters GLUT1 and GLUT3 in the lens.
Invest Ophthalmol Vis Sci 40 (13), pp. 3224-3230

- Messing J. - (1983)
New M13 vectors for cloning.
Methods Enzymol 101, pp. 20-78

- Miyamoto K., Tatsumi S., Morimoto A., Minami H., Yamamoto H., Sone K., Taketani Y., Nakabou Y., Oka T. & Takeda E. - (1994)
Characterization of the rabbit intestinal fructose transporter (GLUT5).
Biochem J 303 (3), pp. 877-883

- Mori H., Hashiramoto M., Clark A.E., Yang J., Muraoka A., Tamori Y., Kasuga M. & Holman G.D. - (1994)
Substitution of tyrosine 293 of GLUT1 locks the transporter into an outward facing conformation.
J Biol Chem 269 (15), pp. 11578-11583

- Mueckler M., Caruso C., Baldwin S.A., Panico M., Blench I., Morris H.R., Allard W.J., Lienhard G.E. & Lodish H.F. - (1985)
Sequence and structure of a human glucose transporter.
Science. 229 (4717), pp. 941-945

- Mueckler M. - (1994)
Facilitative glucose transporters.
Eur J Biochem 219 (3), pp. 713-725

- Mueckler M., Weng W. & Kruse M. - (1994)
Glutamine 161 of GLUT1 glucose transporter is critical for transport activity and exofacial ligand binding.
J Biol Chem 269 (32), pp. 20533-20538

- Mueckler M. & Makepeace C. - (1997)
Identification of an amino acid residue that lies between the exofacial vestibule and exofacial substrate-binding site of the GLUT1 sugar permeation pathway.
J Biol Chem 272 (48), pp. 30141-30146

- Mueckler M. & Makepeace C. - (1999)
Transmembrane segment 5 of the GLUT1 glucose transporter is an amphipathic helix that forms part of the sugar permeation pathway.
J Biol Chem 274 (16), pp. 10923-10926
- Mueckler M. & Makepeace C. - (2002)
Analysis of transmembrane segment 10 of the GLUT1 glucose transporter by cysteine-scanning mutagenesis and substituted cysteine accessibility.
J Biol Chem 277 (5), pp. 3498-3503
- Nagamatsu S., Kornhauser J.M., Burant C.F., Seino S., Mayo K.E. & Bell G.I. - (1992)
Glucose transporter expression in brain. cDNA sequence of mouse GLUT3, the brain facilitative glucose transporter isoform, and identification of sites of expression by in situ hybridization.
J Biol Chem 267 (1), pp. 467-472
- Nikawa J., Tsukagoshi Y. & Yamashita S. - (1991)
Isolation and characterization of two distinct myo-inositol transporter genes of *Saccharomyces cerevisiae*.
J Biol Chem 266 (17), pp. 11184-11191
- Nishimura H., Pallardo F.V., Seidner G.A., Vannucci S., Simpson I.A. & Birnbaum M.J. - (1993)
Kinetics of GLUT1 and GLUT4 glucose transporters expressed in *Xenopus* oocytes.
J Biol Chem 268 (12), pp. 8514-8520
- Oka Y., Asano T., Shibasaki Y., Lin J.L., Tsukuda K., Katagiri H., Akanuma Y. & Takaku F. - (1990)
C-terminal truncated glucose transporter is locked into an inward-facing form without transport activity.
Nature 345 (6275), pp. 550-553
- Okuno Y. & Gliemann J. - (1986)
Transport of glucose and fructose in rat hepatocytes at 37° C.
Biochim Biophys Acta 862 (2), pp. 329-334
- Orci L., Thorens B., Ravazzola M. & Lodish H.F. - (1989)
Localization of the pancreatic beta cell glucose transporter to specific plasma membrane domains.
Science. 245 (4915), pp. 295-297
- Peden K.W. - (1983)
Revised sequence of the tetracycline-resistance gene of pBR322.
Gene 22 (2-3), pp. 277-280
- Pessino A., Hebert D.N., Woon C.W., Harrison S.A., Clancy B.M., Buxton J.M., Carruthers A. & Czech M.P. - (1991)
Evidence that functional erythrocyte-type glucose transporters are oligomers.
J Biol Chem 266 (30), pp. 20213-20217

- Phay J.E., Hussain H.B. & Moley J.F. - (2000)
Cloning and expression analysis of a novel member of the facilitative glucose transporter family, SLC2A9 (GLUT9).
Genomics 66 (2), pp. 217-220

- Preston G.M., Jung J.S., Guggino W.B. & Agre P. - (1993)
The mercury-sensitive residue at cysteine 189 in the CHIP28 water channel.
J Biol Chem 268 (1), pp. 17-20

- Rand E.B., Depaoli A.M., Davidson N.O., Bell G.I. & Burant C.F. - (1993)
Sequence, tissue distribution, and functional characterization of the rat fructose transporter GLUT5.
Am J Physiol 264 (1), pp. 1169-1176

- Rea S. & James D.E. - (1997)
Moving GLUT4: the biogenesis and trafficking of GLUT4 storage vesicles.
Diabetes 46 (11), pp. 1667-1677

- Riordan J.F. & ValleeLienhard B.L. - (1972)
Reactions with N-Ethylmaleimide and p-Mercuribenzoate.
Methods Enzymol 25, pp. 449-456

- Rodnick K.J., Slot J.W., Studelska D.R., Hanpeter D.E., Robinson L.J., Geuze H.J. & James D.E. - (1992)
Immunocytochemical and biochemical studies of GLUT4 in rat skeletal muscle.
J Biol Chem 267 (9), pp. 6278-6285

- Rumsey S.C., Welch R.W., Garraffo H.M., Ge P., Lu S.F., Crossman A.T., Kirk K.L. & Levine M. - (1999)
Specificity of ascorbate analogs for ascorbate transport. Synthesis and detection of [(125)I]6-deoxy-6-iodo-L-ascorbic acid and characterization of its ascorbate-specific transport properties.
J Biol Chem 274 (33), pp. 23215-23222

- Sachs L. - (1984)
Angewandte Statistik.
Berlin, Heidelberg, New York, Tokyo: Springer Verlag

- Sahin-Toth M. & Kaback H.R. - (1993)
Cysteine-scanning mutagenesis of putative transmembrane helices IX and X in the lactose permease of *Escherichia coli*.
Protein Sci 2 (6), pp. 1024-1033

- Sambrook J., Fritsch E.F. & Maniatis T. - (1989)
Molecular cloning.
Cold Spring Harbor: Laboratory Press

- Sanger F., Nicklen S. & Coulson A.R. - (1977)
DNA sequencing with chain-terminating inhibitors.
Proc Natl Acad Sci USA 74 (12), pp. 5463-5467

- Santalucia T., Camps M., Castello A., Munoz P., Nuel A., Testar X., Palacin M. & Zorzano A. - (1992)
Developmental regulation of GLUT-1 (erythroid/Hep G2) and GLUT-4 (muscle/fat) glucose transporter expression in rat heart, skeletal muscle, and brown adipose tissue. *Endocrinology* 130 (2), pp. 837-846
- Santer R., Schneppenheim R., Dombrowski A., Gotze H., Steinmann B. & Schaub J. - (1997)
Mutations in GLUT2, the gene for the liver-type glucose transporter, in patients with Fanconi-Bickel syndrom. *Nat Genet* 17 (3), pp. 324-326
- Schenborn E.T. & Mierendorf R.C., Jr. - (1985)
A novel transcription property of SP6 and T7 RNA polymerases: dependence on template structure. *Nucleic Acids Res* 13 (17), pp. 6223-6236
- Seatter M.J., De la Rue S.A., Porter L.M. & Gould G.W. - (1998)
QLS motif in transmembrane helix VII of the glucose transporter family interacts with the C-1 position of D-glucose and is involved in substrate selection at the exofacial binding site. *Biochemistry* 37 (5), pp. 1322-1326
- Shepherd P.R., Gibbs E.M., Wesslau C., Gould G.W. & Kahn B.B. - (1992)
Human small intestine facilitative fructose/glucose transporter (GLUT5) is also present in insulin-responsive tissues and brain. Investigation of biochemical characteristics and translocation. *Diabetes* 41 (10), pp. 1360-1365
- Silverman M. - (1991)
Structure and function of hexose transporters. *Annu Rev Biochem* 60, pp. 757-794
- Slot J.W., Geuze H.J., Gigengack S., Lienhard G.E. & James D.E. - (1991)
Immuno-localization of the insulin regulatable glucose transporter in brown adipose tissue of the rat. *J Cell Biol* 113 (1), pp. 123-135
- Smith L.D., Xu W. & Varnold R.L. - (1991).
Oogenesis and Oocyte Isolation.
In: Methods in Cell Biology. B.K. Kay & H.B. Peng (Eds.)
San Diego: Academic Press Inc., Vol. 36, pp. 45-60
- Stein W.D. - (1986)
Transport and Diffusion across Cell Membranes.
Orlando: Academic Press Inc., Vol. 356, 231-305

- Steinacker P., Awni L.A., Becker S., Cole T., Reymann S., Hesse D., Kratzin H.D., Morris-Wortmann C., Schwarzer C., Thinnies F.P. & Hilschmann N. - (2000)
The plasma membrane of *Xenopus laevis* oocytes contains voltage- dependent anion-selective porin channels.
Int J Biochem Cell Biol 32 (2), pp. 225-234.
- Subtil A., Lampson M.A., Keller S.R. & McGraw T.E. - (2000)
Characterization of the insulin-regulated endocytic recycling mechanism in 3T3-L1 adipocytes using a novel reporter molecule.
J Biol Chem 275 (7), pp. 4787-4795
- Suzue K., Lodish H.F. & Thorens B. - (1989)
Sequence of the mouse liver glucose transporter.
Nucleic Acids Res 17 (23), pp. 10099
- Suzuki K. & Kono T. - (1980)
Evidence that insulin causes translocation of glucose transport activity to the plasma membrane from an intracellular storage site.
Proc Natl Acad Sci USA 77 (5), pp. 2542-2545
- Takata K., Kasahara T., Kasahara M., Ezaki O. & Hirano H. - (1990)
Erythrocyte/HepG2-type glucose transporter is concentrated in cells of blood-tissue barriers.
Biochem Biophys Res Commun 173 (1), pp. 67-73
- Tamori Y., Hashiramoto M., Clark A.E., Mori H., Muraoka A., Kadowaki T., Holman G.D. & Kasuga M. - (1994)
Substitution at Pro385 of GLUT1 perturbs the glucose transport function by reducing conformational flexibility.
J Biol Chem 269 (4), pp. 2982-2986
- Tang X.B., Fujinaga J., Kopito R. & Casey J.R. - (1998)
Topology of the region surrounding Glu681 of human AE1 protein, the erythrocyte anion exchanger.
J Biol Chem 273 (35), pp. 22545-22553
- Tanner J.W., Leingang K.A., Mueckler M. & Glenn K.C. - (1992)
Cellular mechanism of the insulin-like effect of growth hormone in adipocytes. Rapid translocation of the HepG2-type and adipocyte/muscle glucose transporters.
Biochem J 282 (Pt 1), pp. 99-106
- Taylor L.P. & Holman G.D. - (1981)
Symmetrical kinetic parameters for 3-O-methyl-D-glucose transport in adipocytes in the presence and in the absence of insulin.
Biochim Biophys Acta 642 (2), pp. 325-335

- Thorens B., Sarkar H.K., Kaback H.R. & Lodish H.F. - (1988)
Cloning and functional expression in bacteria of a novel glucose transporter present in liver, intestine, kidney, and beta-pancreatic islet cells.
Cell 55 (2), pp. 281-290

- Thorens B., Cheng Z.Q., Brown D. & Lodish H.F. - (1990)
Liver glucose transporter: a basolateral protein in hepatocytes and intestine and kidney cells.
Am J Physiol 259 (6), pp. 279-285

- Tordjman K.M., Leingang K.A. & Mueckler M. - (1990)
Differential regulation of the HepG2 and adipocyte/muscle glucose transporters in 3T3L1 adipocytes. Effect of chronic glucose deprivation.
Biochem J 271 (1), pp. 201-207

- van Iwaarden P.R., Pastore J.C., Konings W.N. & Kaback H.R. - (1991)
Construction of a functional lactose permease devoid of cysteine residues.
Biochemistry 30 (40), pp. 9595-9600

- van Iwaarden P.R., Driessen A.J. & Konings W.N. - (1992)
What we can learn from the effects of thiol reagents on transport proteins.
Biochim Biophys Acta 1113 (2), pp. 161-170

- van Steveninck J., Weed R.I. & Rothstein A. - (1965)
Localization of erythrocyte membrane sulfhydryl groups essential for glucose transport.
J Gen Physiol (48), pp. 617-632

- Velick S.F. - (1953)
Coenzyme binding and the thiol groups of glyceraldehyde-3-phosphate dehydrogenase.
J Biol Chem (203), pp. 563

- Vera J.C. & Rosen O.M. - (1989)
Functional expression of mammalian glucose transporters in *Xenopus laevis* oocytes: evidence for cell-dependent insulin sensitivity.
Mol Cell Biol 9 (10), pp. 4187-4195

- Vera J.C., Rivas C.I., Fischbarg J. & Golde D.W. - (1993)
Mammalian facilitative hexose transporters mediate the transport of dehydroascorbic acid.
Nature 364 (6432), pp. 79-82

- Verhey K.J. & Birnbaum M.J. - (1994)
A Leu-Leu sequence is essential for COOH-terminal targeting signal of GLUT4 glucose transporter in fibroblasts.
J Biol Chem 269 (4), pp. 2353-2356

- Waddell I.D., Zomerschoe A.G., Voice M.W. & Burchell A. - (1992)
Cloning and expression of a hepatic microsomal glucose transport protein. Comparison with liver plasma membrane glucose transport protein GLUT2.
Biochem J 286 (1), pp. 173-177

- Walmsley A.R. - (1988)
The dynamics of the glucose transporter.
Trends Biochem Sci 13 (6), pp. 226-231

- Wang Q. & Kaback H.R. - (1999)
Helix packing in the lactose permease of *Escherichia coli* determined by site-directed thiol cross-linking: helix I is close to helices V and XI.
Biochemistry 38 (10), pp. 3120-3126

- Watanabe T., Mio Y., Hoshino F.B., Nagamatsu S., Hirose K. & Nakahara K. - (1994)
GLUT2 expression in the rat retina: localization at the apical ends of Muller cells.
Brain Res 655 (1-2), pp. 128-134

- Watanabe T., Matsushima S., Okazaki M., Nagamatsu S., Hirose K., Uchimura H. & Nakahara K. - (1996)
Localization and ontogeny of GLUT3 expression in the rat retina.
Brain Res Dev Brain Res 94 (1), pp. 60-66

- Webb J.L. - (1966)
Enzyme and Metabolic Inhibitors.
New York: Academic Press Inc., Vol. II and III, pp. 635 and 337

- Weiler-Guttler H., Zinke H., Mockel B., Frey A. & Gassen H.G. - (1989)
cDNA cloning and sequence analysis of the glucose transporter from porcine blood-brain barrier.
Biol Chem Hoppe Seyler 370 (5), pp. 467-473

- Weitzman C. & Kaback H.R. - (1995)
Cysteine-scanning mutagenesis of helix V in the lactose permease of *Escherichia coli*.
Biochemistry 34 (29), pp. 9374-9379

- Wellner M., Monden I. & Keller K. - (1992)
The differential role of Cys-421 and Cys-429 of the GLUT1 glucose transporter in transport inhibition by p-chloromercuribenzenesulfonic acid (pCMBS) or cytochalasin B (CB).
FEBS Lett 309 (3), pp. 293-296

- Wellner M., Mueckler M. & Keller K. - (1993)
GTP analogs suppress uptake but not transport of D-glucose analogs in GLUT1 glucose transporter-expressing *Xenopus* oocytes.
FEBS Lett 327 (1), pp. 95-98

- Wellner M. - (1994)
Die Bedeutung einzelner Aminosäuren und regulatorischer Faktoren für die Transportfunktion des menschlichen Glucosetransporters GLUT1.
Dissertation, Berlin, Freie Universität Berlin, Fachbereich Biologie, pp. 62

- Wellner M., Monden I. & Keller K. - (1994)
The role of cysteine residues in glucose transporter-GLUT1-mediated transport and transport inhibition.
Biochem J 299 (3), pp. 813-817

- Wellner M., Monden I. & Keller K. - (1995a)
From triple cysteine mutants to the cysteine-less glucose transporter GLUT1: a functional analysis.
FEBS Lett 370 (1-2), pp. 19-22

- Wellner M., Monden I., Mueckler M. & Keller K. - (1995b)
Functional consequences of proline mutations in the putative transmembrane segments 6 and 10 of the glucose transporter GLUT1.
Eur J Biochem 227 (1-2), pp. 454-458

- White M.K., Rall T.B. & Weber M.J. - (1991)
Differential regulation of glucose transporter isoforms by the src oncogene in chicken embryo fibroblasts.
Mol Cell Biol 11 (9), pp. 4448-4454

- Whitesell R.R. & Gliemann J. - (1979)
Kinetic parameters of transport of 3-O-methylglucose and glucose in adipocytes.
J Biol Chem 254 (12), pp. 5276-5283

- Widdas W.F. - (1952)
Inability of diffusion to account for placental glucose transfer in the sheep and consideration of the kinetics of a possible carrier transfer.
J. Physiol. Lond. 118, pp. 23 - 39

- Widdas W.F. - (1998)
The glucose transporter of human erythrocytes - working hypothesis for its functional mechanism.
Exp Physiol 83 (2), pp. 186-194

- Wu J. & Kaback H.R. - (1994)
Cysteine 148 in the lactose permease of *Escherichia coli* is a component of a substrate binding site. 2. Site-directed fluorescence studies.
Biochemistry 33 (40), pp. 12166-12171

- Yamaguchi A., Udagawa T. & Sawai T. - (1990)
Transport of divalent cations with tetracycline as mediated by the transposon Tn10-encoded tetracycline resistance protein.
J Biol Chem 265 (9), pp. 4809-4813

- Yamaguchi A., Iwasaki-Ohba Y., Ono N., Kaneko-Ohdera M. & Sawai T. - (1991)
Stoichiometry of metal-tetracycline/H⁺ antiport mediated by transposon Tn10-encoded tetracycline resistance protein in *Escherichia coli*.
FEBS Lett 282 (2), pp. 415-418

- Yan R.T. & Maloney P.C. - (1993)
Identification of a residue in the translocation pathway of a membrane carrier.
Cell 75 (1), pp. 37-44

- Yan R.T. & Maloney P.C. - (1995)
Residues in the pathway through a membrane transporter.
Proc Natl Acad Sci USA 92 (13), pp. 5973-5976

- Yang J. & Holman G.D. - (1993)
Comparison of GLUT4 and GLUT1 subcellular trafficking in basal and insulin-stimulated 3T3-L1 cells.
J Biol Chem 268 (7), pp. 4600-4603

- Yano H., Seino Y., Inagaki N., Hinokio Y., Yamamoto T., Yasuda K., Masuda K., Someya Y. & Imura H. - (1991)
Tissue distribution and species difference of the brain type glucose transporter (GLUT3).
Biochem Biophys Res Commun 174 (2), pp. 470-477

- Yao B., Sollitti P. & Marmur J. - (1989)
Primary structure of the maltose-permease-encoding gene of *Saccharomyces carlsbergensis*.
Gene 79 (2), pp. 189-197

- Zeng H., Parthasarathy R., Rampal A.L. & Jung C.Y. - (1996)
Proposed structure of putative glucose channel in GLUT1 facilitative glucose transporter.
Biophys J 70 (1), pp. 14-21

- Zottola R.J., Cloherty E.K., Coderre P.E., Hansen A., Hebert D.N. & Carruthers A. - (1995)
Glucose transporter function is controlled by transporter oligomeric structure. A single, intramolecular disulfide promotes GLUT1 tetramerization.
Biochemistry 34 (30), pp. 9734-9747

- Zuniga F.A., Shi G., Haller J.F., Rubashkin A., Flynn D.R., Iserovich P. & Fischbarg J. - (2001)
A three-dimensional model of the human facilitative glucose transporter GLUT1.
J Biol Chem 276 (48), pp. 44970-44975
