

9 Literaturverzeichnis

- Abramjuk C. (2001) Magnetresonanztomographische und histologische Untersuchungen zum biologischen und physikalischen Verhalten eines monomer stabilisierten superparamagnetischen Kontrastmittels für die Magnetresonanzangiographie am Modell der Ratte. *Dissertation FU Berlin*.
- Anders, A. und Häring, R. (1986) Chirurgische Onkologie. In: Gall, F.P. (Hersg.): *Die Praxis der Chirurgie*. 180-196. Springer, Berlin.
- Bankston, P.W., Porter, G.A., Milici, A.J. and Palade, G.E. (1991) Differential and specific labeling of epithelial and vascular endothelial cells of the rat lung by Lycopersicon esculentum and Griffonia simplicifolia I lectins. *Eur J Cell Biol* 54, 187-95.
- Battegay, E.J. (1995) Angiogenesis: mechanistic insights, neovascular diseases, and therapeutic prospects. *J Mol Med* 73, 333-46.
- Baxter, L.T. and Jain, R.K. (1989) Transport of fluid and macromolecules in tumors. I. Role of interstitial pressure and convection. *Microvasc Res* 37, 77-104.
- Baxter, L.T. and Jain, R.K. (1990) Transport of fluid and macromolecules in tumors. II. Role of heterogeneous perfusion and lymphatics. *Microvasc Res* 40, 246-63.
- Becker, N. and Wahrendorf, J. (1998) *Krebsatlas der Bundesrepublik Deutschland* 6-8 und 160-163. Springer, Berlin, Heidelberg (u.a.).
- Bonnemain, B. (1998) Superparamagnetic agents in magnetic resonance imaging: physicochemical characteristics and clinical applications. A review. *J Drug Target* 6, 167-74.
- Boucher, Y., Baxter, L.T. and Jain, R.K. (1990) Interstitial pressure gradients in tissue-isolated and subcutaneous tumors: implications for therapy. *Cancer Res* 50, 4478-84.
- Boucher, Y. and Jain, R.K. (1992) Microvascular pressure is the principal driving force for interstitial hypertension in solid tumors: implications for vascular collapse. *Cancer Res* 52, 5110-4.
- Boucher, Y., Kirkwood, J.M., Opacic, D., Desantis, M. and Jain, R.K. (1991) Interstitial hypertension in superficial metastatic melanomas in humans. *Cancer Res* 51, 6691-4.
- Boucher, Y., Leunig, M. and Jain, R.K. (1996) Tumor angiogenesis and interstitial hypertension. *Cancer Res* 56, 4264-6.
- Brasch, R. and Turetschek, K. (2000) MRI charakterisation of tumors and grading angiogenesis using makromolecular contrast media: status report. *European Journal of Radiology* 34, 148-155.
- Brigden, M. and Mc Kenzie, M. (2000) Treating Cancer Patients. 4658-68. Blackwell, New York.
- Brock, T.A., Dvorak, H.F. and Senger, D.R. (1991) Tumor-secreted vascular permeability

- factor increases cytosolic Ca²⁺ and von Willebrand factor release in human endothelial cells. *Am J Pathol* 138, 213-21.
- Brunner, E. (1999) Nichtparametrische Varianzanalyse longitudinaler Daten. 19-26. R. Oldenbourg Verlag, München.
- Butler, T.P., Grantham, F.H. and Gullino, P.M. (1975) Bulk transfer of fluid in the interstitial compartment of mammary tumors. *Cancer Res* 35, 3084-8.
- Carter, W.B., Uy, K., Ward, M.D. and Hoying, J.B. (2000) Parathyroid-induced angiogenesis is VEGF-dependent. *Surgery* 128, 458-64.
- Chary, S.R. and Jain, R.K. (1989) Direct measurement of interstitial convection and diffusion of albumin in normal and neoplastic tissues by fluorescence photobleaching. *Proc Natl Acad Sci U S A* 86, 5385-9.
- Curti, B.D., Urba, W.J., Alvord, W.G., Janik, J.E., Smith, J.W. 2nd, Madara, K. and Longo, D.L. (1993) Interstitial pressure of subcutaneous nodules in melanoma and lymphoma patients: changes during treatment. *Cancer Res* 53, 2204-7.
- Daldrup, H., Shames, D.M., Wendland, M., Okuhata, Y., Link, T.M., Rosenau, W., Lu, Y. and Brasch, R.C. (1998) Correlation of Dynamic contrast enhanced MR Imaging with Histologic Tumor Grade. *Am J of Radiol* 171, 941-949.
- Daldrup, H.E., Kaiser, A., Link, T.M., Settles, M., Helbrich, T., Werner, M., Roberts, T.P.L. and Rummeny, E.J. (2002) Comparison between Gadopentate and Fergulose (Clariscan TM)-enhanced MR-Mammography: Preliminary Clinical Experience. *Acad Radiol* 9 (Suppl 2), 343-347.
- Demetrikopoulos, M.K., Goldfarb, R.H., Zhang, Z.B. and Weiss, J.M. (2000) Blood level of B and CD4+ lymphocytes measured before induction of an experimental tumor in rats predicts tumor progression and survival. *Cancer Epidemiol Biomarkers Prev* 9, 609-17.
- Demsar, F., Roberts, T.P., Schwickert, H.C., Shames, D.M., van Dijke, C.F., Mann, J.S., Saeed, M. and Brasch, R.C. (1997) A MRI spatial mapping technique for microvascular permeability and tissue blood volume based on macromolecular contrast agent distribution. *Magn Reson Med* 37, 236-42.
- Duroux, M. (1995) Übersicht der MRT-Kontrastmittel. *Radiologe* 247-248.
- Edelman, R.R., Kleefield, J., Wentz, K.U. and Atkinson, D.J. (1990) Basic Principles of Magnetic Resonance Imaging. In: Edelmann, R.R., Hesselink, J.R. (Hersg.): *Clinical Magnetic Resonace Imaging*. 10 ff. Saunders, Philadelphia, Pa. (u.a.)
- Erbar, P. (1994) Onkologie: Einführung in die Pathophysiologie, Klinik und Therapie maligner Tumoren. 15 ff. Schattauer, Stuttgart.
- Fadnes, H.O., Reed, R.K. and Aukland, K. (1977) Interstitial fluid pressure in rats measured with a modified wick technique. *Microvasc Res* 14, 27-36.
- Falk, P. (1980) The vascular pattern of the spontaneous C3H mouse mammary carcinoma and its significance in radiation response and in hyperthermia. *Eur J Cancer* 16, 203-17.
- Falk, P. (1982) Differences in vascular pattern between the spontaneous and the transplanted C3H mouse mammary carcinoma. *Eur J Cancer Clin Oncol* 18, 155-65.

- Fan, Z.M., Yamashita, Y., Harada, M., Baba, Y., Yamamoto, H., Matsukawa, T., Arakawa, A., Miyazaki, T. and Takahashi, M. (1993) Intrahepatic cholangiocarcinoma: spin-echo and contrast-enhanced dynamic MR imaging. *Am J Roentgenol* 161, 313-7.
- Fischer, A. (2000) Kernspintomographische und histologische Untersuchungen zum Verhalten superparamagnetischer Eisenoxide als Marker von tumorspezifischen Drug carriern an Tumormodellen der Ratte. *Vet. Med. Diss. FU Berlin*.
- Fobben, E.S., Rubin, C.Z., Kalisher, L., Dembner, A.G., Seltzer, M.H. and Santoro, E.J. (1995) Breast MR imaging with commercially available techniques: radiologic-pathologic correlation. *Radiology* 196, 143-52.
- Folkman, J. (1971) Tumor angiogenesis: therapeutic implications. *N Engl J Med* 285, 1182-6.
- Folkman, J. (1985) Tumor angiogenesis. *Adv Cancer Res* 43, 175-203.
- Folkman, J. (1990) What is the evidence that tumors are angiogenesis dependent? *J Natl Cancer Inst* 82, 4-6.
- Folkman, J. (1992) The role of angiogenesis in tumor growth. *Semin Cancer Biol* 3, 65-71.
- Forth, H.R. (1996) Allgemeine und spezielle Pharmakologie und Toxikologie. 7. Auflage. 62-64. Spektrum, Heidelberg.
- Germer, C.T., Isbert, C., Albrecht, D., Roggan, A., Pelz, J., Ritz, J.P., Muller, G. and Buhr, H.J. (1999) Laser-induced thermotherapy combined with hepatic arterial embolization in the treatment of liver tumors in a rat tumor model. *Ann Surg* 230, 55-62.
- Griffini, P., Smorenburg, S.M., Verbeek, F.J. and van Noorden, C.J. (1997) Three-dimensional reconstruction of colon carcinoma metastases in liver. *J Microsc* 187 (Pt 1), 12-21.
- Gutmann, R., Leunig, M., Feyh, J., Goetz, A.E., Messmer, K., Kastenbauer, E. and Jain, R.K. (1992) Interstitial hypertension in head and neck tumors in patients: correlation with tumor size. *Cancer Res* 52, 1993-5.
- Gutt, C.N., Riemer, V., Kim, Z.G., Jacobi, C.A., Paolucci, V. and Lorenz, M. (1999) Impact of laparoscopic colonic resection on tumour growth and spread in an experimental model. *Br J Surg* 86, 1180-4.
- Guyton, A.C., Armstrong, G.G. and Crowell, J.W. (1960) Negative pressure in interstitial spaces. *Physiologist* 70
- Guyton, A.C., Granger, H.J. and Taylor, A.E. (1971) Interstitial fluid pressure. *Physiol Rev* 51, 527-63.
- Hagenaars, M., Ensink, N.G., Basse, P.H., Hokland, M., Nannmark, U., Eggermont, A.M., van de Velde, C.J., Fleuren, G.J. and Kuppen, P.J. (2000) The microscopic anatomy of experimental rat CC531 colon tumour metastases: consequences for immunotherapy? *Clin Exp Metastasis* 18, 189-96.
- Halvorsen, O.J., Haukaas, S., Hoisaeter, P.A. and Akslen, L.A. (2000) Independent prognostic importance of microvessel density in clinically localized prostate cancer. *Anticancer Res* 20, 3791-9.

- Hammersen, F., Endrich, B. and Messmer, K. (1985) The fine structure of tumor blood vessels. I. Participation of non- endothelial cells in tumor angiogenesis. *Int J Microcirc Clin Exp* 4, 31-43.
- Heisterkamp, J., van Hillegersberg, R. and IJzermans, J.N. (1999) Critical temperature and heating time for coagulation damage: implications for interstitial laser coagulation (ILC) of tumors. *Lasers Surg Med* 25, 257-62.
- Hochberg, D.A., Basillote, J.B., Armenakas, N.A., Vasovic, L., Shevchuk, M., Pareek, G. and Fracchia, J.A. (2002) Decreased suburethral prostatic microvessel density in finasteride treated prostates: a possible mechanism for reduced bleeding in benign prostatic hyperplasia. *J Urol* 167, 1731-3.
- Idy-Peretti, I. and Bittoun, J. (1989) MRI of the body. 80-86. Springer, Paris.
- Itai, Y. (1995) "Peripheral washout" sign: terminology does not reflect the exact mechanism of enhancement. *Radiology* 197, 317-9.
- Itai, Y., Ohtomo, K., Kokubo, T., Yamauchi, T., Minami, M., Yashiro, N. and Araki, T. (1986) CT of hepatic masses: significance of prolonged and delayed enhancement. *Am J Roentgenol* 146, 729-33.
- Jain, R.K. (1987a) Transport of molecules across tumor vasculature. *Cancer Metastasis Rev* 6, 559-93.
- Jain, R.K. (1987b) Transport of molecules in the tumor interstitium: a review. *Cancer Res* 47, 3039-51.
- Jain, R.K. (1988) Determinants of tumor blood flow: a review. *Cancer Res* 48, 2641-58.
- Jain, R.K. (1989) Delivery of novel therapeutic agents in tumors: physiological barriers and strategies. *J Natl Cancer Inst* 81, 570-6.
- Jain, R.K. and Baxter, L.T. (1988) Mechanisms of heterogeneous distribution of monoclonal antibodies and other macromolecules in tumors: significance of elevated interstitial pressure. *Cancer Res* 48, 7022-32.
- Keck, P.J., Hauser, S.D., Krivi, G., Sanzo, K., Warren, T., Feder, J. and Connolly, D.T. (1989) Vascular permeability factor, an endothelial cell mitogen related to PDGF. *Science* 246, 1309-12.
- Köchli, V.D. (1998) Wie funktioniert MRI? 2. Auflage. 2-16. Springer, Berlin.
- Kuppen, P.J., van der Eb, M.M., Jonges, L.E., Hagenaars, M., Hokland, M.E., Nannmark, U., Goldfarb, R.H., Basse, P.H., Fleuren, G.J., Hoeben, R.C. and van de Velde, C.J. (2001) Tumor structure and extracellular matrix as a possible barrier for therapeutic approaches using immune cells or adenoviruses in colorectal cancer. *Histochem Cell Biol* 115, 67-72.
- Landerer, A. (1884) Die Gewebsspannung in ihren Einfluß auf die örtliche Blut- und Lymphbewegung.
- Laub, G. (1999) Principles of contrast-enhanced MR angiography. Basic and clinical applications. *Magn Reson Imaging Clin N Am* 7, 783-95.
- Less, J.R., Posner, M.C., Boucher, Y., Borochovitz, D., Wolmark, N. and Jain, R.K. (1992) Interstitial hypertension in human breast and colorectal tumors. *Cancer Res* 52,

6371-4.

- Less, J.R., Skalak, T.C., Sevick, E.M. and Jain, R.K. (1991) Microvascular architecture in a mammary carcinoma: branching patterns and vessel dimensions. *Cancer Res* 51, 265-73.
- Leunig, M., Goetz, A.E., Dellian, M., Zetterer, G., Gamarra, F., Jain, R.K. and Messmer, K. (1992a) Interstitial fluid pressure in solid tumors following hyperthermia: possible correlation with therapeutic response. *Cancer Res* 52, 487-90.
- Leunig, M., Yuan, F., Menger, M.D., Boucher, Y., Goetz, A.E., Messmer, K. and Jain, R.K. (1992b) Angiogenesis, microvascular architecture, microhemodynamics, and interstitial fluid pressure during early growth of human adenocarcinoma LS174T in SCID mice. *Cancer Res* 52, 6553-60.
- Liener, I.E., Sharon, N. and Goldstein, I.J. (1986) The Lectins. Properties, Functions and Applications in Biology and Medicine. *Academic Press, Inc. Orlando*.
- Ma, L.D., Frassica, F.J., McCarthy, E.F., Bluemke, D.A. and Zerhouni, E.A. (1997) Benign and malignant musculoskeletal masses: MR imaging differentiation with rim-to-center differential enhancement ratios. *Radiology* 202, 739-44.
- Mahfouz, A.E., Hamm, B. and Taupitz, M. (1997) Contrast agents for MR imaging of the liver: a clinical overview. *Eur Radiol* 7, 507-13.
- Mahfouz, A.E., Hamm, B., Taupitz, M. and Wolf, K.J. (1993) Hypervascular liver lesions: differentiation of focal nodular hyperplasia from malignant tumors with dynamic gadolinium-enhanced MR imaging. *Radiology* 186, 133-8.
- Mahfouz, A.E., Hamm, B. and Wolf, K.J. (1994) Peripheral washout: a sign of malignancy on dynamic gadolinium-enhanced MR images of focal liver lesions. *Radiology* 190, 49-52.
- Matsubayashi, R., Matsuo, Y., Edakuni, G., Satoh, T., Tokunaga, O. and Kudo, S. (2000) Breast masses with peripheral rim enhancement on dynamic contrast enhanced MR images: correlation of MR findings with histologic features and expression of growth factors. *Radiology* 217, 841-8.
- Moore, A., Marecos, E., Simonova, M., Weissleder, R. and Bogdanov, A. Jr (1998) Novel gliosarcoma cell line expressing green fluorescent protein: A model for quantitative assessment of angiogenesis. *Microvasc Res* 56, 145-53.
- Muller, M., Reimer, P., Wiedermann, D., Allkemper, T., Marx, C., Tombach, B., Rummeny, E.J., Shamsi, K., Balzer, T. and Peters, P.E. (1998) [T1-weighted dynamic MRI with new superparamagnetic iron oxide particles (Resovist): results of a phantom study as well as 25 patients]. *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr* 168, 228-36.
- Muramatsu, Y., Takayasu, K., Moriyama, N., Shima, Y., Goto, H., Ushio, K., Yamada, T., Hasegawa, H., Koyama, Y. and Hirohashi, S. (1986) Peripheral low-density area of hepatic tumors: CT-pathologic correlation. *Radiology* 160, 49-52.
- Nagy, J.A., Brown, L.F., Senger, D.R., Lanir, N., Van de Water, L., Dvorak, A.M. and Dvorak, H.F. (1989) Pathogenesis of tumor stroma generation: a critical role for leaky blood vessels and fibrin deposition. *Biochim Biophys Acta* 948, 305-26.
- Obermair, A., Wanner, C., Bilgi, S., Speiser, P., Kaider, A., Reinthaller, A., Leodolter, S. and

- Gitsch, G. (1998) Tumor angiogenesis in stage IB cervical cancer: correlation of microvessel density with survival. *Am J Obstet Gynecol* 178, 314-9.
- Ogilvie, G.K. and Moore, A.S. (1995) Managing the veterinary cancer patient. 36-39. Blackwell, New York.
- Okuhata, Y. (1999) Delivery of diagnostic agents for magnetic resonance imaging. *Adv Drug Deliv Rev* 37, 121-137.
- Passe, T.J., Bluemke, D.A. and Siegelman, S.S. (1997) Tumor angiogenesis: tutorial on implications for imaging. *Radiology* 203, 593-600.
- Pauser, S., Reszka, R., Wagner, S., Wolf, K.J., Buhr, H.J. and Berger, G. (1997) Liposome-encapsulated superparamagnetic iron oxide particles as markers in an MRI-guided search for tumor-specific drug carriers. *Anticancer Drug Des* 12, 125-35.
- Persson, C.C.A. and Svensjo, E. (1985) Vascular responses and their suppression: drugs interfering with venular permeability. In: *Handbook of Inflammation*, Herg.: Bonta, I.L., Bray, M.A., Parnham, M.J. Vol 5, 67-82.
- Pilgrim, H. (1997) Superparamagnetische Teilchen mit vergrößerter T1-Relaxivität, Verfahren zur Herstellung und deren Verwendung. PCT/DE 97/00578.
- Pross, M., Lippert, H., Mantke, R., Kruger, S., Gunther, T., Marusch, F., Halangk, W. and Schulz, H.U. (2001) A proteinase inhibitor decreases tumor growth in a laparoscopic rat model. *Surg Endosc* 15, 882-5.
- Quillin, S.P., Atilla, S., Brown, J.J., Borrello, J.A., Yu, C.Y. and Pilgram, T.K. (1997) Characterization of focal hepatic masses by dynamic contrast-enhanced MR imaging: findings in 311 lesions. *Magn Reson Imaging* 15, 275-85.
- Ramm, B., Semmler, W. and Laniado, M. (1986) Einführung in die MR Tomographie. 3. Auflage. 14-20. Springer, Berlin.
- Reimer, P. and Weissleder, R. (1996) Development and experimental use of receptor-specific MR contrast media. *Radiologe* 36, 153-63.
- Reiser, M. and Semmler, W. (1997) Magnetresonanztomographie. 2. Auflage. 17-21. Springer, Berlin.
- Ren, G., Michael, L.H., Entman, M.L. and Frangogiannis, N.G. (2002) Morphological characteristics of the microvasculature in healing myocardial infarcts. *J Histochem Cytochem* 50, 71-9.
- Roh, H.D., Boucher, Y., Kalnicki, S., Buchsbaum, R., Bloomer, W.D. and Jain, R.K. (1991) Interstitial hypertension in carcinoma of uterine cervix in patients: possible correlation with tumor oxygenation and radiation response. *Cancer Res* 51, 6695-8.
- Romeis, B. (1998) Mikroskopische Technik. 17. Auflage. 75-76. Urban und Schwarzenberg. München, Wien, Baltimore.
- Rubin, P. and Casarett, G. (1966) Microcirculation of tumors. I. Anatomy, function, and necrosis. *Clin Radiol* 17, 220-9.
- Rumor, D. (1997) Eisenoxidpartikel als Kontrastmittel in der Magnetresonanztomographie: In vitro- und in vivo-Untersuchungen zur Abhängigkeit der bildgebenden Eigenschaften von der Konzentration und der Partikelgröße. *Med. Diss. Berlin: Freie*

Universität Berlin.

- Saini, S., Stark, D.D., Hahn, P.F., Bousquet, J.C., Introcasso, J., Wittenberg, J., Brady, T.J. and Ferrucci, J.T. Jr (1987a) Ferrite particles: a superparamagnetic MR contrast agent for enhanced detection of liver carcinoma. *Radiology* 162, 217-22.
- Saini, S., Stark, D.D., Hahn, P.F., Wittenberg, J., Brady, T.J. and Ferrucci, J.T. Jr (1987b) Ferrite particles: a superparamagnetic MR contrast agent for the reticuloendothelial system. *Radiology* 162, 211-6.
- Schild, H.H. (1997) MRI made easy. 2-12. Schering AG.
- Schütte, J. (1998) Therapiekonzepte Onkologie
Hersg.: Seeber, S., Schütte, J. 3-8. Springer, Berlin.
- Seiderer, M., Krimmel, K., Vogl, T. and Schmidt, H. (1987) Technischer Teil, A. Grundlagen und Technik
In: Lissner J, Seiderer M (Hersg.): Klinische Kernspintomographie. 2. Auflage. Enke, Stuttgart.
- Senn, H.J., Drings, P., Glaus, A., Jungi, JF., Pralle, HB., Sauer, R. and Schlag, PM. (1998) Onkologie
Hersg.: Largiadèr, F., Sturm, A., Wicki, O. 5-51.
- Sevick, E.M. and Jain, R.K. (1989) Geometric resistance to blood flow in solid tumors perfused ex vivo: effects of tumor size and perfusion pressure. *Cancer Res* 49, 3506-12.
- Sevick, E.M. and Jain, R.K. (1991) Measurement of capillary filtration coefficient in a solid tumor. *Cancer Res* 51, 1352-5.
- Shames, D.M., Kuwatsuru, R., Vexler, V., Muhler, A. and Brasch, R.C. (1993) Measurement of capillary permeability to macromolecules by dynamic magnetic resonance imaging: a quantitative noninvasive technique. *Magn Reson Med* 29, 616-22.
- Sherif, H., Mahfouz, A.E., Oellinger, H., Hadijuana, J., Blohmer, J.U., Taupitz, M., Felix, R. and Hamm, B. (1997) Peripheral washout sign on contrast-enhanced MR images of the breast. *Radiology* 205, 209-13.
- Simionescu, M. and Simionescu, N. (1984) Ultrastructure of the microvascular wall: functional correlations. *In: Handbook of Physiology, Hersg.: Renkin E.M. and Michel C.C.* Vol 4, 11-40.
- Speck, U. (1998) Kontrastmittel: Übersicht, Anwendung und pharmazeutische Aspekte. 4. überarbeitete Auflage. 40-45. Springer, Berlin.
- Starling, E.H. (1896) On the absorption of fluids from the connective tissue spaces. *J Physiol* 19, 312-326.
- Steinbrunner, M. (1996) Untersuchung des interstitiellen hydrostatischen und onkotischen Druckes und deren Beeinflussbarkeit durch Dexamethason bzw. Protamin in einem murinen Tumormodell in vivo. *Vet. Med. Diss. Ludwig-Maximilians-Universität München.*
- Stohrer, M., Boucher, Y., Stangassinger, M. and Jain, R.K. (2000) Oncotic pressure in solid tumors is elevated. *Cancer Res* 60, 4251-5.

- Stünzi, H. and Weiss, E. (1990) Allgemeine Pathologie für Tierärzte und Studierende der Tiermedizin. 8. überarbeitete Auflage. 319-321. Parey, Berlin, Hamburg.
- Taupitz, M. (2003) Persönliche Mitteilung.
- Taupitz, M., Schmitz, S., Hamm, B. (2003) Superparamagnetic iron oxide particles: current state and future development. *Rofo Fortschr Geb Rontgenstr Neuen Bildg Verfahr.* 175(6), 752-65.
- Taupitz, M., Schnorr, J., Abramjuk, C., Wagner, S., Pilgrimm, H., Hunigen, H. and Hamm, B. (2000) New generation of monomer-stabilized very small superparamagnetic iron oxide particles (VSOP) as contrast medium for MR angiography: preclinical results in rats and rabbits. *J Magn Reson Imaging* 12, 905-11.
- Taupitz, M., Schnorr, J., Wagner, S., Abramjuk, C., Pilgrimm, H., Kivelitz, D., Schink, T., Hansel, J., Laub, G., Hunigen, H. and Hamm, B. (2002) Coronary MR angiography: experimental results with a monomer-stabilized blood pool contrast medium. *Radiology* 222, 120-6.
- Taupitz, M., Wagner, S. and Hamm, B. (1996) Kontrastmittel für die magnetresonanztomographische Lymphknotendiagnostik (MR-Lymphographie). *Radiologie* 134-140.
- Thomas, C., Nijenhuis, A.M., Dontje, B., Daemen, T. and Scherphof, G.L. (1995) Tumoricidal response of liver macrophages isolated from rats bearing liver metastases of colon adenocarcinoma. *J Leukoc Biol* 57, 617-23.
- Tufto, I., Lyng, H. and Rofstad, E.K. (1996) Interstitial fluid pressure, perfusion rate and oxygen tension in human melanoma xenografts. *Br J Cancer Suppl* 27, S252-5.
- Turetschek, K., Floyd, E., Helbich, T., Roberts, T., Shames, D.M., Wendland, M.F., Carter, W.O. and Brasch, R.C. (2001a) MRI assessment of microvascular characteristics in experimental breast tumors using a new blood pool contrast agent (MS-325) with correlations to histopathology. *J of Magn Res Imag* 14, 237-242.
- Turetschek, K., Floyd, E., Shames, D.M., Roberts, T.P., Preda, A., Novikov, V., Corot, C., Carter, W.O. and Brasch, R.C. (2001b) Assessment of a rapid clearance blood pool MR contrast medium (P792) for assays of microvascular characteristics in experimental breast tumors with correlations to histopathology. *Magn Reson Med* 45, 880-6.
- Turetschek, K., Huber, S., Floyd, E., Helbich, T., Roberts, T., Shames, D.M., Wendland, M.F. and Brasch, R.C. (2001c) MR Imaging Characterization of Microvessels in Experimental Breast Tumors by Using a Particulate Contrast Agent with Histopathologic correlation. *Radiology* 218, 562-569.
- Turetschek, K., Roberts, T., Floyd, E., Preda, A., Novikov, V., Shames, D.M., Carter, W.O. and Brasch, R.C. (2001d) Tumor Microvascular Characterization Using Ultrasmall Superparamagnetic Iron Oxide Particles (USPIO) in an Experimental Breas Cancer Model. *J of Magn Res Imag* 880-888.
- Vahrmeijer, A.L., van Dierendonck, J.H., Schutrops, J., van de Velde, C.J. and Mulder, G.J. (1999) Potentiation of the cytostatic effect of melphalan on colorectal cancer hepatic metastases by infusion of buthionine sulfoximine (BSO) in the rat: enhanced tumor glutathione depletion by infusion of BSO in the hepatic artery. *Cancer Chemother Pharmacol* 44, 111-6.

Wagner, S. (2003) persönliche Mitteilung.

Wagner, S., Schnorr, J., Pilgrimm, H., Hamm, B. and Taupitz, M. (2002) Monomer-coated very small superparamagnetic iron oxide particles as contrast medium for magnetic resonance imaging: preclinical in vivo characterization. *Invest Radiol* 37, 167-77.

Wallner, B. (1993) Grundlagen der MR-Angiographie. In: Wallner, B. (Hersg.): *MR-Angiographie*. 2. Auflage. 32-34. Thieme, Stuttgart, New York.

Warren, B.A. (1979) The vascular morphology of tumors. In: *Tumor blood circulation*, Hersg.: Petersen, H.I. 2. Auflage. 1ff. CRC Press, Boca Raton.

Wehrli, F.W., Shaw, D. and Kneeland, J.B. (1988) The fundamental principles of nuclear magnetic resonance. 2. Auflage. 5-7. Raven Press, New York.

Weidner, N. (1995a) Current pathologic methods for measuring intratumoral microvessel density within breast carcinoma and other solid tumors. *Breast Cancer Res Treat* 36, 169-80.

Weidner, N. (1995b) Intratumor microvessel density as a prognostic factor in cancer. *Am J Pathol* 147, 9-19.

Weidner, N., Semple, J.P., Welch, W.R. and Folkman, J. (1991) Tumor angiogenesis and metastasis--correlation in invasive breast carcinoma. *N Engl J Med* 324, 1-8.

Weind, K.L., Maier, C.F., Rutt, B.K. and Moussa, M. (1998) Invasive carcinomas and fibroadenomas of the breast: comparison of microvessel distributions--implications for imaging modalities. *Radiology* 208, 477-83.

Weinmann, H.J. (1997) Characteristics of Gd-DTPA dimeglumine In: Felix R, Heshiki A, Hosten N, Hricak H (Hersg.): *Monograph Magnevist*. 2. Auflage. 62-65. Blackwell, Berlin.

Weinmann, H.J., Gries, H. and Speck, U. (1991) Paramagnetische Kontrastmittel für die MRT. In: Günther RW, Gockel HP (Hersg.): *Jahrbuch Radiologie*. 124ff. Springer, Berlin.

Weissleder, R. (1995) Contrast Agents for Magnetic Resonance Angiography. In: Yukel, E.K. (Hersg.): *Magnetic Resonance Angiography, A Practical Approach*. 214ff. McGraw-Hill, New York.

Wiedeman, M.P., Tuma, R.F. and Mayrovitz, H.N. (1981) An introduction to microcirculation. Academic Press, New York

Wiig, H. (1990) Evaluation of methodologies for measurement of interstitial fluid pressure (Pi): physiological implications of recent Pi data. *Crit Rev Biomed Eng* 18, 27-54.

Wiig, H., Tveit, E., Hultborn, R., Reed, R.K. and Weiss, L. (1982) Interstitial fluid pressure in DMBA-induced rat mammary tumours. *Scand J Clin Lab Invest* 42, 159-64.

Zeeck, A., Eick, S., Krone, B. and Schröder, K. (1992) Chemie für Mediziner. 2. Auflage. 80-82. Urban & Fischer. München, Jena.