

6 LITERATURVERZEICHNIS

1. Barbee, J. Y. Jr., Prince, T. S. (1999).
Acute respiratory distress syndrome in a welder exposed to metal fumes.
South Med J 92 [5]: 510-2.
2. Bartek, M. J.; LaBudde, J. A. und Maibach, H. I. (1972).
Skin permeability in vivo: comparison in rat, rabbit, pig and man.
J Invest Dermatol 58 [3]: 114-23.
3. Bar-Sela S., Reingold S., Richter E.D. (2001)
Amyotrophic lateral sclerosis in a battery-factory worker exposed to
cadmium.
Int J Occup Environ Health 7 [2]:109-12.
4. Beaty, R., Kerber, J.D. (1993).
Concepts, Instrumentation and Techniques in Atomic Absorption
Spectrophotometry.
The Perkin-Elmer Corporation, Norwalk.
5. Bernard, A. (2004).
Renal dysfunction induced by cadmium: biomarkers of critical effects.
Biometals 17 [5]: 519-23.
6. Bosco, P. J., Schweizer, R. T. (1988).
Use of oxygen radical scavengers on autografted pig kidneys after warm
ischemia and 48-hour perfusion preservation.
Arch Surg 123 [5]: 601-4.
7. Umweltatlas der Stadt Braunschweig (1998).
Braunschweig, Stadtverwaltung.
8. Bundesanstalt für Arbeitsschutz und Arbeitsmedizin, (2006).
TRGS 900 „Arbeitsplatzgrenzwerte“, Ausgabe Januar 2006, Dortmund.
<http://www.baua.de/de/Themen-von-A-Z/Gefahrstoffe/TRGS/TRGS-900.html>
9. Bundesumweltministerium (2002).
„Gesunde Lebensmittel brauchen gesunde Böden“. Eröffnungsrede Minister
J.Trittin, Düngemittelworkshop BMU/BMVEL, Berlin.

Literaturverzeichnis

10. Chalkley, S. R., Richmond, J., Barltrop, D. (1998).
Measurement of vitamin D3 metabolites in smelter workers exposed to lead and cadmium.
Occup Environ Med 55 [7]: 446-52.
11. de Lange, J., van Eck, P., Elliott, G. R., de Kort, W. L. und Wolthuis, O. L. (1992).
The isolated blood-perfused pig ear: an inexpensive and animal-saving model for skin penetration studies.
J Pharmacol Toxicol Methods 27 [2]: 71-7.
12. Deutsche Forschungsgemeinschaft (2004).
MAK- und BAT-Werte-Liste. Maximale Arbeitsplatzkonzentrationen und biologische Arbeitsstofftoleranzwerte.
Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe.
Mitteilung 39. Verlag Chemie, Weinheim.
13. Dittrich, S., Schuth, A.; Aurich, H., von Loeper, J., Grosse-Siestrup, C., Lange, P. E. (2000).
Haemodilution improves organ function during normothermic cardiopulmonary bypass: investigations in isolated perfused pig kidneys.
Perfusion 15 [3]: 225-9.
14. Engelhardt W., Breves G. (2005).
Physiologie der Haustiere.
Enke, Stuttgart.
15. EU-Kommission (1993).
EG-Kosmetikverordnung, 6.Änderungs-Richtlinie und
17.Anpassungsrichtlinie der EG-Kosmetikverordnung.
Amtsblatt der EG-Nr. L151/32.
16. EU-Kommission (2003): Vorschlag für eine Verordnung des europäischen Rates zur Registrierung, Bewertung, Zulassung und Beschränkung chemischer Stoffe (REACH), Brüssel, 29.10.2003

Literaturverzeichnis

17. Europarat (1972): Europäische Bodencharta
18. Fasanya-Odewumi, C., Latinwo, L. M., Ikediobi, C. O., Gilliard, L., Sponholtz, G., Nwoga, J., Stino, F., Hamilton, N., Erdos, G. W. (1998).
The genotoxicity and cytotoxicity of dermally-administered cadmium: effects of dermal cadmium administration.
Int J Mol Med 1 [6]: 1001-6.
19. Flanagan, P. R., McLellan, J. S., Haist, J., Cherian, G., Chamberlain, M.J., Valberg, L. S. (1978).
Increased dietary cadmium absorption in mice and human subjects with iron deficiency.
Gastroenterology 74 [5 Pt 1]: 841-6.
20. Foulkes, E. C. (1985).
Interactions between metals in rat jejunum: implications on the nature of cadmium uptake.
Toxicology 37 [1-2]: 117-25.
21. Franz, T. J. (1975).
Percutaneous absorption on the relevance of in vitro data.
J Invest Dermatol 64 [3]: 190-5.
22. Frery, N., Nessmann, C., Girard, F., Lafond, J., Moreau, T., Blot, P., Lellouch, J., Huel, G. (1993).
Environmental exposure to cadmium and human birthweight.
Toxicology 79 [2]: 109-118.
23. Godt, J., Scheidig, F., Grosse-Siestrup, C., Esche, V., Brandenburg, P., Reich A., Groneberg D. A. (2006).
The toxicity of cadmium and resulting hazards for human health.
J Occup Med Toxicol. 2006 Sep 10: 1-22.
24. Goyer, R. A., Liu, J., Waalkes, M. P. (2004).
Cadmium and cancer of prostate and testis.
Biometals 17 [5]: 555-8.

Literaturverzeichnis

25. Groneberg, D. A. (2002).
In vitro Models to study hepatotoxicity.
Toxicol Pathol 30 [3]: 394-9.
26. Groneberg, D.A., Nowak, D., Wussow, A., Fischer, A. (2006)
Chronic cough due to occupational factors.
J Occup Med Toxicol. 2006 Feb 2,1:3.
27. Grosse-Siestrup, C., Fehrenberg, C., von Baeyer, H., Groneberg, D. A.
(2002). Multiple-organ harvesting for models of isolated hemoperfused
organs of slaughtered pigs.
Altex 19 [1]: 9-13.
28. Grosse-Siestrup, C., Nagel, S., Unger, V., Meissler, M., Pfeffer, J., Fischer,
A., Groneberg, D.A. (2001).
The isolated perfused liver. a new model using autologous blood and
porcine slaughterhouse organs.
J Pharmacol Toxicol Methods 46 [3]:163-8.
29. Grosse-Siestrup, C., Pfeffer, J., Unger, V., Nagel, S., Witt, C., Fischer, A.,
Groneberg, D.A. (2003)
Isolated hemoperfused slaughterhouse livers as a valid model to study
hepatotoxicity.
Toxicol Pathol. 30[6]:749-54.
30. Grosse-Siestrup, C., Unger, V., Fehrenberg, C., v Baeyer, H., Fischer, A.,
Schaper, F., Groneberg, D.A., (2002).
A model of isolated hemoperfused porcine slaughterhouse kidneys.
Nephron 92 [2]: 414-21.
31. Grosse-Siestrup, C., Unger, V., Meissler, M., Nagel, S., Wussow, A., Peiser,
C., Fischer, A., Schmitt R., Groneberg, D.A. (2003).
Hemoperfused isolated porcine slaughterhouse kidneys as a valid model for
pharmacological studies.
J Pharm Sci 92 [6]:1147-54.

Literaturverzeichnis

32. Grosse-Siestrup, C., Unger, V., Pfeffer, J., Dinh, Q.T., Nagel, S., Springer, J., Witt, C., Wussow, A., Groneberg, D.A. (2004).
Hepatotoxic effects of polidocanol in a model of autologously perfused porcine livers.
Arch Toxicol. 2004 Dec;78 [12]:697-705.
33. Grosse-Siestrup, C., Wiemer, P. M., Fischer, T. C., Fehrenberg, C., Unger, V., Fischer, A., Groneberg, D. A. (2002).
Isolated hemoperfused porcine skin as a valid model to assess percutaneous absorption.
J Invest Dermatol 119 [1]:197-9.
34. Gunshin, H., Mackenzie, B., Berger, U. V., Gunshin, Y., Romero, M. F., Boron, W. F., Nussberger, S., Gollan, J. L., Hediger, M. A. (1997).
Cloning and characterization of a mammalian proton-coupled metal-ion transporter.
Nature 388 [6641]: 482-8.
35. Guy, R. H., Hadgraft, J., Bucks, D. A. (1987).
Transdermal drug delivery and cutaneous metabolism.
Xenobiotica 17 [3]: 325-43.
36. Hack A., Welge P., Wittsiepe J., Wilhelm M. (2002).
Aufnahme und Bilanzierung (Bioverfügbarkeit) ausgewählter Bodenkontaminanten im Tiermodell (Minischwein).
Berlin, Umweltbundesamt.
37. Hanada, K., Gange, R. W., Siebert, E., Hasan, T. (1991).
Protective effects of cadmium chloride against UVB injury in mouse skin and in cultured human cells: a possible role of cadmium-induced metallothionein.
Photodermatol Photoimmunol Photomed 8 [3]: 111-5.
38. Hart, B. A., Potts, R. J., Watkin, R. D. (2001).
Cadmium adaptation in the lung - a double-edged sword?
Toxicology 160 [1-3]: 65-70.

Literaturverzeichnis

39. Hauptverband der gewerblichen Berufsgenossenschaften (2004).
Berufsgenossenschaftliche Grundsätze für arbeitsmedizinische
Vorsorgeuntersuchungen.
Gentner Verlag, Stuttgart.
40. HBM-Kommission (2003).
Aktualisierung der Referenzwerte für Blei, Cadmium und Quecksilber im Blut
und im Urin von Erwachsenen.
Bundesgesundheitsblatt – Gesundheitsforschung – Gesundheitsschutz 46:
1112 – 1113.
41. Henson, M. C., Chedrese, P. J. (2004).
Endocrine disruption by cadmium, a common environmental toxicant with
paradoxical effects on reproduction.
Exp Biol Med (Maywood) 229 [5]: 383-92.
42. Hjortdal, V. E., Hauge, E., Hansen, E. S. (1992).
Differential effects of venous stasis and arterial insufficiency on tissue
oxygenation in myocutaneous island flaps: an experimental study in pigs.
Plast Reconstr Surg 89 [3]: 521-9.
43. Hochel, J., Lehmann, D., Fehrenberg, C., Unger, V., Groneberg, D. A.,
Grosse-Siestrup, C. (2003).
Effects of different perfusates on functional parameters of isolated perfused
dog kidneys.
Nephrol Dial Transplant 18 [9]: 1748-54.
44. Honda, R., Tsuritani, I., Noborisaka, Y., Suzuki, H., Ishizaki, M., Yamada, Y.
(2003).
Urinary cadmium excretion is correlated with calcaneal bone mass in
Japanese women living in an urban area.
Environ Res 91 [2]: 63-70.
45. Hotz, P., Buchet, J. P., Bernard, A., Lison, D., Lauwerys, R. (1999).
Renal effects of low-level environmental cadmium exposure: 5-year follow-
up of a subcohort from the Cadmibel study.
Lancet 354 [9189]: 1508-13.

Literaturverzeichnis

46. Il'yasova, D., Schwartz, G. G. (2005).
Cadmium and renal cancer.
Toxicol Appl Pharmacol 207 [2]: 179-86.
47. James, S. M., Little, E. E., Semlitsch, R. D. (2004).
Effects of multiple routes of cadmium exposure on the hibernation success
of the American toad (*Bufo americanus*).
Arch Environ Contam Toxicol 46 [4]: 518-27.
48. Jarup, L. (2003).
Hazards of heavy metal contamination.
Br Med Bull 68: 167-82.
49. Jarup, L., Alfven, T., Persson, B., Toss, G., Elinder, C. G. (1998).
Cadmium may be a risk factor for osteoporosis.
Occup Environ Med 55 [7]: 435-9.
50. Jarup, L., Berglund, M., Elinder, C. G., Nordberg, G., Vahter, M. (1998).
Health effects of cadmium exposure--a review of the literature and a risk
estimate.
Scand J Work Environ Health 24 Suppl 1: 1-51.
51. Jin, T., Nordberg, M., Frech, W., Dumont, X., Bernard, A., Ye, T. T., Kong,
Q., Wang, Z., Li, P., Lundstrom, N. G., Li, Y., Nordberg, G. F. (2002).
Cadmium biomonitoring and renal dysfunction among a population
environmentally exposed to cadmium from smelting in China (ChinaCad).
Biometals 15 [4]: 397-410.
52. Kaneko J.J. (1980).
Clinical biochemistry of domestic animals.
Academic Press, New York.
53. Kazantzis, G. (2004).
Cadmium, osteoporosis and calcium metabolism.
Biometals 17 [5]: 493-8.

Literaturverzeichnis

54. Kietzmann, M., Loscher, W., Arens, D., Maass, P., Lubach, D. (1993).
The isolated perfused bovine udder as an in vitro model of percutaneous drug absorption. Skin viability and percutaneous absorption of dexamethasone, benzoyl peroxide, and etofenamate.
J Pharmacol Toxicol Methods 30 [2]: 75-84.
55. Klovekorn, W. P. (1990).
Myocardial oxygen supply in hemodilution in patients with healthy hearts and heart surgery patients.
Infusionstherapie 17 Suppl 2: 24-7.
56. Kolonel, L. N. (1976).
Association of cadmium with renal cancer.
Cancer 37 [4]: 1782-7.
57. Kraft W., Dürr U.M. (1997).
Klinische Labordiagnostik in der Tiermedizin, 4. Auflage.
Schattauer, Stuttgart/New York.
58. Lansdown, A. B. (1995).
Physiological and toxicological changes in the skin resulting from the action and interaction of metal ions.
Crit Rev Toxicol 25 [5]: 397-462.
59. Lansdown, A. B., Sampson, B. (1996).
Dermal toxicity and percutaneous absorption of cadmium in rats and mice.
Lab Anim Sci 46 [5]: 549-54.
60. Meyer, W. (1996).
Comments on the suitability of swine skin as a biological model for human skin.
Hautarzt 47 [3]:178-82.
61. Monteiro-Riviere, N. A., Inman, A. O., Snider, T. H., Blank, J. A., Hobson, D. W. (1997).
Comparison of an in vitro skin model to normal human skin for dermatological research.
Microsc Res Tech 37 [3]: 172-9.

Literaturverzeichnis

62. Nogueira, A. C., Wagner, S., Riebeling, I. I., Klug, S. (1999).
The isolated normothermic hemoperfused porcine leg as model for
pharmacological and toxicological investigations.
Altex 16 [2]: 90-94.
63. Nordberg, G. F. (2004).
Cadmium and health in the 21st century--historical remarks and trends for
the future.
Biometals 17 [5]: 485-9.
64. Piasek, M., Laskey, J. W. (1999).
Effects of in vitro cadmium exposure on ovarian steroidogenesis in rats.
J Appl Toxicol 19 [3]: 211-7.
65. Popp, W. (1998).
Diagnoselexikon Arbeits- und Umweltmedizin: Krankheitsursachen in
Umwelt und Arbeitswelt.
Thieme, Stuttgart, New York.
66. Riviere, J. E., Monteiro-Riviere, N. A. (1991).
The isolated perfused porcine skin flap as an in vitro model for percutaneous
absorption and cutaneous toxicology.
Crit Rev Toxicol 21 [5]: 329-44.
67. Sahmoun, A. E., Case, L. D., Jackson, S. A., Schwartz, G. G. (2005).
Cadmium and prostate cancer: a critical epidemiologic analysis.
Cancer Invest 23 [3]: 256-63.
68. Schaefer H. (1982).
Skin Permeability.
Springer, Berlin, Heidelberg, New York.
69. Schmidt F., Thews G. (2004).
Physiologie des Menschen mit Pathophysiologie.
Springer, Berlin, Heidelberg, New York.
70. Seidal, K., Jorgensen, N., Elinder, C. G., Sjogren, B., Vahter, M. (1993).
Fatal cadmium-induced pneumonitis.
Scand J Work Environ Health 19 [6]: 429-31.

Literaturverzeichnis

71. Shiverick, K.T., Salafia, C. (1999).
Cigarette smoking and pregnancy I: ovarian, uterine and placental effects.
Placenta 20: 265-272.
72. Skog, E., Wahlberg, J. E. (1964).
A Comparative Investigation of the Percutaneous Absorption of Metal
Compounds in the Guinea Pig by Means of the Radioactive Isotopes: ⁵¹Cr,
⁵⁸Co, ⁶⁵Zn, ¹¹⁰Mg, ¹¹⁵Mn, ²⁰³Hg.
J Invest Dermatol 43: 187-92.
73. Staessen, J. A., Roels, H. A., Emelianov, D., Kuznetsova, T., Thijs, L.,
Vangronsveld, J., Fagard, R. (1999).
Environmental exposure to cadmium, forearm bone density, and risk of
fractures: prospective population study. Public Health and Environmental
Exposure to Cadmium (PheeCad) Study Group.
Lancet 353 [9159]: 1140-4.
74. Stoepler M. (1991).
Cadmium. In: Merian, E.: Metals and their compounds in the Environment.
Verlag Chemie, Weinheim: 805-49..
75. Svartengren, M., Elinder, C. G., Friberg, L., Lind, B. (1986).
Distribution and concentration of cadmium in human kidney.
Environ Res 39 [1]:1-7.
76. van der Hoeven, J. G., Kilic, A., Vogel, P., Loudovici, D. A., Grosse-Siestrup,
C., Affeld, K. (1998):
Comparative studies of hemolysis in blood pumps of various designs.
Biomed Tech (Berl) 43 Suppl: 332-4.
77. Waalkes, M. P., Rehm, S., Riggs, C. W., Bare, R. M., Devor, D. E., Poirier,
L. A., Wenk, M. L., Henneman, J. R., Balaschak, M. S. (1988).
Cadmium carcinogenesis in male Wistar rats: dose-response analysis of
tumor induction in the prostate and testes and at the injection site.
Cancer Res 48 [16]: 4656-63.
78. Wendland, M., Mehrrens G. (2003)
Die Berufskrankheitenverordnung.
Schmidt, Berlin.

Literaturverzeichnis

79. Wester, R. C., Maibach, H. I., Sedik, L., Melendres, J., DiZio, S., Wade, M. (1992).
In vitro percutaneous absorption of cadmium from water and soil into human skin.
Fundam Appl Toxicol 19 [1]: 1-5.
80. Zalups, R. K., Ahmad, S. (2003).
Molecular handling of cadmium in transporting epithelia.
Toxicol Appl Pharmacol 186 [3]: 163-88.
81. Zesch, A., Schaefer, H., Hoffmann, W. (1973).
Barrier and reservoir function of individual areas of the horny layers of human skin for locally administered drugs.
Arch Dermatol Forsch 246 [2]: 103-7