

## 6 Literatur

1. Glowniak JV, Kilty JE, Amara SG, Hoffman BJ, Turner FE 1993 Evaluation of metaiodobenzylguanidine uptake by the norepinephrine, dopamine and serotonin transporters. *J Nucl Med* 34(7):1140-1146
2. Erdmann E, Riecker G. *Klinische Kardiologie – Krankheiten des Herzens, des Kreislaufs und der Gefäße*. Springer-Verlag, Berlin Heidelberg New York, 1996.
3. Nichols AB, Weiss MB, Sciacca RR, Cannon PJ, Blood DK 1983 Relationship between segmental thallium-201 uptake and regional myocardial blood flow in patients with coronary artery disease. *Circulation* 68(2):310-320
4. Pohost GM, Zir LM, Moore RH, McKusick KA, Guiney TE, Beller GA 1977 Differentiation of transiently ischemic from infarcted myocardium by serial imaging after a single dose of thallium-201. *Circulation* 55(2):294-302
5. Kawana M, Krizek J, Porter J, Lathrop KA, Charleston D, Harper PV 1970 Use of 199-Thallium as a potassium analog in scanning. *J Nucl Med* 11:333
6. Saha GB, MacIntyre WJ, Brunken RC, Go RT, Raja S, Wong CO, Chen EQ 1996 Present assessment of myocardial viability by nuclear imaging. *Semin Nucl Med* 26(4):315-335
7. Ragosta M, Beller GA 1993 The noninvasive assessment of myocardial viability. *Clin Cardiol* 16(7):531-538
8. Hendel RC 1994 Single-photon perfusion imaging for the assessment of myocardial viability. *J Nucl Med* 35(4 Suppl):23S-31S
9. Knapp WH 1999 [Guidelines for myocardial perfusion scintigraphy]. *Nuklearmedizin* 38(6A):226-229
10. Schelbert HR 1987 Current status and prospects of new radionuclides and radiopharmaceuticals for cardiovascular nuclear medicine. *Semin Nucl Med* 17(2):145-181
11. Wackers FJ, Berman DS, Maddahi J, Watson DD, Beller GA, Strauss HW, Boucher CA, Picard M, Holman BL, Fridrich R, . 1989 Technetium-99m hexakis 2-methoxyisobutyl isonitrile: human biodistribution, dosimetry, safety, and preliminary comparison to thallium-201 for myocardial perfusion imaging. *J Nucl Med* 30(3):301-311
12. Du Pont Pharma GmbH 1992 *Gebrauchs- und Fachinformation*. HA 2/5,211-212

13. Hor G, Zoller A, Klepzig H, Jr., Hartmann A, Maul FD, Hertel A, Gurtner C, Kranert T, Baum RP 1994 [Clinical relevance of equilibrium radionuclide ventriculography]. *Med Klin (Munich)* 89(8):442-452
14. Kleinhans E 1999 [Guidelines for equilibrium radionuclide ventriculography]. *Nuklearmedizin* 38(6A):230-232
15. Storch-Becker A, Kaiser KP, Feinendegen LE 1988 Cardiac nuclear medicine: positron emission tomography in clinical medicine. *Eur J Nucl Med* 13(12):648-652
16. Schwaiger M 1996 Indikation für die klinische Anwendung der Positronen-Emissions-Tomographie in der Kardiologie. Positionsbericht der Arbeitsgruppe PET-Kardiologie der Deutschen Gesellschaft für Nuklearmedizin und des Arbeitskreises Nuklearkardiologie der Deutschen Gesellschaft für Kardiologie. *Z Kardiol* 85:453-468
17. Knapp FF, Jr., Kropp J 1995 Iodine-123-labelled fatty acids for myocardial single-photon emission tomography: current status and future perspectives. *Eur J Nucl Med* 22(4):361-381
18. Corbett JR 1999 Fatty acids for myocardial imaging. *Semin Nucl Med* 29(3):237-258
19. Westera G, Visser FC, van der Wall EE. Uptake and distribution of radioiodinated free fatty acids in the dog heart. van der Wall EE (ed.): *Noninvasive imaging of cardiac metabolism*. Martinus Nijhoff Publishers, Dordrecht, Boston, Lancaster, 1987: 81-93.
20. Kropp J 1992 Szintigraphie mit J-123-markierten Fettsäuren zur Diagnostik der KHK. *Nuklearmedizin* 15:185-194
21. Rosenspire KC, Haka MS, Van Dort ME, Jewett DM, Gildersleeve DL, Schwaiger M, Wieland DM 1990 Synthesis and preliminary evaluation of carbon-11-methoxyephedrine: a false transmitter agent for heart neuronal imaging. *J Nucl Med* 31(8):1328-1334
22. Allman KC, Stevens MJ, Wieland DM, Hutchins GD, Wolfe ER, Jr., Greene DA, Schwaiger M 1993 Noninvasive assessment of cardiac diabetic neuropathy by carbon-11 methoxyephedrine and positron emission tomography. *J Am Coll Cardiol* 22(5):1425-1432
23. Bengel FM, Ueberfuhr P, Ziegler SI, Nekolla S, Reichart B, Schwaiger M 1999 Serial assessment of sympathetic reinnervation after orthotopic heart transplan-

- tation. A longitudinal study using PET and C-11 hydroxyephedrine. *Circulation* 99(14):1866-1871
24. Stevens MJ, Raffel DM, Allman KC, Dayanikli F, Ficaro E, Sandford T, Wieland DM, Pfeifer MA, Schwaiger M 1998 Cardiac sympathetic dysinnervation in diabetes: implications for enhanced cardiovascular risk. *Circulation* 98(10):961-968
  25. Wieland DM, Brown LE, Tobes MC, Rogers WL, Marsh DD, Mangner TJ, Swanson DP, Beierwaltes WH 1981 Imaging the primate adrenal medulla with [123I] and [131I] meta-iodobenzylguanidine: concise communication. *J Nucl Med* 22(4):358-364
  26. Pechan J, Povinec P, Cesnakova Z 1997 I-123-MIBG and 201-Thallium myocardial scintigraphy in essential hypertonus. *J Nucl Med* 43:862
  27. Watanabe K, Sekiya M, Tsuruoka T, Funada J, Kameoka H, Miyagawa M, Kohara K 1999 Relationship between insulin resistance and cardiac sympathetic nervous function in essential hypertension. *J Hypertens* 17(8):1161-1168
  28. Hattori N, Tamaki N, Hayashi T, Masuda I, Kudoh T, Tateno M, Tadamura E, Yonekura Y, Nakao K, Konishi J 1996 Regional abnormality of iodine-123-MIBG in diabetic hearts. *J Nucl Med* 37(12):1985-1990
  29. Langer A, Freeman MR, Josse RG, Armstrong PW 1995 Metaiodobenzylguanidine imaging in diabetes mellitus: assessment of cardiac sympathetic denervation and its relation to autonomic dysfunction and silent myocardial ischemia. *J Am Coll Cardiol* 25(3):610-618
  30. Kim SJ, Lee JD, Ryu YH, Jeon P, Shim YW, Yoo HS, Park CY, Lim SG 1996 Evaluation of cardiac sympathetic neuronal integrity in diabetic patients using iodine-123 metaiodobenzylguanidine. *Eur J Nucl Med* 23(4):401-406
  31. Schnell O, Kirsch CM, Stemplinger J, Haslbeck M, Standl E 1995 Scintigraphic evidence for cardiac sympathetic dysinnervation in long-term IDDM patients with and without ECG-based autonomic neuropathy. *Diabetologia* 38(11):1345-1352
  32. Glowniak JV, Turner FE, Gray LL, Palac RT, Lagunas-Solar MC, Woodward WR 1989 Iodine-123 metaiodobenzylguanidine imaging of the heart in idiopathic congestive cardiomyopathy and cardiac transplants. *J Nucl Med* 30(7):1182-1191
  33. Schofer J, Spielmann R, Schuchert A, Weber K, Schluter M 1988 Iodine-123 meta-iodobenzylguanidine scintigraphy: a noninvasive method to demonstrate myocardial adrenergic nervous system disintegrity in patients with idiopathic dilated cardiomyopathy. *J Am Coll Cardiol* 12(5):1252-1258

34. Lanza GA, Giordano A, Pristipino C, Calcagni ML, Meduri G, Trani C, Franceschini R, Crea F, Troncone L, Maseri A 1997 Abnormal cardiac adrenergic nerve function in patients with syndrome X detected by [<sup>123</sup>I]metaiodobenzylguanidine myocardial scintigraphy. *Circulation* 96(3):821-826
35. Sakata K, Yoshida H, Hoshino T, Kurata C 1996 Sympathetic nerve activity in the spasm-induced coronary artery region is associated with disease activity of vasospastic angina. *J Am Coll Cardiol* 28(2):460-464
36. Sakata K, Miura F, Sugino H, Saegusa T, Shirotani M, Yoshida H, Hoshino T, Kurata C 1997 Assessment of regional sympathetic nerve activity in vasospastic angina: analysis of iodine 123-labeled metaiodobenzylguanidine scintigraphy. *Am Heart J* 133(4):484-489
37. Takano H, Nakamura T, Satou T, Umetani K, Watanabe A, Ishihara T, Mochizuki S, Kimura H, Honma H, Ikeda Y, . 1995 Regional myocardial sympathetic dysinnervation in patients with coronary vasospasm. *Am J Cardiol* 75(5):324-329
38. Lanza GA 1999 Abnormal cardiac nerve function in syndrome X. *Herz* 24(2):97-106
39. Ha JW, Lee JD, Jang Y, Chung N, Kwan J, Rim SJ, Lee YJ, Shim WH, Cho SY, Kim SS 1998 <sup>123</sup>I-MIBG myocardial scintigraphy as a noninvasive screen for the diagnosis of coronary artery spasm. *J Nucl Cardiol* 5(6):591-597
40. Gohl K, Feistel H, Weikl A, Bachmann K, Wolf F 1991 Congenital myocardial sympathetic dysinnervation (CMSD)--a structural defect of idiopathic long QT syndrome. *Pacing Clin Electrophysiol* 14(10):1544-1553
41. Muller KD, Jakob H, Neuzner J, Grebe SF, Schlepfer M, Pitschner HF 1993 <sup>123</sup>I-metaiodobenzylguanidine scintigraphy in the detection of irregular regional sympathetic innervation in long QT syndrome. *Eur Heart J* 14(3):316-325
42. Delahaye N, Dinanian S, Slama MS, Mzabi H, Samuel D, Adams D, Merlet P, Le GD 1999 Cardiac sympathetic denervation in familial amyloid polyneuropathy assessed by iodine-123 metaiodobenzylguanidine scintigraphy and heart rate variability. *Eur J Nucl Med* 26(4):416-424
43. McGhie AI, Corbett JR, Akers MS, Kulkarni P, Sills MN, Kremers M, Buja LM, Durant-Reville M, Parkey RW, Willerson JT 1991 Regional cardiac adrenergic function using I-123 meta-iodobenzylguanidine tomographic imaging after acute myocardial infarction. *Am J Cardiol* 67(4):236-242

44. Tahara Y, Taya M, Nishimura T, Shimoyama K, Sasaki A, Mizuno H, Ono A, Ishikawa K, Akanuma M, Murata M, . 1991 [Assessment of denervated but viable myocardium in patients with myocardial infarction--by myocardial imaging with 201Tl and 123I-MIBG]. *Kokyu To Junkan* 39(8):795-799
45. Barber MJ, Mueller TM, Henry DP, Felten SY, Zipes DP 1983 Transmural myocardial infarction in the dog produces sympathectomy in noninfarcted myocardium. *Circulation* 67(4):787-796
46. Hartikainen J, Mustonen J, Kuikka J, Vanninen E, Kettunen R 1997 Cardiac sympathetic denervation in patients with coronary artery disease without previous myocardial infarction. *Am J Cardiol* 80(3):273-277
47. Gurtner C, Schacherer C, Krause BJ, Zickmann J, Klepzig H, Jr., Hor G 1996 [Evaluation of the sympathetic nervous system in silent ischemia with 123I-metaiodobenzylguanidine (MIBG)]. *Nuklearmedizin* 35(4):105-111
48. Nakata T, Nagao K, Tsuchihashi K, Hashimoto A, Tanaka S, Jimura O 1996 Regional cardiac sympathetic nerve dysfunction and the diagnostic efficacy of metaiodobenzylguanidine tomography in stable coronary artery disease. *Am J Cardiol* 78(3):292-297
49. Merlet P, Valette H, Dubois-Rande JL, Moyse D, Duboc D, Dove P, Bourguignon MH, Benvenuti C, Duval AM, Agostini D, . 1992 Prognostic value of cardiac metaiodobenzylguanidine imaging in patients with heart failure. *J Nucl Med* 33(4):471-477
50. Stanton MS, Tuli MM, Radtke NL, Heger JJ, Miles WM, Mock BH, Burt RW, Wellman HN, Zipes DP 1989 Regional sympathetic denervation after myocardial infarction in humans detected noninvasively using I-123-metaiodobenzylguanidine. *J Am Coll Cardiol* 14(6):1519-1526
51. Haslbeck M, Luft D, Neundörfer B, Stracke H, Ziegler D, Redaelli M. Diagnose und Therapie der autonomen diabetischen Neuropathie. Deutsche Evidenzbasierte Diabetes-Leitlinie DDG. 2002.
52. van Eck-Smit BL, van der Wall EE, Kuijper AF, Zwinderman AH, Pauwels EK 1993 Immediate thallium-201 reinjection following stress imaging: a time-saving approach for detection of myocardial viability. *J Nucl Med* 34(5):737-743
53. van Eck-Smit BL, van der Wall EE, Zwinderman AH, Pauwels EK 1995 Immediate 201Tl reinjection: an alternative approach in myocardial perfusion scintigra-

- phy? A comparison with contrast angiographic findings. *Nucl Med Commun* 16(10):811-820
54. Babich JW, Graham W, Fischman AJ 1997 Effect of adrenergic receptor ligands on metaiodobenzylguanidine uptake and storage in neuroblastoma cells. *Eur J Nucl Med* 24(5):538-543
  55. Huguet F, Fagret D, Caillet M, Piriou A, Besnard JC, Guilloteau D 1996 Interaction of metaiodobenzylguanidine with cardioactive drugs: an in vitro study. *Eur J Nucl Med* 23(5):546-549
  56. Khafagi FA, Shapiro B, Fig LM, Mallette S, Sisson JC 1989 Labetalol reduces iodine-131 MIBG uptake by pheochromocytoma and normal tissues. *J Nucl Med* 30(4):481-489
  57. Fagret D, Wolf JE, Comet M 1989 Myocardial uptake of meta-[123I]-iodobenzylguanidine [( 123I]-MIBG) in patients with myocardial infarct. *Eur J Nucl Med* 15(9):624-628
  58. Solanki KK, Bomanji J, Moyes J, Mather SJ, Trainer PJ, Britton KE 1992 A pharmacological guide to medicines which interfere with the biodistribution of radiolabelled meta-iodobenzylguanidine (MIBG). *Nucl Med Commun* 13(7):513-521
  59. Campeau L 1976 Letter: Grading of angina pectoris. *Circulation* 54(3):522-523
  60. Pavel DG, Zimmer M, Patterson VN 1977 In vivo labeling of red blood cells with <sup>99m</sup>Tc: a new approach to blood pool visualization. *J Nucl Med* 18(3):305-308
  61. Brady TJ, Thrall JH, Clare JM, Rogers WL, Lo K, Pitt B 1979 Exercise radionuclide ventriculography: practical considerations and sensitivity of coronary artery disease detection. *Radiology* 132(3):697-702
  62. Fletcher GF, Balady G, Froelicher VF, Hartley LH, Haskell WL, Pollock ML 1995 Exercise standards. A statement for healthcare professionals from the American Heart Association. Writing Group. *Circulation* 91(2):580-615
  63. Gibbons RJ, Balady GJ, Beasley JW, Bricker JT, Duvernoy WF, Froelicher VF, Mark DB, Marwick TH, McCallister BD, Thompson PD, Jr., Winters WL, Yanowitz FG, Ritchie JL, Gibbons RJ, Cheitlin MD, Eagle KA, Gardner TJ, Garson A, Jr., Lewis RP, O'Rourke RA, Ryan TJ 1997 ACC/AHA Guidelines for Exercise Testing. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Exercise Testing). *J Am Coll Cardiol* 30(1):260-311

64. Guertner C, Krause BJ, Klepzig H, Jr., Herrmann G, Lebach S, Vockert EK, Hartmann A, Maul FD, Kranert TW, Mutschler E, . 1995 Sympathetic reinnervation after heart transplantation: dual-isotope neurotransmitter scintigraphy, norepinephrine content and histological examination. *Eur J Nucl Med* 22(5):443-452
65. Krause BJ, Gurtner C, Kranert WT, Maul FD, Baum RP, Hor G 1995 Validation of a dual-isotope technique using <sup>123</sup>I-MIBG and <sup>201</sup>Tl in the assessment of sympathetic reinnervation following heart transplantation: phantom and patient studies. *Nucl Med Commun* 16(8):675-682
66. Devous MD, Sr., Lowe JL, Payne JK 1992 Dual-isotope brain SPECT imaging with technetium-99m and iodine-123: validation by phantom studies. *J Nucl Med* 33(11):2030-2035
67. Burow RD, Pond M, Schafer AW, Becker L 1979 "Circumferential profiles:" a new method for computer analysis of thallium-201 myocardial perfusion images. *J Nucl Med* 20(7):771-777
68. DePasquale EE, Nody AC, DePuey EG, Garcia EV, Pilcher G, Bredlau C, Roubin G, Gober A, Gruentzig A, D'Amato P, . 1988 Quantitative rotational thallium-201 tomography for identifying and localizing coronary artery disease. *Circulation* 77(2):316-327
69. Eisner RL, Tamas MJ, Cloninger K, Shonkoff D, Oates JA, Gober AM, Dunn DW, Malko JA, Churchwell AL, Patterson RE 1988 Normal SPECT thallium-201 bull's-eye display: gender differences. *J Nucl Med* 29(12):1901-1909
70. Kleiger RE, Miller JP, Bigger JT, Jr., Moss AJ 1987 Decreased heart rate variability and its association with increased mortality after acute myocardial infarction. *Am J Cardiol* 59(4):256-262
71. Ewing DJ, Campbell IW, Clarke BF 1980 The natural history of diabetic autonomic neuropathy. *Q J Med* 49(193):95-108
72. Navarro X, Kennedy WR, Loewenson RB, Sutherland DE 1990 Influence of pancreas transplantation on cardiorespiratory reflexes, nerve conduction, and mortality in diabetes mellitus. *Diabetes* 39(7):802-806
73. O'Brien IA, McFadden JP, Corral RJ 1991 The influence of autonomic neuropathy on mortality in insulin-dependent diabetes. *Q J Med* 79(290):495-502

74. Sampson MJ, Wilson S, Karagiannis P, Edmonds M, Watkins PJ 1990 Progression of diabetic autonomic neuropathy over a decade in insulin-dependent diabetics. *Q J Med* 75(278):635-646
75. Ewing DJ, Campbell IW, Clarke BF 1976 Mortality in diabetic autonomic neuropathy. *Lancet* 1(7960):601-603
76. Fava S, Azzopardi J, Muscat HA, Fenech FF 1993 Factors that influence outcome in diabetic subjects with myocardial infarction. *Diabetes Care* 16(12):1615-1618
77. Tsuji H, Larson MG, Venditti FJ, Jr., Manders ES, Evans JC, Feldman CL, Levy D 1996 Impact of reduced heart rate variability on risk for cardiac events. The Framingham Heart Study. *Circulation* 94(11):2850-2855
78. Ewing DJ, Clarke BF 1982 Diagnosis and management of diabetic autonomic neuropathy. *Br Med J (Clin Res Ed)* 285(6346):916-918
79. Langen KJ, Ziegler D, Weise F, Pilot R, Boy C, Hubinger A, Gries FA, Muller-Gartner HW 1997 Evaluation of QT interval length, QT dispersion and myocardial m-iodobenzylguanidine uptake in insulin-dependent diabetic patients with and without autonomic neuropathy. *Clin Sci (Lond)* 93(4):325-333
80. Wei K, Dorian P, Newman D, Langer A 1995 Association between QT dispersion and autonomic dysfunction in patients with diabetes mellitus. *J Am Coll Cardiol* 26(4):859-863
81. Sisson JC, Shapiro B, Meyers L, Mallette S, Mangner TJ, Wieland DM, Glowniak JV, Sherman P, Beierwaltes WH 1987 Metaiodobenzylguanidine to map scintigraphically the adrenergic nervous system in man. *J Nucl Med* 28(10):1625-1636
82. Eisenhofer G, Friberg P, Rundqvist B, Quyyumi AA, Lambert G, Kaye DM, Kopin IJ, Goldstein DS, Esler MD 1996 Cardiac sympathetic nerve function in congestive heart failure. *Circulation* 93(9):1667-1676
83. Matheja P, Schafers M, Weckesser M, Wichter T, Schober O 1999 Imaging sympathetic innervation. *Q J Nucl Med* 43(3):281-290
84. Dae MW, Herre JM, O'Connell JW, Botvinick EH, Newman D, Munoz L 1991 Scintigraphic assessment of sympathetic innervation after transmural versus nontransmural myocardial infarction. *J Am Coll Cardiol* 17(6):1416-1423
85. Minardo JD, Tuli MM, Mock BH, Weiner RE, Pride HP, Wellman HN, Zipes DP 1988 Scintigraphic and electrophysiological evidence of canine myocardial sym-



- pathetic denervation and reinnervation produced by myocardial infarction or phenol application. *Circulation* 78(4):1008-1019
86. Mantysaari M, Kuikka J, Mustonen J, Tahvanainen K, Vanninen E, Lansimies E, Uusitupa M 1992 Noninvasive detection of cardiac sympathetic nervous dysfunction in diabetic patients using [<sup>123</sup>I]metaiodobenzylguanidine. *Diabetes* 41(9):1069-1075
  87. Ziegler SI, Frey AW, Uberfuhr P, Dambacher M, Watzlowik P, Nekolla S, Wieland DM, Reichart B, Schwaiger M 1996 Assessment of myocardial reinnervation in cardiac transplants by positron emission tomography: functional significance tested by heart rate variability. *Clin Sci (Lond)* 91 Suppl:126-128
  88. Uberfuhr P, Frey AW, Ziegler S, Reichart B, Schwaiger M 2000 Sympathetic reinnervation of sinus node and left ventricle after heart transplantation in humans: regional differences assessed by heart rate variability and positron emission tomography. *J Heart Lung Transplant* 19(4):317-323
  89. Gallego-Page JC, Segovia J, onso-Pulpon L, onso-Rodriguez M, Salas C, Ortiz-Berrocal J 2004 Re-innervation after heart transplantation: a multidisciplinary study. *J Heart Lung Transplant* 23(6):674-682
  90. Claus D, Feistel H, Brunholzl C, Platsch G, Neundorfer B, Wolf F 1994 Investigation of parasympathetic and sympathetic cardiac innervation in diabetic neuropathy: heart rate variation versus meta-iodo-benzylguanidine measured by single photon emission computed tomography. *Clin Auton Res* 4(3):117-123
  91. Merlet P, Delforge J, Syrota A, Angevin E, Maziere B, Crouzel C, Valette H, Loisançe D, Castaigne A, Rande JL 1993 Positron emission tomography with <sup>11</sup>C CGP-12177 to assess beta-adrenergic receptor concentration in idiopathic dilated cardiomyopathy. *Circulation* 87(4):1169-1178
  92. Henderson EB, Kahn JK, Corbett JR, Jansen DE, Pippin JJ, Kulkarni P, Ugolini V, Akers MS, Hansen C, Buja LM, . 1988 Abnormal I-123 metaiodobenzylguanidine myocardial washout and distribution may reflect myocardial adrenergic derangement in patients with congestive cardiomyopathy. *Circulation* 78(5 Pt 1):1192-1199
  93. Bengel FM, Permanetter B, Ungerer M, Nekolla SG, Schwaiger M 2002 Alterations of the sympathetic nervous system and metabolic performance of the cardiomyopathic heart. *Eur J Nucl Med Mol Imaging* 29(2):198-202

94. Kyuma M, Nakata T, Hashimoto A, Nagao K, Sasao H, Takahashi T, Tsuchihashi K, Shimamoto K 2004 Incremental prognostic implications of brain natriuretic peptide, cardiac sympathetic nerve innervation, and noncardiac disorders in patients with heart failure. *J Nucl Med* 45(2):155-163
95. Schafers M, Dutka D, Rhodes CG, Lammertsma AA, Hermansen F, Schober O, Camici PG 1998 Myocardial presynaptic and postsynaptic autonomic dysfunction in hypertrophic cardiomyopathy. *Circ Res* 82(1):57-62
96. Morimitsu T, Miyahara Y, Sinboku H, Ikeda S, Naito T, Nishijima K, Takao M 1996 Iodine-123-metaiodobenzylguanidine myocardial imaging in patients with right ventricular pressure overload. *J Nucl Med* 37(8):1343-1346
97. Agostini D, Scanu P, Loiselet P, Babatasi G, Darlas Y, Grollier G, Potier JC, Bouvard G 1998 Iodine-123-metaiodobenzylguanidine SPECT of regional cardiac adrenergic denervation in Brugada syndrome. *J Nucl Med* 39(7):1129-1132
98. Nomura M, Nada T, Endo J, Kondo Y, Yukinaka M, Saito K, Ito S, Mori H, Nakaya Y, Shinomiya H 1998 Brugada syndrome associated with an autonomic disorder. *Heart* 80(2):194-196
99. Mitrani RD, Klein LS, Miles WM, Hackett FK, Burt RW, Wellman HN, Zipes DP 1993 Regional cardiac sympathetic denervation in patients with ventricular tachycardia in the absence of coronary artery disease. *J Am Coll Cardiol* 22(5):1344-1353
100. Schafers M, Wichter T, Lerch H, Matheja P, Kuwert T, Schafers K, Borggrefe M, Breithardt G, Schober O 1999 Cardiac 123I-MIBG uptake in idiopathic ventricular tachycardia and fibrillation. *J Nucl Med* 40(1):1-5
101. Wichter T, Hindricks G, Lerch H, Bartenstein P, Borggrefe M, Schober O, Breithardt G 1994 Regional myocardial sympathetic dysinnervation in arrhythmogenic right ventricular cardiomyopathy. An analysis using 123I-metaiodobenzylguanidine scintigraphy. *Circulation* 89(2):667-683
102. Lerch H, Bartenstein P, Wichter T, Hindricks G, Borggrefe M, Breithardt G, Schober O 1993 Sympathetic innervation of the left ventricle is impaired in arrhythmogenic right ventricular disease. *Eur J Nucl Med* 20(3):207-212
103. Iwasaki T, Suzuki T, Tateno M, Sasaki Y, Oshima S, Imai S 1996 Dual-tracer autoradiography with thallium-201 and iodine-125-metaiodobenzylguanidine in experimental myocardial infarction of rat. *J Nucl Med* 37(4):680-684

104. Takatsu H, Duncker CM, Arai M, Becker LC 1997 Cardiac sympathetic nerve function assessed by [<sup>131</sup>I]metaiodobenzylguanidine after ischemia and reperfusion in anesthetized dogs. *J Nucl Cardiol* 4(1 Pt 1):35-41
105. Kramer CM, Nicol PD, Rogers WJ, Suzuki MM, Shaffer A, Theobald TM, Reichek N 1997 Reduced sympathetic innervation underlies adjacent noninfarcted region dysfunction during left ventricular remodeling. *J Am Coll Cardiol* 30(4):1079-1085
106. Bengel FM, Barthel P, Matsunari I, Schmidt G, Schwaiger M 1999 Kinetics of <sup>123</sup>I-MIBG after acute myocardial infarction and reperfusion therapy. *J Nucl Med* 40(6):904-910
107. Dae MW, O'Connell JW, Botvinick EH, Chin MC 1995 Acute and chronic effects of transient myocardial ischemia on sympathetic nerve activity, density, and norepinephrine content. *Cardiovasc Res* 30(2):270-280
108. Dae MW, De MT, Botvinick EH, O'Connell JW, Hattner RS, Huberty JP, Yuen-Green MS 1992 Scintigraphic assessment of MIBG uptake in globally denervated human and canine hearts--implications for clinical studies. *J Nucl Med* 33(8):1444-1450
109. Gurtner C, Klepzig H, Jr., Lelbach S, Krause BJ, Hartmann A, Maul FD, Kranert WT, Hor G 1994 [Sympathetic reinnervation following heart transplantation--a double-tracer study with <sup>123</sup>I-MIBG and <sup>201</sup>Tl]. *Nuklearmedizin* 33(3):106-112
110. De MT, Dae M, Yuen-Green MS, Kumar S, Sudhir K, Keith F, Amidon TM, Rifkin C, Klinski C, Lau D, . 1995 Iodine-123 metaiodobenzylguanidine scintigraphic assessment of the transplanted human heart: evidence for late reinnervation. *J Am Coll Cardiol* 25(4):927-931
111. Bengel FM, Ueberfuhr P, Schiepel N, Nekolla SG, Reichart B, Schwaiger M 2001 Myocardial efficiency and sympathetic reinnervation after orthotopic heart transplantation: a noninvasive study with positron emission tomography. *Circulation* 103(14):1881-1886
112. Schwaiger M, Hutchins GD, Kalff V, Rosenspire K, Haka MS, Mallette S, Deeb GM, Abrams GD, Wieland D 1991 Evidence for regional catecholamine uptake and storage sites in the transplanted human heart by positron emission tomography. *J Clin Invest* 87(5):1681-1690
113. Ueberfuhr P, Ziegler S, Schwaiblmair M, Reichart B, Schwaiger M 2000 Incomplete sympathetic reinnervation of the orthotopically transplanted human heart: ob-

- ervation up to 13 years after heart transplantation. *Eur J Cardiothorac Surg* 17(2):161-168
114. Lumbreras VL, Fernandez SM, Nevado JA, Becerra GD, Nieto SR, Fernandez FB, Escobar JF, Martinez Sampere JJ 1998 [Evaluation of cardiac sympathetic innervation with <sup>123</sup>I-metaiodobenzylguanidine in patients with diabetes mellitus]. *Rev Esp Cardiol* 51 Suppl 1:60-66
  115. Scognamiglio R, Avogaro A, Casara D, Crepaldi C, Marin M, Palisi M, Mingardi R, Erle G, Fasoli G, Dalla VS 1998 Myocardial dysfunction and adrenergic cardiac innervation in patients with insulin-dependent diabetes mellitus. *J Am Coll Cardiol* 31(2):404-412
  116. Katono E, Owada K, Takeda H, Techigawara M, Watanabe N, Maruyama Y 1993 [Usefulness of myocardial imaging by <sup>123</sup>I-MIBG in assessment of diabetic neuropathy]. *Kaku Igaku* 30(10):1235-1239
  117. Ziegler D, Weise F, Langen KJ, Piolot R, Boy C, Hubinger A, Muller-Gartner HW, Gries FA 1998 Effect of glycaemic control on myocardial sympathetic innervation assessed by [<sup>123</sup>I]metaiodobenzylguanidine scintigraphy: a 4-year prospective study in IDDM patients. *Diabetologia* 41(4):443-451
  118. Muhr-Becker D, Weiss M, Tatsch K, Wolfram G, Standl E, Schnell O 1999 Scintigraphically assessed cardiac sympathetic dysinnervation in poorly controlled type 1 diabetes mellitus: one-year follow-up with improved metabolic control. *Exp Clin Endocrinol Diabetes* 107(5):306-312
  119. Utsunomiya K, Narabayashi I, Tamura K, Nakatani Y, Saika Y, Onishi S, Kariyone S 1998 Effects of aldose reductase inhibitor and vitamin B12 on myocardial uptake of iodine-123 metaiodobenzylguanidine in patients with non-insulin-dependent diabetes mellitus. *Eur J Nucl Med* 25(12):1643-1648
  120. Braune S, Reinhardt M, Bathmann J, Krause T, Lehmann M, Lucking CH 1998 Impaired cardiac uptake of meta-[<sup>123</sup>I]iodobenzylguanidine in Parkinson's disease with autonomic failure. *Acta Neurol Scand* 97(5):307-314
  121. Oka H, Yoshioka M, Morita M, Mochio S, Inoue K 2003 [Cardiac sympathetic dysfunction in Parkinson's disease--relationship between results of <sup>123</sup>I-MIBG scintigraphy and autonomic nervous function evaluated by the Valsalva maneuver]. *Rinsho Shinkeigaku* 43(8):465-469

122. Campos V, Rebollo AC, Jimenez-Hoyuela JM, Gomez-Doblas JJ, Medialdea P, Vila E, Gutierrez-Hurtado A 2004 [Early alterations of adrenergic cardiac function in Parkinson's disease]. *Neurologia* 19(2):53-58
123. Druschky A, Hilz MJ, Platsch G, Radespiel-Troger M, Druschky K, Kuwert T, Neundorfer B 2000 Differentiation of Parkinson's disease and multiple system atrophy in early disease stages by means of I-123-MIBG-SPECT. *J Neurol Sci* 175(1):3-12
124. Wieland DM, Brown LE, Rogers WL, Worthington KC, Wu JL, Clinthorne NH, Otto CA, Swanson DP, Beierwaltes WH 1981 Myocardial imaging with a radioiodinated norepinephrine storage analog. *J Nucl Med* 22(1):22-31
125. Wieland DM, Wu J, Brown LE, Mangner TJ, Swanson DP, Beierwaltes WH 1980 Radiolabeled adrenergic neuron-blocking agents: adrenomedullary imaging with [<sup>131</sup>I]iodobenzylguanidine. *J Nucl Med* 21(4):349-353
126. Nakajo M, Shimabukuro K, Yoshimura H, Yonekura R, Nakabeppu Y, Tanoue P, Shinohara S 1986 Iodine-131 metaiodobenzylguanidine intra- and extravesicular accumulation in the rat heart. *J Nucl Med* 27(1):84-89
127. Jaques S Jr, Tobes MC, Sisson JC, Baker JA, Wieland DM 1984 Comparison of the sodium dependency of uptake of meta-Iodobenzylguanidine and norepinephrine into cultured bovine adrenomedullary cells. *Mol Pharmacol* 26(3):539-546
128. Sisson JC, Wieland DM, Sherman P, Mangner TJ, Tobes MC, Jacques S Jr 1987 Metaiodobenzylguanidine as an index of the adrenergic nervous system integrity and function. *J Nucl Med* 28(10):1620-1624
129. Silbernagl S, Despopoulos A. *Taschenatlas der Physiologie*. Georg Thieme Verlag, Stuttgart, New York, München, 1991.
130. Powis AD. *Neurotransmitter Release and its modulation: biochemical mechanisms, physiological function and clinical relevance*. Cambridge University Press, New York, 1995.
131. Axelrod J. The fate of noradrenaline in the sympathetic neuron. *The Harvey Lecture*. Raven Press, 1972: 175-197.
132. Iversen LL 1971 Role of transmitter uptake mechanisms in synaptic neurotransmission. *Br J Pharmacol* 41(4):571-591
133. Tobes MC, Jaques S Jr, Wieland DM, Sisson JC 1985 Effect of uptake-one inhibitors on the uptake of norepinephrine and metaiodobenzylguanidine. *J Nucl Med* 26(8):897-907

134. Dae MW, Botvinick EH 1990 Imaging of the heart using metaiodobenzylguanidine. *J Thorac Imaging* 5(3):31-36
135. Manger WM, Hoffman BB 1983 Heart imaging in the diagnosis of pheochromocytoma and assessment of catecholamine uptake. *J Nucl Med* 24(12):1194-1196
136. Shapiro B, Gross MD 1987 Radiochemistry, biochemistry, and kinetics of <sup>131</sup>I-metaiodobenzylguanidine (MIBG) and <sup>123</sup>I-MIBG: clinical implications of the use of <sup>123</sup>I-MIBG. *Med Pediatr Oncol* 15(4):170-177
137. Glowniak JV. MIBG Imaging. In: Henkin RE, Boles MA, Dillebay GL et al., editors. *Nuclear Medicine Vol 1*. Mosby St-Louis, Baltimore, Boston, 1996: 760-771.
138. Schafers M, Schober O, Lerch H 1998 Cardiac sympathetic neurotransmission scintigraphy. *Eur J Nucl Med* 25(4):435-441
139. Trendelenburg U 1991 The TiPS lecture: functional aspects of the neuronal uptake of noradrenaline. *Trends Pharmacol Sci* 12(9):334-337
140. Edelman GM, Gall WE, Cowan WM. *Synaptic function*. A Neurosciences Institute Publication. John Wiley & Sons, New York, Chichester, Brisbane, Toronto, Singapore, 1987.
141. Nicholls DG. *Proteins, Transmitters and Synapses*. Blackwell Scientific Publications, Oxford, 1994.
142. Klein RC, Lagercrantz H, Zimmermann H. *Neurotransmitter vesicles*. Academic Press London, New York, Paris, San Diego, Sao Paulo, San Francisco, Sydney, Tokyo, Toronto, 1983.
143. Mangner TJ, Tobes MC, Wieland DW, Sisson JC, Shapiro B 1986 Metabolism of iodine-131 metaiodobenzylguanidine in patients with metastatic pheochromocytoma. *J Nucl Med* 27(1):37-44
144. Nakajima K, Taki J, Tonami N, Hisada K 1994 Decreased <sup>123</sup>I-MIBG uptake and increased clearance in various cardiac diseases. *Nucl Med Commun* 15(5):317-323
145. Somsen GA, Verberne HJ, Fleury E, Righetti A 2004 Normal values and within-subject variability of cardiac I-123 MIBG scintigraphy in healthy individuals: implications for clinical studies. *J Nucl Cardiol* 11(2):126-133
146. Dae MW, O'Connell JW, Botvinick EH, Ahearn T, Yee E, Huberty JP, Mori H, Chin MC, Hattner RS, Herre JM, . 1989 Scintigraphic assessment of regional cardiac adrenergic innervation. *Circulation* 79(3):634-644

147. Tsuchimochi S, Tamaki N, Tadamura E, Kawamoto M, Fujita T, Yonekura Y, Konishi J 1995 Age and gender differences in normal myocardial adrenergic neuronal function evaluated by iodine-123-MIBG imaging. *J Nucl Med* 36(6):969-974
148. Kodama K, Igase M, Kazatani Y, Matsuzaki K, Murakami E, Kokubu T 1995 Detection of perioperative coronary vasospasm on iodine-123-MIBG, thallium-201 and iodine-123-BMIPP myocardial SPECT images. *J Nucl Med* 36(11):2050-2052
149. Glowniak JV 1995 Cardiac studies with metaiodobenzylguanidine: a critique of methods and interpretation of results. *J Nucl Med* 36(11):2133-2137
150. Dec GW 1992 Prognosis in congestive heart failure: what information can best predict the future? *J Nucl Med* 33(4):477-479
151. Hiasa G, Hamada M, Saeki H, Ogimoto A, Ohtsuka T, Hara Y, Shigematsu Y 2004 Cardiac sympathetic nerve activity can detect congestive heart failure sensitively in patients with hypertrophic cardiomyopathy. *Chest* 126(3):679-686
152. Nagaoka H, Iizuka T, Kubota S, Kato N, Suzuki T, Inoue T, Endo K, Nagai R 1997 Depressed contractile response to exercise in diabetic patients in the absence of cardiovascular disease: relationship to adrenergic cardiac dysinnervation. *Nucl Med Commun* 18(8):761-770
153. Kreiner G, Wolzt M, Fasching P, Leitha T, Edlmayer A, Korn A, Waldhausl W, Dudczak R 1995 Myocardial m-[123I]iodobenzylguanidine scintigraphy for the assessment of adrenergic cardiac innervation in patients with IDDM. Comparison with cardiovascular reflex tests and relationship to left ventricular function. *Diabetes* 44(5):543-549
154. Imamura Y, Ando H, Mitsuoka W, Egashira S, Masaki H, Ashihara T, Fukuyama T 1995 Iodine-123 metaiodobenzylguanidine images reflect intense myocardial adrenergic nervous activity in congestive heart failure independent of underlying cause. *J Am Coll Cardiol* 26(7):1594-1599
155. Sakata K, Mochizuki M, Yoshida H, Nawada R, Ohbayashi K, Ishikawa J, Tamekiyo H 2000 Cardiac sympathetic dysfunction contributes to left ventricular remodeling after acute myocardial infarction. *Eur J Nucl Med* 27(11):1641-1649
156. Fagret D, Wolf JE, Vanzetto G, Borrel E 1993 Myocardial uptake of metaiodobenzylguanidine in patients with left ventricular hypertrophy secondary to valvular aortic stenosis. *J Nucl Med* 34(1):57-60

157. Sisson JC, Bolgos G, Johnson J 1991 Measuring acute changes in adrenergic nerve activity of the heart in the living animal. *Am Heart J* 121(4 Pt 1):1119-1123
158. Estorch M, Serra-Grima R, Carrio I, Flotats A, Lizarraga A, Berna LL, Prats T, Segura R 1997 Influence of prolonged exercise on myocardial distribution of 123I-MIBG in long-distance runners. *J Nucl Cardiol* 4(5):396-402
159. Takatsu H, Uno Y, Fujiwara H 1995 Modulation of left ventricular iodine-125-MIBG accumulation in cardiomyopathic Syrian hamsters using the renin-angiotensin system. *J Nucl Med* 36(6):1055-1061
160. Takatsu H, Scheffel U, Fujiwara H 1995 Sympathetic tone assessed by washout of iodine 125-labeled metaiodobenzylguanidine from the murine left ventricle--influence of immobilization stress and inhibition of the renin-angiotensin system. *J Nucl Cardiol* 2(6):507-512
161. Sato M, Maehara K, Yaoita H, Otani H, Hirosaka A, Saito T, Onuki N, Komatsu N, Ishihata T, Maruyama Y 2003 Correlation between cardiac norepinephrine overflow during exercise and cardiac 123I-MIBG uptake in patients with chronic heart failure. *J Nucl Med* 44(10):1618-1624
162. Kurata C, Shouda S, Mikami T, Wakabayashi Y, Nakano T, Sugiyama T, Tawarahara K, Sakata K 1997 Comparison of [123I]metaiodobenzylguanidine kinetics with heart rate variability and plasma norepinephrine level. *J Nucl Cardiol* 4(6):515-523
163. Fukuoka S, Hayashida K, Hirose Y, Shimotsu Y, Ishida Y, Kakuchi H, Eto T 1997 Use of iodine-123 metaiodobenzylguanidine myocardial imaging to predict the effectiveness of beta-blocker therapy in patients with dilated cardiomyopathy. *Eur J Nucl Med* 24(5):523-529
164. Morozumi T, Ishida Y, Tani A, Sato H, Matsuyama T, Ozaki H, Hori M, Kitabatake A, Kamada T, Kimura K, . 1991 [Clinical significance of I-123 MIBG myocardial scintigraphy for evaluating the severity of congestive heart failure]. *Kaku Igaku* 28(3):271-280
165. Takeishi Y, Atsumi H, Fujiwara S, Takahashi K, Tomoike H 1997 ACE inhibition reduces cardiac iodine-123-MIBG release in heart failure. *J Nucl Med* 38(7):1085-1089
166. Valdes Olmos RA, ten Bokkel Huinink WW, Greve JC, Hoefnagel CA 1992 I-123 MIBG and serial radionuclide angiocardiology in doxorubicin-related cardiotoxicity. *Clin Nucl Med* 17(3):163-167



167. Casset-Senon D, Philippe L, Cosnay P, Lopez-Moutault J, Turot-Bracq V, Fauchier JP, Pottier JM 1994 [Isotopic study of myocardial perfusion and innervation in 28 patients with primary hypertrophic cardiomyopathy: relation to ventricular arrhythmia]. *Arch Mal Coeur Vaiss* 87(4):475-483
168. Ohshima S, Isobe S, Izawa H, Nanasato M, Ando A, Yamada A, Yamada K, Kato TS, Obata K, Noda A, Nishizawa T, Kato K, Nagata K, Okumura K, Murohara T, Yokota M 2005 Cardiac sympathetic dysfunction correlates with abnormal myocardial contractile reserve in dilated cardiomyopathy patients. *J Am Coll Cardiol* 46(11):2061-2068
169. Dae MW, Herre JM, Botvinick EH 1986 Scintigraphic assessment of adrenergic innervation after myocardial infarction. *Circulation* 74:II-297
170. Marini C, Giorgetti A, Gimelli A, Kusch A, Sereni N, L'abbate A, Marzullo P, Sambuceti G 2005 Extension of myocardial necrosis differently affects MIBG retention in heart failure caused by ischaemic heart disease or by dilated cardiomyopathy. *Eur J Nucl Med Mol Imaging* 32(6):682-688
171. Matsunari I, Schricke U, Bengel FM, Haase HU, Barthel P, Schmidt G, Nekolla SG, Schoemig A, Schwaiger M 2000 Extent of cardiac sympathetic neuronal damage is determined by the area of ischemia in patients with acute coronary syndromes. *Circulation* 101(22):2579-2585
172. Bulow HP, Stahl F, Lauer B, Nekolla SG, Schuler G, Schwaiger M, Bengel FM 2003 Alterations of myocardial presynaptic sympathetic innervation in patients with multi-vessel coronary artery disease but without history of myocardial infarction. *Nucl Med Commun* 24(3):233-239
173. Merlet P, Benvenuti C, Moyse D, Pouillart F, Dubois-Rande JL, Duval AM, Loisanche D, Castaigne A, Syrota A 1999 Prognostic value of MIBG imaging in idiopathic dilated cardiomyopathy. *J Nucl Med* 40(6):917-923
174. Drozd J, Krzeminska-Pakula M, Krecki R, Dryja P, Plewka M, Ciesielczyk M, Lipiec P, Kopff A, Kasprzak JD 2004 [Prognostic value of the parameters of left ventricular systolic function in patients with heart failure]. *Przegl Lek* 61(6):664-668
175. Hammermeister KE, DeRouen TA, Dodge HT 1979 Variables predictive of survival in patients with coronary disease. Selection by univariate and multivariate analyses from the clinical, electrocardiographic, exercise, arteriographic, and quantitative angiographic evaluations. *Circulation* 59(3):421-430

176. Parameshwar J, Keegan J, Sparrow J, Sutton GC, Poole-Wilson PA 1992 Predictors of prognosis in severe chronic heart failure. *Am Heart J* 123(2):421-426
177. Lewis EF, Moye LA, Rouleau JL, Sacks FM, Arnold JM, Warnica JW, Flaker GC, Braunwald E, Pfeffer MA 2003 Predictors of late development of heart failure in stable survivors of myocardial infarction: the CARE study. *J Am Coll Cardiol* 42(8):1446-1453
178. Buxton AE 2003 Risk stratification for sudden death: do we need anything more than ejection fraction? *Card Electrophysiol Rev* 7(4):434-437
179. Thohan V 2004 Prognostic implications of echocardiography in advanced heart failure. *Curr Opin Cardiol* 19(3):238-249
180. Imamura Y, Fukuyama T 2002 Prognostic value of myocardial MIBG scintigraphy findings in patients with cardiomyopathy--importance of background correction for quantification of MIBG activity. *Ann Nucl Med* 16(6):387-393
181. Anastasiou-Nana MI, Terrovitis JV, Athanasoulis T, Karaloizos L, Geramoutsos A, Pappa L, Tsagalou EP, Efentakis S, Nanas JN 2005 Prognostic value of iodine-123-metaiodobenzylguanidine myocardial uptake and heart rate variability in chronic congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy. *Am J Cardiol* 96(3):427-431
182. Nagamachi S, Fujita S, Nishii R, Futami S, Tamura S, Mizuta M, Nakazato M, Kurose T, Wakamatsu H 2006 Prognostic value of cardiac I-123 metaiodobenzylguanidine imaging in patients with non-insulin-dependent diabetes mellitus. *J Nucl Cardiol* 13(1):34-42
183. Wakabayashi T, Nakata T, Hashimoto A, Yuda S, Tsuchihashi K, Travin MI, Shimamoto K 2001 Assessment of underlying etiology and cardiac sympathetic innervation to identify patients at high risk of cardiac death. *J Nucl Med* 42(12):1757-1767
184. Yamada T, Shimonagata T, Fukunami M, Kumagai K, Ogita H, Hirata A, Asai M, Makino N, Kioka H, Kusuoka H, Hori M, Hoki N 2003 Comparison of the prognostic value of cardiac iodine-123 metaiodobenzylguanidine imaging and heart rate variability in patients with chronic heart failure: a prospective study. *J Am Coll Cardiol* 41(2):231-238
185. Ogita H, Shimonagata T, Fukunami M, Kumagai K, Yamada T, Asano Y, Hirata A, Asai M, Kusuoka H, Hori M, Hoki N 2001 Prognostic significance of cardiac

- (123)I metaiodobenzylguanidine imaging for mortality and morbidity in patients with chronic heart failure: a prospective study. *Heart* 86(6):656-660
186. Arimoto T, Takeishi Y, Fukui A, Tachibana H, Nozaki N, Hirono O, Yamaguchi H, Itoh M, Miyamoto T, Takahashi H, Okada A, Takahashi K, Kubota I 2004 Dynamic 123I-MIBG SPECT reflects sympathetic nervous integrity and predicts clinical outcome in patients with chronic heart failure. *Ann Nucl Med* 18(2):145-150
  187. Gerson MC, McGuire N, Wagoner LE 2003 Sympathetic nervous system function as measured by I-123 metaiodobenzylguanidine predicts transplant-free survival in heart failure patients with idiopathic dilated cardiomyopathy. *J Card Fail* 9(5):384-391
  188. Matsuo S, Nakamura Y, Tsutamoto T, Kinoshita M 2002 Impairments of myocardial sympathetic activity may reflect the progression of myocardial damage or dysfunction in hypertrophic cardiomyopathy. *J Nucl Cardiol* 9(4):407-412
  189. Toyama T, Suzuki Y, Tsukagoshi J, Kanda T, Imai S, Murata K, Tateno M, Endo K, Suzuki T, Hoshizaki H, . 1995 [Usefulness of 123I-MIBG and 123I-BMIPP myocardial scintigraphy for detecting coronary artery disease and for evaluating left ventricular function]. *Kaku Igaku* 32(2):173-181
  190. Tanaka T, Aizawa T, Kato K, Ogasawara K, Sakuma T, Kirigaya H, Hirosaka A, Nakano H, Igarashi M 1990 [Denervated myocardium detected by I-123 metaiodobenzylguanidine myocardial imaging following successful percutaneous transluminal coronary thrombolysis]. *J Cardiol* 20(3):583-588
  191. Strauer BE, Burger S, Bull U 1978 Multifactorial determination of 201thallium uptake of the heart: an experimental study concerning the influence of ventricular mass, perfusion and oxygen consumption. *Basic Res Cardiol* 73(3):298-306
  192. Rozanski A, Berman DS, Gray R, Levy R, Raymond M, Maddahi J, Pantaleo N, Waxman AD, Swan HJ, Matloff J 1981 Use of thallium-201 redistribution scintigraphy in the preoperative differentiation of reversible and nonreversible myocardial asynergy. *Circulation* 64(5):936-944
  193. Rocco T, Dilsizian V, Maltais F, Strauss HW, Boucher CA, McKusick KA 1988 Thallium reinjection after delayed imaging demonstrates fill-in regions with "fixed" defects. (Abstr. No 119). *J Nucl Med* 29:769
  194. Dilsizian V, Smeltzer WR, Freedman NM, Dextras R, Bonow RO 1991 Thallium reinjection after stress-redistribution imaging. Does 24-hour delayed imaging af-

- ter reinjection enhance detection of viable myocardium? *Circulation* 83(4):1247-1255
195. Munz DL, Morguet AJ, Sandrock D, Toman AS, Figulla HR, Kreuzer H, Emrich D 1991 [201Thallium reinjection after exertion-redistribution myocardial scintigraphy. A new method for distinguishing between scars and vital myocardium]. *Dtsch Med Wochenschr* 116(10):361-366
  196. Rocco TP, Dilsizian V, McKusick KA, Fischman AJ, Boucher CA, Strauss HW 1990 Comparison of thallium redistribution with rest "reinjection" imaging for the detection of viable myocardium. *Am J Cardiol* 66(2):158-163
  197. Dilsizian V, Rocco TP, Freedman NM, Leon MB, Bonow RO 1990 Enhanced detection of ischemic but viable myocardium by the reinjection of thallium after stress-redistribution imaging. *N Engl J Med* 323(3):141-146
  198. Bartenstein P, Hasfeld M, Schober O, Matheja P, Schafers M, Budde T, Hammel D, Scheld H, Breithardt G 1993 201TI reinjection predicts improvement of left ventricular function following revascularization. *Nuklearmedizin* 32(2):87-90
  199. Kennedy NS, Cook B, Choy AM, Bridges AB, Hanson JK, McNeill GP, Pringle TH 1993 A comparison of the redistribution and reinjection techniques in dipyridamole thallium tomography. *Nucl Med Commun* 14(6):479-484
  200. Gibson RS, Watson DD, Taylor GJ, Crosby IK, Wellons HL, Holt ND, Beller GA 1983 Prospective assessment of regional myocardial perfusion before and after coronary revascularization surgery by quantitative thallium-201 scintigraphy. *J Am Coll Cardiol* 1(3):804-815
  201. Ohtani H, Tamaki N, Yonekura Y, Mohiuddin IH, Hirata K, Ban T, Konishi J 1990 Value of thallium-201 reinjection after delayed SPECT imaging for predicting reversible ischemia after coronary artery bypass grafting. *Am J Cardiol* 66(4):394-399
  202. Nishimura T, Oka H, Sago M, Matsuo T, Uehara T, Noda H, Takano H 1992 Serial assessment of denervated but viable myocardium following acute myocardial infarction in dogs using iodine-123 metaiodobenzylguanidine and thallium-201 chloride myocardial single photon emission tomography. *Eur J Nucl Med* 19(1):25-29
  203. Ahonen A, Harkonen M, Juntunen J, Kormanen M, Penttila A 1975 Effects of myocardial infarction on adrenergic nerves of the rat heart muscle, a histochemical study. *Acta Physiol Scand* 93(3):336-344

204. Tamaki N, Tadamura E, Kudoh T, Hattori N, Inubushi M, Konishi J 1997 Recent advances in nuclear cardiology in the study of coronary artery disease. *Ann Nucl Med* 11(2):55-66
205. Guertner C, Klepzig H, Jr., Maul FD, Hartmann A, Lelbach S, Hellmann A, Hoer G 1993 Noradrenaline depletion in patients with coronary artery disease before and after percutaneous transluminal coronary angioplasty with iodine-123 metaiodobenzylguanidine and single-photon emission tomography. *Eur J Nucl Med* 20(9):776-782
206. Lekakis J, Antoniou A, Vassilopoulos N, Tsinikas D, Palaistides C, Kostamis P, Moulopoulos S 1994 I-123 metaiodobenzylguanidine--thallium-201 mismatch following myocardial infarction. *Clin Cardiol* 17(1):21-25
207. Kozlovskaja II, Shitov VN, Samoilenko LE, Merkulova IN, Staroverov II, Sergienko VB 2004 [Impairment of cardiac sympathetic function in patients with acute myocardial infarction and unstable angina]. *Kardiologija* 44(7):46-52
208. Tsutsui H, Ando S, Fukai T, Kuroiwa M, Egashira K, Sasaki M, Kuwabara Y, Koyanagi S, Takeshita A 1995 Detection of angina-provoking coronary stenosis by resting iodine 123 metaiodobenzylguanidine scintigraphy in patients with unstable angina pectoris. *Am Heart J* 129(4):708-715
209. Merlet P, Piot O, Dubois-Rande JL, Loisanche D, Castaigne A, Syrota A 1995 Clinical use of metaiodobenzylguanidine imaging in cardiology. *Q J Nucl Med* 39(4 Suppl 1):29-39
210. Simoes MV, Barthel P, Matsunari I, Nekolla SG, Schomig A, Schwaiger M, Schmidt G, Bengel FM 2004 Presence of sympathetically denervated but viable myocardium and its electrophysiologic correlates after early revascularised, acute myocardial infarction. *Eur Heart J* 25(7):551-557
211. Herre JM, Wetstein L, Lin YL, Mills AS, Dae M, Thames MD 1988 Effect of transmural versus nontransmural myocardial infarction on inducibility of ventricular arrhythmias during sympathetic stimulation in dogs. *J Am Coll Cardiol* 11(2):414-421
212. Hartikainen J, Mantysaari M, Kuikka J, Lansimies E, Pyorala K 1994 Extent of cardiac autonomic denervation in relation to angina on exercise test in patients with recent acute myocardial infarction. *Am J Cardiol* 74(8):760-763

213. Koistinen MJ, Airaksinen KE, Huikuri HV, Linnaluoto MM, Heikkila J, Tornainen P, Ahonen A 1996 No difference in cardiac innervation of diabetic patients with painful and asymptomatic coronary artery disease. *Diabetes Care* 19(3):231-233
214. Geis WP, Kaye MP 1968 Distribution of sympathetic fibers in the left ventricular epicardial plexus of the dog. *Circ Res* 23(2):165-170
215. Martins JB, Zipes DP 1980 Epicardial phenol interrupts refractory period responses to sympathetic but not vagal stimulation in canine left ventricular epicardium and endocardium. *Circ Res* 47(1):33-40
216. Randall WC, Szentivanyi M, Pace JB, Wechsler JS, Kaye MP 1968 Patterns of sympathetic nerve projections onto the canine heart. *Circ Res* 22(3):315-323
217. Hartikainen J, Kuikka J, Mantysaari M, Lansimies E, Pyorala K 1996 Sympathetic reinnervation after acute myocardial infarction. *Am J Cardiol* 77(1):5-9
218. Kaul S, Boucher CA, Newell JB, Chesler DA, Greenberg JM, Okada RD, Strauss HW, Dinsmore RE, Pohost GM 1986 Determination of the quantitative thallium imaging variables that optimize detection of coronary artery disease. *J Am Coll Cardiol* 7(3):527-537
219. Kirsch CM, Doliwa R, Buell U, Roedler D 1983 Detection of severe coronary heart disease with TI-201: comparison of resting single photon emission tomography with invasive arteriography. *J Nucl Med* 24(9):761-767
220. Shakespeare CF, Page CJ, O'Doherty MJ, Nunan TO, Cooper IC, Katritsis D, Coltart DJ, Webb-Peploe MM 1993 Regional sympathetic innervation of the heart by means of metaiodobenzylguanidine imaging in silent ischemia. *Am Heart J* 125(6):1614-1622
221. Matsuo S, Takahashi M, Nakamura Y, Kinoshita M 1996 Evaluation of cardiac sympathetic innervation with iodine-123-metaiodobenzylguanidine imaging in silent myocardial ischemia. *J Nucl Med* 37(5):712-717
222. Kline RC, Swanson DP, Wieland DM, Thrall JH, Gross MD, Pitt B, Beierwaltes WH 1981 Myocardial imaging in man with I-123 meta-iodobenzylguanidine. *J Nucl Med* 22(2):129-132
223. Gill JS, Hunter GJ, Gane G, Camm AJ 1993 Heterogeneity of the human myocardial sympathetic innervation: in vivo demonstration by iodine 123-labeled meta-iodobenzylguanidine scintigraphy. *Am Heart J* 126(2):390-398

224. Janes RD, Brandys JC, Hopkins DA, Johnstone DE, Murphy DA, Armour JA 1986 Anatomy of human extrinsic cardiac nerves and ganglia. *Am J Cardiol* 57(4):299-309
225. Weaver LC, Danos LM, Oehl RS, Meckler RL 1981 Contrasting reflex influences of cardiac afferent nerves during coronary occlusion. *Am J Physiol* 240(4):H620-H629
226. Thames MD, Klopfenstein HS, Abboud FM, Mark AL, Walker JL 1978 Preferential distribution of inhibitory cardiac receptors with vagal afferents to the inferoposterior wall of the left ventricle activated during coronary occlusion in the dog. *Circ Res* 43(4):512-519
227. Kurata C, Okayama K, Wakabayashi Y, Shouda S, Mikami T, Tawarahara K, Sugiyama T 1997 Cardiac sympathetic neuropathy and effects of aldose reductase inhibitor in streptozotocin-induced diabetic rats. *J Nucl Med* 38(11):1677-1680
228. Unlu M, Inanir S 1998 Prolonged lung retention of iodine-123-MIBG in diabetic patients. *J Nucl Med* 39(1):116-118
229. Estorch M, Carrio I, Berna L, Lopez-Pousa J, Torres G 1995 Myocardial iodine-labeled metaiodobenzylguanidine 123 uptake relates to age. *J Nucl Cardiol* 2(2 Pt 1):126-132
230. Kanzaki N, Soda R, Takahashi K, Sato K, Hayabara T, Kibata M, Takeda Y, Hiraki Y 1998 Influence of age and gender on iodine-123 MIBG kinetics in normal lung. *Ann Nucl Med* 12(4):225-229
231. Murashima S, Takeda K, Matsumura K, Yamakado K, Sakuma H, Kitano T, Nakagawa T, Ichihara T, Yamakado T, Murata K 1998 Increased lung uptake of iodine-123-MIBG in diabetics with sympathetic nervous dysfunction. *J Nucl Med* 39(2):334-338
232. Schafers M 2002 [Methods and clinical applications in nuclear cardiology: a position statement]. *Nuklearmedizin* 41(1):3-13
233. Liu P, Kiess MC, Okada RD, Block PC, Strauss HW, Pohost GM, Boucher CA 1985 The persistent defect on exercise thallium imaging and its fate after myocardial revascularization: does it represent scar or ischemia? *Am Heart J* 110(5):996-1001
234. Fath-Ordoubadi F, Pagano D, Marinho NV, Keogh BE, Bonser RS, Camici PG 1998 Coronary revascularization in the treatment of moderate and severe postischemic left ventricular dysfunction. *Am J Cardiol* 82(1):26-31

235. Bacior B, Szot WM, Hubalewska-Hola A, Kubinyi A, Grodecki J, Krolikowski T, Szybinski Z, Kawecka-Jaszcz K 2000 [The effect of myocardial revascularization on global and regional systolic and diastolic left and right ventricular function]. *Przegl Lek* 57(11):635-638
236. Toda K, Mackenzie K, Mehra MR, DiCorte CJ, Davis JE, McFadden PM, Ochsner JL, White C, Van MC, Jr. 2002 Revascularization in severe ventricular dysfunction (15% < OR = LVEF < OR = 30%): a comparison of bypass grafting and percutaneous intervention. *Ann Thorac Surg* 74(6):2082-2087
237. Balogh I, Medveczki A, Vecsey T, Bodor E 1997 The scintigraphic and clinical evidence of the presence of reinnervation of the transplanted heart. *J Nucl Med* 43:862
238. Estorch M, Carrio I, Ruirra X, Flotats A, Berna LL, Mari C, Catafau AM, Ballester M 1997 Assessment of sympathetic cardiac reinnervation after heart transplantation. *J Nucl Med* 38(Suppl.):111
239. Estorch M, Camprecios M, Flotats A, Mari C, Berna L, Catafau AM, Ballester M, Narula J, Carrio I 1999 Sympathetic reinnervation of cardiac allografts evaluated by 123I-MIBG imaging. *J Nucl Med* 40(6):911-916
240. Estorch Cabrera M, Flotats Giralt A, Camprecios Crespo M, Mari Aparici C, Berna Roqueta L, Catafau Alcantara AM, Ballester Rodes M, Carrio Gasset I 1998 [Sympathetic reinnervation of the transplanted heart. Study using iodine-123 labeled meta-iodobenzylguanidine]. *Abstr. Rev Esp Cardiol* 51:369-374
241. Kaye DM, Esler M, Kingwell B, McPherson G, Esmore D, Jennings G 1993 Functional and neurochemical evidence for partial cardiac sympathetic reinnervation after cardiac transplantation in humans. *Circulation* 88(3):1110-1118
242. Bengel FM, Ueberfuhr P, Ziegler SI, Nekolla SG, Odaka K, Reichart B, Schwaiger M 2000 Non-invasive assessment of the effect of cardiac sympathetic innervation on metabolism of the human heart. *Eur J Nucl Med* 27(11):1650-1657
243. Schnell O, Muhr D, Dresel S, Weiss M, Haslbeck M, Standl E 1997 Partial restoration of scintigraphically assessed cardiac sympathetic denervation in newly diagnosed patients with insulin-dependent (type 1) diabetes mellitus at one-year follow-up. *Diabet Med* 14(1):57-62
244. Kondo C, Nakazawa M, Momma K, Kusakabe K 1998 Sympathetic denervation and reinnervation after arterial switch operation for complete transposition. *Circulation* 97(24):2414-2419



245. Miyamoto S, Hadama T, Anai H, Sako H, Wada T, Iwata E, Nakayama K, Takeoka H, Ono K 2004 Denervation and reinnervation of the heart after aortic surgery, estimated by <sup>123</sup>I-metaiodobenzylguanidine scintigraphy. *Surg Today* 34(3):226-230
246. Sakurai H, Maeda M, Miyahara K, Nakayama M, Murayama H, Hasegawa H, Matsushima M, Ohashi N, Numaguchi A, Tauchi N 2000 [Evaluation of cardiac autonomic nerves by iodine-123 metaiodobenzylguanidine scintigraphy and ambulatory electrocardiography in patients after arterial switch operations]. *J Cardiol* 35(5):353-362
247. Podio V, Spinnler MT, Spandonari T, Moretti C, Castellano G, Bessone M, Brusca A 1995 Regional sympathetic denervation after myocardial infarction: a follow-up study using [<sup>123</sup>I]MIBG. *Q J Nucl Med* 39(4 Suppl 1):40-43
248. Abe Y, Sugiura T, Suga Y, Takehana K, Kamihata H, Karakawa M, Inada M, Iwasaka T 1997 Serial assessment of sympathetic reinnervation in a patient with myocardial infarction. *J Nucl Med* 38(3):457-459