

10.0 References

- Aga H., Shibuya T., Sugimoto T., Kurimoto M., Nakajima S.H. (1994). Isolation and identification of antimicrobial compounds in Brazilian propolis. Biosc. Biotech. Biochem. 58, 945-946.
- Amoros M., Sauvager F., Girre L., Cormier M. (1992). *In vitro* antiviral activity of propolis. Apidologie 23, 231-240.
- Amos T. G., Williams P., Du Guesclin P. B., Schwarz M. (1974). Compounds related to Juvenile Hormone: activity of selected terpenoids on *Tribolium castaneum* and *T. confusum*. J. Econ. Entomol. 67, 474-476.
- Amrin J., Noel B., Mallow H., Stasny T., Skidmore R. (1996) Results of research: using essential oils for honey bee mite control. <http://www.wvu.edu/agexten/varroa.htm>.
- Anderson D. and Trueman J.W.H. (2000) *Varroa jacobsoni* (Acari: Varroidae) is more than one species. Exper. App. Acarol. 24, 165-189.
- Ayala F., Lembo G., Nappa P., Balato N. (1985) Contact dermatitis from propolis. Cont. Dermat. 12, 181-182.
- Baier K. (1969) Die Wasserdampfsperre in der Beute. Bienenpflege, Weinsberg 7, 143-147.
- Bailey L. and Ball B. V. (1991) Honeybee pathology. London, Academic press limited, 2nd ed. pp. 193.
- Ball B. V. (1983) Der Zusammenhang zwischen *Varroa jacobsoni* und Viruserkrankung der Honigbiene. Allg. Deutsche Imker 17, 177-179.
- Ball B. V. (1994) Host-parasite-pathogen interactions. In: New perspectives on *Varroa*, Matheson A. (ed.) Cardiff, UK, IBRA. pp 5-11.
- Ball B. V. (1996) Honeybee viruses: a cause for concern? Bee World 77, 117-119.
- Ball B.V. and Allen M. F. (1986) The incidence of acute paralysis virus in honeybee colonies infested with the parasitic mite *Varroa jacobsoni*. In: Fundamental and applied aspects on invertebrate pathology, Samson R. A., Vlak J. M., Peters D. (eds.) 4th Int Colloq. Invertebr. Pathol., p 151.
- Bankova V., Boudourova-Krasteva G., Sforcin J. M., Frete X., Kujumgiev A., Maimoni-Rodella R., Popov S. (1999) Phytochemical evidence for the plant origin of Brazilian propolis from São Paulo State. Z. Naturforsch. 54c, 401-405.
- Bankova V., Christov R., Popov S. (1994) Volatile constituents of propolis. Z. Naturforsch. 49c, 6-10.
- Bankova V., Dyulgerov A., Popov S. (1992) Propolis produced in Bulgaria and Mongolia: phenolic compounds and plant origin. Apidologie 23, 79-85.
- Bankova V., Marcucci M.C., Simova S., Nikolova N., Kujumgiev A., Popov S. (1996) Antibacterial diterpenic acids from Brazilian propolis. Z. Naturforsch. 51c, 277-280.
- Bankova V., Popova M., Bogdanov S., Sabatini A.-G. (2002) Chemical composition of European propolis: expected and unexpected results. Z. Naturforsch. 57c, 530-533.
- Bankova V.S., De Castro S. L., Marcucci M. C. (2000) Propolis: recent advances in chemistry and plant origin. Apidologie 31, 3-15.
- Banskota A.H., Tezuka Y., Prasain J.K., Matsushige K., Saiki I., Kadota Sh. (1998) Chemical constituents of Brazilian propolis and their cytotoxic activities. J. Nat. Prod. 61, 896-900.

- Baxter J., Eischen F., Pettis J., Wilson W.T., Shimanuki H. (1998) Detection of fluvalinate-resistant *Varroa* mites in U.S. honey bees. Am. Bee J. 138, 291.
- Beetsma J., Boot W.J., Callis J.N.M. (1999) Invasion behaviour of *Varroa jacobsoni* Oud. from bees to brood cells. Apidologie 30, 125-140.
- Beezer A.E., Hills A.K., O'Neill M.A.A., Morris A.C., Kierstan K.T.E., Deal R.M., Waters L.J., Hadgraft J., Mitchell J.C., Connor J.A., Orchard J.E., Willson R.J., Hofelich T.C., Beaudin J., Wolf G., Baitalow F., Gaisford S., Lane R.A., Buckton G., Phipps M.A., Winneke R.A., Schmitt E.A., Hansen L.D., O'Sullivan D., Parmar M.K. (2001) The imidazole catalysed hydrolysis of triacetin: an inter- and intra-laboratory development of a test reaction for isothermal heat conduction microcalorimeters used for determination of both thermodynamic and kinetic parameters. Thermochim. Acta 380, 13-17.
- Benedek P. (1985). Economic importance of honeybee pollination of crops at the national level in Hungary. Proceedings of the 29th. international beekeeping congress, 25-31 August 1983, Budapest, Hungary, *Apimondia*, 286-289.
- Bjorkner B. E. (1994). Industrial airborne dermatoses. Dermat. Clin. 12, 501-509.
- Boecking O. and Ritter W. (1993) Grooming and removal behaviour of *Apis mellifera intermissa* in Tunisia against *Varroa jacobsoni*. J. Apic. Res. 32, 127-134.
- Boecking O. and Spivak M. (1999) Behavioural defense of honey bees against *Varroa jacobsoni* Oud. Apidologie 30, 141-158.
- Bogdanov S. (1999) Propolis: Harvest, composition and quality. Swiss centre of Bee research http://www.apis.admin.ch/deutsch/pdf/Bienenprodukte/Propolis_d.pdf
- Bogdanov S., Kolchenmann V., Imdorf A. (1998) Acaricide residues in some bee products. J. Apic. Res. 37, 57-67.
- Bollhalder F. (1999) Trichogramma for wax moth control. Am. Bee J. 136, 711-712.
- Bonvehi S.J. and Coll V. (2000) Study on propolis quality from China and Uruguay. Z. Naturforsch. 55c, 778-784.
- Bonvehi S.J., Coll V. F., Jordà E. R. (1994) The composition, active components and bacteriostatic activity of propolis on dietetics. J. Am. Oil Chem. Soc. 71, 529-532.
- Boot J. W., Calis J. N. M., Beetsma J. (1991) Invasion of *Varroa* mites into honeybee brood cells. When do brood cells attract *Varroa* mites? Proceedings of the section of experimental and applied entomology of the Netherlands entomological society (N.E.V) 2, 154-156.
- Borchert A. (1966) Die Krankheiten und Schädlinge der Honigbiene. Hirzel Verlag, Leipzig. 3rd edn. pp. 123.
- Bowen-Walker P. L. and Gunn A. (2001) The effect of the ectoparasitic mite, *Varroa destructor* on adult worker honeybee (*Apis mellifera*) emergence weights, water, protein, carbohydrate, and lipid levels. Entomologia Experimentalis et Applicata 101, 207–217.
- Briggner L.E. and Wadsö I. (1991) Test and calibration processes for microcalorimeters, with special reference to heat conduction instruments used with aqueous systems. J. Biochem. Biophys. Meth. 22, 101-111.
- Brødsgaard C. J. and Hansen H. (1994) An example of integrated biotechnical and soft chemical control of *Varroa* in a Danish apiary. In: New perspectives on *Varroa*, Matheson A. (ed.) Cardiff, UK: IBRA. pp 101-105.

- Brown M.R. and Williams P. (1985) The influence of environment on envelope properties affecting survival of bacteria in infections. *Annu. Rev. Microbiol.* 39, 527-556.
- Buchler R. (1994) *Varroa* tolerance in honeybees—occurrence, characters and breeding. In: *New perspectives on Varroa*. International Bee Research Association, Matheson A. (ed.) Cardiff, UK, pp.12-23.
- Burdock G.A. (1998) Review of the biological properties and toxicity of bee propolis. *Food and Chem. Toxicol.* 36, 347-363.
- Calis J.N.M., Boot W. J., Beetsma J., van den Eijnde J.H.P.M., de Ruijter A., van der Steen. J. J. (1998) Control of *Varroa* by combining trapping in honey bee worker brood with formic acid treatment of the capped brood outside the colony: putting knowledge on brood cell invasion into practice. *J. Apic. Res.* 37, 205-215.
- Caron D.M (1992) The wax moth. *Am. Bee J.* 132, 647-649.
- Charrière J.D. and Imdorf A. (1997) Protection of honeycombs from moth damage. Swiss Bee Research center, Federal Dairy and Research Station, Liebefel, Bern. *Commun. No.* 24.
- Cheng P. and Wong G. (1996) Honeybee propolis: prospects in medicine. *Bee World* 77, 8-15.
- Cizmarik J. and Trupl J. (1975) The action of propolis on saccharomycetes. *Pharmazie* 30, 406-407.
- Colombo M. Lodesani M., Spreafico M. (1993) Resistance of *Varroa jacobsoni* to fluvalinate, preliminary results of investigations conducted in Lombardy. *Ape nostra Amica* 15, 12-15.
- Corrêa-Marques M.H. and De Jong D. (1998) Uncapping of worker bee brood, a component of the hygienic behaviour of Africanized honey bees against the mite *Varroa jacobsoni* Oud. *Apidologie* 29, 283-289.
- Crane E. (1979) Fresh news on the *Varroa* mite. *Bee world* 60, 8.
- Crane E. (1990) Bees and beekeeping: Science, Practice and World Resources. Cornstock Publ., Ithaca, NY., USA. pp. 593.
- Croxton F.E., Cowden D.J., Klein S. (1967) Applied general statistics. 3rd ed. Prentice-Hall. Englewood Cliffs, N.J., pp.754.
- De Castro S. L. and Higashi K. O. (1995) Effect of different formulations of propolis on mice infected with *Trypanosoma cruzi*. *J. Ethnopharm.* 46, 55-58.
- De Jong D. (1996) Africanized honey bees in Brazil, forty years of adaptation and success. *Bee World* 77, 67-70.
- De Jong D. (1997) Mites: *Varroa* and other parasites of brood. In: *Honey bee pests predators and disease*, Morse R. M, Flottum P. K., (eds.), Medina, OH Root 3rd ed. 2, 281-327
- De Jong D., and De Jong P. H. (1983) Longevity of Africanized honeybees (Hymnoptera: Apidae) infested by *Varroa jacobsoni* (Parasitiformes: Varroidae). *J. Econ. Entomol.* 76, 766-768.
- De Jong D., De Jong P. H., Gonçalves L.S. (1982) Weight loss and other damage to developing worker honey bees from infestation with *Varroa jacobsoni*. *J. Apicul. Res.* 21, 165-167.
- De Jong D., Gonçalves L. S., Morse R. A. (1984) Dependence on climate of the virulence of *Varroa jacobsoni*. *Bee World* 65, 117-121.

- De Ruijter A. and Pappas N. (1983) Karyotype and sex determination of *Varroa jacobsoni* Oud. In: *Varroa jacobsoni* Oud. affecting honeybees: present status and needs, Cavalloro R. (ed.), A.A. Balkema, Rotterdam pp.41-44.
- Delfinado Baker M. (1988) The tracheal mite of honeybees: a crisis in beekeeping. In: Africanized honey bees and bee mites, Needham G., Page R., Delfinado-Baker M., Bowman C. (eds.) Halsted press, Chiechester, England, pp 493-497.
- Denyer S.P. and Stewart G.S.A.B. (1998) Mechanisms of action of disinfectants. Internl. Biodeterior. and Biodegrad. 41, 261–268.
- Digrak M., Yilmaz O., Ozscelik S. (1995) *In vitro* antimicrobial effect of propolis in Elazig region. Turk. J. Biol. 19, 249-257.
- Dobrowolski J. W., Vohora S. B., Sharma K., Shah S. A., Naqvi S. A. H., Dandiya P. C. (1991). Antibacterial, antifungal, antiamoebic, antiinflammatory and antipyretic studies on propolis bee products. J. Ethnopharm. 35, 77-82.
- Dobrowolski J.W., Vohora S.B., Sharma K., Shah S.A., Naqvi S.A.H., Dandiya P.C. (1991) Antibacterial, antifungal, antiamoebic, antiinflammatory and antipyretic studies on propolis bee products. J. Ethnopharm. 35, 77-82.
- Donzé G. and Guerin P.M. (1997) Time – activity budgets and space structuring by the different life stages of *Varroa jacobsoni* in capped brood of the honey bee *Apis mellifera*. J. Insect. Behav. 10, 371-393.
- Donzé G., Schnyder-Candrian S., Bogdanov S. Diehl P. A., Guerin P. M. (1998) Aliphatic alcohols and aldehydes of the honeybee cocoon induce arrestment behaviour in *Varroa jacobsoni* (Acari: Mesostigmata), an ectoparasite of *Apis mellifera*. Arch. Insect Biochem. Phsiol. 37, 129-145.
- Downey D.L., Higo T.T., Winston M.L. (2000) Single and dual parasitic mite infestations on the honey bees, *Apis mellifera* L. Insectes soc. 47, 171-176.
- Droege G. (1989) Das Imkerbuch. VEB Deutscher Landwirtschaftsverlag. Berlin, Melsungen, pp. 220.
- Eischen F.A. (1995) *Varroa* resistance to Fluvalinate. Am.Bee J. 135, 815-816
- Ellis Jr. J. D. (2001) The future of *Varroa* control: integrating current treatments with the latest advancements. Am. Bee J. 141, 127-130.
- Ellis Jr. J. D., Delaplane K. S., Hood W. M. (2001) Efficacy of bottom screen device, Apistan™ and ApilifeVAR™ in controlling *Varroa destructor*. Am. Bee J 141, 813-816.
- Elzen P. J., Eischen F. A, Baxter J. B., Pettis J., Elzen G. W., Wilson W. T. (1998) Fluvalinate resistance in *Varroa jacobsoni* from several geographic locations. Am. Bee J. 138, 674-676.
- Elzen P.J., Baxter J.R., Spivak M., Wilson W.T. (2000) Control of *Varroa jacobsoni* Oud. resistant to fluvalinate and amitraz using coumaphos. Apidologie 31, 437-441.
- Engels W. (1994) *Varroa* control by hypothermia. In: New perspectives on *Varroa*, Matheson A. (ed.), Cardiff, UK, IBRA. pp 115-119.
- Faye I. and Wyatt GR. (1980) The synthesis of antibacterial proteins in isolated fat body from cecropia silk moth pupae. Experientia 36, 1325-1326.
- Finley J., Camazine S., Frazier M. (1997) The epidemic of honey bee colony losses during the 1995-1996 season. Am. Bee J. 136, 805-808.

- Folch, J., Lees M., Sloanstanley G.H. (1957) A simple method for the isolation and purification of total lipids from animal tissues. *J. Biol.Chem.* 226, 497-509.
- Fraser H. (1997) The effect of different conspecific male sex pheromone component ratios on the behaviour of the female greater wax moth. MSc thesis University of Guelph, Ontario, Canada, pp.102.
- Frazier M. (2000) *Varroa* mites. MAAREC Publication (The Pennsylvania State University) 4.7, 1-4.
- Fries I. (1991) Treatment of sealed honey bee brood with formic acid for control of *Varroa jacobsoni*. *Am. Bee J.* 131, 313-314.
- Fries I. and Hansen H. (1993) Biotechnical control of *Varroa* mites in cold climates. *Am. Bee J.* 133, 435-438.
- Fries I., Camazine S., Sneyd J. (1994). Population dynamics of *Varroa jacobsoni*: A model and a review. *Bee World* 75, 5-28.
- Fuchs S. (1990) Preference for drone brood cells by *Varroa jacobsoni* Oud. in colonies of *Apis mellifera carnica*, *Apidologie* 21, 193-199.
- Fuchs S. and Müller K. (1988) Invasion of honeybee brood cells by *Varroa jacobsoni* in relation to the age of the larvae. In: European research on varroatosis control, Cavalloro R. (ed.), A.A. Balkema, Rotterdam, Holland, pp 77-79.
- Garcia-Viguera C., Ferreres F., Tomas-Barberan F.A. (1993) Study of Canadian Propolis by GC-MS and HPLC. *Z. Naturforsch.* 48c, 731–735.
- Garedew A. and Lamprecht I. (1997) Microcalorimetric investigations on the influence of propolis on the bacterium *Micrococcus luteus*. *Thermochim. Acta* 290, 155-166.
- Garedew A., Schmolz E., Lamprecht I. (2003) Microcalorimetric investigation on the antimicrobial activity of honey of the stingless bee *Trigona spp.* and comparison of some parameters with those obtained with standard methods. (in press: *Thermochim. Acta*).
- Ghisalberti E.L. (1979) Propolis: a review. *Bee world* 60, 58-84
- Ghisalberti E.L., Jefferies P.R., Lanteri R., Matisons J. (1978) Constituents of propolis. *Experientia* 34, 157–158.
- Gliński Z. and Jarosz J. (1984) Alterations in hemolymph proteins of drone honeybee larvae parasitized by *Varroa jacobsoni*. *Apidologie* 15, 329-337.
- Gliński Z. and Jarosz J. (1988) deleterious effects of *Varroa jacobsoni* on the honeybee. *Apicta* 23, 42-52.
- Gliński Z. and Jarosz J. (1990a) Microorganisms associated fortuitously with *Varroa jacobsoni* mite. *Microbios* 62, 59-68.
- Gliński Z. and Jarosz J. (1990b) *Serratia marcescens*, artificially contaminating brood and worker honeybees, contaminates the *Varroa jacobsoni* mite. *J. Apicult. Res.* 29, 107-111.
- Gliński Z. and Jarosz J. (1992) *Varroa jacobsoni* as a carrier of bacterial infections to a recipient bee host. *Apidologie* 23, 25-31.
- Gnaiger E. (1993) Nonequilibrium thermodynamics of energy transformations. *Pure and Appl. Chem.* 65, 1983-2002.
- Grange J.M. and Davey R.W. (1990). Antibacterial properties of propolis (bee glue). *J. Roy. Soc. Med.* 83, 159-160.

- Greenaway W., Scaysbrook T., Whatley F.R. (1987) The analysis of bud exudate of *Populus x euramericana*, and of propolis, by gas chromatography-mass spectrometry, Proc. R. Soc. London B 232, 249-272.
- Greenaway W., Scaysbrook T., Whatley F.R. (1990) The composition and plant origins of propolis: a review of report of work at Oxford. Bee World 71, 107-118.
- Haines P.J., Reading M., Wilburn F.W. (1998) Differential thermal analysis and differential scanning calorimetry. In: Handbook of thermal analysis and calorimetry: principles and practices (Vol. 1), Brown M.E. (ed.), Elsevier Science B.V., Amsterdam, The Netherlands, pp 279-361.
- Harak M., Lamprecht I., Kuusik A. (1996) Metabolic cost of ventilating movements in pupae of *Tenebrio molitor* and *Galleria mellonella* studied by direct and indirect calorimetry. Thermochim. Acta 276, 41-47.
- Hargasm O. (1973) Die Milbe *Varroa jacobsoni* Oudemans bedroht die Bienenzucht in Europa. Imkerfreund 28, 316-317.
- Hausen B.M., Wollenweber E., Senff H., Post B. (1987) Propolis allergy. I. Origin, properties, usage and literature review. Cont. dermat. 17, 163-170.
- Heal R.D. and Parsons A.T. (2002) Novel intercellular communication system in *Escherichia coli* that confers antibiotic resistance between physically separated populations. J. Appl. Microbiol. 92, 1116-1122.
- Hemminger W. and Sarge S.M. (1998) Definitions, nomenclature, terms and literature. In: Handbook of thermal analysis and calorimetry: principles and practices (Vol. 1), Brown M.E. (ed.), Elsevier Science B.V., Amsterdam, The Netherlands, pp 1-73.
- Hogan D. and Kolter R. (2002) Why are bacteria refractory to antimicrobials? Curr. Opin. Microbiol. 5, 472-477
- Hölzel R., Motzkus C., Lamprecht I. (1994) Kinetic investigation of microbial metabolism by means of flow calorimeters. Thermochim. Acta 239, 17-32.
- Hoppe H. and Ritter W. (1987) Untersuchungen zur Kombinierten Wärmetherapie gegen die Varroatose. Apidologie 18, 383-384
- Hoppe H. and Ritter W. (1989) The influence of the Nasonov pheromone on the recognition of house bees and foragers by *Varroa jacobsoni*. Apidologie 19, 165-172.
- Horn H. (1981) Bienen im elektrischen Feld. Apidologie 12, 101-103.
- Huang Z. (2001) Mite Zapper- a new and effective method for *Varroa* mites control. Am. Bee J. 141, 730-732.
- Ikeno K., Ikeno T., Miyazawa C. (1991). Effects of propolis on dental caries in rats. Caries Res. 25, 347-351.
- Imdorf A., Bogdanov S., Ochoa R.I., Calderone N.W. (1999) Use of essential oils for control of *Varroa jacobsoni* Oud. in honeybee colonies. Apidologie 30, 209-228.
- Infantidis M. D. (1983) Ontogenesis of the mite *Varroa jacobsoni* in worker and drone brood cells. J. Apicul. Res. 22, 200-206.
- Infantidis M.D. (1988) Some aspects of *Varroa jacobsoni* entrance into honeybee (*Apis mellifera*) brood cells. Apidologie 19, 387-396.

- Issa M. R. C. and Gonçalves L. (1984) Study on the preference of the acarid *Varroa jacobsoni* for drones of Africanized honeybees. In: Advances in invertebrate reproduction, Engels W. (ed.), Elsvier, Amsterdam, Holland, pp. 598.
- Johansen P. and Wadsö I. (1999) An isothermal microcalorimetric titration/perfusion vessel equipped with electrodes and spectrophotometer. *Thermochim. Acta* 342, 19-29.
- Johnson K. S., Eischen F.A., Giannasi D.E. (1994) Chemical composition of North American bee propolis and biological activity towards larvae of the greater wax moth (Lepidoptera: Pyralidae). *J. Chem. Ecol.* 20, 1783-1792.
- Kedzia B., Grppert B., Iwaszkiewicz J. (1990) Pharmacological investigations of ethanolic extract of propolis. *Phytothérapie* 6, 7-10.
- Kemp R.B. (1998) Non-scanning calorimetry. In: *Handbook of thermal analysis and calorimetry: principles and practices* (Vol. 1), Brown M.E. (ed.), Elsevier Science B.V., Amsterdam, The Netherlands, pp 577-608.
- Knox D. A., Shimanuki H., Herbert E. W. (1971) Diet and the longevity of adult honeybees. *J. Econ. Entomol.* 64, 1415-1416.
- König B. (1985) Zur Naturgeschichte der Propolis. *Allg. D. Imk. Zeit.* 19, 310-312.
- König D. and Dustmann J.H. (1988) Baumharze, Bienen und antivirale Chemotherapie. *Naturwissen. Rundschau* 2, 43-53.
- Kovac H. and Crailsheim K. (1988) Lifespan of *Apis mellifera carnica* Pollm. infested by *Varroa jacobsoni* Oud. in relation to season and extent of infestation. *J. Apiclut. Res.* 27, 230-238.
- Kraus B. and Velthuis H.H.W. (1997) High humidity in the honeybee brood nest limits reproduction of the parasitic mite *Varroa jacobsoni*. *Naturwissenschaften* 84, 217-218.
- Kraus B., Königer N., Fuchs S. (1994) Screening of substances for their effect on *Varroa jacobsoni* attractiveness, repellence, toxicity and masking effect of ethereal oils. *J. Apic. Res.* 33, 34-43.
- Kraus B., Page R.E. (1995) Effect of *Varroa jacobsoni* (Mesostigmata, Varroidae) on feral *Apis mellifera* (Hymnoptera, Apidae) in California. *Environ. Entomol.* 24, 1473-1480.
- Kraus B., Velthuis H. H. W., Tingek S. (1998) Temperature profiles of the brood nests of *Apis cerana* and *Apis mellifera* colonies and their relation to varroatosis. *J. Apicult. Res.* 37, 175-181.
- Krell R. (1996) Value-Added Products from Beekeeping. FAO Agricultural Services Bulletin No. 124 Food and Agriculture Organization of the United Nations, Rome.
- Krol W., Scheller S., Shenai J., Pietsz G., Czuba Z. (1993) Synergistic effect of ethanol extract of propolis and antibiotics on the growth of *Staphylococcus aureus*. *Arzneim-Forsch. Drug Res.* 43, 607-609.
- Kubik M., Nowacki J., Michalczuk L., Pidek A., Marcinkowski J. (1995) Penetration of fluvalinate into bee-products. *J. Fruit Ornamen. Plant Res.* 3, 13-22.
- Kujumgiev A., Bankova V., Ignatova S. (1993) Antibacterial activity of propolis, some of its components and their analogues. *Pharmazie* 48, 785-786.
- Kujumgiev A., Tsvetkova I., Serkedjieva Yu., Bankova V., Christov R., Popov S. (1999) Antibacterial, antifungal and antiviral activity of propolis of different geographic origin. *J. Ethnopharmacol.* 64 (3) 235-240

- Kuusik A., Harak M., Hiiesaar K., Metspalu L., Tartes U. (1995) Studies on insect growth regulating (IGR) and toxic effects of *Ledum palustre* extracts on *Tenebrio molitor* pupae (Coleoptera: Tenebrionidae) using calorimetric recordings. *Thermochim. Acta* 251, 247-253.
- Kuusik A., Metspalu L., Hiiesaar K., Koegerman A., Tartes U. (1993) Changes in muscular and respiratory patterns in the yellow meal worm (*Tenebrio molitor*) and greater wax moth (*Galleria mellonella*) pupae caused by some plant extracts, juvenile hormone analogues and pyrethroids. *Proc. Estonian Acad. Sci. Biol.* 42, 94-107.
- Lamprecht I. (1983) Application of calorimetry to different biological fields and comparison with other methods. *Boll. Soc. Natur. Napoli.* 92, 515-542.
- Lamprecht I. (1997) Calorimetric experiments on social insects. *Thermochim. Acta* 300, 213-224.
- Lamprecht I. (1999) Biology. In: Chemical Thermodynamics: A 'Chemistry for the 21st century', Letcher T. M. (ed.) Monograph, Blackwell Science pp. 265.
- Lamprecht I., Hemminger W., Höhne G. (1991) Calorimetry in the biological sciences. *Thermochim. Acta* 193, 452-471.
- Lavie P. (1976) The relationship between propolis, poplar buds (*Populus spp*) and castoreum. Proc. XXV Int. Beekeeping Congr., Grenoble, 1975, Apimondia Publ. House, Bucharest, pp. 229-233.
- Le Conte Y. and Cornuet J. M. (1989) Variability of the post capping stage duration of the worker brood in three different races of *Apis mellifera*. In: Present status of varroosis in Europe and progress in the *Varroa* mites control, Commission of the European communities, Cavalloro R. (ed.), Luxemburg, pp. 171-175.
- Le Conte Y., Arnold G., Trouiller J., Mason C., Chappe B. (1989) Attraction of the parasitic mite *Varroa* to the drone larvae of honey bees by simple aliphatic esters. *Science* 245, 638-639.
- Lewis K. and Lomovskaya O. (2001) Drug efflux. In: Bacterial resistance to antimicrobials: mechanisms, genetics, medical practice and public health, Lewis K., Salyers A., Taber H., Wax R. (eds.), Marcel Dekker, Inc., New York, N.Y. pp. 61-90
- Lindenfelser L.A. (1967) Antimicrobial activity of propolis. *Am. Bee J* 107, 90-92.
- Lisowski F. (1984) Demystifying health foods. *On Continuing Practice* 11, 11-14.
- Liu T. (1996) *Varroa* mites as carriers of honeybee chalkbrood. *Am. Bee J.* 136, 655.
- Lodesani M., Colombo M., Spreafico M. (1995) Ineffectiveness of Apistan™ treatment against the mite *Varroa jacobsoni* Oud. in several districts of Lombardy (Italy). *Apidologie* 26, 67-72.
- Löhr K.D., Sayyadi P., Lamprecht I. (1978) Heat production and respiration during the development of two insects. In: Thermodynamics of Biological Processes, Lamprecht I. and Zotin A.I. (eds.) de Gruyter, Berlin. pp. 197.
- Lomovskaya O. and Lewis K. (1992) Emr, an *Escherichia coli* locus for multidrug resistance. *Proc. Natl. Acad. Sci., USA* 89, 8938-8942.
- Loschiavo S. R. (1975) Tests of four synthetic growth regulators with juvenile hormone activity against seven species of stored products insects. *Manit. Entomol.* 9, 43-51.
- Maillat J.Y. (2002) Bacterial target sites for biocide action. *J. Appl. Microbiol.* 92, 16S-27S.

- Marcangeli J., Monetti L., Fernandez N. (1992) Malformations produced by *Varroa jacobsoni* on *Apis mellifera* in the province of Buenos Aires, Argentina. Apidologie 23, 399-402.
- Marcucci M.C. (1995) Propolis: chemical composition, biological properties and therapeutic activity. Apidologie 26, 83-99.
- Marcucci M.C., Rodriguez J., Ferreres F., Bankova V., Groto R., Popov S. (1998) Chemical composition of Brazilian propolis from São Paulo state. Z. Naturforsch. 53c, 117–119.
- Markham K.E., Mitchel K. A., Wilkins A.L., Daldy J.A., Lu Y. (1996) HPLC and GC-MS identification of the major organic constituents in New Zealand propolis. Phytochem. 42, 205-211.
- Martin S. J. (1994) Ontogenesis of the mite *Varroa jacobsoni* Oud. in worker brood of the honey bee *Apis mellifera* L. under natural conditions. Exp. Appl. Acarol. 18, 87-100.
- Martin S. J., Holland K., Murray M. (1997) Non-reproduction in the honeybee mite *Varroa jacobsoni*. Exp. Appl. Acarol. 21, 539-549.
- Martos I., Cossentini M., Ferreres F., Tomas-Barberan F.A. (1997) Flavonoid Composition of Tunisian honey and propolis. J. Agric. Food Chem. 54, 2824–2829.
- Matheson A. (1994) The impact of *Varroa* infestation on beekeeping. In: New perspectives on *Varroa*, Matheson A. (ed.), International Bee Research Association, Cardiff, UK, pp. 27-31.
- Matheson A. (1995) First documented findings of *Varroa jacobsoni* outside its presumed natural range. Apicta 30, 1-8.
- Maul V., Klepschi A., Assmann-Werthmüller U. (1988) Das Bannwabenverfahren als Element Imkerlicher Betriebsweise bei starkem Befall mit *Varroa jacobsoni* Oud. Apidologie 19, 139-154.
- Maurizio A. (1954) Pollenernährung und Lebensvorgänge bei der Honigbiene (*Apis mellifera* L.). Landwirtschaftl. Jahrbuch der Schweiz 3, 115-183.
- Mc Devitt D., Payne D.J., Holmes D.J., Rosenberg M. (2002) Novel targets for the future development of antibacterial agents. J. App. Microbiol. 92, 28S-34S.
- Medina L.M. and Martin S.J. (1999) A comparative study of *Varroa jacobsoni* reproduction in worker cells of honeybees (*Apis mellifera*) in England and Africanized bees in Yucatan, Mexico. Exp. Appl. Acarol. 23, 659-667.
- Menezes H., Bacci Jr M., Oliveira S.D., Pagnocca F.C. (1997) Antibacterial properties of propolis and products containing propolis from Brazil. Apidologie 28, 71-76.
- Message D. and Gonçalves L. S. (1995) Effect of the size of worker brood cells of Africanized honey bees on infestation and reproduction of the ectoparasitic mite *Varroa jacobsoni* Oud. Apidologie 26, 381-386.
- Metwally M. M. and Sehnal F. (1973). Effects of Juvenile hormone analogues on the metamorphosis of beetles *Trogoderma granarium* (Dermestidae) and *Carydon gonagra* (Bruchidae). Biol. Bull. 144, 368-382.
- Metzner J., Bekeimer H., Paintz M., Schneidewind E.M. (1979) On the antimicrobial activity of propolis and propolis constituents. Pharmazie 34, 97-102.
- Metzner J., Schneidewind E.M., Friedrich E. (1977) Effects of propolis and pinocembrin on yeasts. Pharmazie 32, 730.
- Meyer W. (1956) Propolis bees and their activities. Bee World 37, 25-36.

- Milani N. (1994) Possible presence of fluvalinate-resistant strains in *Varroa jacobsoni* in northern Italy. In: New perspectives on *Varroa*, Matheson A. (ed.) Cardiff, UK: IBRA. pp 87.
- Milani N. (1995) The resistance of *Varroa jacobsoni* Oud, to pyrethroids: a laboratory assay. Apidologie 26, 415-429.
- Milani N., and Della Vedova G. (1996) Determination of the LC50 in the mite *Varroa jacobsoni* of the active substances in Perizin ® and cekafix ®. Apidologie 26, 67-72.
- Miyataka H., Nishiki M., Matsumoto H., Fujimoto T., Matsuka M., Satoh T. (1997) Evaluation of propolis. I. Evaluation of Brazilian and Chinese propolis by enzymatic and physico-chemical methods. Biol. Pharm. Bull. 20, 496-501.
- Möbus B. (1972) The importance of propolis to honeybees. Br. Bee. J. 100, 198-199.
- Monti M., Berti E., Carminati G., Cusini M. (1983) Occupational and cosmetic dermatitis from propolis. Cont. dermat. 9, 163.
- Moosbeckhofer R. (1993) Wachsmotten – eine Gefahr für den Wabenvorrat. Bienenvater 6, 261-270.
- Moretto G., Gonçalves L. S., De Jong D. (1993) Heritability of Africanized and European honey bee defensive behaviour against the mite *Varroa jacobsoni*. Rev. Bras. Genet. 16, 71-77.
- Moretto G., Gonçalves L. S., De Jong D. (1997) Relationship between food availability and the reproductive ability of the mite *Varroa jacobsoni* in Africanized bee colonies. Am Bee J. 137, 67-69.
- Moritz R. F. A. (1985) Heritability of the postcapping stage in *Apis mellifera* and its relation to varroatosis resistance. J. Heredity 76, 267-270.
- Morse R.A. (1978) Arachnids: Acarina (mites and ticks). In: Honeybee pests, predators and diseases, Morse R.A. (ed.) Cornell University Press. pp. 197-209
- Münstedt K. and Zygmunt M. (2001) Propolis – current and future medical uses. Am. Bee J. 141, 507-510.
- Mutinelli F., Baggio A., Capolongo F., Piro R., Prandin L. (1997) A scientific note on oxalic acid by topical application for the control of varroatosis. Apidologie 28 (6), 461-462.
- Nagai T., Inoue R., Inoue H., Suzuki N. (2003) Preparation and antioxidant properties of water extracts of propolis. Food Chem. 80, 29-33.
- Nagy E., Papay V., Litkei G., Dinya Z. (1986) Investigation of the chemical constituents, particularly the flavonoid components, of propolis and Populigemma by the GC/MS method. Stud. Org. Chem. (Amsterdam) 23. 223-232.
- National Committee for Clinical Laboratory Standards (1985) Methods for dilution antimicrobial susceptibility tests for bacteria that grow aerobically. Approved standard M7-A NCCLS, Villanova, PA.
- Neumann P., Pirk C.W.W., Hepburn H.R., Solbrig A.J., Ratnieks F.L.W., Elzen P.J., Baxter J.R. (2001) Social encapsulation of beetle parasites by cape honeybee colonies (*Apis mellifera capensis* Esch). Naturwissenschaften 88, 214-216.
- Neunaber E. (1995) Phytochemische und mikrobiologische Untersuchungen von Propolis verschiedener Provenienzen als Beitrag zur Kenntnis der Wirkprinzipien in Propolis. Inaugural-Dissertation Free University of Berlin, Faculty of Pharmacy, Berlin.
- Nikaido H. (1998) Multiple antibiotic resistance and efflux. Curr. Opin. Microbiol. 1, 516-523.

- Nikaido H. (1999). Microdermatology: cell surface in the interaction of microbes with the external world. *J. Bacteriol.* 181, 4–8.
- Nishino T., Wecke J., Kruger D., Giesbrecht P. (1987) Trimethoprim-induced structural alterations in *Staphylococcus aureus* and the recovery of bacteria in drug-free medium. *J. Antimicrob. Chemother.* 19, 147-159.
- O'Neill M.A.A., Beezer A.E., Labetoulle C., Nicolaides L., Mitchell J.C., Orchard J.A., Connor J.A., Kemp R.B., Olomolaiye D. (2003) The base catalysed hydrolysis of methyl paraben: a test reaction for flow microcalorimeters used for determination of both kinetic and thermodynamic parameters. *Thermochim. Acta* 399, 63–71.
- Ogren W. (1990) What in the world is propolis used for? *Am. Bee J.* 130, 239-240.
- Ota C., Unterkircher C., Fantinato V., Shimizu M. T. (2001) Antifungal activity of propolis on different species of *Candida*. *Mycoses* 44, 375-378.
- Peng Y. S., Fang Y., Xu S., Ge L., Nasr M. E. (1987) Response of foster Asian honey bee (*Apis cerana* Fabr.) colonies to the brood of European honey bee (*Apis mellifera* L.) infested with parasitic mite *Varroa jacobsoni* Oud. *J. Invert. Pathol.* 49, 259-264.
- Pepelnjak S., Jalsenjak I., Maysinger D. (1982) Growth inhibition of *Bacillus subtilis* and composition of various propolis extracts. *Pharmazie* 37, 439-440.
- Pereira A.S., Bicalho B., Neto F.R.A. (2003) Comparison of propolis from *Apis mellifera* and *Tetragonisca angustula*. *Apidologie* 34, 291-298.
- Petri G., Lembercovics E., Foldvari M. (1986) Examination of differences between propolis (bee glue) produced from different floral environments. In: Flavours and Fragrances: A World Perspective, Lawrence B.M., Mookhedjee B.D., Willis B.J. (eds.), Elsevier, Amsterdam, pp. 439–446.
- Popravko S. A (1978) Chemical composition of propolis, its origin and standardization. In: A remarkable hive product: propolis, Apimondia Publ. House, Bucharest, pp. 15-18.
- Popravko S.A. and Sokolov M.V. (1980) Plant sources of propolis, *Pchelovodstvo* 2, 28-29 (in Russian).
- Prokopovich N.N. (1957) Propolis a new anaesthetic. *Vrach. Delo* 10, 1077-1080. (in Russian).
- Prokopovich N.N., Flis Z.A., Frankovskaya Z.I., and Kope'eva E.P. (1956) An anaesthetizing substance for use in stomatology. *Vrach. Delo* 1, 41-44. (in Russian).
- Rand J.D., Danby S.G., Greenway D.L., England R.R. (2002) Increased expression of the multi-drug efflux genes acrAB occurs during slow growth of *Escherichia coli*. *FEMS Microbiol. Lett.*, 207, 91-95.
- Rehm S. M. and Ritter W. (1989) Sequence of sexes in the offspring of *Varroa jacobsoni* and the resulting consequences for the calculation of the developmental period, *Apidologie* 20, 339-343.
- Renobales M.D., Nelson D.R., Blomquist G.J. (1991) Cuticular lipids. In: Physiology of the insect epidermis, Binnington K. and Retnakaran A. (eds.), CSIRO, Melbourne. pp. 240-251
- Rios J.L., Recio M.C., Villar A. (1988) Screening methods for natural products with antimicrobial activity: A review of the literature. *J. Ethnopharm.* 23, 127-140.

- Ritter W. and Roth H. (1988) Experiments with mites resistance to varroacidal substances in the laboratory. In: European research on varroatosis control, Cavalloro R. (ed.), Proc. Meet. EC Experts' Group, Bad Homburg, October 1986, Balkema, Rotterdam, pp 157-160.
- Rösch G.A. (1927) Beobachtung an Kitthartz sammelnden Bienen (*Apis mellifica* L.). Biolog. Zentralbl. 47, 113-121.
- Rosenkranz P. (1985) Temperaturpräferenz von *Varroa jacobsoni* und Verteilung des Parasiten in Brutnest von *Apis mellifera*. Apidologie 16, 213-214.
- Rosenkranz P. (1987) Thermobehandlung Verdeckelter Arbeiterinnen-Brutwaben als Möglichkeit der Varroatose-Kontrolle. Apidologie 18, 385-387.
- Russell A.D. (2002) Antibiotic and biocide resistance in bacteria: Introduction. J. appl. Microbiol. 92, 1S-3S.
- Russell A.D. and Chopra I. (1996) Understanding antibacterial action and resistance. 2nd edn. Chichester: Ellis Horwood.
- Sammataro D., Gerson U., Needham G. (2000) Parasitic mites of honey bees: life history, implications and impact, Annu. Rev. Entomol. 45, 519-548.
- Santos F. A., Bastos E. M. A., Uzeda M., Carvalho M. A. R., Farias L. M., Moreira E. S. A., Braga F. C. (2002) Antibacterial activity of Brazilian propolis and fractions against oral anaerobic bacteria. J. Ethnopharm. 80, 1-7.
- Sawaya A.C.H.F., Palma A.M., Caetano F.M., Marcucci M.C., da Silva Cunha I.B., Araujo C.E.P., Shimizu M.T. (2002) Comparative study of in vitro methods used to analyse the activity of propolis extracts with different compositions against species of *Candida*. Let. Appl. Microbiol. 35, 203-207.
- Scheller S., Szaflarski J., Tustanowski J., Nolewajka E., Stojko A. (1977) Biological properties and clinical applications of propolis I. Arzneim-Forsch. Drug Res. 27, 889-890.
- Schkurat B.T., and Poprawko C.A. (1980) Effect of propolis against *Varroa*, Pcelovodstvo 1, 19. (in Russian).
- Schmid-Hempel P., Winston M. L., Ydenberg R. C. (1993) Foraging of individual workers in relation to colony state in the social Hymenoptera. The Can. Entom. 125, 129-160.
- Schmolz E. and Lamprecht I. (2000) Calorimetric investigation of activity states and development of holometabolous insects. Thermochim. Acta 349 61-68.
- Schmolz E. and Schulz O. (1995) Calorimetric investigation on thermoregulation and growth of wax moth larvae *Galleria mellonella*. Thermochim. Acta 251, 241-245.
- Schmolz E., Drutschmann S., Schricker B., Lamprecht I. (1999) Calorimetric measurements of energy contents and heat production rates during development of the wax moth *Galleria mellonella*. Thermochim. Acta 337, 83-88.
- Schneider P. and Drescher W. (1987) Einfluss der Parasitierung durch die Milbe *Varroa jacobsoni* Oud auf das Schlupfgewicht, die Gewichtsentwicklung, die Entwicklung der Hypopharynxdrüsen und die Lebensdauer von *Apis mellifera* L. Apidologie 18, 101-110.
- Schneider P. and Drescher W. (1988) Die Folgen eines Unterschiedlich hohen *Varroa*-befalls während der Puppenentwicklung auf die erwachsene Biene. Allg. D. Imkerzeit. 22, 16-18, 54-56.

- Schulz A. E. (1984) Reproduktion und Populationsentwicklung der Parasitischen Milbe *Varroa jacobsoni* Oud. in Abhängigkeit vom Brutzyklus ihres Wirtes, *Apis mellifera* L. Apidologie 15, 401-420.
- Sehnal F. (1966) Kritisches Studium der Bionomie und Biometrie der in verschiedenen Lebensbedingungen gezüchteten Wachsmotte, *Galleria mellonella*. Zeitsch. Wissensch. Zool. 174, 53-83.
- Semple R.L., Hicks P.A., Lozare J.V., Castermans A. (1992) Towards integrated commodity and pest management in grain storage: a Training Manual for application in humid tropical storage systems. Proceedings and selected papers from the Regional Training Course on Integrated Pest Management Strategies in Grain Storage Systems, conducted by the National Post Harvest Institute for Research and Extension (NAPHIRE), Department of Agriculture, June 6-18, 1988, Philippines. A REGNET (RAS/86/189) Publication in Collaboration with NAPHIRE. pp. 526.
- Sforcin J. M., Fernandes Jr A. C., Lopes A. M., Bankova V., Funari S. R. C. (2000) Seasonal effect on Brazilian propolis antibacterial activity. J. Ethnopharm. 73, 243-249.
- Shimanuki H (1981) Controlling the greater wax moth. USDA publication.
- Shimanuki H., Calderone N. W., Knox D.A. (1994) Parasitic mite syndrome: The symptoms. Am. Bee J. 134, 117-119.
- Shub Z.A., Kagramanova K.A., Voropaeva S.D., Kivma G.I. (1981) Effect of propolis on *Staphylococcus aureus* strains resistant to antibiotics. Antibiotiki 26, 268-271.
- Simuth J. (1986) Inhibition of bacterial DNA-dependant RNA polymerases and restriction endonuclease by UV-absorbing components from propolis. Pharmazie 41, 131-32
- Smirnov A.M. (1978) Research results obtained in USSR concerning disease. Etiology, pathogenesis, epizootiology, diagnosis and control of *Varroa*. Apiacta 13, 149-162.
- Snodgrass R.E. (1935) Principles of Insect Morphology: Chapter III the body wall and its derivatives. Cornell university press.
- Spiridonov N.A., Arkhipov V.V., Narimanov A.A., Shabalina S.A., Zverkova L.A., Shvirst E.M., Kondrashova M.N. (1992) Effect of *Galleria mellonella* larvae preparation and honey bee products on cell cultures. Comp. Biochem. Physiol.: C - Comp. Pharmacol. Toxicol. 102, 205-208.
- Spreafico M., Eördegh F.R., Bernardinelli I., Colombo M. (2001) First detection of strains of *Varroa destructor* resistant to coumaphos, results of laboratory test and field trials. Apidologie 32, 49-55.
- Starzyk J., Scheller S., Szaarski J., Moskwa M., Stojko A. (1977) Biological properties and clinical application of propolis. II. Studies on the antiprotozoan activity of ethanol extract of propolis. Arzneim-Forsch. Drug Res. 27, 1198-1199.
- Steiner J., das Garças Pompolo S., Takahashi C.S., Gonçalves L.S. (1982) Cytogenetics of the acarid *Varroa jacobsoni*. Rev. Bras. Genet. 5, 841-844.
- Steiner J., Diehl P.A., Vlimant M. (1995) Vitellogenesis in *Varroa jacobsoni*, a parasite of honey bees. Exp. App. Acar. 19, 411-422.
- Steiner J., Dittmann F., Rosenkranz P., Engels W. (1994) The first gonocycle of the parasitic mite (*Varroa jacobsoni*) in relation to pre-imaginal development of its host, the honey bee (*Apis mellifera carnica*). Invert. Reprod. Devlop. 25, 175-183.

- Strehl E., Volpert R., Elstner E.F. (1994) Biochemical activities of propolis extracts: III Inhibition of dihydrofolate reductase. *Z. Naturforsch.* 49c, 39-43.
- Strong, R. G. and Dickman J. (1973) Comparative effectiveness of fifteen insect growth regulators against several pests of stored products. *J. Econ. Entomol.* 66, 1167-1173.
- Stürz B. and Wallner K. (1997) Rückstandsuntersuchungen in Bienenprodukten. *Allg. Dtsch. Imkerztg.* 31, XIV-XV.
- Tabor K. L., and Ambrose J. T. (2001) The use of heat treatment for control of the honey bee mites *Varroa destructor*. *Am. Bee J.* 141, 733-736.
- Takaisi-Kikuni N.B., and Schilcher H. (1994) Electron microscopic and microcalorimetric investigations of the possible mechanism of the antibacterial actions of a defined propolis provenance. *Planta Med.* 60, 222-227.
- Tamas M., Marinescu I., Ionescu F. (1979) Flavonoideled in muguri de plop. *Stud. Cercet. Biochim.* 22, 207-213.
- Tegos G., Stermitz F.R., Lomovskaya O., Lewis K. (2002) Multidrug Pump Inhibitors Uncover Remarkable Activity of Plant Antimicrobials. *Antimicrob. Agents Chemother.* 46, 3133-3141.
- Theisen M.O., Miller G.C., Cripps C., Renobales M.D., Blomquist G.J. (1991) Correlation of carbaryl uptake with hydrocarbon transport to the cuticular surface during development in the cabbage looper, *Trichoplusia ni*. *Pestic. Biochem. Physiol.* 40, 111-116.
- Tomas-Barberan F.A., Garcia-Viguera C., Vit-Olivier P., Ferreres F., Tomas-Lorente F. (1993) Phytochemical evidence for the botanical origin of tropical propolis from Venezuela. *Phytochem.* 34, 191-196.
- Trouiller J., Arnold G., Le Conte Y., Masson C. (1991) Temporal pheromonal and kairomonal secretions in brood of honeybees. *Naturwissenschaften* 78, 368-370.
- Trubin A.V., Chernov K.S., Kuchin L. A., Borzenko I.E., Yalina A.G. (1987) European foulbrood: transmission and sensitivity of the causal agents to antibiotics. *Veterinariya* 8, 46-47, (in Russian).
- Van Ketel W. G. and Bruynzeel D. P. (1992) Occupational dermatitis in an accordion repairer. *Cont. dermat.* 27, 186.
- Wadsö I. (2002) Isothermal microcalorimetry in applied biology. *Thermochim. Acta* 394, 305-311.
- Walker C.B. (1996) The acquisition of antibiotic resistance in the periodontal microflora. *Periodontology 2000* 10, 79-88.
- Wallner K. (1991) Das Verhalten von Paradichlorbenzol in Wachs und Honig. *Allg. Deut.. Imk. Zeit.* 9, 29-31.
- Wallner K. (1995) Nebeneffekte bei Bekämpfung der Varroamilbe. Die Rückstandssituation in einigen Bienenprodukten. *Bienenvater* 116 (4), 172-177.
- Wallner K. (1999) Varroacides and their residues in bee products. *Apidologie* 30, 235-248.
- Weinberg K. P., and Madel G. (1985) The influence of the mite *Varroa jacobsoni* Oud. on the protein concentration and the hemolymph volume of the brood of worker bees and drones of the honeybee *Apis mellifera* L. *Apidologie* 16, 421-436.

- Wiegers F. P. (1986) Transmission of acute paralysis virus by the honeybee parasite *Varroa jacobsoni* Oud. In: Fundamental and applied aspects of invertebrate pathology, Samson R. A., Vlak J. M., Peters D. (eds.) pp. 152, Wageningen.
- Williams C. M (1967) Third Generation Pesticides. Sci. Am. 217, 13-17.
- Williams D. and Amos T. G. (1974) Some effects of synthetic juvenile hormones and hormone analogues on *Tribolium castaneum* (Herbs). Aust. J. Zool. 22, 147-53.
- Winston M.L. and Fergusson L.A. (1985) The effect of worker loss on temporal caste structure in colonies of the honeybee. Can. J. Zool. 63, 777-780.
- Woisky R. and Salatino A. (1998) Analysis of propolis: some parameters and procedures for chemical quality control. J. Apicult. Res. 37, 99-105.
- Wollenweber E. and Buchmann S.L. (1997) Feral honey bees in the Sonoran Desert: propolis sources other than poplar (*Populus* spp.). Z. Naturforsch. 52c, 530-535.
- Yakobson B., Navarro S., Donahaye E.J., Azrieli A., Slaveski Y., Ephrati H. (1997) Control of beeswax moths using carbon dioxide in flexible plastic and metal structures. In: Proc. int. conf. controlled atmosphere and fumigation in grain storages, 21- 26 April 1996, Nicosia, Cyprus, 169-174.
- Zgurskaya H. I. and Nikaido H. (1999). Bypassing the periplasm: reconstitution of the AcrAB multidrug efflux pump of *Escherichia coli*. Proc. Natl. Acad. Sci. USA 96, 7190-7195.