

## 6. Literatur

- Abram, J. W. und D. B. Nedwell** (1978). Inhibition of methanogenesis by sulphate reducing bacteria competing for transferred hydrogen. *Archives of Microbiology* **117**, 89-92
- Akama, K. und S. Otani** (1970). *Clostridium perfringens* as the flora in the intestine of healthy persons. *Japanese Journal of Medical Science and Biology* **23**, 161-75
- Allison, C. und G. T. Macfarlane** (1988). Effect of nitrate on methane production and fermentation by slurries of human faecal bacteria. *Journal of General Microbiology* **134**, 1397-405
- Allison, C. und G. T. Macfarlane** (1989). Influence of pH, nutrient availability, and growth rate on amine production by *Bacteroides fragilis* and *Clostridium perfringens*. *Applied and Environmental Microbiology* **55**, 2894-8
- Alm, E. W., D. B. Oerther, N. Larsen, D. A. Stahl und L. Raskin** (1996). The oligonucleotide probe database. *Applied and Environmental Microbiology* **62**, 3557-9
- Amann, R. I., B. J. Binder, R. J. Olson, S. W. Chisholm, R. Devereux und D. A. Stahl** (1990). Combination of 16S rRNA-targeted oligonucleotide probes with flow cytometry for analyzing mixed microbial populations. *Applied and Environmental Microbiology* **56**, 1919-25
- Andreesen, J. R., H. Bahl und G. Gottschalk** (1989). Introduction to the physiology and and biochemistry of the genus *Clostridium*. pp. 27-62. *In Clostridia*. Minton, N. P. und D. J. Clarke (eds.), *Biotechnology handbooks*, Vol. 3, Plenum Press, New York, USA
- Angelotti, R., H. E. Hall, M. J. Foter und K. M. Lewis** (1962). Quantification of *Clostridium perfringens* in foods. *Applied Microbiology* **10**, 193-9
- Badziong, W. und R. K. Thauer** (1978). Growth yields and growth rates of *Desulfovibrio vulgaris* (Marburg) growing on hydrogen plus sulfate and hydrogen plus thiosulfate as the sole energy sources. *Archives of Microbiology* **117**, 209-14
- Balch, W. E., G. E. Fox, L. J. Magrum, C. R. Woese und R. S. Wolfe** (1979). Methanogens: reevaluation of a unique biological group. *Microbiological Reviews* **43**, 260-96
- Barker, H. A.** (1936). On the fermentation of some dibasic C<sub>4</sub> acids by *Aerobacter aerogenes*. *Procedure der koninklijke Nederlandse Akademie der Wetenschap* **39**, 674-83

- Barker, H. A.** (1961). Fermentations of nitrogenous organic compounds. pp. 151-207  
*In* The Bacteria. Gunsalus, I. C. und R. Y. Stainer (eds.), Vol. 2, Metabolism, Academic Press, New York, USA
- Barker, H. A.** (1981). Amino acid degradation by anaerobic bacteria. Annual Review of Biochemistry **50**, 23-40
- Barker, H. A. und V. Haas** (1944). *Butyribacterium*, a new genus of gram-positive, non-sporulating anaerobic bacteria of intestinal origin. Journal of Bacteriology **47**, 301-5
- Bartlett, K, J. V. Dobson und E. Eastham** (1980). A new method for the detection of hydrogen in breath and its application to acquired and inborn sugar malabsorption. Clinica Chimica Acta. **108**, 189-94.
- Beerens, H. und C. Romond** (1977). Sulfate-reducing anaerobic bacteria in human feces. American Journal of Clinical Nutrition **30**, 11, 1770-6
- Becker, G. L.** (1953). Prevention of gas explosions in the large bowel during electrosurgery. Surgery and Gynaecology in Obstetrics **97**, 463
- Bedell, G. N., R. Marshall und A. B. Dubois** (1956). Measurement of the volume of gas in the gastrointestinal tract. Journal of Clinical Investigation **35**, 336
- Benno, Y., H. Nakao, K. Uchida und T. Mitsuoka** (1992). Impact of the advances in age on the gastrointestinal microflora of beagle dogs. Journal of Veterinary Medical Science **54**, 703-6
- Berg, R. D.** (1996). The indigenous gastrointestinal microflora. Trends in Microbiology **4**, 430-5
- Bergey's Manual of Systematic Bacteriology** (1984-1989). Staley, J. A., M. P. Bryant, N. Pfennig and J. G. Holt (eds.). Vol. 1-4. Williams & Wilkins, Baltimore, USA
- Bergmeyer, H. U. (ed)** (1984). Methods of enzymatic analysis. Weinheim, Verlag Chemie GmbH
- Bernalier, A., M. Lelait, V. Rochet, J.-P. Grievet, G. R. Gibson und M. Durand** (1996a). Acetogenesis from H<sub>2</sub> and CO<sub>2</sub> by methane- and non methane-producing human colonic communities. FEMS Microbiology Ecology **19**, 193-202
- Bernalier, A., V. Rochet, M. Leclerc, J. Doré und P. Pochart** (1996b). Diversity of H<sub>2</sub>/CO<sub>2</sub>-utilizing acetogenic bacteria from feces of non-methane-producing humans. Current Microbiology **33**, 94-9
- Bernalier, A., A. Willems, M. Leclerc, V. Rochet und M. D. Collins** (1996c). *Ruminococcus hydrogenotrophicus* sp. nov., a new H<sub>2</sub>/CO<sub>2</sub>-utilizing acetogenic bacterium isolated from human feces. Archives of Microbiology **166**, 176-83

- Bjørneklett, A. und E. Jenssen** (1980). Measurement of pulmonary hydrogen (H<sub>2</sub>) and H<sub>2</sub> diffusion from the small bowel and the colon. *Scandinavian Journal of Gastroenterology* **15**, 817-23
- Bjørneklett, A. und E. Jenssen** (1982). Relationships between hydrogen (H<sub>2</sub>) and methane (CH<sub>4</sub>) production in man. *Scandinavian Journal of Gastroenterology* **17**, 985-92
- Blaschkowski, H. P., G. Neuer, M. Ludwig-Festl und J. Knappe** (1982). Routes of flavodoxin and ferredoxin reduction in *Escherichia coli*. CoA-acylating pyruvate: flavodoxin and NADPH: flavodoxin oxidoreductases participating in the activation of pyruvate formate-lyase. *European Journal of Biochemistry* **123**, 3, 563-9
- Blaut, M., V. Müller und G. Gottschalk** (1992). Energetics of methanogenesis studied in vesicular systems. *Journal of Bioenergetics and Biomembranes* **24**, 529-46
- Bleicher, K. und J. Winter** (1994). Formate production and utilization by methanogens and by sewage sludge consortia- interference with the concept of interspecies formate transfer. *Applied Microbiology and Biotechnology* **40**, 910-15
- Bond, J. H., R.R. Engel und M. D. Levitt** (1971). Factors influencing pulmonary methane excretion in man. *Journal of Experimental Medicine* **133**, 572-88
- Bond, J. H. und M. D. Levitt** (1972). Use of pulmonary hydrogen (H<sub>2</sub>) measurements to quantitate carbohydrate absorption. Study of partially gastrectomized patients. *Journal of Clinical Investigation* **51**, 1219-25
- Bracher, V., R. Steiger und S. Huser** (1995). Erste Erfahrungen mit dem kombinierten Xylose-Absorptions-/Hydrogen-Exhalationstest beim Pferd. *Schweizer Archiv für Tierheilkunde* **137**, 297-305
- Bracher, V. und S. J. Baker** (1994). Breath tests for investigation of gastrointestinal disease. *Equine Veterinary Education* **6**, 173-6
- Bradford, M. M.** (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical Biochemistry* **72**, 248-54
- Breznak, J. A.** (1994). Acetogenesis from carbon dioxide in termite guts. p. 303-330. *In* Acetogenesis. Drake, H. L. (ed.), Chapman & Hall, Inc., New York, USA
- Breznak, J. A. und M. D. Kane** (1990). Microbial H<sub>2</sub>/CO<sub>2</sub> acetogenesis in animal guts: nature and nutritional significance. *FEMS Microbiology Reviews* **7**, 309-13
- Breznak, J. A. und J. M. Switzer** (1986). Acetate synthesis from H<sub>2</sub> plus CO<sub>2</sub> by termite gut microbes. *Applied Environmental Microbiology* **52**, 623-30

- Breznak, J. A. und J. Switzer Blum** (1991). Mixotrophy in the termite gut acetogen, *Sporomusa termitida*. Archives of Microbiology **156**, 105-10
- Breznak, J. A., J. M. Switzer und H.-J. Seitz** (1988). *Sporomusa termitida* sp. nov., an H<sub>2</sub>/CO<sub>2</sub>-utilizing acetogen isolated from termites. Archives of Microbiology **150**, 282-8
- Bryant, M. P.** (1972). Commentary on the hungate technique for culture of anaerobic bacteria. American Journal of Clinical Nutrition **25**, 1324-28
- Bryant, M. P., L. L. Campbell, C. A. Reddy und M. R. Crabill** (1977). Growth of desulfovibrio in lactate or ethanol media low in sulfate in association with H<sub>2</sub>-utilizing methanogenic bacteria. Applied and Environmental Microbiology **33**, 1162-9
- Bryant, M. P. und M. J. Wolin** (1975). Rumen bacteria and their metabolic interactions. p.297. In Proceedings of the first international congress of the international association of the microbiological society. Hasegawa, T. (ed.), Vol. 2, Developmental Microbiology, Ecology, Science Council of Japan, Tokyo
- Budd, M. S. und H. A. Bewick** (1952). Photometric determination of sulfide and reducible sulfur in alkalies. Annals of Chemistry **24**, 1536-40
- Calloway, D. H. und E. L. Murphy** (1968). The use of expired air to measure intestinal gas formation. Annals of the New York Academy of Sciences **150**, 82-95
- Cardon, B. P. und H. A. Barker** (1947). Amino acid fermentations by *Clostridium propionicum* and *Diplococcus glycinophilus*. Archives of Biochemistry **12**, 165-80
- Carman, R. J., R. L. Van Tassell und T. D. Wilkins** (1993). The normal intestinal microflora: ecology, variability and stability. Veterinary and Human Toxicology **35 Supplement 1**, 11-4
- Carter, H. G.** (1952). Explosion in the colon during electrodesiccation of polyps. American Journal for Surgery **84**, 514
- Carter, J. E. und R. D. Sagers** (1972). Ferrous ion-dependent L-serine dehydratase from *Clostridium acidurici*. Journal of Bacteriology **109**, 757-63
- Cheeseman, S. L., S. J. Hiom, A. J. Weightman und W. G. Wade** (1996). Phylogeny of oral asaccharolytic Eubacterium species determined by 16S ribosomal DNA sequence comparison and proposal of *Eubacterium infirmum* sp. nov. and *Eubacterium tardum* sp. nov. International Journal of Systematic Bacteriology **46**, 957-9
- Christl, S. U., G. R. Gibson und J. H. Cummings** (1992b). Role of dietary sulphate in the regulation of methanogenesis in the human large intestine. Gut **33**, 1234-8

- Christl, S. U., G. R. Gibson, P. R. Murgatroyd, W. Scheppach und J. H. Cummings** (1993). Impaired hydrogen metabolism in pneumatosis cystoides intestinalis. *Gastroenterology* **104**, 392-7
- Christl, S. U., P. R. Murgatroyd, G. R. Gibson und J. H. Cummings** (1992a). Production, metabolism, and excretion of hydrogen in the large intestine. *Gastroenterology* **102**, 1269-77
- Christl, S. U., W. Scheppach und H. Kasper** (1995) Wasserstoffmetabolismus im Dickdarm--Physiologie und klinische Bedeutung. *Zeitschrift für Gastroenterologie* **33**, 408-13
- Chung, K. T.** (1976). Inhibitory effects of H<sub>2</sub> on growth of *Clostridium cellobioparum*. *Applied and Environmental Microbiology* **31**, 342-8
- Clifton, C. E.** (1942). The utilization of amino acids and related compounds by *Clostridium tetani*. *Journal of Bacteriology* **44**, 179-183
- Cline, J. D.** (1969). Spectrophotometric determination of hydrogen sulfide in natural waters. *Limnology and Oceanography* **14**, 454-58
- Coates, M. und B. Gustafsson** (eds.) (1984). The germ-free animal in biomedical research. Laboratory animal handbooks, London, Großbritannien
- Collins, M. D., P. A. Lawson, A. Willems, J. J. Cordoba, J. Fernandez-Garayzabal, P. Garcia, J. Cai, H. Hippe und J. A. Farrow** (1994). The phylogeny of the genus *Clostridium*: proposal of five new genera and eleven new species combinations. *International Journal of Systematic Bacteriology* **44**, 4, 812-26
- Conrad, R.** (1996). Soil microorganisms as controllers of atmospheric trace gases (H<sub>2</sub>, CO, CH<sub>4</sub>, OCS, N<sub>2</sub>O, and NO). *Microbiological Reviews* **60**, 609-40
- Conrad, R., T. J. Phleps und B. Schink** (1985). Gas metabolism evidence in support of the juxtaposition of hydrogen-producing and methanogenic bacteria in sewage sludge and lake sediments. *Applied and Environmental Microbiology* **50**, 595-601
- Conrad, R., B. Schink und T. J. Phleps** (1986). Thermodynamics of H<sub>2</sub>-consuming and H<sub>2</sub>-producing metabolic reactions in diverse methanogenic environments under *in situ* conditions. *FEMS Microbiology Ecology* **38**, 353-60
- Corazza, G. R., M. G. Menozzi, A. Strocchi, L. Rasciti, D. Vaira, R. Lecchini, P. Avanzini, C. Chezzi und G. Gasbarrini** (1990). The diagnosis of small bowel bacterial overgrowth. Reliability of jejunal culture and inadequacy of breath hydrogen testing. *Gastroenterology* **98**, 302-9
- Cord-Ruwisch, R., H.-J. Seitz und R. Conrad** (1988). The capacity of hydrogenotrophic anaerobic bacteria to compete for traces of hydrogen depends on the

- redox potential of the terminal electron acceptor. *Archives of Microbiology* **149**, 350-7
- Cummings, J. H., C. Allison und G. T. Macfarlane** (1986). Significance of fermentation in the large intestine of man. *Journal of Applied Bacteriology*, **61**, 17
- Cunin, R., N. Glansdorff, A. Pierard und V. Stalon** (1986). Biosynthesis and metabolism of arginine in bacteria. *Microbiological Reviews* **50**, 314-52
- Cypionka, H., F. Widdel und N. Pfennig** (1985). Survival of sulfate-reducing bacteria after oxygen stress, and growth in sulfate free oxygen sulfide gradients. *FEMS Microbiology Ecology* **31**, 39-45
- Czerkawski, J. W., C. G. Harfoot und G. Breckenridge** (1972). The relationship between methane production and concentrations of hydrogen in the aqueous and gaseous phases during rumen fermentation in vitro. *Journal of Applied Bacteriology* **35**, 537-51
- Dannenberg, S., M. Kroder, W. Dilling und H. Cypionka** (1992). Oxidation of H<sub>2</sub>, organic compounds and inorganic sulfur compounds coupled to reduction of O<sub>2</sub> or nitrate by sulfate-reducing bacteria. *Archives of Microbiology* **158**, 93-9
- De Graeve, K. G., J. P. Grivet, M. Durand, P. Beaumatin, C. Cordelet, G. Hannequart und D. Demeyer** (1994). Competition between reductive acetogenesis and methanogenesis in the pig large-intestinal flora. *Journal of Applied Bacteriology* **76**, 55-61
- De Man, J. D., M. Rogosa und M. E. Sharpe** (1960). A medium for the cultivation of lactobacilli. *Journal of Applied Bacteriology* **23**, 130-135
- Devereux, R., P. Haeberli und D. Smithies** (1984). A comprehensive set of sequence analysis programs for the VAX. *Nucleic Acids Research* **12**, 387-395
- De Vos, P., P. Stevens und J. De Ley** (1983). Hydrogen gas production from formate and glucose by different members of the *Enterobacteriaceae*. *Biotechnology Letters* **5**, 69-74
- Diekert, G.** (1990). CO<sub>2</sub> reduction to acetate in anaerobic bacteria. *FEMS Microbiology Reviews* **87**, 391-6
- Doddema, H. J. und G. D. Vogels** (1978). Improved identification of methanogenic bacteria by fluorescence microscopy. *Applied and Environmental Microbiology* **36**, 752-4
- Doré, J., B. Morvan, F. Rieu-Lesme, I. Goderel, P. Gouet und P. Pochart** (1995). Most probable number enumeration of H<sub>2</sub>-utilizing acetogenic bacteria from the digestive tract of animals and man. *FEMS Microbiology Letters* **130**, 7-12
- Doré, J., A. Sghir, G. Hannequart-Garmet, G. Corthier und P. Pochart** (1998). Design and evaluation of a 16S rRNA-targeted oligonucleotide probe for

- specific detection and quantification of human faecal *Bacteroides* populations. *Systematic and Applied Microbiology* **21**, 65-71
- Dorn, M., J. R. Andreesen und G. Gottschalk** (1978). Fermentation of fumarate and L-malate by *Clostridium formicoaceticum*. *Journal of Bacteriology* **133**, 26-32
- Drasar, B. S.** (1989). The bacterial flora of the stomach and small intestine. *Gastroenterologie Clinique et Biologique* **13**, 18B-20B
- Drasar, B. S., P. Goddard, S. Heaton, S. Peach und B. West** (1976). Clostridia isolated from faeces. *Journal of Medical Microbiology* **9**, 63-71
- Dunne, C., L. Murphy, S. Flynn, L. O'Mahony, S. O'Halloran, M. Feeney, D. Morrissey, G. Thornton, G. Fitzgerald, C. Daly, B. Kiely, E. M. Quigley, G. C. O'Sullivan, F. Shanahan und J. K. Collins** (1999). Probiotics: from myth to reality. Demonstration of functionality in animal models of disease and in human clinical trials. *Antonie van Leeuwenhoek* **76**, 279-92
- Finegold, S. M., H. R. Attebery und V. L. Sutter** (1974). Effect of diet on human fecal flora: comparison of Japanese and American diets. *American Journal of Clinical Nutrition* **27**, 1456-69
- Finegold, S. M., V. L. Sutter und G. E. Mathisen** (1983). Normal indigenous intestinal flora. p. 3-31. *In* Human intestinal microflora in health and disease. Hentges, D.J. (ed.), Academic Press Inc., New York, USA
- Fleming, S. E.** (1980). Measurement of hydrogen production in the rat as an indicator of flatulence activity. *Journal of Food Science* **45**, 1012-5
- Florin, T. H.** (1997). Alkyl halides, super hydrogen production and the pathogenesis of pneumatosis cystoides coli. *Gut* **41**, 778-84
- Florin, T. H. und I. A. Jabbar** (1994). A possible role for bile acid in the control of methanogenesis and the accumulation of hydrogen gas in the human colon. *Journal of Gastroenterology and Hepatology* **9**, 112-7
- Florin, T. H., G. Neale und J. H. Cummings** (1990). The effect of dietary nitrate on nitrate and nitrite excretion in man. *British Journal of Nutrition* **64**, 387-97
- Florin, T. H., G. Neale, G. R. Gibson, S. U. Christl und J. H. Cummings** (1991). Metabolism of dietary sulphate: absorption and excretion in humans. *Gut* **32**, 766-73
- Flourié, B., F. Etanchaud, C. Florent, P. Pellier, Y. Bouhnik und J.-C. Rambaud** (1990). Comparative study of hydrogen and methane production in the human colon using caecal and faecal homogenates. *Gut* **31**, 684-5

- Fox, G. E., J. D. Wisotzkey und P. Jurtshuk Jr.** (1992). How close is close: 16S rRNA sequence identity may not be sufficient to guarantee species identity. *International Journal of Systematic Bacteriology* **42**, 166-70
- Freter, R. und G. D. Abrams** (1972). Function of various intestinal bacteria in converting germfree mice to the normal state. *Infection and Immunity* **6**, 119-26
- Freter, R.** (1983). Mechanisms that control the microflora in the large intestine. pp. 32-54. *In Human intestinal microflora in health and disease*. Hentges, D.J. (ed.), Academic Press Inc., New York, USA
- Freter, R., H. Brickner, J. Fekete, M. M. Vickerman und K. E. Carey** (1983). Survival and implantation of *Escherichia coli* in the intestinal tract. *Infection and Immunology* **39**, 686-703
- Genthner, B. R., C. L. Davis und M. P. Bryant** (1981). Features of rumen and sewage sludge strains of *Eubacterium limosum*, a methanol- and H<sub>2</sub>-CO<sub>2</sub>-utilizing species. *Applied and Environmental Microbiology* **42**, 12-9
- Gerhardt, N. B. und W. J. Iglewski** (1976). Alterations in the fecal flora of an individual frequently lacking coliforms. *Journal of Infectious Diseases* **134**, 490-4
- Gibbons, R. J. und B. Kapsimaris** (1967). Estimates of the overall rate of growth of the intestinal microflora of hamsters, guinea pigs and mice. *Journal of Bacteriology* **93**, 510-2
- Gibson, G. R., J. H. Cummings und G. T. Macfarlane** (1988b). Use of a three-stage continuous culture system to study the effect of mucin on dissimilatory sulfate reduction and methanogenesis by mixed populations of human gut bacteria. *Applied and Environmental Microbiology* **54**, 2750-5
- Gibson, G. R., J. H. Cummings und G. T. Macfarlane** (1988c). Competition for hydrogen between sulphate-reducing bacteria and methanogenic bacteria from the human large intestine. *Journal of Applied Bacteriology* **65**, 241-7
- Gibson, G. R., J. H. Cummings und G. T. Macfarlane** (1991). Growth and activities of sulphate-reducing bacteria in gut contents of healthy subjects and patients with ulcerativ colitis. *FEMS Microbiology Ecology* **86**, 101-12
- Gibson, G. R., J. H. Cummings, G. T. Macfarlane, C. Allison, I. Segal, H. H. Vorster und A. R. Walker** (1990). Alternative pathways for hydrogen disposal during fermentation in the human colon. *Gut* **31**, 679-83
- Gibson, G. R., G. T. Macfarlane und J. H. Cummings** (1988a). Occurrence of sulphate-reducing bacteria in human faeces and the relationship of dissimilatory sulphate reduction to methanogenesis in the large gut. *Journal of Applied Bacteriology* **65**, 103-11



- Gibson, G. R., G. T. Macfarlane und J. H. Cummings** (1993b). Sulphate reducing bacteria and hydrogen metabolism in the human large intestine. *Gut* **34**, 4, 437-9
- Gibson, G. R., S. Macfarlane und G. T. Macfarlane** (1993a). Metabolic interactions involving sulphate-reducing and methanogenic bacteria in the human large intestine. *FEMS Microbiology Ecology* **12**, 117-25
- Gilat, T., H. Ben Hur, E. Gelman-Malachi, R. Terdiman und Y. Peled** (1978). Alterations of the colonic flora and their effect on the hydrogen breath test. *Gut* **19**, 602-5
- Giovannoni, S. J., E. F. DeLong, G. J. Olsen und N. R. Pace** (1988). Phylogenetic group-specific oligodeoxynucleotide probes for identification of single microbial cells. *Journal of Bacteriology* **170**, 720-6
- Glick, B. R., W. G. Martin, J. J. Giroux und R. E. Williams** (1979). The interaction of polymeric viologens with hydrogenases from *Desulfovibrio desulfuricans* and *Clostridium pasteurianum*. *Canadian Journal of Biochemistry* **57**, 1093-8
- Goldin, B. R.** (1986). In situ bacterial metabolism and colon mutagens. *Annual Review of Microbiology* **40**, 367-93
- Gottschalk, J. C. und J. G. Morris** (1981). Non-production of acetone and butanol by *Clostridium acetobutylicum* during glucose- and ammonium-limitation in continuous culture. *Biotechnology Letters* **3**, 525-30
- Greening, R. C. und J. A. Leedle** (1989). Enrichment and isolation of *Acetitomaculum ruminis*, gen. nov., sp. nov.: acetogenic bacteria from the bovine rumen. *Archives of Microbiology* **151**, 399-406
- Greenwald, A. J., T. H. Allen und R. W. Bancroft** (1969). Abdominal gas volume at altitude and at ground level. *Journal of Applied Physiology* **26**, 177-81
- Grimble, G.** (1989). Fibre, fermentation, flora, and flatus. *Gut* **30**, 6-13
- Grund, S., H. Nattermann und F. Horsch** (1995). Zum elektronenmikroskopischen Spirochäten-Nachweis bei der Dermatitis digitalis des Rindes. *Zentralblatt für Veterinärmedizin, Reihe B* **42**, 533-42
- Guggenmoos-Holzmann, I. und K.-D. Wernecke** (ed.) (1996). In *Medizinische Statistik*. Blackwell Wissenschafts-Verlag, Berlin.
- Gumbmann, M. R., S. N. Williams und A. N. Booth** (1971). The quantitative collection and determination of hydrogen gas from the rat and factors affecting its production. *Proceedings of the Society for Experimental Biology and Medicine* **137**, 1171-5
- Gumerlock, P. H., Y. J. Tang, F. J. Meyers und J. J. Silva** (1991). Use of the polymerase chain reaction for the specific and direct detection of *Clostridium difficile* in human feces. *Reviews of Infectious Diseases* **13**, 1053-60

- GV-SOLAS, Working committee for the biological characterization of laboratory animals** (1985). Guidelines for specification of animals and husbandary methods when reporting the results of animal experiments. *Laboratory Animals* **19**, 106-8
- Hackstein, J. H.** (1997). Eukaryotic molecular biodiversity: systematic approaches for the assessment of symbiotic associations. *Antonie van Leeuwenhoek* **72**, 63-76
- Haderstorfer, B., D. Psycholgin, W. E. Whitehead und M. M. Schuster** (1989). Intestinal gas production from bacterial fermentation of undigested carbohydrate in irritable bowel syndrome. *American Journal of Gastroenterology* **84**, 375-8
- Haines, A., G. Metz, J. Dilawari, L. Blendis und H. Wiggins** (1977). Breath-methane in patients with cancer of the large bowel. *Lancet* **2**, 8036, 481-3
- Haines, A. P., J. D. Imeson und H. S. Wiggins** (1984). Relation of breath methane with obesity and other factors. *International Journal of Obesity* **8**, 675-80
- Harden, A.** (1901). The chemical action of *Bacillus coli communis* and similar organisms on carbohydrates and allied compounds. *Journal of the Chemical Society* **79**, 610-628
- Hedin, P. A. und R. A. Adachi** (1962). Effect of diet and time of feeding on gastrointestinal gas production in rats. *Journal of Nutrition* **77**, 229-236
- Hedderich, R., A. Berkessel und R. K. Thauer** (1989). Catalytic properties of the heterodisulfide reductase involved in the final step of methanogenesis. *FEBS Letters* **255**, 67-71
- Heyndrickx, M., A. Vansteenbeeck, P. De Vos und J. De Ley** (1986). Hydrogen gas production from continuous fermentation of glucose in a minimal medium with *Clostridium butyricum* LMG 1213t1. *Systematic and Applied Microbiology* **8**, 239-44
- Heyndrickx, M., P. De Vos, B. Thibau, P. Stevens und J. De Ley** (1987). Effect of various factors on the fermentative production of hydrogen gas from glucose by *Clostridium butyricum* strains in batch culture. *Systematic and Applied Microbiology* **9**, 163-8
- Hillman, K., T. A. Murdoch, R. J. Spencer und C. S. Stewart** (1993). Inhibition of enterotoxigenic *Escherichia coli* by the microflora of the porcine ileum, in an *in vitro* semicontinuous culture system. *Journal of Applied Bacteriology* **76**, 294-300
- Hirano, S., R. Nakama, M. Tamaki, N. Masuda und H. Oda** (1981). Isolation and characterization of thirteen intestinal microorganisms capable of 7 alpha-dehydroxylating bile acids. *Applied and Environmental Microbiology* **41**, 737-45

- Holdeman, L. V., I. J. Good und W. E. Moore** (1976). Human fecal flora: variation in bacterial composition within individuals and a possible effect of emotional stress. *Applied and Environmental Microbiology* **31**, 359-75
- Hormann, K. und J. R. Andreesen** (1989). Reductive cleavage of sarcosine and betaine by *Eubacterium acidaminophilum* via enzyme systems different from glycine reductase. *Archives of Microbiology* **153**, 50-9
- Hungate, R. E.** (1969). A roll tube method for cultivation of strict anaerobes. p.117-132. *In Methods in microbiology*. Norris, J. R. and D. W. Ribbons (eds.), Vol. 3B, Academic Press Inc., New York, USA
- Hyams, J. S., M. A. Geertsma, N. L. Etienne und W. R. Treem** (1989). Colonic hydrogen production in infants with colic. *Journal of Pediatrics* **115**, 592-4
- Iannotti, E. L., D. Kafkewitz, M. J. Wolin und M. P. Bryant** (1973). Glucose fermentation products in *Ruminococcus albus* grown in continuous culture with *Vibrio succinogenes*: changes caused by interspecies transfer of H<sub>2</sub>. *Journal of Bacteriology* **114**, 1231-40
- Jensen, B. B. und H. Jørgensen** (1994). Effect of dietary fiber on microbial activity and microbial gas production in various regions of the gastrointestinal tract of pigs. *Applied and Environmental Microbiology* **60**, 1897-904
- Johnson, J. L.** (1994). Similarity analysis of DNAs. *In Methods for general and molecular bacteriology*. pp. 655-82. Gerhardt, P., R. G. E. Murray, W. A. Wood and N. R. Krieg (eds.), American Society for Microbiology, Washington DC, USA
- Juhr, N. C. und F. Gruber** (1971). Untersuchungen an Futtermitteln für SPF-Versuchstiere. Einfluß des Restkeimgehaltes eines pasteurisierten Futters auf die Darmflora und Resistenz. *Zeitschrift für Versuchstierkunde* **13**, 267-74
- Juhr, N. C.** (1972). Die Cäcomegalie keimfreier Nager. *Berliner und Münchener Tierärztliche Wochenschrift* **85**, 4-9
- Jungermann, K., R. K. Thauer, G. Leimenstoll und K. Decker** (1973). Function of reduced pyridine nucleotide-ferredoxin oxidoreductases in saccharolytic Clostridia. *Biochimica et Biophysica Acta* **305**, 268-80
- Kageyama, A., Y. Benno und T. Nakase** (1999). Phylogenetic and phenotypic evidence for the transfer of *Eubacterium aerofaciens* to the genus *Collinsella* as *Collinsella aerofaciens* gen. nov., comb. nov. *International Journal of Systematic Bacteriology* **49**, 557-65
- Kamlage, B.** (1994). Die Bedeutung der Cytochrome für den Acetyl-CoA-Weg in dem strikt anaeroben homoacetogenen Organismus *Sporomusa sphaeroides*. *Dissertationschrift an der Universität Göttingen*
- Kamlage, B.** (1998). Persönliche Mitteilung

- Kamlage, B., B. Gruhl und M. Blaut** (1997). Isolation and characterization of two new homoacetogenic hydrogen-utilizing bacteria from the human intestinal tract that are closely related to *Clostridium coccooides*. *Applied and Environmental Microbiology* **63**, 1732-8
- Kamlage, B., L. Hartmann, B. Gruhl und M. Blaut** (1999). Intestinal microorganisms do not supply associated gnotobiotic rats with conjugated linoleic acid. *Journal of Nutrition* **129**, 2212-7
- Karube, I., T. Matsunaga, S. Tsuru und S. Suzuki** (1976). Continuous hydrogen production by immobilized whole cells of *Clostridium butyricum*. *Biochimica et Biophysica Acta* **444**, 338-43
- Kato, M. T., J. A. Field und G. Lettinga** (1993). High tolerance of methanogens in granular sludge to oxygen. *Biotechnology and Bioengineering* **42**, 1360-6
- Kenzaka, T., N. Yamaguchi, K. Tani und M. Nasu** (1998). rRNA-targeted fluorescent in situ hybridization analysis of bacterial community structure in river water. *Microbiology* **144**, 2085-93
- Kerby, R. und J. G. Zeikus** (1987). Anaerobic catabolism of formate to acetate and CO<sub>2</sub> by *Butyribacterium methylotrophicum*. *Journal of Bacteriology* **169**, 2063-8
- Kerscher, L. und D. Oesterhelt** (1982). Pyruvat : ferredoxin oxidoreductase- new findings on an ancient enzyme. *TIBS* 371-374
- Kiener, A. und T. Leisinger** (1983). Oxygen sensitivity of methanogenic bacteria. *Systematic and Applied Microbiology* **4**, 305-12
- Khin-Maung-U, Tin-Aye, Ku-Tin-Myint, Tin-Oo, Myo-Khin, S. A. Thackway, S. J. Connor, T. D. Bolin und V. M. Duncombe** (1992). In vitro Hydrogen Production by enteric bacteria cultured from children with small bowel bacterial overgrowth. *Journal of Pediatric Gastroenterology and Nutrition* **14**, 192-7
- Kleessen, B., J. Noack und M. Blaut** (1999). Distribution of viable and non-viable bacteria in the gastrointestinal tract of gnotobiotic and conventional rats. *Microbial Ecology in Health and Disease* **11**, 218-25
- Kondratieva, E. N. und I. N. Gogotov** (1983). Production of molecular hydrogen in microorganisms. *Advances in Biochemical Engineering and Biotechnology* **28**, 139-91
- Kosaric, N. und R. P. Lyng** (1988). Microbial production of hydrogen. pp. 100-134. *In* *Biotechnology*. Rehm, H.-J. und G. Reed (eds.), Vol. 6B, Verlag Chemie, New York, USA
- Kraft, V., A. A. Deeny, H. M. Blanchet, R. Boot, A. K. Hansen, A. Hem, H. van Herck, I. Kunstyr, G. Milite, J. R. Needham, W. Nicklas, A. Perrot, C. Reh binder, Y. Richard und G. de Vroey** (1994). Recommendations for the health monitoring of mouse, rat, hamster, guineapig and rabbit breeding colonies. *Laboratory Animals* **28**, 1-12

- Krasna, A. I.** (1980). Regulation of hydrogenase activity in enterobacteria. *Journal of Bacteriology* **144**, 1094-7
- Kristjansson, J. K., P. Schönheit und R. K. Thauer** (1982). Different  $K_S$  values for hydrogen of methanogenic bacteria and sulfate-reducing bacteria: an explanation for the apparent inhibition of methanogenesis by sulfate. *Archives of Microbiology* **131**, 278-82
- Krumholz, L. R. und M. P. Bryant** (1986). *Eubacterium oxidoreducens* sp. nov. requiring  $H_2$  or formate to degrade gallate, pyrogallol, phloroglucinol and quercetin. *Archives of Microbiology* **144**, 8-14
- Kuhnigk, T., J. Branke, D. Krekeler, H. Cypionka und H. König** (1996). A feasible role of sulfate-reducing bacteria in the termite gut. *Systematic and Applied Microbiology* **19**, 139-49
- Lajoie, S. F., S. Bank, T. L. Miller und M. J. Wolin** (1988). Acetate production from hydrogen and [ $^{13}C$ ]carbon dioxide by the microflora of human feces. *Applied and Environmental Microbiology* **54**, 2723-7
- Langendijk, P. S., F. Schut, G. J. Jansen, G. C. Raangs, G. R. Kamphuis, M. H. Wilkinson und G. W. Welling** (1995). Quantitative fluorescence in situ hybridization of *Bifidobacterium* spp. with genus-specific 16S rRNA-targeted probes and its application in fecal samples. *Applied and Environmental Microbiology* **61**, 3069-75
- Lasser, R. B., J. H. Bond und M. D. Levitt** (1975). The role of intestinal gas in functional abdominal pain. *New England Journal of Medicine* **293**, 524-6
- Latham, M. J. und M. J. Wolin** (1977). Fermentation of cellulose by *Ruminococcus flavefaciens* in the presence and absence of *Methanobacterium ruminantium*. *Applied and Environmental Microbiology* **34**, 297-301
- Latscha, H. P. und H. A. Klein** (1990). Qualitative Analysen. pp. 11-162. *In* Analytische Chemie. Latscha, H. P. und H. A. Klein (eds.), Springer-Lehrbuch, Berlin
- Leadbetter, J. R. und J. A. Breznak** (1996). Physiological ecology of *Methanobrevibacter cuticularis* sp. nov. and *Methanobrevibacter curvatus* sp. nov., isolated from the hindgut of the termite *Reticulitermes flavipes*. *Applied and Environmental Microbiology* **62**, 3620-3
- Leadbetter, J. R., L. D. Crosby und J. A. Breznak** (1998). *Methanobrevibacter filiformis* sp. nov., a filamentous methanogen from termite hindguts. *Archives of Microbiology* **169**, 287-92
- Leclerc, M., A. Bernalier, G. Donadille und M. Lelait** (1997).  $H_2/CO_2$  metabolism in acetogenic bacteria isolated from the human colon. *Anaerobe* **3**, 307-15

- Lee, S., C. Malone und P. F. Kemp** (1993). Use of multiple 16S rRNA-targeted fluorescent probes to increase signal strength and measure cellular RNA from natural planktonic bacteria. *Marine Ecology and Progress Series* **101**, 193-201
- Levitt, M. D.** (1969). Production and excretion of hydrogen gas in man. *New England Journal of Medicine* **281**, 122-7
- Levitt, M. D.** (1971). Volume and composition of human intestinal gas determined by means of an intestinal washout technique. *New England Journal of Medicine* **284**, 1394-8
- Levitt, M. D., T. Berggren, J. Hastings und J. H. Bond** (1974). Hydrogen (H<sub>2</sub>) catabolism in the colon of the rat. *Journal of Laboratory and Clinical Medicine* **84**, 163-7
- Levitt, M. D., J. H. Bond und D. G. Levitt** (1981). Gastrointestinal Gas. pp. 1301-16. *In* *Physiology of the gastrointestinal tract*. Johnson, R. J. (ed.), Raven Press, New York, USA
- Levitt, M. D. und R. M. Donaldson** (1970). Use of respiratory hydrogen (H<sub>2</sub>) excretion to detect carbohydrate malabsorption. *Journal of Laboratory and Clinical Medicine* **75**, 937-45
- Levitt, M. D. und F. J. Ingelfinger** (1968). Hydrogen and methane production in man. *Annals of the New York Academy of Sciences* **150**, 75-81
- Levitt, M. D. und D. G. Levitt** (1973). Use of inert gases to study the interaction of blood flow and diffusion during passive absorption from the gastrointestinal tract of the rat. *Journal of Clinical Investigation* **52**, 1852-62
- Levy, E. I.** (1954). Explosions during lower bowel electrosurgery. *American Journal for Surgery* **88**, 754
- Lewis, K. H. und L. F. Rettger** (1940). Non-sporulating anaerobic bacteria of the intestinal tract. I. Occurrence and taxonomic relationships. *Journal of Bacteriology* **40**, 287-307
- Lin, C. und T. L. Miller** (1998). Phylogenetic analysis of *Methanobrevibacter* isolated from feces of humans and other animals. *Archives of Microbiology* **169**, 397-403
- Löffler, F. E., J. M. Tiedje und R. A. Sanford** (1999). Fraction of electrons consumed in electron acceptor reduction and hydrogen thresholds as indicators of halorespiratory physiology. *Applied and Environmental Microbiology* **65**, 4049-56
- Lorenz, R. J.** (1992). Beschreibende Statistik. pp. 27-74. *In* *Grundbegriffe der Biometrie*. Lorenz, R. J. und J. Vollmar (eds.), Gustav Fischer Verlag, Stuttgart.

- Lovley, D. R.** (1985). Minimum threshold for hydrogen metabolism in methanogenic bacteria. *Applied and Environmental Microbiology* **49**, 1530-1
- Luckey, T. D.** (1980). Whither, intestinal microecology? *American Journal of Clinical Nutrition* **32**, 109-12
- Lynd, L., R. Kerby und J. G. Zeikus** (1982). Carbon monoxide metabolism of the methylotrophic acidogen *Butyribacterium methylotrophicum*. *Journal of Bacteriology* **149**, 255-63
- Macfarlane, G. T. und J. H. Cummings** (1991). The colonic flora, fermentation, and large bowel digestive function. pp 51-91. *In* The large intestine: physiology, pathophysiology and disease. Philips, S. F., J. H. Pemberton and R. G. Shorter (eds.), Raven Press, New York, USA
- Macfarlane, G. T. und G. R. Gibson** (1994). Metabolic activities of the normal colonic flora. pp. 17-52. *In* Human health: Contribution of Microorganisms. Gibson, S. A. W. (ed.), Springer-Verlag, London, Großbritannien
- Macfarlane, G. T. und S. Macfarlane** (1997). Human colonic microbiota: ecology, physiology and metabolic potential of intestinal bacteria. *Scandinavian Journal of Gastroenterology, Supplement* **222**, 3-9
- Mackie, R. I. und M. P. Bryant** (1994). Acetogenesis in the rumen: syntrophic relationships. pp. 331-64. *In* Acetogenesis. Drake, H. L. (ed.), Chapman & Hall, New York, USA
- Maczulak, A. E., M. J. Wolin und T. L. Miller** (1989). Increase in colonic methanogens and total anaerobes in aging rats. *Applied And Environmental Microbiology* **55**, 2468-73
- Maddox, P. H. und D. Jenkins** (1987). 3-Aminopropyltriethoxysilane (APES): a new advance in section adhesion. *Journal of Clinical Pathology* **40**, 1256-7
- Maidak, B. L., J. R. Cole, C. T. J. Parker, G. M. Garrity, N. Larsen, B. Li, T. G. Lilburn, M. J. McCaughey, G. J. Olsen, R. Overbeek, S. Pramanik, T. M. Schmidt, J. M. Tiedje und C. R. Woese** (1999). A new version of the RDP (Ribosomal Database Project). *Nucleic Acids Research* **27**, 171-3
- McKay, L. F., W. P. Holbrook und M. A. Eastwood** (1982). Methane and hydrogen production by human intestinal anaerobic bacteria. *Acta Pathologica Microbiologica et Immunologica Scandinavia [B]* **90**, 257-60
- Mesbah, M. und W. B. Whitman** (1989). Measurement of deoxyguanosine/thymidine ratios in complex mixtures by high-performance liquid chromatography for determination of the mole percentage guanine + cytosine of DNA. *Journal of Chromatography* **479**, 297-306
- Metz, G., M. A. Gassull, B. S. Drasar, D. J. Jenkins und L. M. Blendis** (1976a). Breath-hydrogen test for small-intestinal bacterial colonisation. *Lancet* **1**, 668-9

- Metz, G., M. A. Gassull, A. R. Leeds, L. M. Blendis und D. J. Jenkins** (1976b). A simple method of measuring breath hydrogen in carbohydrate malabsorption by end-expiratory sampling. *Clinical Science and Molecular Medicine* **50**, 237-40
- Miller, T. L.** (1989). Genus 2. *Methanobrevibacter*. pp. 2178-2183. In Bergey's manual of systematic bacteriology. Staley, J. T., M. P. Bryant, N. Pfennig und J. G. Holt (eds), Vol. 3, Williams & Wilkins, Baltimore, USA
- Miller, T. L. und M. J. Wolin** (1973). Formation of hydrogen and formate by *Ruminococcus albus*. *Journal of Bacteriology* **116**, 836-46
- Miller, T. L. und M. J. Wolin** (1974). A serum bottle modification of the Hungate technique for cultivating obligate anaerobes. *Applied Microbiology* **27**, 985-7
- Miller, T. L. und M. J. Wolin** (1979). Fermentations by saccharolytic intestinal bacteria. *American Journal of Clinical Nutrition* **32**, 164-72
- Miller, T. L. und M. J. Wolin** (1982). Enumeration of *Methanobrevibacter smithii* in human feces. *Archives of Microbiology* **131**, 14-8
- Miller, T. L. und M. J. Wolin** (1986). Methanogens in human and animal intestinal tracts. *Systematic and Applied Microbiology* **7**, 223-9
- Miller, T. L., M. J. Wolin, E. C. de Macario und A. J. Macario** (1982). Isolation of *Methanobrevibacter smithii* from human feces. *Applied and Environmental Microbiology* **43**, 227-32
- Miller, T. L., M. J. Wolin und E. A. Kusel** (1986). Isolation and characterization of methanogens from animal feces. *Systematic and Applied Microbiology* **8**, 234-8
- Mitsuoka, T.** (1992). Intestinal flora and ageing. *Nutrition Reviews* **50**, 438-46
- Möller, B., R. Oßmer, B. H. Howard, G. Gottschalk und H. Hippe** (1984). *Sporomusa*, a new genus of gram-negativ anaerobic bacteria including *Sporomusa shaeroides* sp. nov. and *Sporomusa ovata* sp. nov. *Archives of Microbiology* **145**, 388-90
- Moore, W. E. C. und L. V. Holdeman** (1974). Human fecal flora: the normal flora of 20 Japanese-Hawaiians. *Applied Microbiology* **27**, 961-79
- Moore, W. E. C. und L. V. Holdeman-Moore** (1986). The genus *Eubacterium* Prévot 1938. pp.1353-73. In Bergey's manual of systematic bacteriology. Sneath, P. H. A., N. S. Mair, M. E. Sharpe and J. G. Holt (eds.), Vol. 2, Williams and Wilkins, Baltimore
- Moore, W. E. C., J. L. Johnson und L. V. Holdeman** (1976). Emendation of *Bacteroidaceae* and *Butyrivibrio* and description of *Desulfomonas* gen. nov. and ten new species in the genera *Desulfomonas*, *Butyrivibrio*, *Eubacterium*, *Clostridium* and *Ruminococcus*. *International Journal of Systematic Bacteriology* **26**, 238-52



- Moore, W. E. C. und L. H. Moore** (1995). Intestinal flora of populations that have a high risk of colon cancer. *Applied and Environmental Microbiology* **61**, 3202-7
- Morvan, B., F. Bonnemoy, G. Fonty und P. Gouet** (1996a). Quantitative determination of H<sub>2</sub>-utilizing acetogenic and sulfate-reducing bacteria and methanogenic archaea from digestive tract of different mammals. *Current Microbiology* **32**, 129-33
- Morvan, B., F. Rieu-Lesme, G. Fonty und P. Gouet** (1996b). *In vitro* interactions between rumen H<sub>2</sub>-producing cellulolytic Microorganisms and H<sub>2</sub>-utilizing acetogenic and sulfate-reducing bacteria. *Anaerobe* **2**, 175-80
- Nagase, M. und T. Matsuo** (1982). Interactions between amino acid degrading bacteria and methanogenic bacteria in anaerobic digestion. *Biotechnology and Bioengineering* **24**, 2227-39
- Newcomer, A. D., P. J. Thomas, D. B. McGill und A. F. Hofmann** (1977). Lactase deficiency: a common genetic trait of the American Indian. *Gastroenterology* **72**, 234-7
- Nyari, A.** (1992). Untersuchungen zur postbrandialen H<sub>2</sub>- und CH<sub>4</sub>-Exhalation beim Pferd. Inaugural-Dissertation, Universität Hannover
- Öbrink, K. J. und C. Rehbinder** (2000). Animal definition: a necessity for the validity of animal experiments? *Laboratory Animals* **34**, 121-30
- Omil, F., P. Lens, A. Visser, L. W. Hulshoff Pol und G. Lettinga** (1998). Long-term competition between sulfate reducing and methanogenic bacteria in UASB reactors treating volatile fatty acids. *Biotechnology And Bioengineering* **57**, 676-85
- Ostrander, C. R., D. K. Stevenson, J. Neu, J. A. Kerner und S. W. Moses** (1982). A sensitive analytical apparatus for measuring hydrogen production rates. I. Application to studies in small animals. Evidence of the effects of an alpha-glucosidehydrolase inhibitor in the rat. *Analytical Biochemistry* **119**, 378-86
- Papoutsakis, T. E. und C. L. Meyer** (1985). Equations and calculations of product yields and preferred pathways of butanediol and mixed-acid fermentations. *Biotechnology and Bioengineering* **26**, 174- 187
- Papoutsakis, T. E.** (1984). Equations and calculations for fermentations of butyric acid bacteria. *Biotechnology and Bioengineering* **27**, 55-66
- Pecher, T. und A. Böck** (1981). In vivo susceptibility of halophilic and methanogenic organisms to protein synthesis inhibitors. *FEMS Microbiology Letters* **10**, 295-7
- Petzke, K. J., V. Albrecht, J. Noack und J. Proll** (1992). High glycine supplemented casein diets and urinary excretion of amino acids. *Nahrung* **36**, 608-10

- Phillips, R. D., B. W. Abbey und I. A. Nnanna** (1988). A system for determining flatus (hydrogen) production in laboratory rats. *Nutrition Reports International* **37**, 623-8
- Pitcher, M. C. und J. H. Cummings** (1996). Hydrogen sulphide: a bacterial toxin in ulcerative colitis? *Gut* **39**, 1-4
- Pitt, P., K. M. de Bruijn, M. F. Beeching, E. Goldberg und L. M. Blendis** (1980). Studies on breath methane: the effect of ethnic origins and lactulose. *Gut* **21**, 951-4
- Pochart, P., J. Doré, F. Lémann, I. Goderel und J. C. Rambaud** (1992). Interrelations between populations of methanogenic archaea and sulfate-reducing bacteria in the human colon. *FEMS Microbiology Letters* **77**, 225-8
- Poco, S. E. J., F. Nakazawa, T. Ikeda, M. Sato, T. Sato und E. Hoshino** (1996a). *Eubacterium exiguum* sp. nov., isolated from human oral lesions. *International Journal of Systematic Bacteriology* **46**, 1120-4
- Poco, S. E. J., F. Nakazawa, M. Sato und E. Hoshino** (1996b). *Eubacterium minutum* sp. nov., isolated from human periodontal pockets. *International Journal of Systematic Bacteriology* **46**, 31-4
- Postgate, J. R.** (1984). *The sulfate-reducing bacteria*. 2<sup>nd</sup> Edn., Cambridge University Press, Cambridge, Großbritannien
- Prins, R. A. und A. Lankhorst** (1977). Synthesis of acetate from CO<sub>2</sub> in the caecum of some rodents. *FEMS Microbiology Letters* **1**, 255-8
- Rafii, F., W. Franklin und C. E. Cerniglia** (1990). Azoreductase activity of anaerobic bacteria isolated from human intestinal microflora. *Applied and Environmental Microbiology* **56**, 2146-51
- Rainey, F. A. und P. H. Janssen** (1995). Phylogenetic analysis by 16S ribosomal DNA sequence comparison reveals two unrelated groups of species within the genus *Ruminococcus*. *FEMS Microbiology Letters* **129**, 69-73
- Rautio, M., M. von Ungern-Sternberg, K. Ariniemi, U. Nieminen, R. Korpela, T. Vesa, M. Saxelin, A. Siitonen, M. Färkkilä und H. Jousimies-Somer** (1999). Gas production by intestinal microflora of lactose maldigesters. *Anaerobe* **5**, 141-4
- Read, N. W., M. N. Al-Janabi und P. A. Cann** (1984). Is raised breath hydrogen related to the pathogenesis of pneumatosis coli? *Gut* **25**, 839-45
- Reddy, N. R., D. K. Salunkhe und R. P. Sharma** (1980). Flatulence in rats following ingestion of cooked and germinated black gram and a fermented product of black gram and rice blend. *Journal of Food Science*, **45**, 1161-4

- Rieu-Lesme, F., G. Fonty und J. Dore** (1995). Isolation and characterization of a new hydrogen-utilizing bacterium from the rumen. *FEMS Microbiology Letters* **125**, 77-82
- Robinson, J. A. und J. M. Tiedje** (1982). Kinetics of hydrogen consumption by rumen fluid, anaerobic digester sludge, and sediment. *Applied Environmental Microbiology* **44**, 1374-84
- Rodkey, F. L., H. A. Collison und J. D. O'Neal** (1972). Carbon monoxide and methane production in rats, guinea pigs, and germ-free rats. *Journal of Applied Physiology* **33**, 256-60
- Roediger, W. E.** (1980a). Role of anaerobic bacteria in the metabolic welfare of the colonic mucosa in man. *Gut* **21**, 793-8
- Roediger, W. E.** (1980b). The colonic epithelium in ulcerative colitis: an energy-deficiency disease? *Lancet* **2**, 712-5
- Roller, C., M. Wagner, R. Amann, W. Ludwig und K. H. Schleifer** (1994). In situ probing of gram-positive bacteria with high DNA G + C content using 23S rRNA-targeted oligonucleotides. *Microbiology* **140**, 2849-58
- Rowland, I. R.** (1988). Interactions of the gut microflora and the host in toxicology. *Toxicologic Pathology* **16**, 147-53
- Rozak, D. B. und R. R. Colwell** (1987). Survival strategies of bacteria in the natural environment. *Microbiology Reviews* **51**, 365-79
- Salvioli, G., R. Salati, M. Bondi, A. Fratolocchi, B. M. Sala und A. Gibertini** (1982). Bile acid transformation by the intestinal flora and cholesterol saturation in bile. Effects of *Streptococcus faecium* administration. *Digestion* **23**, 80-8
- Sambrook, J.; G. F. Fritsch und T. Maniatis** (1989). *Molecular cloning: a laboratory manual*. 2<sup>nd</sup> Ed., Cold Spring Harbor Laboratory, Cold Spring Harbor, New York
- Sass, H., M. Berchtold, J. Branke, H. König, H. Cypionka und H. D. Babenzien** (1998). Psychrotolerant sulfate-reducing bacteria from an oxic freshwater sediment, description of *Desulfovibrio cuneatus* sp. nov. and *Desulfovibrio litoralis* sp. nov. *Systematic and Applied Microbiology* **21**, 212-9
- Savage, D. C.** (1977). Microbial ecology of the gastrointestinal tract. *Annual Review of Microbiology* **31**, 107-33
- Savage, D. C.** (1983). Association of indigenous microorganisms with gastrointestinal epithel surfaces. pp. 54-78. *In Human intestinal microflora in health and disease*. Hentges, D.J. (ed.), Academic Press Inc., New York, USA
- Schink, B.** (1997). Energetics of syntrophic cooperation in methanogenic degradation. *Microbiology and Molecular Biology Reviews* **61**, 262-80

- Schlegel, H.G. und K. Schneider** (1985). Anaerobic metabolism of hydrogen. pp. 439-57. *In* Comprehensive biotechnology. Moo-Young, M. (ed.), Vol. 1, Pergamon, Oxford, Großbritannien
- Schmitt-Wagner, D. und A. Brune** (1999). Hydrogen profiles and localization of methanogenic activities in the highly compartmentalized hindgut of soil-feeding higher termites (*Cubitermes* spp.). *Applied and Environmental Microbiology* **65**, 4490-6
- Schulze, J., E. Schmidt, A. Lorenz und H.-J. Zunft** (1995). Wasserstoffausscheidung bei gnotobiotischen und konventionellen Ratten. *Microökologie und Therapie* **21**, 70-81
- Schwartz, A.** (2000). Nachweis und Bedeutung ausgewählter Spezies der Gattung *Eubacterium* für den humanen Gastrointestinaltrakt. Dissertationschrift an der Universität Potsdam
- Schwartz, A., G. Le Blay und M. Blaut** (2000). Quantification of different *Eubacterium* spp. in human fecal samples with species-specific 16S rRNA-targeted oligonucleotide probes. *Applied and Environmental Microbiology* **66**, 375-82
- Segal, I., A. R. P. Walker, S. Lord und J. H. Cummings** (1988). Breath methane and large bowel cancer risk in contrasting African populations. *Gut* **29**, 608-13
- Sharak-Genthner, B. R. und M. P. Bryant** (1982). Growth of *Eubacterium limosum* with carbon monoxide as the energy source. *Applied and Environmental Microbiology* **43**, 70-74
- Shen, G. J., B. A. Annous, R. W. Lovitt, M. K. Jain und J. G. Zeikus** (1996). Biochemical route and control of butyrate synthesis in *Butyrivacterium methylotrophicum*. *Applied Microbiology and Biotechnology* **45**, 355-62
- Simmering, R.** (1999). Intestinale Metabolisierung sekundärer Pflanzeninhaltsstoffe: Vorkommen und Bedeutung von Lignan- und Flavonoid-abbauenden Bakterien des humanen Intestinaltraktes. Dissertationschrift an der Universität Potsdam
- Simmering, R.** (2000). Persönliche Mitteilung
- Simmering, R., B. Kleessen und M. Blaut** (1999). Quantification of the flavonoid-degrading bacterium *Eubacterium ramulus* in human fecal samples with a species-specific oligonucleotide hybridization probe. *Applied and Environmental Microbiology* **65**, 3705-9
- Smith, M. R.** (1983). Reversal of 2-bromoethanesulfonate inhibition of methanogenesis in *Methanosarcina* sp. *Journal of Bacteriology* **156**, 516-23
- Smith, C. J. und M. P. Bryant** (1979). Introduction to metabolic activities of intestinal bacteria. *American Journal of Clinical Nutrition* **32**, 149-57

- Stalon, V. und A. Mercenier** (1984). L-arginine utilization by *Pseudomonas* species. *Journal of General Microbiology* **130**, 69-76
- Stackebrandt, E. und B. M. Goebel** (1994). Taxonomic note: a place for DNA-DNA reassociation and 16S rRNA sequence analysis in the present species definition in bacteriology. *International Journal of Systematic Bacteriology* **34**, 444-50
- Stephenson, M und L. H. Stickland** (1932). LXXXVIII. Hydrogenlyases: bacterial enzymes liberating molecular hydrogen. *Biochemical Journal* **26**, 712-24
- Stringer, M. F., G. N. Watson, R. J. Gilbert, J. G. Wallace, J. E. Hassall, E. I. Tanner und P. P. Webber** (1985). Faecal carriage of *Clostridium perfringens*. *Journal of Hygiene* **95**, 277-88
- Strocchi, A., G. Corazza, C. J. Ellis, G. Gasbarrini und M. D. Levitt** (1993a). Detection of malabsorption of low doses of carbohydrate: accuracy of various breath H<sub>2</sub> criteria. *Gastroenterology* **105**, 1404-10
- Strocchi, A., C. J. Ellis und M. D. Levitt** (1993b). Use of metabolic inhibitors to study H<sub>2</sub> consumption by human feces: evidence for a pathway other than methanogenesis and sulfate reduction. *Journal of Laboratory and Clinical Medicine* **121**, 320-7
- Strocchi, A., J. Furne, C. Ellis und M. D. Levitt** (1994). Methanogens outcompete sulphate reducing bacteria for H<sub>2</sub> in the human colon. *Gut* **35**, 1098-101
- Strocchi, A., J. K. Furne und M. D. Levitt** (1992). A modification of the methylene blue method to measure bacterial sulfide production in feces. *Journal of Microbiological Methods* **15**, 75-82
- Strocchi, A. und M. D. Levitt** (1992). Factors affecting hydrogen production and consumption by human fecal flora. The critical roles of hydrogen tension and methanogenesis. *Journal of Clinical Investigation* **89**, 1304-11
- Strunck, O. und W. Ludwig** (1996). A software environment for sequence data. Technische Universität München, Germany
- Suau, A., R. Bonnet, M. Sutren, J. J. Godon, G. R. Gibson, M. D. Collins und J. Dore** (1999). Direct analysis of genes encoding 16S rRNA from complex communities reveals many novel molecular species within the human gut. *Applied and Environmental Microbiology* **65**, 4799-807
- Süßmuth, R., J. Eberspächer und R. Haag** (1998). Mikrobiologisch-biochemisches Praktikum. Stuttgart, Thieme
- Syed, S. A., G. D. Abrams und R. Freter** (1970). Efficiency of various intestinal bacteria in assuming normal functions of enteric flora after association with germfree mice. *Infection and Immunology* **2**, 376-86

- Tadesse, K. und M. A. Eastwood** (1978). Metabolism of dietary fibre components in man assessed by breath hydrogen and methane. *British Journal of Nutrition* **40**, 393-6
- Tadesse, K., D. Smith und M. A. Eastwood** (1980). Breath hydrogen (H<sub>2</sub>) and methane (CH<sub>4</sub>) excretion patterns in normal man and in clinical practice. *Quarterly Journal of Experimental Physiology and Cognate Medical Sciences* **65**, 85-97
- Tanner, R. S., E. Stackebrandt, G. E. Fox und C. R. Woese** (1981). A phylogenetic analysis of *Acetobacterium woodii*, *Clostridium barkeri*, *Clostridium lituseburense*, *Eubacterium limosum*, and *Eubacterium tenue*. *Current Microbiology* **5**, 35-8
- Tannock, G. W.** (1994). The acquisition of the normal microflora of the gastrointestinal tract. p.1-16. *In Human health: Contribution of microorganisms*. Gibson, S. A. W. (ed.), Springer, London, Großbritannien
- Taylor, M. M.** (1972). *Eubacterium fissicatena* sp. nov. isolated from the alimentary tract of the goat. *Journal of General Microbiology* **71**, 457-63
- Taylor, B. F. und R. S. Oremland** (1979). Depletion of adenosine triphosphate in *Desulfovibrio* by oxy-anions of Group IV elements. *Current Microbiology* **3**, 101-3
- Terada, A., H. Hara und T. Mitsuoka** (1993). Effect of lactulose on the composition and metabolic activity of the human faecal flora. *Microbial Ecology in Health and Disease* **6**, 23-7
- Tauer, R. K.** (1976). Limitation of microbial H<sub>2</sub> formation via fermentation. p. 201-4. *In Microbial energy conversion*. Schlegel, H. G. und J. Bornea (eds.), E. Goltze KG, Göttingen
- Tauer, R. K., K. Jungermann und K. Decker** (1977). Energy conservation in chemotrophic anaerobic bacteria. *Bacteriological Reviews* **41**, 100-80
- Tauer, R. K. und J. G. Morris** (1984). Metabolism of chemotrophic anaerobes: old views and new aspects. pp. 123-68. *In The microbe 1984. Prokaryotes and eukaryotes*. Kelly, D. P. und N. G. Carr (eds.), Cambridge University Press, Cambridge, Großbritannien
- Tsai, H. H., D. Sunderland, G. R. Gibson, C. A. Hart und J. M. Rhodes** (1992). A novel mucin sulphatase from human feces: its identification, purification and characterization. *Clinical Science* **82**, 447-54
- Umbreit, W. W.** (1951). The Formiat hydrogen lyase. p. 329. *In The Enzymes*. Summer, J. B. und K. Myrback (eds.), Vol. II, Teil I, Academic Press, London, Großbritannien

- Uematsu, H., F. Nakazawa, T. Ikeda und E. Hoshino** (1993). *Eubacterium saphenum* sp. nov., isolated from human periodontal pockets. International Journal of Systematic Bacteriology **43**, 302-4.
- Vaughan, E. E., F. Schut, H. G. H. J. Heilig, E. G. Zoetendal, W. M. de Vos und A. D. L. Akkermans** (2000). A molecular view of the intestinal ecosystem. Current Issues in Intestinal Microbiology **1**, 1-12
- Venkataraman, L. V. und T. V. Jaya** (1975). Gastrointestinal gas production in rats fed on diets containing germinated legumes. Nutrition Reports International **12**, 387-98
- Wade, W. G., J. Downes, D. Dymock, S. J. Hiom, A. J. Weightman, F. E. Dewhurst, B. J. Paster, N. Tzellas und B. Coleman** (1999). The family *Coriobacteriaceae*: reclassification of *Eubacterium exiguum* (Poco et al. 1996) and *Peptostreptococcus heliotrinreducens* (Lanigan 1976) as *Slackia exigua* gen. nov., comb. nov. and *Slackia heliotrinireducens* gen. nov., comb. nov., and *Eubacterium lentum* (Prévot 1938) as *Eggerthella lenta* gen. nov., comb. nov. International Journal of Systematic Bacteriology **49**, 595-600
- Wagner, J. R., R. Becker, M. R. Gumbmann und A. C. Olson** (1976). Hydrogen production in the rat following ingestion of raffinose, stachyose and oligosaccharide-free bean residue. Journal of Nutrition **106**, 466-70
- Walzem, R. L. und A. J. Clifford** (1988). Folate deficiency in rats fed diets containing free amino acids or intact proteins. Journal of Nutrition **118**, 1089-96
- Wang, R. F., W. W. Cao und C. E. Cerniglia** (1996). PCR detection and quantitation of predominant anaerobic bacteria in human and animal fecal samples. Applied and Environmental Microbiology **62**, 1242-7
- Washabau, R. J., D. R. Strombeck, C. A. Buffington und D. Harrold** (1986). Evaluation of intestinal carbohydrate malabsorption in the dog by pulmonary hydrogen gas excretion. American Journal of Veterinary Research **47**, 1402-6
- Weaver, G. A., J. A. Krause, T. L. Miller und M. J. Wolin** (1986). Incidence of methanogenic bacteria in a sigmoidoscopy population: an association of methanogenic bacteria and diverticulosis. Gut **27**, 698-704
- Welling, G. W., P. Elfferich, G. C. Raangs, A. C. Wildeboer-Veloo, G. J. Jansen und J. E. Degener** (1997). 16S ribosomal RNA-targeted oligonucleotide probes for monitoring of intestinal tract bacteria. Scandinavian Journal of Gastroenterology Supplement **222**, 17-9
- Wells, C. L. und E. Balish** (1980). Modulation of the rats' immune status by monoassociation with anaerobic bacteria. Canadian Journal of Microbiology **26**, 1192-8

- Whiteford, M. F., R. F. Forster, C. E. Beard, J. Gong und R. M. Teather** (1998). Phylogenetic analysis of rumen bacteria by comparative sequence analysis of cloned 16S rRNA genes. *Anaerobe* **4**, 153-63
- White, D. C. und P. R. Sinclair** (1971). Branched electron-transport systems in bacteria. *Advances in Microbial Physiology* **5**, 173-211
- Widdel, F.** (1988). Microbiology and ecology of sulfate- and sulfur-reducing bacteria. p. 469- 586. *In* Biology of anaerobic microorganisms. Zehnder, J. B. (ed.), John Wiley and Sons, Inc., London, Großbritannien
- Widdel, F. und F. Bak** (1992). Gram-negativ mesophilic sulfate-reducing bacteria. pp. 3358-78. *In* The prokaryotes. Balows, A., H. G. Trüper, M. Dworkin, W. Harder and K.-H. Schleifer (eds.), 2<sup>nd</sup> edn., Springer-Verlag, New York, USA
- Widdel, F., G.-W. Kohring und F. Mayer** (1983). Studies on dissimilatory sulfate-reducing bacteria that decompose fatty acids. III. Characterization of filamentous gliding *Desulfonema limicola* gen. nov., sp. nov., and *Desulfonema magnum*, sp. nov. *Archives of Microbiology* **134**, 286-94
- Widdel, F. und N. Pfennig** (1977). A new anaerobic, sporing, acetate-oxidizing, sulfate-reducing bacterium, *Desulfotomaculum* (emend.) *acetoxidans*. *Archives of Microbiology* **112**, 119-22
- Willems, A. und M. D. Collins** (1996). Phylogenetic relationships of the genera *Acetobacterium* and *Eubacterium sensu stricto* and reclassification of *Eubacterium alactolyticum* as *Pseudoramibacter alactolyticus* gen. nov., comb. nov. *International Journal of Systematic Bacteriology* **46**, 1083-7
- Willis, C. L., J. H. Cummings, G. Neale und G. R. Gibson** (1997). Nutritional aspects of dissimilatory sulfate reduction in the human large intestine. *Current Microbiology* **35**, 294-8
- Wilson, K. H. und R. Blichington** (1996). Human colonic biota studied by ribosomal DNA sequence analysis. *Applied and Environmental Microbiology* **62**, 2273-8
- Winfrey, M. R. und J. G. Zeikus** (1977). Effect of sulfate on carbon and electron flow during microbial methanogenesis in freshwater sediments. *Applied and Environmental Microbiology* **33**, 275-81
- Woese, C. R.** (1987). Bacterial evolution. *Microbiology Reviews* **51**, 221-71
- Wolin, M. J.** (1981). Fermentation in the rumen and human large intestine. *Science* **213**, 1463-8
- Wolin, M. J. und T. L. Miller** (1983). Carbohydrate fermentation. *In* Human intestinal microflora in health and disease. pp. 147-65. Hentges, D. J. (ed.), Academic Press Inc., New York, USA



- Wolin, M. J. und T. L. Miller** (1993). Bacterial strains from human feces that reduce CO<sub>2</sub> to acetic acid. *Applied and Environmental Microbiology* **59**, 3551-6
- Wolin, E. A., R. S. Wolfe und M. J. Wolin** (1964). Viologen dye inhibition of methan formation by *Methanobacillus omelianskii*. *Journal of Bacteriology* **87**, 993-8
- Woods, D. D. und C. E. Clifton** (1937). Studies in the metabolism of the strict anaerobes (Genus *Clostridium*). VI. Hydrogen production and amino acid utilisation by *Clostridium tetanomorphum*. *Biochemistry Journal* **31**, 1774-88
- Wrong, O. M., C. J. Edmonds und V. S. Chadwick** (1981). Short-chain organic acids. pp. 113-121. In *The large intestine: Its role in mammalian nutrition and homeostasis*. Wrong, O. M., C. J. Edmonds and V. S. Chadwick (eds.), Wiley, New York, USA
- Würsch, P., B. Koellreutter und T. F. Schweizer** (1989). Hydrogen excretion after ingestion of five different sugar alcohols and lactulose. *European Journal of Clinical Nutrition* **43**, 819-25
- Xu, B., M. Xi, Y. Wang, D. Lu und S. Xiao** (1990). Demonstration of the presence of *Methanobrevibacter* in a colon cancer chinese patient. *Acta Microbiologica Sin* **30**, 400-2
- Yamamoto, T., M. Morotomi und R. Tanaka** (1992). Species-specific oligonucleotide probes for five *Bifidobacterium* species detected in human intestinal microflora. *Applied and Environmental Microbiology* **58**, 4076-9
- Zajic, J. E., N. Kosaric und J. D. Brosseau** (1978). Microbial production of hydrogen. *Advances in Biochemistry and Engineering* **9**, 57-109
- Zeikus, J. G. und D. L. Henning** (1975). *Methanobacterium arbophilicum* sp.nov. An obligate anaerobe isolated from wetwood of living trees. *Antonie van Leeuwenhoek* **41**, 543-52
- Zeng, A. P., H. Biebl, H. Schlieker und W. D. Deckwer** (1993). Pathway analysis of glycerol fermentation by *Klebsiella pneumoniae*: regulation of reducing equivalent balance and product formation. *Enzyme and Microbial and Technology* **15**, 770-79
- Zentek, J.** (1992). Untersuchungen zur postbrandialen H<sub>2</sub>- und CH<sub>4</sub>-Exhalation beim Pferd. *Pferdeheilkunde Supplement* **1**, 64-6
- Zentek, J.** (1995). Influence of diet composition on the microbial activity in the gastro-intestinal tract of dogs. II. Effects on the microflora in the ileum chyme. *Journal of Animal Physiologie and Animal Nutrition* **74**, 53-61
- Zindel, U., W. Freudenberg, M. Rieth, J. R. Andreesen, J. Schnell und F. Widdel** (1988). *Eubacterium acidaminophilum* sp. nov., a versatile amino acid-degrading anaerobe producing or utilizing H<sub>2</sub> or formate. Description and enzymatic studies. *Archives of Microbiology* **150**, 254-66

- Zinder, S. H.** (1993). Physiological ecology of methanogens. p. 128-206. *In* Methanogenesis. Ferry, J. G. (ed.), Chapman & Hall, Inc., New York, USA
- Zinder, S. H.** (1994). Syntrophic acetate oxidation and "reversible acetogenesis". p. 386-415. *In* Acetogenesis. Drake, H. L. (ed.), Chapman & Hall, Inc.; New York, USA
- Zoetendal, E. G., A. D. Akkermans und W. M. De Vos** (1998). Temperature gradient gel electrophoresis analysis of 16S rRNA from human fecal samples reveals stable and host-specific communities of active bacteria. *Applied and Environmental Microbiology* **64**, 3854-9