

## 9 Literaturverzeichnis

- Ades E.W., Candal F.J., Swerlick R.A., George V.G., Summers S., Bosse D.C., Lawley T.J. HMEC-1: establishment of an immortalized human microvascular endothelial cell line. *J. Invest. Dermatol.* **99**, 683-690 (1992).
- Aflalo C. Biologically localized firefly luciferase: a tool to study cellular processes. *Int. Rev. Cytol.* **130**, 269-323 (1991).
- Ahmad S.A., Liu W., Jung Y.D., Fan F., Wilson M., Reinmuth N., Shaheen R.M., Bucana C.D., Ellis L.M. The effects of angiopoietin-1 and -2 on tumor growth and angiogenesis in human colon cancer. *Cancer Res.* **61**, 1255-1259 (2001).
- Akagi Y., Liu W., Xie K., Zebrowski B., Shaheen R.M., Ellis L.M. Regulation of vascular endothelial growth factor expression in human colon cancer by interleukin-1beta. *Br. J. Cancer* **80**, 1506-1511 (1999).
- Alam J., Cook J.L. Reporter genes: application to the study of mammalian gene transcription. *Anal. Biochem.* **188**, 245-254 (1990).
- Albertini J.-P., Valensi P., Lormeau B., Aurousseau M.-H., Ferrière F., Atali J.-R., Gattegno L. Elevated concentrations of soluble E-selectin and vascular cell adhesion molecule-1 in NIDDM. Effect of intensive insulin treatment. *Diabetes Care* **21**, 1008-1013 (1998).
- Alexander H.E., Koch G., Morgan-Mountain I., Sprunt K., van Damme O. Infectivity of ribonucleic acid of poliovirus on HeLa cell monolayers. *Virology* **5**, 172-173 (1958a).
- Alexander H.E., Koch G., Morgan-Mountain I., Sprunt K., van Damme O. Infectivity of ribonucleic acid of poliovirus on HeLa cell monolayers. *J. Exp. Med.* **108**, 493-506 (1958b).
- Amann A., Rieder J., Fleischer M., Niedermüller P., Hoffmann G., Amberger A., Marth C., Nigrovic V., Puhringer F. The influence of atracurium, cisatracurium, and mivacurium on the proliferation of two human cell lines in vitro. *Anesth. Analg.* **93**, 690-696 (2001).
- Amselgruber W.M., Schäfer M., Sinowitz F. Angiogenesis in the bovine corpus luteum: an immunocytochemical and ultrastructural study. *Anat. Histol. Embryol.* **28**, 157-166 (1999).

- Aoki M., Kanamori M., Yudoh K., Ohmori K., Yasuda T., Kimura T. Effects of vascular endothelial growth factor and E-selectin on angiogenesis in the murine metastatic RCT sarcoma. *Tumor Biol.* **22**, 239-246 (2001).
- Araki S., Simada Y., Kaji K., Hayashi H. Role of protein kinase C in the inhibition by fibroblast growth factor of apoptosis in serum-depleted endothelial cells. *Biochem. Biophys. Res. Commun.* **172**, 1081-1085 (1990).
- Asahara T., Masuda H., Takahashi T., Kalka C., Pastore C., Silver M., Kearne M., Magner M., Isner J.M. Bone marrow origin of endothelial progenitor cells responsible for postnatal vasculogenesis in physiological and pathological neovascularization. *Circ. Res.* **85**, 221-228 (1999).
- Asahara T., Murohara T., Sullivan A., Silver M., van der Zee R., Li T., Witzenbichler B., Schatteman G., Isner J.M. Isolation of putative progenitor endothelial cells for angiogenesis. *Science* **275**, 964-967 (1997).
- Auerbach R., Akhtar N., Lewis R.L., Shinnars B.L. Angiogenesis assays: problems and pitfalls. *Cancer Metast. Rev.* **19**, 167-172 (2000).
- Ausprunk D.H., Boudreau C.L., Nelson D.A. Proteoglycans in the microvasculature. I. Histochemical localization in microvessels of the rabbit eye. *Am. J. Pathol.* **103**, 353-366 (1981).
- Ausprunk D.H., Folkman J. Migration and proliferation of endothelial cells in preformed and newly formed blood vessels during tumor angiogenesis. *Microvasc. Res.* **14**, 53-65 (1977).
- Bach T.L., Barsigian C., Chalupowicz D.G., Busler D., Yaen C.H., Grant D.S., Martinez J. VE-Cadherin mediates endothelial cell capillary tube formation in fibrin and collagen gels. *Exp. Cell Res.* **238**, 324-334 (1998).
- Baish J.W., Jain R.K. Fractals and cancer. *Cancer Res.* **60**, 3683-3688 (2000).
- Barrington R.E., Subler M.A., Rands E., Omer C.A., Miller P.J., Hundler J.E., Koester S.K., Troyer D.A., Bearss D.J., Conner M.W., Gibbs J.B., Hamilton K., Koblan K.S., Mosser S.D., O'Neill T.J., Schaber M.D., Senerak E.T., Windle J.J., Oliff A., Kohl N.E. A farnesyltransferase inhibitor induces tumor regression in transgenic mice harbouring multiple oncogenic mutations by mediating alterations in both cell cycle control and apoptosis. *Mol. Cell. Biol.* **18**, 85-92 (1998).
- Barron L.G., Gagne L., Szoka F.C. Jr. Lipoplex-mediated gene delivery to the lung occurs within 60 minutes of intravenous administration. *Hum. Gene Ther.* **10**, 1683-1694 (1999).

- Barton K., Muthusamy N., Fischer C., Ting C.N., Walunas T.L., Lanier L.L., Leiden J.M. The Ets-1 transcription factor is required for the development of natural killer cells in mice. *Immunity* **9**, 555-563 (1998).
- Basilico C., Moscatelli D. The FGF family of growth factors and oncogenes. *Adv. Cancer Res.* **59**, 115-165 (1992).
- Bastaki M., Nelli E.E., Dell'Era P., Rusnati M., Molinari-Tosatti M.P., Parolini S., Auerbach R., Ruco L.P., Possati L., Presta M. Basic fibroblast growth factor-induced angiogenic phenotype in mouse endothelium. *Arterioscler. Thromb. Vasc. Biol.* **17**, 454-464 (1997).
- Bayless K.J., Davis G.E. The Cdc42 and Rac1 GTPases are required for capillary lumen formation in three-dimensional extracellular matrices. *J. Cell Sci.* **115**, 1123-1136 (2002).
- Bayless K.J., Salazar R., Davis G.E. RGD-dependent vacuolation and lumen formation observed during endothelial cell morphogenesis in three-dimensional fibrin matrices involves the alpha(v)beta(3) and alpha(5)beta(1) integrins. *Am. J. Pathol.* **156**, 1673-1683 (2000).
- Becker-André M., Hooft van Huijsduijnen R., Losberger C., Whelan J., Delamarre J.F. Murine endothelial leukocyte-adhesion molecule 1 is a close structural and functional homologue of the human protein. *Eur. J. Biochem.* **206**, 401-411 (1992).
- Beecken W.-D., Shing Y. Tumorangiogenese und Antiangiogenesetherapie maligner Tumore. *J. Urol. Urogynäkol.* **3**, 7-14 (2000).
- Behr J.-P., Demeneix B., Loeffler J.-P., Perez-Mutul J. Efficient gene transfer into mammalian primary endocrine cells with lipopolyamine-coated DNA. *Proc. Natl. Acad. Sci. USA* **86**, 6982-6986 (1989).
- Benjamin L.E., Golijanin D., Itin A., Pode D., Keshet E. Selective ablation of immature blood vessels in established human tumors follows vascular endothelial growth factor withdrawal. *J. Clin. Invest.* **103**, 159-165 (1999).
- Benjamin L.E., Hemo I., Keshet E. A plasticity window for blood vessel remodelling is defined by pericyte coverage of the preformed endothelial network and is regulated by PDGF-B and VEGF. *Development* **125**, 1591-1598 (1998).
- Bergers G., Hanahan D. Cell factories for fighting cancer. *Nat. Biotechnol.* **19**, 20-21 (2001).
- Bevilacqua M.P., Stengelin S., Gimbrone M.A. Jr., Seed B. Endothelial leukocyte molecule 1: an inducible receptor for neutrophils related to complement regulatory proteins and lectins. *Science* **243**, 1160-1165 (1989).

- Biancone L., Araki M., Araki K., Vassalli P., Stamenkovic I. Redirection of tumor metastasis by expression of E-selectin in vivo. *J. Exp. Med.* **183**, 581-587 (1996).
- Bielinska A., Kukowska-Latallo J.F., Johnson J., Tomalia D.A., Baker J.R. Jr. Regulation of in vitro gene expression using antisense oligonucleotides or antisense expression plasmids transfected using starburst PAMAM dendrimers. *Nucleic Acids Res.* **24**, 2176-2182 (1996).
- Bischoff J. Cell adhesion and angiogenesis. *J. Clin. Invest.* **100**, S37-S39 (1997).
- Bischoff J., Brasel C., Kräling B.M., Vranovska K. E-selectin ist upregulated in proliferating endothelial cells in vitro. *Microcirculation* **4**, 279-287 (1997).
- Bishop E.T., Bell G.T., Bloor S., Broom I.J., Hendry N.F.K., Wheatley D.N. An in vitro model of angiogenesis: basic features. *Angiogenesis* **3**, 335-344 (1999).
- Black A.F., Berthod F., L'Heureux N., Germain L., Auger F.A. In vitro reconstruction of a human capillary-like network in a tissue-engineered skin equivalent. *FASEB J.* **12**, 1331-1340 (1998).
- Blaese R.M. Gentherapie von Krebs. *Spektrum der Wissenschaft* **1**, 64-69 (1999).
- Blaese R.M., Culver K.W., Miller A.D., Carter C.S., Fleisher T., Clerici M., Shearer G., Chang L., Chiang Y., Tolstoshev P., Greenblatt J.J., Rosenberg S.A., Klein H., Berger M., Mullen C.A., Ramsey W.J., Muul L., Morgan R.A., Anderson W.F. T lymphocyte-directed gene therapy for ADA-SCID: initial trial results after 4 years. *Science* **270**, 475-480 (1995).
- Blezinger P., Yin G., Xie L., Wang J., Matar M., Bishop J.S., Min W. Intravenous delivery of an endostatin gene complexed in cationic lipid inhibits systemic angiogenesis and tumor growth in murine models. *Angiogenesis* **3**, 205-210 (1999).
- Bolon I., Gouyer V., Devouassoux M., Vandenbunder B., Wernert N., Moro D., Brambilla C., Brambilla E. Expression of c-ets-1, collagenase 1, and urokinase-typ plasminogen activator genes in lung carcinomas. *Am J. Pathol.* **147**, 1298-1310 (1995).
- Bories J.C., Willerford D.M., Grevin D., Davidson L., Camus A., Martin P., Stehelin D., Alt F.W. Increased T-cell apoptosis and terminal B-cell differentiation induced by inactivation of the Ets-1 proto-oncogene. *Nature* **377**, 635-638 (1995).
- Bosman A.W., Janssen H.M., Meijer E.W. About dendrimers: structure, physical properties, and applications. *Chem. Rev.* **99**, 1665-1688 (1999).
- Bouck N., Stellmach V., Hsu S.C. How tumors become angiogenic. *Adv. Cancer Res.* **69**, 135-174 (1996).

- Bouloumié A., Drexler H.C., Lafontan M., Busse R. Leptin, the product of Ob gene, promotes angiogenesis. *Circ. Res.* **83**, 1059-1066 (1998).
- Boussif O., Lezoualc'h F., Zanta M.A., Mergny M.D., Scherman D., Demeneix B., Behr J.-P. A versatile vector for gene and oligonucleotide transfer into cells in culture and in vivo: Polyethylenimine. *Proc. Natl. Acad. Sci. USA* **92**, 7297-7301 (1995).
- Bouvet M., Ellis L.M., Nishizaki M., Fujiwara T., Liu W., Bucana C.D., Fang B., Lee J.J., Roth J.A. Adenovirus-mediated wild-type p53 gene transfer down-regulates vascular endothelial growth factor expression and inhibits angiogenesis in human colon cancer. *Cancer Res.* **58**, 2288-2292 (1998).
- Boyle E.M. Jr., Sato T.T., Noel R.F. Jr., Verrier E.D., Pohlman T.H. Transcriptional arrest of the human E-selectin gene. *J. Surg. Res.* **82**, 194-200 (1999).
- Brand K., Strauss M. Molekulare Grundlagen des Gentransfers und Anwendung für die Gentherapie. In: *Handbuch der Molekularen Medizin, Band 2 Tumorerkrankungen*. Springer-Verlag Berlin, Heidelberg, S. 110-145 (1998).
- Brandes C., Plautz J.D., Stanewsky R., Jamison C.F., Straume M., Wood K.V., Kay S.A., Hall J.C. Novel features of drosophila period transcription revealed by real-time luciferase reporting. *Neuron* **16**, 687-692 (1996).
- Brasier A.R., Ron D. Luciferase reporter gene assay in mammalian cells. *Methods Enzymol.* **216**, 386-397 (1992).
- Brasier A.R., Tate J.E., Habener J.F. Optimized use of the firefly luciferase assay as a reporter gene in mammalian cell lines. *Biotechniques* **7**, 1116-1122 (1989).
- Breitbart R.E., Andreadis A., Nadal-Ginard B. Alternative splicing: a ubiquitous mechanism for the generation of multiple protein isoforms from single genes. *Annu. Rev. Biochem.* **56**, 467-495 (1987).
- Brisson M., Huang L. Liposomes: conquering the nuclear barrier. *Curr. Opin. Mol. Ther.* **1**, 140-146 (1999).
- Brown K.J., Maynes S.F., Bezos A., Maguire D.J., Ford M.D., Parish C.R. A novel in vitro assay for human angiogenesis. *Lab. Invest.* **75**, 539-555 (1996).
- Brown N.S., Bicknell R. Thymidine phosphorylase, 2-deoxy-D-ribose and angiogenesis. *Biochem. J.* **334**, 1-8 (1998).

- Brunner S., Sauer T., Carotta S., Cotton M., Saltik M., Wagner E. Cell cycle dependence of gene transfer by lipoplex, polyplex and recombinant adenovirus. *Gene Ther.* **7**, 401-407 (2000).
- Burgess W.H., Mehlman T., Friesel R., Johnson W.V., Maciag T. Multiple forms of endothelial cell growth factor. Rapid isolation and biological and chemical characterization. *J. Biol. Chem.* **260**, 11389-11392 (1985).
- Burri P.H., Tarek M.R. A novel mechanism of capillary growth in the rat pulmonary microcirculation. *Anat. Rec.* **228**, 35-45 (1990).
- Buschle M., Cotten M., Kirlappos H., Mechtler K., Schaffner G., Zauner W., Birnstiel M.L., Wagner E. Receptor-mediated gene transfer into human T lymphocytes via binding of DNA/CD3 antibody particles to the CD3 T cell receptor complex. *Hum. Gene Ther.* **6**, 753-761 (1995).
- Bussolino F., Albini A., Camussi G., Presta M., Viglietto G., Ziche M., Persico G. Role of soluble mediators in angiogenesis. *Eur. J. Cancer* **32A**, 2401-2412 (1996).
- Bussolino F., Di Renzo M.F., Ziche M., Bocchietto E., Olivero M., Naldini L., Gaudino G., Tamagnone L., Coffer A., Comoglio P.M. Hepatocyte growth factor is a potent angiogenic factor which stimulates endothelial cell motility and growth. *J. Cell Biol.* **119**, 629-641 (1992).
- Caduff J.H., Fischer L.C., Burri P.H. Scanning electron microscope study of the developing microvasculature in the postnatal rat lung. *Anat. Rec.* **216**, 154-164 (1986).
- Calos M.P., Lebkowski J.S., Botchnan M.R. High mutation frequency in DNA transfected into mammalian cells. *Proc. Natl. Acad. Sci. USA* **80**, 3015-3019 (1983).
- Calvez V., Rixe O., Wang P., Mouawad R., Soubrane C., Ghoumari A., Verola O., Khayat D., Colbere-Garapin F. Virus-free transfer of the herpes simplex virus thymidine kinase gene followed by ganciclovir treatment induces tumor cell death. *Clin. Cancer Res.* **2**, 47-51 (1996).
- Cao Y. Endogenous angiogenesis inhibitors and their therapeutic implications. *Int. J. Biochem. Cell Biol.* **33**, 357-369 (2001).
- Capechi M.R. High efficiency transformation by direct microinjection of DNA into cultured mammalian cells. *Cell* **22**, 479-488 (1980).
- Carmeliet P. Mechanisms of angiogenesis and arteriogenesis. *Nature* **6**, 389-395 (2000).

- Carmeliet P., Jain R.K. Angiogenesis in cancer and other diseases. *Nature* **407**, 249-257 (2000).
- Chalfie M., Tu Y., Euskirchen G., Ward W.W., Prasher D.C. Green fluorescent protein as a marker for gene expression. *Science* **263**, 802-805 (1994).
- Chalupowicz D.G., Chowdhury Z.A., Bach T.L., Barsigian C., Martinez J. Fibrin II induces endothelial cell capillary tube formation. *J. Cell Biol.* **130**, 207-215 (1995).
- Chan V.T., Zhang D.N., Nagaravapu U., Hultquist K., Romero L.I., Herron G.S. Membrane-type matrix metalloproteinases in human dermal microvascular endothelial cells: expression and morphogenetic correlation. *J. Invest. Dermatol.* **111**, 1153-1159 (1998).
- Chen C., Okayama H. High-efficiency transformation of mammalian cells by plasmid DNA. *Mol. Cell. Biol.* **7**, 2745-2752 (1987).
- Chen C.T., Lin J., Li Q., Phipps S.S., Jakubczak J.L., Stewart D.A., Skripchenko Y., Forry-Schaudies S., Wood J., Schnell C., Hallenbeck P.L. Antiangiogenic gene therapy for cancer via systemic administration of adenoviral vectors expressing secretable endostatin. *Hum. Gene Ther.* **11**, 1983-1996 (2000).
- Chen Q.R., Kumar D., Stass S.A., Mixson A.J. Liposomes complexed to plasmids encoding angiostatin and endostatin inhibit breast cancer in nude mice. *Cancer Res.* **59**, 3308-3312 (1999).
- Chen Z., Fisher R.J., Riggs C.W., Rhim J.S., Lautenberger J.A. Inhibition of vascular endothelial growth factor-induced endothelial cell migration by ETS-1 antisense oligonucleotides. *Cancer Res.* **57**, 2013-2019 (1997).
- Cheng D.Y., Kolls J.K., Lei D., Noel R.A. In vivo and in vitro gene transfer and expression in rat intestinal epithelial cells by E1-deleted adenoviral vector. *Hum. Gene Ther.* **8**, 755-764 (1997).
- Cheng L., Ziegelhoffer P.R., Yang N.-S. In vivo promoter activity and transgene expression in mammalian somatic tissues evaluated by using particle bombardment. *Proc. Natl. Acad. Sci. USA* **90**, 4455-4459 (1993).
- Chin L., Tam A., Pomerantz J., Wong M., Holash J., Bardeesy N., Shen Q., O'Hagan R., Pantginis J., Zhou H., Horner J.W., Cordon-Carco C., Yancopoulos G.D., DePinho R.A. Essential role for oncogenic ras in tumour maintenance. *Nature* **400**, 468-472 (1999).
- Choi K., Kennedy M., Kazarov A., Papadimitriou J.C., Keller G. A common precursor for hematopoietic and endothelial cells. *Development* **125**, 725-732 (1998).

- Chu G., Hayakawa H., Berg P. Electroporation for the efficient transfection of mammalian cells with DNA. *Nucleic Acids Res.* **15**, 1311-1326 (1987).
- Cines D.B., Pollak E.S., Buck C.A., Loscalzo J., Zimmerman G.A., McEver R.P., Pober J.S., Wick T.M., Konkle B.A., Schwartz B.S., Barnathan E.S., McCrae K.R., Hug B.A., Schmidt A.-M., Stern D.M. Endothelial cells in physiology and in the pathophysiology of vascular disorders. *Blood* **91**, 3527-3561 (1998).
- Clapp C., Martial J.A., Guzman R.C., Rentier-Delurue F., Weiner R.I. The 16-kilodalton N-terminal fragment of human prolactin is a potent inhibitor of angiogenesis. *Endocrinology* **133**, 1292-1299 (1993).
- Clayman G.L., Frank D.K., Bruso P.A., Goepfert H. Adenovirus-mediated wild-type p53 gene transfer as a surgical adjuvant in advanced head and neck cancers. *Clin. Cancer Res.* **5**, 1715-1722 (1999).
- Cohen R.B., Tsou K., Rutenburg S.H., Seligman A.M. The colorimetric estimation and histochemical demonstration of beta-D-galactosidase. *J. Biol. Chem.* **195**, 239-249 (1952).
- Cohen S.N., Chang A.C., Boyer H.W., Hellings R.B. Construction of biologically functional bacterial plasmids in vitro. *Proc. Natl. Acad. Sci. USA* **70**, 3240-3244 (1973).
- Collins T., Williams A., Johnston G.I., Kim J., Eddy R., Shows T., Gimbrone M.A. Jr., Bevilacqua M.P. Structure and chromosomal location of the gene for endothelial-leukocyte adhesion molecule 1. *J. Biol. Chem.* **266**, 2466-2473 (1991).
- Conchie J., Findlay Y., Levvy G.A. Mammalian glycosidases: distribution in the body. *Biochem. J.* **87**, 354-361 (1959).
- Conrad C.K., Allen S.S., Afione S.A., Reynolds T.C., Beck S.E., Fee-Maki M., Barrazza-Ortiz X., Adams R., Askin F.B., Carter B.J., Guggino W.B., Flotte T.R. Safety of single-dose administration of an adeno-associated virus (AAV)-CFTR vector in the primate lung. *Gene Ther.* **3**, 658-668 (1996).
- Contag C.H., Spilman S.D., Contag P.R., Oshiro M., Eames B., Dennery P., Stevenson D.K., Benaron D.A. Visualizing gene expression in living mammals using a bioluminescent reporter. *Photochem. Photobiol.* **66**, 523-531 (1997).
- Cornelius L.A., Nehring L.C., Roby J.D., Parks W.C., Welgus H.G. Human dermal microvascular endothelial cells produce matrix metalloproteinases in response to angiogenic factors and migration. *J. Invest. Dermatol.* **105**, 170-176 (1995).

- Cotten M., Wagner E., Zatloukal K., Phillips S., Curiel D.T., Birnstiel M.L. High-efficiency receptor-mediated delivery of small and large (48 kilobase) gene constructs using the endosome-disruption activity of defective or chemically inactivated adenovirus particles. *Proc. Natl. Acad. Sci. USA* **89**, 6094-6098 (1992).
- Cristiano R.J., Xu B., Nguyen D., Schumacher G., Kataoka M., Spitz F.R., Roth J.A. Viral and nonviral gene delivery vectors for cancer gene therapy. *Cancer Detect. Prev.* **22**, 445-454 (1998).
- Crum R., Szabo S., Folkman J. A new class of steroids inhibits angiogenesis in the presence of heparin or a heparin fragment. *Science* **230**, 1375-1378 (1985).
- Cubitt A.B., Heim R., Adams S.R., Boyd A.E., Gross L.A., Tsien R.Y. Understanding, improving and using green fluorescent proteins. *Trends Biochem. Sci.* **20**, 448-455 (1995).
- Dameron K.M., Volpert O.V., Tainsky M.A., Bouck N. The p53 tumor suppressor gene inhibits angiogenesis by stimulating the production of thrombospondin. *Cold Spring Harb. Symp. Quant. Biol.* **59**, 483-489 (1994).
- Davis G.E., Bayless K.J., Mavila A. Molecular basis of endothelial cell morphogenesis in three-dimensional extracellular matrices. *Anat. Rec.* **268**, 252-275 (2002).
- Davis G.E., Camarillo C.W. An alpha 2 beta 1 integrin-dependent pinocytic mechanism involving intracellular vacuole formation and coalescence regulates capillary lumen and tube formation in three-dimensional collagen matrix. *Exp. Cell Res.* **224**, 39-51 (1996).
- Davis G.E., Camarillo C.W. Regulation of endothelial cell morphogenesis by integrins, mechanical forces, and matrix guidance pathways. *Exp. Cell Res.* **216**, 113-123 (1995).
- De Vries C., Escobedo J.A., Ueno H., Houck K., Ferrara N., Williams L.T. The fms-like tyrosine kinase, a receptor for vascular endothelial growth factor. *Science* **255**, 989-991 (1992).
- De Wet J.R., Wood K.V., Helinski D.R., DeLuca M. Cloning of firefly luciferase cDNA and the expression of active luciferase in Escherichia coli. *Proc. Natl. Acad. Sci. USA* **82**, 7870-7873 (1985).
- De Wet J.R., Wood KV., DeLuca M., Helinski D.R., Subramani S. Firefly luciferase gene: structure and expression in mammalian cells. *Mol. Cell. Biol.* **7**, 725-737 (1987).
- Deckwer W.-D., Pühler A., Schmid R.D. *Römpf Lexikon: Biotechnologie und Gentechnik*. 2. Auflage, Georg Thieme Verlag Stuttgart, New York (1999).

- Del Vecchio P.J., Smith J.R. Aging of endothelium in culture: decrease in angiotensin-converting enzyme activity. *Cell Biol. Int. Rep.* **6**, 379-384 (1982).
- DeLuca M. Firefly luciferase. *Adv. Enzymol. Relat. Areas Mol. Biol.* **44**, 37-68 (1976).
- DeLuca M., McElroy W.D. Kinetics of the firefly luciferase catalysed reactions. *Biochem.* **13**, 921-925 (1974).
- Denburg J.L., Lee R.T., McElroy W.D. Substrate-binding properties of firefly luciferase. I. Luciferin-binding site. *Arch. Biochem. Biophys.* **134**, 381-394 (1969).
- Denekamp J. Vascular endothelium as the vulnerable element in tumours. *Acta Radiol. Oncol.* **23**, 217-225 (1984).
- Detmar M., Brown L.F., Berse B., Jackman R.W., Elicker B.M., Dvorak H.F., Claffey K.P. Hypoxia regulates the expression of vascular permeability factor/vascular endothelial growth factor (VPF/VEGF) and its receptors in human skin. *J. Invest. Dermatol.* **108**, 263-268 (1997).
- Diacumakos E.G., Holland S., Pecora P. A microsurgical methodology for human cells in vitro: evolution and applications. *Proc. Natl. Acad. Sci. USA* **65**, 911-918 (1970).
- DiLella A.G., Hope D.A., Chen H., Trumbauer M., Schwartz R.J., Smith R.G. Utility of firefly luciferase as a reporter gene for promoter activity in transgenic mice. *Nucleic Acids Res.* **16**, 4159 (1988).
- Dimmeler S., Zeiher A.M. Endothelial cell apoptosis in angiogenesis and vessel regression. *Circ. Res.* **87**, 434-439 (2000).
- Ding I., Sun J.Z., Fenton B., Liu W.M., Kimsley P., Okunieff P., Min W. Intratumoral administration of endostatin plasmid inhibits vascular growth and perfusion in MCa-4 murine mammary carcinomas. *Cancer Res.* **61**, 526-531 (2001).
- Dini L., Lentini A., Diez G.D., Rocha M., Falasca L., Serafino L., Vidal-Vanaclocha F. Phagocytosis of apoptotic bodies by liver endothelial cells. *J. Cell Sci.* **108**, 967-973 (1995).
- Dittmer J., Nordheim A. Ets transcription factors and human disease. *Biochim. Biophys. Acta* **1377**, F1-F11 (1998).
- Donovan D., Brown N.J., Bishop E.T., Lewis C.E. Comparison of three in vitro human 'angiogenesis' assays with capillaries formed in vivo. *Angiogenesis* **4**, 113-121 (2001).
- Doronin K., Kuppuswamy M., Toth K., Tollefson A.E., Krajcsi P., Krougliak V., Wold W.S. Tissue-specific, tumor-selective, replication-competent adenovirus vector for cancer gene therapy. *J. Virol.* **75**, 3314-3324 (2001).

- Doronin K., Toth K., Kuppuswamy M., Ward P., Tollefson A.E., Wold W.S. Tumor-specific, replication-competent adenovirus vectors overexpressing the adenovirus death protein. *J. Virol.* **74**, 6147-6155 (2000).
- Dougher-Vermazen M., Hulmes J.D., Bohlen P., Terman B.I. Biological activity and phosphorylation sites of the bacterially expressed cytosolic domain of the KDR VEGF-receptor. *Biochem. Biophys. Res. Commun.* **205**, 728-738 (1994).
- Dreyfuss G., Matunis M.J., Piñol-Roma S., Burd C.G. hnRNP proteins and the biogenesis of mRNA. *Annu. Rev. Biochem.* **62**, 289-321 (1993).
- Dube A., Akbarali Y., Sato T.N., Libermann T.A., Oettgen P. Role of Ets transcription factors in the regulation of the vascular-specific Tie2 gene. *Circ. Res.* **84**, 1177-1185 (1999).
- Dubois-Stringfellow N., Jonczyk A., Bautch V.L. Perturbations in the fibrinolytic pathway abolish cyst formation but not capillary-like organization of cultured murine endothelial cells. *Blood* **83**, 3206-3217 (1994).
- Duke R.C., Ojcius D.M., Young J.D.-E. Die Apoptose – Regeln und Fehler beim Zellselbstmord. *Spektrum der Wissenschaft* **2**, 26-35 (1997).
- Dvorak H.F., Brown L.F., Detmar M., Dvorak A.M. Vascular permeability factor/vascular endothelial growth factor, microvascular hyperpermeability, and angiogenesis. *Am. J. Pathol.* **146**, 1029-1039 (1995).
- Dvorak H.F., Nagy J.A., Feng D., Brown L.F., Dvorak A.M. Vascular permeability factor/vascular endothelial growth factor and the significance of microvascular hyperpermeability in angiogenesis. *Curr. Top. Microbiol. Immunol.* **237**, 97-132 (1999).
- Edgell C.J., McDonald C.C., Graham J.B. Permanent cell line expressing human factor VIII-related antigen established by hybridisation. *Proc. Natl. Acad. Sci. USA* **80**, 3734-3737 (1983).
- Edwards D.R., Murphy G. Cancer. Proteases – invasion and more. *Nature* **394**, 527-528 (1998).
- Eichmann A., Corbel C., Nataf V., Vaigot P., Bréant C., Le Douarin N.M. Ligand-dependent development of the endothelial and hemopoietic lineages from embryonic mesodermal cells expressing vascular endothelial growth factor receptor 2. *Proc. Natl. Acad. Sci. USA* **94**, 5141-5146 (1997).
- Ekblom P., Vestweber D., Kemler R. Cell-matrix interactions and cell adhesion during development. *Annu. Rev. Cell Dev. Biol.* **2**, 27-47 (1986).

- Elvert G., Kappel A., Heidenreich R., Englmeier U., Lanz S., Acker T., Rauter M., Plate K., Sieweke M., Breier G., Flamme I. Cooperative interaction of hypoxia-inducible factor-2alpha (HIF-2alpha) and ets-1 in the transcriptional activation of vascular endothelial growth factor receptor-2 (flk-1). *J. Biol. Chem.* **278**, 7520-7530 (2003).
- Enholm B, Paavonen K., Ristimaki A., Kumar V., Gunji Y., Klefstrom J., Kivinen L., Laiho M., Olofsson B., Joukov V., Eriksson U., Alitalo K. Comparison of VEGF, VEGF-B, VEGF-C and Ang-1 mRNA regulation by serum, growth factors, oncoproteins and hypoxia. *Oncogene* **14**, 2475-2483 (1997).
- Erbe D.V., Barry A., Presta L.G., Norton C.R., Ramos R.J., Burns D.K., Rumberger J.M., Narasinga Rao B.N., Foxall C., Brandley B.K., Lasky K.A. Identification of an E-selectin region critical for carbohydrate recognition and cell adhesion. *J. Cell Biol.* **119**, 215-227 (1992).
- Eustice D.C., Feldman P.A., Colberg-Poley A.M., Buckery R.M., Neubauer R.H. A sensitive method for the detection of beta-galactosidase in transfected mammalian cells. *Biotechniques* **11**, 739-743 (1991).
- Fadel B.M., Boutet S.C., Quertermous T. Functional analysis of the endothelial cell-specific Tie2/Tek promoter identifies unique protein-binding elements. *Biochem. J.* **330**, 335-343 (1998).
- Falcone D.J., McCaffrey T.A., Haimovitz-Friedman A., Garcia M. Transforming growth factor-beta 1 stimulates macrophage urokinase expression and release of matrix-bound basic fibroblast growth factor. *J. Cell. Physiol.* **155**, 595-605 (1993).
- Falnes P.O., Sandvig K. Penetration of protein toxins into cells. *Curr. Opin. Cell Biol.* **12**, 407-413 (2000).
- Fasbender A., Zabner J., Zeiher B.G., Welsh M.J. A low rate of cell proliferation and reduced DNA uptake limit cationic lipid-mediated gene transfer to primary cultures of ciliated human airway epithelia. *Gene Ther.* **4**, 1173-1180 (1997).
- Feder J., Marasa J.C., Olander J.V. The formation of capillary-like tubes by calf aortic endothelial cells grown in vitro. *J. Cell. Physiol.* **116**, 1-6 (1983).
- Feldman A.L., Alexander H.R., Hewitt S.M., Lorang D., Thiruvathukal C.E., Turner E.M., Libutti S.K. Effect of retroviral endostatin gene transfer on subcutaneous and intra-peritoneal growth of murine tumors. *J. Natl. Cancer Inst.* **93**, 1014-1020 (2001).

- Felgner J.H., Kumar R., Sridhar C.N., Wheeler C.J., Tsai Y.J., Border R., Ramsey P., Martin M., Felgner P.L. Enhanced gene delivery and mechanism studies with a novel series of cationic lipid formulations. *J. Biol. Chem.* **269**, 2550-2561 (1994).
- Felgner P.L. Cationic lipid/polynucleotide condensates for in vitro and in vivo polynucleotide delivery – the cytofectins. *J. Liposome Res.* **3**, 3-16 (1993).
- Felgner P.L., Gadek T.R., Holm M., Roman R., Chan H.W., Wenz M., Northrop J.P., Ringold G.M., Danielsen M. Lipofection: a highly efficient, lipid-mediated DNA-transfection procedure. *Proc. Natl. Acad. Sci. USA* **84**, 7413-7417 (1987).
- Felgner P.L., Ringold G.M. Cationic liposome-mediated transfection. *Nature* **337**, 387-388 (1989).
- Ferrara N. Vascular endothelial growth factor: molecular and biological aspects. *Curr. Top. Microbiol. Immunol.* **237**, 1-30 (1999).
- Ferrara N., Carver-Moore K., Chen H., Dowd M., Lu L., O'Shea K.S., Powell-Braxton L., Hillan K.J., Moore M.W. Heterozygous embryonic lethality induced by targeted inactivation of the VEGF gene. *Nature* **380**, 439-442 (1996).
- Ferrara N., Chen H., Davis-Smyth T., Gerber H.-P., Nguyen T.N., Peers D., Chisholm V., Hillan K.J., Schwall R.H. Vascular endothelial growth factor is essential for corpus luteum angiogenesis. *Nat. Med.* **4**, 336-340 (1998).
- Ferrara N., Houck K., Jakeman L., Leung D.W. Molecular and biological properties of the vascular endothelial growth factor family of proteins. *Endocrine Rev.* **13**, 18-32 (1992).
- Ferrenq I., Tranqui L., Vailhé B., Gumery P.Y., Tracqui P. Modelling biological gel contraction by cells: mechanocellular formulation and cell traction force quantification. *Acta Biotheor.* **45**, 267-293 (1997).
- Fishman A.P. Endothelium: a distributed organ of diverse capabilities. *Ann. N. Y. Acad. Sci.* **401**, 1-8 (1982).
- Fitzpatrick-McElligott S. Gene transfer to tumor-infiltrating lymphocytes and other mammalian somatic cells by microprojectile bombardment. *Biotechnology* **10**, 1036-1040 (1992).
- Flier A. van der, Sonnenberg A. Function and interactions of integrins. *Cell Tissue Res.* **305**, 285-298 (2001).
- Flotte T., Carter B., Conrad C., Guggino W., Reynolds T., Rosenstein B., Taylor G., Walden S., Wetzel R. A phase I study of an adeno-associated virus-CTFR gene vector in adult CF patients with mild lung disease. *Hum. Gene Ther.* **7**, 1145-1159 (1996).

- Folkman J. Angiogenesis in cancer, vascular, rheumatoid and other disease. *Nat. Med.* **1**, 27-31 (1995).
- Folkman J. Tumor angiogenesis. *Adv. Cancer Res.* **19**, 331-358 (1974).
- Folkman J. Tumor angiogenesis: therapeutic implications. *New Engl. J. Med.* **285**, 1182-1186 (1971).
- Folkman J., Haudenschild C. Angiogenesis by capillary endothelial cells in culture. *Trans. Ophthal. Soc. U.K.* **100**, 346-353 (1980a).
- Folkman J., Haudenschild C. Angiogenesis in vitro. *Nature* **288**, 551-556 (1980b).
- Folkman J., Haudenschild C., Zetter B. Long-term culture of capillary endothelial cells. *Proc. Natl. Acad. Sci. USA* **76**, 5217-5221 (1979).
- Folkman J., Ingber D.E. Angiostatic steroids. Method of discovery and mechanism of action. *Ann. Surg.* **206**, 374-383 (1987).
- Folkman J., Langer R., Linhardt R.J., Haudenschild C., Taylor S. Angiogenesis inhibition and tumor regression caused by heparin or a heparin fragment in the presence of cortisone. *Science* **221**, 719-725 (1983).
- Folkman J., Shing Y. Angiogenesis. *J. Biol. Chem.* **267**, 10931-10934 (1992).
- Fong G.-H., Zhang L., Bryce D.-M., Peng J. Increased hemangioblast commitment, not vascular disorganization, is the primary defect in flt-1 knock-out mice. *Development* **126**, 3015-3025 (1999).
- Ford S.R., Buck L.M., Leach F.R. Does the sulphydryl or the adenine moiety of CoA enhance firefly luciferase activity? *Biochim. Biophys. Acta* **1252**, 180-184 (1995).
- Fraley R., Papahadjopoulos D. Liposomes: the development of a new carrier system for introducing nucleic acids into plant and animal cells. *Curr. Top. Microbiol. Immunol.* **96**, 171-191 (1982).
- Fraley R., Subramani S., Berg P., Papahadjopoulos D. Introduction of liposome-encapsulated SV40 DNA into cells. *J. Biol. Chem.* **255**, 10431-10435 (1980).
- Friedmann T., Roblin R. Gene therapy for human genetic disease? *Science* **175**, 949-955 (1972).
- Friend D.S., Papahadjopoulos D., Debs R.J. Endocytosis and intracellular processing accompanying transfection mediated by cationic liposomes. *Biochim. Biophys. Acta* **1278**, 41-50 (1996).

- Fuchs-Schoenleber T. Etablierung eines in vitro-Modells des bovinen Corpus luteum. *Dissertation*. Tierärztliche Fakultät der Ludwig-Maximilians-Universität München (1999).
- Fueyo J., Gomez-Manzano C., Alemany R., Lee P.S., McDonnell T.J., Mitlianga P., Shi Y.X., Levin V.A., Yung W.K., Kyritsis A.P. A mutant oncolytic adenovirus targeting the Rb pathway produces anti-glioma effect in vivo. *Oncogene* **19**, 2-12 (2000).
- Fujimoto J., Aoki I., Toyoki H., Khatun S., Tamaya T. Clinical implications of expression of ETS-1 related to angiogenesis in uterine endometrial cancers. *Ann. Oncol.* **13**, 1605-1611 (2002a).
- Fujimoto J., Aoli I., Toyoki H., Khatun S., Tamaya T. Clinical implications of expression of ETS-1 related to angiogenesis in uterine cervical cancers. *Ann. Oncol.* **13**, 1598-1604 (2002b).
- Futter C.E., Pearse A., Hewlett L.J., Hopkins C.R. Multivesicular endosomes containing internalized EGF-EGF receptor complexes mature and then fuse directly with lysosomes. *J. Cell Biol.* **132**, 1011-1023 (1996).
- Gambarini A.G., Armelin H.A. Purification and partial characterization of an acidic fibroblast growth factor from bovine pituitary. *J. Biol. Chem.* **257**, 9692-9697 (1982).
- Gao X., Huang L. A novel cationic liposome reagent for efficient transfection of mammalian cells. *Biochem. Biophys. Res. Comm.* **179**, 280-285 (1991).
- Gao X., Jaffurs D., Robbins P.D., Huang L. A sustained, cytoplasmic transgene expression system delivered by cationic liposomes. *Biochem. Biophys. Res. Commun.* **200**, 1201-1206 (1994).
- Gasparini G. The rationale and future potential of angiogenesis inhibitors in neoplasia. *Drugs* **58**, 17-38 (1999).
- Gearing A.J.H., Newman W. Circulating adhesion molecules in disease. *Immunol. Today* **14**, 506-512 (1993).
- Gerber H.-P., Dixit V., Ferrara N. Vascular endothelial growth factor induces expression of the antiapoptotic proteins Bcl-2 and A1 in vascular endothelial cells. *J. Biol. Chem.* **273**, 13313-13316 (1998).
- Gerritsen M.E., Shen C.P., Atkinson W.J., Padgett R.C., Gimbrone M.A. Jr., Milstone D.S. Microvascular endothelial cells from E-selectin-deficient mice form tubes in vitro. *Lab. Invest.* **75**, 175-184 (1996).

- Gimbrone M.A. Jr., Cotran R.S., Leapman S.B., Folkman J. Tumor growth and neovascularization: an experimental model using the rabbit cornea. *J. Natl. Cancer Inst.* **52**, 413-427 (1974).
- Giraudo E., Primo L., Audero E., Gerber H.-P., Koolwijk P., Soker S., Klagsbrun M., Ferrara N., Bussolino F. Tumor necrosis factor-alpha regulates expression of vascular endothelial growth factor receptor-2 and of its co-receptor neuropilin-1 in human vascular endothelial cells. *J. Biol. Chem.* **273**, 22128-22135 (1998).
- Gitay-Goren H., Soker S., Vlodavsky I., Neufeld G. The binding of vascular endothelial growth factor to its receptor is dependent on cell surface-associated heparin-like molecules. *J. Biol. Chem.* **267**, 6093-6098 (1992).
- Glienke J., Schmitt A.O., Pilarsky C., Hinzmann B., Weiß B., Rosenthal A., Thierauch K.-H. Differential gene expression by endothelial cells in distinct angiogenic states. *Eur. J. Biochem.* **267**, 2820-2830 (2000).
- Goldenberg N.A. Elucidating angiogenesis: the role of basement membrane proteolysis and endothelial cell motility and proliferation. *MJM* **1**, 127-137 (1995).
- Goligorsky M.S., Budzikowski A.S., Tsukahara H., Noiri E. Co-operation between endothelin and nitric oxide in promoting endothelial cell migration and angiogenesis. *Clin. Exp. Pharmacol. Physiol.* **26**, 269-271 (1999).
- Gorman C.M., Moffat L.F., Howard B.H. Recombinant genomes which express chloramphenicol acetyltransferase in mammalian cells. *Mol. Cell. Biol.* **2**, 1044-1051 (1982).
- Gould S.J., Subramani S. Firefly luciferase as a tool in molecular and cell biology. *Anal. Biochem.* **175**, 5-13 (1988).
- Graessmann A. Mikrochirurgische Zellkerntransplantation bei Säugetierzellen. *Exp. Cell Res.* **60**, 373-382 (1970).
- Graessmann M., Graessmann A. Microinjection of tissue culture cells. *Methods. Enzymol.* **101**, 482-492 (1983).
- Graham F.L., van der Eb A.J. A new technique for the assay of infectivity of human adenovirus 5 DNA. *Virology* **52**, 456-467 (1973).
- Grant M.B., Mames R.N., Fitzgerald C., Ellis E.A., Caballero S., Chegini N., Guy J. Insulin-like growth factor I as an angiogenic agent. In vivo and in vitro studies. *Ann. N. Y. Acad. Sci.* **692**, 230-242 (1993).

- Greber U.F., Willetts M., Webster P., Helenius A. Stepwise dismantling of adenovirus 2 during entry into cells. *Cell* **75**, 477-486 (1993).
- Green D.R., Reed J.C. Mitochondria and apoptosis. *Science* **281**, 1309-1312 (1998).
- Griendling K.K., Alexander R.W. Endothelial control of the cardiovascular system: recent advances. *FASEB J.* **10**, 283-292 (1996).
- Groningen J.P. van, Wenink A.C.G., Testers L.H.M. Myocardial capillaries: increase in number by splitting of existing vessels. *Anat. Embryol.* **184**, 65-70 (1991).
- Haensler J., Szoka F.C. Jr. Polyamidoamine cascade polymers mediate efficient transfection of cells in culture. *Bioconjug. Chem.* **4**, 372-379 (1993).
- Hamaguchi I., Huang X.L., Takakura N., Tada J., Yamaguchi Y., Kodama H., Suda T. In vitro hematopoietic and endothelial cell development from cells expressing TEK receptor in murine aorta-gonad-mesonephros region. *Blood* **93**, 1549-1556 (1999).
- Hanemaaijer R., Koolwijk P., Le Clercq L., de Vree W.J., van Hinsbergh V.W. Regulation of matrix metalloproteinase expression in human vein and microvascular endothelial cells. Effects of tumour necrosis factor alpha, interleukin 1 and phorbol ester. *Biochem. J.* **296**, 803-809 (1993).
- Hanna N.N., Mauceri H.J., Wayne J.D., Hallahan D.E., Kufe D.W., Weichselbaum R.R. Virally directed cytosine deaminase/5-fluorocytosine gene therapy enhances radiation response in human cancer xenografts. *Cancer Res.* **57**, 4205-4209 (1997).
- Haralabopoulos G.C., Grandt D.S., Kleinman H.K., Lelkes P.I., Papaioannou S.P., Maragoudakis M.E. Inhibitors of basement membrane collagen synthesis prevent endothelial cell alignment in Matrigel in vitro and angiogenesis in vivo. *Lab. Invest.* **71**, 575-582 (1994).
- Hart S.L., Harbottle R.P., Cooper R., Miller A., Williamson R., Coutelle C. Gene delivery and expression mediated by an integrin-binding peptide. *Gene Ther.* **2**, 552-554 (1995).
- Hashizume H., Baluk P., Morikawa S., McLean J.W., Thurston G., Roberge S., Jain R.K., McDonald D.M. Openings between defective endothelial cells explain tumor vessel leakiness. *Am. J. Pathol.* **156**, 1363-1380 (2000).
- Hata Y., Duh E., Zhang K., Robinson G.S., Aiello L.P. Transcription factors Sp1 und Sp3 alter vascular endothelial growth factor receptor expression through a novel recognition sequence. *J. Biol. Chem.* **273**, 19294-19303 (1998).

- Hébert M.J., Gullans S.R., Mackenzie H.S., Brady H.R. Apoptosis of endothelial cells is associated with paracrine induction of adhesion molecules: evidence for an interleukin-1beta-dependent paracrine loop. *Am. J. Pathol.* **152**, 523-532 (1998).
- Heidenreich R., Kappel A., Breier G. Tumor endothelium-specific transgene expression directed by vascular endothelial growth factor receptor-2 (Flk-1) promoter/enhancer sequences. *Cancer Res.* **60**, 6142-6147 (2000).
- Hein M., Ernst M., Moller F., Regensburger D. Gene transfer into rat heart-derived endothelial cells. *Eur. J. Cardiothorac. Surg.* **13**, 460-466 (1998).
- Heise C., Hermiston T., Johnson L., Brooks G., Sampson-Johannes A., Williams A., Hawkins L., Kirn D. An adenovirus E1A mutant that demonstrates potent and selective systemic anti-tumoral efficacy. *Nat. Med.* **6**, 1134-1139 (2000).
- Heise C., Kirn D.H. Replication-selective adenoviruses as oncolytic agents. *J. Clin. Invest.* **105**, 847-851 (2000).
- Helmlinger G., Endo M., Ferrara N., Hlatky L., Jain R.K. Formation of endothelial cell networks. *Nature* **405**, 139-141 (2000).
- Helmlinger G., Yuan F., Dellian M., Jain R.K. Interstitial pH and pO<sub>2</sub> gradients in solid tumors in vivo: high-resolution measurements reveal a lack of correlation. *Nat. Med.* **3**, 177-182 (1997).
- Hinsbergh V.W. van, Koolwijk P., Hanemaaijer R. Role of fibrin and plasminogen activators in repair-associated angiogenesis: in vitro studies with human endothelial cells. *EXS* **79**, 391-411 (1997).
- Hirai H., Ogawa M., Suzuki N., Yamamoto M., Breier G., Mazda O., Imanishi J., Nishikawa S.-I. Hemogenic and nonhemogenic endothelium can be distinguished by the activity of fetal liver kinase (Flk)-1 promoter/enhancer during mouse embryogenesis. *Blood* **101**, 886-893 (2003).
- Hirschi K.K., D'Amore P.A. Control of angiogenesis by the pericyte: molecular mechanisms and significance. *EXS* **79**, 419-428 (1997).
- Hirschi K.K., D'Amore P.A. Pericytes in the microvasculature. *Cardiovasc. Res.* **32**, 687-698 (1996).
- Hobbs S.K., Monsky W.L., Yuan F., Roberts W.G., Griffith L., Torchilin V.P., Jain R.K. Regulation of transport pathways in tumor vessels: role of tumor type and microenvironment. *Proc. Natl. Acad. Sci. USA* **95**, 4607-4612 (1998).

- Hohenwarter O., Zinser E., Schmatz C., Ruker F., Katinger H. Influence of transfected SV40 early region on growth and differentiation of human endothelial cells. *J. Biotechnol.* **25**, 349-356 (1992).
- Hollon T., Yoshimura F.K. Variation in enzymatic transient gene expression assays. *Anal. Biochem.* **182**, 411-418 (1989).
- Holmgren L., O'Reilly M.S., Folkman J. Dormancy of micrometastases: balanced proliferation and apoptosis in the presence of angiogenesis suppression. *Nat. Med.* **1**, 149-153 (1995).
- Holter W., Fordis C.M., Howard B.H. Efficient gene transfer by sequential treatment of mammalian cells with DEAE-dextran and deoxyribonucleic acid. *Exp. Cell Res.* **184**, 546-551 (1989).
- Houck K.A., Ferrara N., Winer J., Cachianes G., Li B., Leung D.W. The vascular endothelial growth factor family: identification of a fourth molecular species and characterization of alternative splicing of RNA. *Mol. Endocrinol.* **5**, 1806-1814 (1991).
- Houck K.A., Leung D.W., Rowland A.M., Winer J., Ferrara N. Dual regulation of vascular endothelial growth factor bioavailability by genetic and proteolytic mechanisms. *J. Biol. Chem.* **267**, 26031-26037 (1992).
- Huber D., Cramer E.M., Kaufmann J.E., Meda P., Masse J.M., Kruithof E.K., Vischer U.M. Tissue-type plasminogen activator (t-PA) is stored in Weibel-Palade bodies in human endothelial cells both in vitro and in vivo. *Blood* **99**, 3637-3645 (2002).
- Hudde T., Rayner S.A., Comer R.M., Weber M., Isaacs J.D., Waldmann H., Larkin D.F., George A.J. Activated polyamidoamine dendrimers, a non-viral vector for gene transfer to the corneal endothelium. *Gene Ther.* **6**, 939-943 (1999).
- Iivanainen E., Kahari V.M., Heino J., Elenius K. Endothelial cell-matrix interactions. *Microsc. Res. Tech.* **60**, 13-22 (2003).
- Ikeda E., Achen M.G., Breier G., Risau W. Hypoxia-induced transcriptional activation and increased mRNA stability of vascular endothelial growth factor in C6 glioma cells. *J. Biol. Chem.* **270**, 19761-19766 (1995).
- Iljin K., Dube A., Kontusaari S., Korhonen J., Lahtinen I., Oettgen P., Alitalo K. Role of ets factors in the activity and endothelial cell specificity of the mouse Tie gene promoter. *FASEB J.* **13**, 377-386 (1999).

- Im S.A., Gomez-Manzano C., Fueyo J., Liu T.J., Ke L.D., Kim J.S., Lee H.Y., Steck P.A., Kyritsis A.P., Yung W.K. Antiangiogenesis treatment for gliomas: transfer of antisense-vascular endothelial growth factor inhibits tumor growth in vivo. *Cancer Res.* **59**, 895-900 (1999).
- Imaiizumi T., Itaya H., Fujita K., Kudoh D., Kudoh S., Mori K., Fujimoto K., Matsumiya T., Yoshida H., Satoh K. Expression of tumor necrosis factor-alpha in cultured human endothelial cells stimulated with lipopolysaccharide or interleukin-1alpha. *Arterioscler. Thromb. Vasc. Biol.* **20**, 410-415 (2000a).
- Imaiizumi T., Itaya H., Nasu S., Yoshida H., Matsubara Y., Fujimoto K., Matsumiya T., Kimura H., Satoh K. Expression of vascular endothelial growth factor in human umbilical vein endothelial cells stimulated with interleukin-1-alpha – an autocrine regulation of angiogenesis and inflammatory reactions. *Thromb. Haemost.* **83**, 949-955 (2000b).
- Ingber D.E., Folkman J. How does extracellular matrix control capillary morphogenesis? *Cell* **58**, 803-805 (1989a).
- Ingber D.E., Folkman J. Mechanochemical switching between growth and differentiation during fibroblast growth factor-stimulated angiogenesis in vitro: role of extracellular matrix. *J. Cell Biol.* **109**, 317-330 (1989b).
- Ingber D.E., Madri J.A., Folkman J. A possible mechanism for inhibition of angiogenesis by angiostatic steroids: induction of capillary basement membrane dissolution. *Endocrinology* **119**, 1768-1775 (1986).
- Iruela-Arispe M.L., Dvorak H.F. Angiogenesis: a dynamic balance of stimulators and inhibitors. *Thromb. Haemost.* **78**, 672-677 (1997).
- Iruela-Arispe M.L., Hasselaar P., Sage H. Differential expression of extracellular proteins is correlated with angiogenesis in vitro. *Lab. Invest.* **64**, 174-186 (1991).
- Iwasaka C., Tanaka K., Abe M., Sato Y. Ets-1 regulates angiogenesis by inducing the expression of urokinase-type plasminogen activator and matrix metalloproteinase-1 and the migration of vascular endothelial cells. *J. Cell. Physiol.* **169**, 522-531 (1996).
- Jaggar R.T., Chan H.Y., Harris A.L., Bicknell R. Endothelial cell-specific expression of tumor necrosis factor-alpha from the KDR or E-selectin promoters following retroviral delivery. *Hum. Gene Ther.* **8**, 2239-2247 (1997).
- Jain R.K. Determinants of tumor blood flow: a review. *Cancer Res.* **48**, 2641-2658 (1988).
- Jain R.K., Schlenger K., Hockel M., Yuan F. Quantitative angiogenesis assays: progress and problems. *Nat. Med.* **3**, 1203-1208 (1997).

- Jakeman L.B., Winer J., Bennett G.L., Altar C.A., Ferrara N. Binding sites for vascular endothelial growth factor are localized on endothelial cells in adult rat tissues. *J. Clin. Invest.* **89**, 244-253 (1992).
- Jorcyk C.L., Watson D.K., Mavrothalassitis G.J., Papas T.S. The human ETS1 gene: genomic structure, promoter characterization and alternative splicing. *Oncogene* **6**, 523-532 (1991).
- Jordan M., Schallhorn A., Wurm F.M. Transfecting mammalian cells: optimization of critical parameters affecting calcium-phosphate precipitate formation. *Nucleic Acids Res.* **24**, 596-601 (1996).
- Junqueira L.C., Carneiro J., Kelley R.O. Kreislaufsystem. In: *Histologie* (Gratzl M., Hrsg.). 5. Auflage. Springer Verlag, Berlin, Heidelberg, S. 163-187 (2002).
- Junqueira L.C., Carneiro J., Kelley R.O. The Cell. In: *Basic histology*. 7. Auflage. Appleton & Lange Verlag Norwalk, Connecticut, S. 25-65 (1992).
- Kahn M.L., Lee S.W., Dichek D.A. Optimization of retroviral vector-mediated gene transfer into endothelial cells in vitro. *Circ. Res.* **71**, 1508-1517 (1992).
- Kaipainen A., Korhonen J., Mustonen T., van Hinsbergh V.W., Fang G.-H., Dumont D., Breitman M., Alitalo K. Expression of the fms-like tyrosine kinase 4 gene becomes restricted to lymphatic endothelium during development. *Proc. Natl. Acad. Sci. USA* **92**, 3566-3570 (1995).
- Kallianpur A.R., Jordan J.E., Brandt S.J. The SCL/TAL-1 gene is expressed in progenitors of both the hematopoietic and vascular systems during embryogenesis. *Blood* **83**, 1200-1208 (1994).
- Kappel A., Rönicke V., Damert A., Flamme I., Risau W., Breier G. Identification of vascular endothelial growth factor (VEGF) receptor-2 (Flk-1) promoter/enhancer sequences sufficient for angioblast and endothelial cell-specific transcription in transgenic mice. *Blood* **93**, 4284-4292 (1999).
- Kappel A., Schlaeger T.M., Flamme I., Orkin S.H., Risau W., Breier G. Role of SCL/Tal-1, GATA, and ets transcription factor binding sites for the regulation of Flk-1 expression during murine vascular development. *Blood* **96**, 3078-3085 (2000).
- Kasahara Y., Tudor R.M., Taraseviciene-Stewart L., Le Cras T.D., Abman S., Hirth P.K., Waltenberger J., Voelkel N.F. Inhibition of VEGF receptors causes lung cell apoptosis and emphysema. *J. Clin. Invest.* **106**, 1311-1319 (2000).

- Kataoka H., Takakura N., Nishikawa S., Tsuchida K., Kodama H., Kunisada T., Risau W., Kitata T., Nishikawa S.I. Expressions of PDGF receptor alpha, c-Kit and Flk1 genes clustering in mouse chromosome 5 define distinct subsets of nascent mesodermal cells. *Dev. Growth Differ.* **39**, 729-740 (1997).
- Kawai S., Nishizawa M. New procedure for DNA transfection with polycation and dimethyl sulfoxide. *Mol. Cell. Biol.* **4**, 1172-1174 (1984).
- Kefalides N.A., Alper R., Clark C.C. Biochemistry and metabolism of basement membranes. *Int. Rev. Cytol.* **61**, 167-228 (1979).
- Kendall R.L., Thomas K.A. Inhibition of vascular endothelial growth factor activity by an endogenously encoded soluble receptor. *Proc. Natl. Acad. Sci. USA* **90**, 10705-10709 (1993).
- Kerbel R.S. A cancer therapy resistant to resistance. *Nature* **390**, 335-336 (1997).
- Kikuchi A., Sugaya S., Ueda H., Tanaka K., Aramaki Y., Hara T., Arima H., Tsuchiya S., Fuwa T. Efficient gene transfer to EGF receptor overexpressing cancer cells by means of EGF-labeled cationic liposomes. *Biochem. Biophys. Res. Commun.* **227**, 666-671 (1996).
- Kim T.W., Chung H., Kwon I.C., Sung H.C., Jeong S.Y. In vivo gene transfer to the mouse nasal cavity mucosa using a stable cationic lipid emulsion. *Mol. Cells* **10**, 142-147 (2000).
- Klagsbrun M., D'Amore P.A. Regulators of angiogenesis. *Annu. Rev. Physiol.* **53**, 217-239 (1991).
- Klagsbrun M., Moses M.A. Molecular angiogenesis. *Chem. Biol.* **6**, R217-R224 (1999).
- Klatzmann D., Cherin P., Bensimon G., Boyer O., Coutellier A., Charlotte F., Boccaccio C., Salzman J.L., Herson S. A phase I/II dose-escalation study of herpes simplex virus type 1 thymidine kinase "suicide" gene therapy for metastatic melanoma. Study group on gene therapy of metastatic melanoma. *Hum. Gene Ther.* **9**, 2585-2594 (1998).
- Klein T.M., Wolf E.D., Wu R., Sanford J.C. High-velocity microprojectiles for delivering nucleic acids into living cells. *Nature* **327**, 70-73 (1987).
- Knighton D.R., Hunt T.K., Thakral K.K., Goodson W.H. Role of platelets and fibrin in the healing sequence: an in vivo study of angiogenesis and collagen synthesis. *Ann. Surg.* **196**, 379-388 (1982).
- Koblizek T.I., Weiss C., Yancopoulos G.D., Deutsch U., Risau W. Angiopoietin-1 induces sprouting angiogenesis in vitro. *Curr. Biol.* **8**, 529-532 (1998).

- Koch A.E., Halloran M.M., Haskell C.J., Shah M.R., Polverini P.J. Angiogenesis mediated by soluble forms of E-selectin and vascular cell adhesion molecule-1. *Nature* **376**, 517-519 (1995).
- Köhler G., Milstein C. Continuous cultures of fused cells secreting antibody of predefined specificity. *Nature* **256**, 495-497 (1975).
- Kola I., Brookes S., Green A.R., Garber R., Tymms M., Papas T.S., Seth A. The Ets1 transcription factor is widely expressed during murine embryo development and is associated with mesodermal cells involved in morphogenetic processes such as organ formation. *Proc. Natl. Acad. Sci. USA* **90**, 7588-7592 (1993).
- Kollmar R., Farnham P.J. Site-specific initiation of transcription by RNA polymerase II. *Proc. Soc. Exp. Biol. Med.* **203**, 127-139 (1993).
- Koolman J., Röhm K.-H., Wirth J. Molekulare Genetik. In: *Taschenatlas der Biochemie*. 2. Auflage. Georg Thieme Verlag Stuttgart, New York, S. 226-251 (1998).
- Korff T., Augustin H.G. Integration of endothelial cells in multicellular spheroids prevents apoptosis and induces differentiation. *J. Cell Biol.* **143**, 1341-1352 (1998).
- Kotnis R.A., Thompson M.M., Eady S.L., Budd J.S., Bell P.R., James R.F. Optimisation of gene transfer into vascular endothelial cells using electroporation. *Eur. J. Vasc. Endovasc. Surg.* **9**, 71-79 (1995).
- Kräling B.M., Razon M.J., Boon L.M., Zurakowski D., Seachord C., Darveau R.P., Mulliken J.B., Corless C.L., Bischoff J. E-selectin is present in proliferating endothelial cells in human hemangiomas. *Am. J. Pathol.* **148**, 1181-1191 (1996).
- Kräling B.M., Wiederschain D.G., Boehm T., Rehn M., Mulliken J.B., Moses M.A. The role of matrix metalloproteinase activity in the maturation of human capillary endothelial cells in vitro. *J. Cell Sci.* **112**, 1599-1609 (1999).
- Kramer R.H., Bensch K.G., Davison P.M., Karasek M.A. Basal lamina formation by cultured microvascular endothelial cells. *J. Cell Biol.* **99**, 692-698 (1984).
- Kroon M.E., Koolwijk P., van Goor H., Weidle U.H., Collen A., van der Pluijm G., van Hinsbergh V.W. Role and localization of urokinase receptor in the formation of new microvascular structures in fibrin matrices. *Am. J. Pathol.* **154**, 1731-1742 (1999).
- Krug R.M. The regulation of export of mRNA from nucleus to cytoplasm. *Curr. Opin. Cell Biol.* **5**, 944-949 (1993).

- Kubota Y., Kleinman H.K., Martin G.R., Lawley T.J. Role of laminin and basement membrane in the morphological differentiation of human endothelial cells into capillary-like structures. *J. Cell Biol.* **107**, 1589-1598 (1988).
- Kukowska-Latallo J.F., Bielinska A.U., Johnson J., Spindler R., Tomalia D.A., Baker J.R. Jr. Efficient transfer of genetic material into mammalian cells using starburst polyamidoamine dendrimers. *Proc. Natl. Acad. Sci. USA* **93**, 4897-4902 (1996).
- Kumar S., Ghellal A., Li C., Byrne G., Haboubi N., Wang J.M., Bundred N. Breast carcinoma: vascular density determined using CD105 antibody correlates with tumor prognosis. *Cancer Res.* **59**, 856-861 (1999).
- Kunitomi M., Takayama E., Suzuki S., Yasuda T., Tsutsui K., Nagaike K., Hiroi S., Tadakuma T. Selective inhibition of hepatoma cells using diphtheria toxin A under the control of the promoter/enhancer region of the human alpha-fetoprotein gene. *Jpn. J. Cancer Res.* **91**, 343-350 (2000).
- Kuzuya M., Satake S., Ramos M.A., Kanda S., Koike T., Yoshino K., Ikeda S., Iguchi A. Induction of apoptotic cell death in vascular endothelial cells cultured in three-dimensional collagen lattice. *Exp. Cell Res.* **248**, 498-508 (1999).
- Labow M.A., Norton C.R., Rumberger J.M., Lombard-Gillooly K.M., Shuster D.J., Hubbard J., Bertko R., Knaack P.A., Terry R.W., Harbison M.L., Kontgen F., Stewart C.L., McIntyre K.W., Will P.C., Burns D.K., Wolitzky B.A. Characterization of E-selectin-deficient mice: demonstration of overlapping function of the endothelial selectins. *Immunity* **1**, 709-720 (1994).
- Ladoux A., Frelin C. Expression of vascular endothelial growth factor by cultured endothelial cells from brain microvessels. *Biochem. Biophys. Res. Commun.* **194**, 799-803 (1993).
- Lal B., Cahan M.A., Couraud P.-O., Goldstein G.W., Laterra J. Development of endogenous beta-galactosidase and autofluorescence in rat brain microvessels: implications for cell tracking and gene transfer studies. *J. Histochem. Cytochem.* **42**, 953-956 (1994).
- Lamond A.I. Nuclear RNA processing. *Curr. Opin. Cell Biol.* **3**, 493-501 (1991).
- Lanford P.J., Lan Y., Jiang R., Lindsell C., Weinmaster G., Gridley T., Kelley M.W. Notch signalling pathway mediates hair cell development in mammalian cochlea. *Nat. Genet.* **21**, 289-292 (1999).

- Lassalle P., LaGrou C., Delneste Y., Sanceau J., Coll J., Torpier G., Wietzerbin J., Stehelin D., Tonnel A.B., Capron A. Human endothelial cells transfected by SV40 T antigens: characterization and potential use as a source of normal endothelial factors. *Eur. J. Immunol.* **22**, 425-431 (1992).
- Lawley T.J., Kubota Y. Induction of morphologic differentiation of endothelial cells in culture. *J. Invest. Dermatol.* **93**, 59S-61S (1989).
- Lederberg J. Genetic transduction. *Am. Sci.* **44**, 264-280 (1956).
- Leeuwen W. van, Hagendoorn M.J.M., Ruttink T., van Poecke R., van der Plas L.H.W., van der Krol A.R. The use of the luciferase reporter system for in planta gene expression studies. *Plant Mol. Biol. Rep.* **18**, 143a-143t (2000).
- Lehn P. General principles of the production and use of retroviral vectors. *Pathol. Biol.* **41**, 658-662 (1993).
- Lehrman S. Virus treatment questioned after gene therapy death. *Nature* **401**, 517-518 (1999).
- Lemaire S., Lizard G., Monier S., Miguet C., Gueldry S., Volot F., Gambert P., Neel D. Different patterns of IL-1beta secretion, adhesion molecule expression and apoptosis induction in human endothelial cells treated with 7alpha-, 7beta-hydroxycholesterol, or 7-ketocholesterol. *FEBS Lett.* **440**, 434-439 (1998).
- Leprince D., Gegonne A., Coll J., de Taisne C., Schneeberger A., Lagrou C., Stehelin D. A putative second cell-derived oncogene of the avian leukaemia retrovirus E26. *Nature* **306**, 395-397 (1983).
- Ley K. Molecular mechanisms of leukocyte recruitment in the inflammatory process. *Cardio-vasc. Res.* **32**, 733-742 (1996).
- Liekens S., de Clercq E., Neyts J. Angiogenesis: regulators and clinical applications. *Biochem. Pharmacol.* **61**, 253-270 (2001).
- Lin Y., Weisdorf D.J., Solovey A., Hebbel R.P. Origins of circulating endothelial cells and endothelial outgrowth from blood. *J. Clin. Invest.* **105**, 71-77 (2000).
- Lindl T. Routinemethoden zur allgemeinen Handhabung und Subkultivierung von Zellen. In: *Zell- und Gewebekultur*. 5. Auflage. Spektrum Akademischer Verlag GmbH Heidelberg, Berlin, S. 101-121 (2002).

- Logan S.K., Garabedian M.J., Campbell C.E., Werb Z. Synergistic transcriptional activation of the tissue inhibitor of metalloproteinases-1 promoter via functional interaction of AP-1 and Ets-1 transcription factors. *J. Biol. Chem.* **271**, 774-782 (1996).
- Lojda Z. Indigogenic methods for glycosidases. II. An improved method for beta-D-galactosidase and its application to localization studies of the enzymes in the intestine and in other tissues. *Histochemie* **23**, 266-288 (1970).
- López-Collazo E., Mateo J., Miras-Portugal M.T., Bosca L. Requirement of nitric oxide and calcium mobilization for the induction of apoptosis in adrenal vascular endothelial cells. *FEBS Lett.* **413**, 124-128 (1997).
- Lorenz W.W., McCann R.O., Longiaru M., Cormier M.J. Isolation and expression of a cDNA encoding Renilla reniformis luciferase. *Proc. Natl. Acad. Sci. USA* **88**, 4438-4442 (1991).
- Luckow B., Schütz G. CAT constructions with multiple unique restriction sites for the functional analysis of eukaryotic promoters and regulatory elements. *Nucleic Acids Res.* **15**, 5490 (1987).
- Luo D., Saltzman W.M. Enhancement of transfection by physical concentration of DNA at the cell surface. *Nat. Biotechnol.* **18**, 893-895 (2000a).
- Luo D., Saltzman W.M. Synthetic DNA delivery systems. *Nat. Biotechnol.* **18**, 33-37 (2000b).
- Luo J., Lin J., Paranya G., Bischoff J. Angiostatin upregulates E-selectin in proliferating endothelial cells. *Biochem. Biophys. Res. Commun.* **245**, 906-911 (1998).
- Luttun A., Carmeliet G., Carmeliet P. Vascular progenitors: from biology to treatment. *Trends Cardiovasc. Med.* **12**, 88-96 (2002).
- Luzio J.P., Mullock B.M., Pryor P.R., Lindsay M.R., James D.E., Piper R.C. Relationship between endosomes and lysosomes. *Biochem. Soc. Trans.* **29**, 476-480 (2001).
- Ma H.I., Lin S.Z., Chiang Y.H., Li J., Chen S.L., Tsao Y.P., Xiao X. Intratumoral gene therapy of malignant brain tumor in a rat model with angiostatin delivered by adeno-associated viral (AAV) vector. *Gene Ther.* **9**, 2-11 (2002).
- MacDonald C. Development of new cell lines for animal cell biotechnology. *Crit. Rev. Biotech.* **10**, 155-178 (1990).
- Maciag T., Cerundolo J., Ilsley S., Kelley P.R., Forand R. An endothelial cell growth factor from bovine hypothalamus: identification and partial characterization. *Proc. Natl. Acad. Sci. USA* **76**, 5674-5678 (1979).

- Maciag T., Kadish J., Wilkins L., Stemerman M.B., Weinstein R. Organizational behavior of human umbilical vein endothelial cells. *J. Cell Biol.* **94**, 511-520 (1982).
- Madri J.A., Williams S.K. Capillary endothelial cell cultures: phenotypic modulation by matrix components. *J. Cell Biol.* **97**, 153-165 (1983).
- Mahato R.I., Kawabata K., Takakura Y., Hashida M. In vivo disposition characteristics of plasmid DNA complexed with cationic liposomes. *J. Drug Target.* **3**, 149-157 (1995).
- Malinda K.M., Ponce L., Kleinman H.K., Shackelton L.M., Millis A.J. Gp38k, a protein synthesized by vascular smooth muscle cells, stimulates directional migration of human umbilical vein endothelial cells. *Exp. Cell Res.* **250**, 168-173 (1999).
- Malone R.W., Felgner P.L., Verma I.M. Cationic liposome-mediated RNA transfection. *Proc. Natl. Acad. Sci. USA* **86**, 6077-6081 (1989).
- Mandriota S.J., Seghezzi G., Vassalli J.D., Ferrara N., Wasi S., Mazzieri R., Mignatti P., Pepper M.S. Vascular endothelial growth factor increases urokinase receptor expression in vascular endothelial cells. *J. Biol. Chem.* **270**, 9709-9716 (1995).
- Maniatis T., Goodbourn S., Fischer J.A. Regulation of inducible and tissue-specific gene expression. *Science* **236**, 1237-1245 (1987).
- Mannino R.J., Gould-Fogerite S. Liposome mediated gene transfer. *Biotechniques* **6**, 682-690 (1988).
- Markert J.M., Medlock M.D., Rabkin S.D., Gillespie G.Y., Todo T., Hunter W.D., Palmer C.A., Feigenbaum F., Tornatore C., Tufaro F., Martuza R.L. Conditionally replicating herpes simplex virus mutant, G207 for the treatment of malignant glioma: results of a phase I trial. *Gene Ther.* **7**, 867-874 (2000).
- Maroulakou I.G., Papas T.S., Green J.E. Differential expression of ets-1 and ets-2 proto-oncogenes during murine embryogenesis. *Oncogene* **9**, 1551-1565 (1994).
- Maruyama-Tabata H., Harada Y., Matsumura T., Satoh E., Cui F., Iwai M., Kita M., Hibi S., Imanishi J., Sawada T., Mazda O. Effective suicide gene therapy in vivo by EBV-based plasmid vector coupled with polyamidoamine dendrimer. *Gene Ther.* **7**, 53-60 (2000).
- Matsui H., Johnson L.G., Randell S.H., Boucher R.C. Loss of binding and entry of liposome-DNA complexes decreases transfection efficiency in differentiated airway epithelial cells. *J. Biol. Chem.* **272**, 1117-1126 (1997).

- Matsumoto M., Nishinakagawa H., Kurohmaru M., Hayashi Y., Otsuka J. Pregnancy and lactation affect the microvasculature of the mammary gland in mice. *J. Vet. Med. Sci.* **54**, 937-943 (1992).
- Matthews W., Jordan C.T., Gavin M., Jenkins N.A., Copeland N.G., Lemischka I.R. A receptor tyrosine kinase cDNA isolated from a population of enriched primitive hematopoietic cells and exhibiting close genetic linkage to c-kit. *Proc. Natl. Acad. Sci. USA* **88**, 9026-9030 (1991).
- Mayer B., Spatz H., Funke I., Johnson J.P., Schildberg F.W. De novo expression of the cell adhesion molecule E-selectin on gastric cancer endothelium. *Langenbecks Arch. Surg.* **383**, 81-86 (1998).
- Mayerhofer R., Araki K., Szalay A.A. Monitoring of spatial expression of firefly luciferase in transformed zebrafish. *J. Biolumin. Chemilumin.* **10**, 271-275 (1995).
- McCormick F. Cancer gene therapy: fringe or cutting edge? *Nat. Rev. Cancer* **1**, 130-141 (2001).
- McCutchan J.H., Pagano J.S. Enhancement of the infectivity of simian virus 40 deoxyribonucleic acid with diethylaminoethyl-dextran. *J. Natl. Cancer Inst.* **41**, 351-357 (1968).
- McLachlin J.R., Cornetta K., Eglitis M.A., Anderson W.F. Retroviral-mediated gene transfer. *Prog. Nucleic Acid Res. Mol. Biol.* **38**, 91-135 (1990).
- McLean J.W., Fox E.A., Baluk P., Bolton P.B., Haskell A., Pearlman R., Thurston G., Umemoto E.Y., McDonald D.M. Organ-specific endothelial cell uptake of cationic liposome-DNA complexes in mice. *Am. J. Physiol.* **273**, H387-H404 (1997).
- Meng K. Untersuchungen zur Transfektion angiogener Endothelzellen. *Dissertation*. Tierärztliche Fakultät der Ludwig-Maximilians-Universität München (2002).
- Meyer G.T., Matthias L.J., Noack L., Vadas M.A., Gamble J.R. Lumen formation during angiogenesis in vitro involves phagocytic activity, formation and secretion of vacuoles, cell death, and capillary tube remodelling by different populations of endothelial cells. *Anat. Rec.* **249**, 327-340 (1997).
- Mignatti P., Rifkin D.B. Plasminogen activators and matrix metalloproteinases in angiogenesis. *Enzyme Protein* **49**, 117-137 (1996).
- Mignatti P., Tsuboi R., Robbins E., Rifkin D.B. In vitro angiogenesis on the human amniotic membrane: requirement for basic fibroblast growth factor-induced proteinases. *J. Cell Biol.* **108**, 671-682 (1989).

- Millauer B., Wizigmann-Voss S., Schnurch H., Martinez R., Moller N.P., Risau W., Ullrich A. High affinity VEGF binding and developmental expression suggest Flk-1 as a major regulator of vasculogenesis and angiogenesis. *Cell* **72**, 835-846 (1993).
- Misteli T., Spector D.L. Applications of the green fluorescent protein in cell biology and biotechnology. *Nat. Biotechnol.* **15**, 961-964 (1997).
- Mitchell P.J., Tjian R. Transcriptional regulation in mammalian cells by sequence-specific DNA binding proteins. *Science* **245**, 371-378 (1989).
- Modlich U., Kaup F.J., Augustin H.G. Cyclic angiogenesis and blood vessel regression in the ovary: blood vessel regression during luteolysis involves endothelial cell detachment and vessel occlusion. *Lab. Invest.* **74**, 771-780 (1996).
- Montesano R., Orci L. Tumor-promoting phorbol esters induce angiogenesis in vitro. *Cell* **42**, 469-477 (1985).
- Montesano R., Orci L., Vassalli P. In vitro rapid organization of endothelial cells into capillary-like networks is promoted by collagen matrices. *J. Cell Biol.* **97**, 1648-1652 (1983).
- Montesano R., Pepper M.S. Vassalli J.D., Orci L. Phorbol esters induces cultured endothelial cells to invade a fibrin matrix in the presence of fibrinolytic inhibitors. *J. Cell. Physiol.* **132**, 509-516 (1987).
- Montesano R., Pepper M.S., Orci L. Paracrine induction of angiogenesis in vitro by Swiss 3T3 fibroblasts. *J. Cell Sci.* **105**, 1013-1024 (1993).
- Montesano R., Pepper M.S., Vassalli J.D., Orci L. Modulation of angiogenesis in vitro. *EXS* **61**, 129-136 (1992).
- Montesano R., Vassalli J.D., Baird A., Guillemin R., Orci L. Basic fibroblast growth factor induces angiogenesis in vitro. *Proc. Natl. Acad. Sci USA* **83**, 7297-7301 (1986).
- Montgomery R., Conway T.W., Spector A.A., Chappel D. RNA and protein biosynthesis. In: *Biochemistry: a case-orientated approach*. 6. Auflage. Mosby Verlag, St. Louis, Missouri, S. 494-525 (1996).
- Moore B.B., Keane M.P., Addison C.L., Arenberg D.A., Strieter R.M. CXC chemokine modulation of angiogenesis: the importance of balance between angiogenic and angiostatic members of the family. *J. Investig. Med.* **46**, 113-120 (1998).
- Mueller-Storm H.P., Sogo J.M., Schaffner W. An enhancer stimulates transcription in trans when attached to the promoter via a protein bridge. *Cell* **58**, 767-777 (1989).

- Mukhopadhyay D., Tsiokas L., Zhou X.M., Foster D., Brugge J.S., Sukhatme V.P. Hypoxic induction of human vascular endothelial growth factor expression through c-Src activation. *Nature* **375**, 577-581 (1995).
- Mullen C.A., Snitzer K., Culver K.W., Morgan R.A., Anderson W.F., Blaese R.M. Molecular analysis of T lymphocyte-directed gene therapy for adenosine deaminase deficiency: long-term expression in vivo of genes introduced with a retroviral vector. *Hum. Gene Ther.* **7**, 1123-1129 (1996).
- Muthusamy N., Barton K., Leiden J.M. Defective activation and survival of T cells lacking the Ets-1 transcription factor. *Nature* **377**, 639-642 (1995).
- Nabel G.J., Nabel E.G., Yang Z.Y., Fox B.A., Plautz G.E., Gao X., Huang L., Shu S., Gordon D., Chang A.E. Direct gene transfer with DNA-liposome complexes in melanoma: expression, biological activity, and lack of toxicity in humans. *Proc. Natl. Acad. Sci. USA* **90**, 11307-11311 (1993).
- Nagase H. Cell surface activation of progelatinase A (proMMP-2) and cell migration. *Cell Res.* **8**, 179-186 (1998).
- Nagata S., Nagase H., Kawane K., Mukae N., Fukuyama H. Degradation of chromosomal DNA during apoptosis. *Cell Death Diff.* **10**, 108-116 (2003).
- Nakamura M., Davila-Zavala P., Tokuda H., Takakura Y., Hashida M. Uptake and gene expression of naked plasmid DNA in cultured brain microvessel endothelial cells. *Biochem. Biophys. Res. Commun.* **245**, 235-239 (1998).
- Nakao-Hayashi J., Ito H., Kanayasu T., Morita I., Murota S. Stimulatory effects of insulin and insulin-like growth factor I on migration and tube formation by vascular endothelial cells. *Atherosclerosis* **92**, 141-149 (1992).
- Nehls V., Herrmann R. The configuration of fibrin clots determines capillary morphogenesis and endothelial cell migration. *Microvasc. Res.* **51**, 347-364 (1996).
- Nemunaitis J., Swisher S.G., Timmons T., Connors D., Mack M., Doerkson L., Weill D., Wait J., Lawrence D.D., Kemp B.L., Fossella F., Glisson B.S., Hong W.K., Khuri F.R., Kurie J.M., Lee J.J., Lee J.S., Nguyen D.M., Nesbitt J.C., Perez-Soler R., Pisters K.M., Putnam J.B., Richli W.R., Shin D.M., Walsh G.L., Merritt J., Roth J.A. Adenovirus-mediated p53 gene transfer in sequence with cisplatin to tumors of patients with non-small-cell lung cancer. *J. Clin. Oncol.* **18**, 609-622 (2000).
- Neumann E., Schaefer-Ridder M., Wang Y., Hofschneider P.H. Gene transfer into mouse lymphoma cells by electroporation in high electric fields. *EMBO J.* **1**, 841-845 (1982).

- Nguyen J.T., Wu P., Clouse M.E., Hlatky L., Terwilliger E.F. Adeno-associated virus-mediated delivery of antiangiogenic factors as an antitumor strategy. *Cancer Res.* **58**, 5673-5677 (1998).
- Nguyen M., Strubel N.A., Bischoff J. A role for sialyl Lewis-X/A glycoconjugates in capillary morphogenesis. *Nature* **365**, 267-269 (1993).
- Nguyen V.T., Morange M., Bensaude O. Firefly luciferase luminescence assays using scintillation counters for quantitation in transfected mammalian cells. *Anal. Biochem.* **171**, 404-408 (1988).
- Nguyen V.T., Morange M., Bensaude O. Protein denaturation during heat shock and related stress. Escherichia coli beta-galactosidase and Photinus pyralis luciferase inactivation in mouse cells. *J. Biol. Chem.* **264**, 10487-10492 (1989).
- Nicosia R.F., Ottinetti A. Growth of microvessels in serum-free matrix culture of rat aorta. A quantitative assay of angiogenesis in vitro. *Lab. Invest.* **63**, 115-122 (1990a).
- Nicosia R.F., Ottinetti A. Modulation of microvascular growth and morphogenesis by reconstituted basement membrane gel in three-dimensional cultures of rat aorta: a comparative study of angiogenesis in matrigel, collagen, fibrin, and plasma clot. *In Vitro Cell. Dev. Biol.* **26**, 119-128 (1990b).
- Nicosia R.F., Tchao R., Leighton J. Histotypic angiogenesis in vitro: Light microscopic, ultrastructural, and radioautographic studies. *In Vitro* **18**, 538-549 (1982).
- Nicosia R.F., Villaschi S. Autoregulation of angiogenesis by cells of the vessel wall. *Int. Rev. Cytol.* **185**, 1-43 (1999).
- Nishizaki M., Fujiwara T., Tanida T., Hizuta A., Nishimori H., Tokino T., Nakamura Y., Bouvet M., Roth J.A., Tanaka N. Recombinant adenovirus expressing wild-type p53 is antiangiogenic: a proposed mechanism for bystander effect. *Clin. Cancer Res.* **5**, 1015-1023 (1999).
- Nissanov J., Tuman R.W., Gruver L.M., Fortunato J.M. Automatic vessel segmentation and quantification of the rat aortic ring assay of angiogenesis. *Lab. Invest.* **73**, 734-739 (1995).
- Nissen N.N., Polverini P.J., Koch A.E., Volin M.V., Gamelli R.L., DiPietro L.A. Vascular endothelial growth factor mediates angiogenic activity during the proliferative phase of wound healing. *Am. J. Pathol.* **152**, 1445-1452 (1998).
- Novina C.D., Roy A.L. Core promoters and transcriptional control. *Trends Genet.* **12**, 351-355 (1996).

- O'Mahoney J.V., Adams T.E. Optimization of experimental variables influencing reporter gene expression in hepatoma cells following calcium phosphate transfection. *DNA Cell Biol.* **13**, 1227-1232 (1994).
- Oda N., Abe M., Sato Y. ETS-1 converts endothelial cells to the angiogenic phenotype by inducing the expression of matrix metalloproteinases and integrin beta3. *J. Cell. Physiol.* **178**, 121-132 (1999).
- Okada Y., Murayama F. Multinucleated giant cell formation by fusion between cells of two different strains. *Exp. Cell Res.* **40**, 154-158 (1965).
- Ow D.W., Wood K.V., DeLuca M., De Wet J.R., Helinski D.R., Howell S.H. Transient and stable expression of the firefly luciferase gene in plant cells and transgenic plants. *Science* **234**, 856-859 (1986).
- Pagano J.S., Vaheri A. Enhancement of infectivity of poliovirus RNA with diethylaminoethyl-dextran (DEAE-D). *Arch. Ges. Virusforsch.* **17**, 456-464 (1965).
- Paku S. Current concepts of tumor-induced angiogenesis. *Pathol. Oncol. Res.* **4**, 62-75 (1998).
- Papapetropoulos A., Garcia-Cardena G., Dengler T.J., Maisonpierre P.C., Yancopoulos G.D., Sessa W.C. Direct actions of angiopoietin-1 on human endothelium: evidence for network stabilization, cell survival, and interaction with other angiogenic growth factors. *Lab. Invest.* **79**, 213-223 (1999).
- Papapetropoulos A., Garcia-Cardena G., Madri J.A., Sessa W.C. Nitric oxide production contributes to the angiogenic properties of vascular endothelial growth factor in human endothelial cells. *J. Clin. Invest.* **100**, 3131-3139 (1997).
- Park J.E., Chen H.H., Winer J., Houck K.A., Ferrara N. Placenta growth factor. Potentiation of vascular endothelial growth factor bioactivity, in vitro and in vivo, and high affinity binding to Flt-1 but not to Flk-1/KDR. *J. Biol. Chem.* **269**, 25646-25654 (1994).
- Patan S., Alvarez M.J., Schittny J.C., Burri P.H. Intussusceptive microvascular growth: a common alternative to capillary sprouting. *Arch. Histol. Cytol.* **55** (Suppl.), 65-75 (1992).
- Patan S., Haenni B., Burri P.H. Evidence for intussusceptive capillary growth in the chicken chorio-allantoic membrane (CAM). *Anat. Embryol.* **187**, 121-130 (1993).
- Patterson C., Perrella M.A., Hsieh C.M., Yoshizumi M., Lee M.E., Haber E. Cloning and functional analysis of the promoter for KDR/flk-1, a receptor for vascular endothelial growth factor. *J. Biol. Chem.* **270**, 23111-23118 (1995).

- Patterson C., Wu Y., Lee M.E., DeVault J.D., Runge M.S., Haber E. Nuclear protein interactions with the human KDR/flk-1 promoter in vivo. Regulation of Sp1 binding is associated with cell type-specific expression. *J. Biol. Chem.* **272**, 8410-8416 (1997).
- Paulsson M. Basement membrane proteins: structure, assembly, and cell interactions. *Crit. Rev. Biochem. Mol. Biol.* **27**, 93-127 (1992).
- Pazzaglia M., Devine J.H., Peterson D.O., Baldwin T.O. Use of bacterial and firefly luciferases as reporter genes in DEAE-dextran-mediated transfection of mammalian cells. *Anal. Biochem.* **204**, 315-323 (1992).
- Pedram A., Razandi M., Hu R.-M., Levin E.R. Vasoactive peptides modulate vascular endothelial cell growth factor production and endothelial cell proliferation and invasion. *J. Biol. Chem.* **272**, 17097-17103 (1997).
- Pelisek J., Engelmann M.G., Golda A., Fuchs A., Armeanu S., Shimizu M., Mekkaoui C., Rolland P.H., Nikol S. Optimization of nonviral transfection: variables influencing liposome-mediated gene transfer in proliferating vs. quiescent cells in culture and in vivo using a porcine restenosis model. *J. Mol. Med.* **80**, 724-736 (2002).
- Pelletier L., Regnard J., Fellmann D., Charbord P. An in vitro model for the study of human bone marrow angiogenesis: role of hematopoietic cytokines. *Lab. Invest.* **80**, 501-511 (2000).
- Pepper M.S. Manipulating angiogenesis. From basic science to the bedside. *Arterioscler. Thromb. Vasc. Biol.* **17**, 605-619 (1997).
- Pepper M.S., Ferrara N., Orci L., Montesano R. Potent synergism between vascular endothelial growth factor and basic fibroblast growth factor in the induction of angiogenesis in vitro. *Biochem. Biophys. Res. Commun.* **189**, 824-831 (1992).
- Pepper M.S., Ferrara N., Orci L., Montesano R. Vascular endothelial growth factor (VEGF) induces plasminogen activators and plasminogen activator inhibitor-1 in microvascular endothelial cells. *Biochem. Biophys. Res. Commun.* **181**, 902-906 (1991).
- Peters K., Troyer D., Kummer S., Kirkpatrick C.J., Rauterberg J. Apoptosis causes lumen formation during angiogenesis in vitro. *Microvasc. Res.* **64**, 334-338 (2002).
- Peters K.G., De Vries C., Williams L.T. Vascular endothelial growth factor receptor expression during embryogenesis and tissue repair suggests a role in endothelial differentiation and blood vessel growth. *Proc. Natl. Acad. Sci. USA* **90**, 8915-8919 (1993).
- Pintavorn P., Ballermann B.J. TGF-beta and the endothelium during immune injury. *Kidney Int.* **51**, 1401-1412 (1997).

- Piper R.C., Luzio J.P. Late endosomes: sorting and partitioning in multivesicular bodies. *Traffic* **2**, 612-621 (2001).
- Plank C., Oberhauser B., Mechtler K., Koch C., Wagner E. The influence of endosome-disruptive peptides on gene transfer using synthetic virus-like gene transfer systems. *J. Biol. Chem.* **269**, 12918-12924 (1994).
- Plendl J. Das Gefäßendothel: Organ- und entwicklungsphasenspezifische Heterogenität im in vitro Modell. *Habilitationsschrift*. Tierärztliche Fakultät der Ludwig-Maximilians-Universität München (1997).
- Plendl J., Gilligan B.J., Wang S.J., Lewis R., Shinners B., Vandenbroeck K., Auerbach R. Primitive endothelial cell lines from the porcine embryonic yolk sac. *In Vitro Cell. Dev. Biol. Anim.* **38**, 334-342 (2002).
- Plendl J., Hartwell L., Auerbach R. Organ-specific change in dolichos biflorus lectin binding by myocardial endothelial cells during in vitro cultivation. *In Vitro Cell. Dev. Biol.* **29A**, 25-31 (1993).
- Plendl J., Sinowatz F., Auerbach R. A transformed murine myocardial vascular endothelial cell clone: characterization of cells in vitro and of tumours derived from the clone in situ. *Virchows Arch.* **426**, 619-628 (1995).
- Plendl J., Sinowatz F., Auerbach R. Die Heterogenität des vaskulären Endothels. *Anat. Histol. Embryol.* **21**, 256-262 (1992).
- Plendl J., Snyman C., Bhoola K.D. Expression of tissue kallikrein-kinin cascade in the granulosa cells of the ovary. *Biol. Chem.* **383**, 1917-1924 (2002a).
- Plendl J., Snyman C., Bhoola K.D. Visualization of the sequential changes in immunolabelled tissue kininogenase with accompany follicular development and luteinization of angiogenic granulosa cells of the ovary. *Int. Immunopharmacol.* **2**, 1981-1994 (2002b).
- Plendl J., Stierstorfer B., Fuchs T., Boie G., Sinowatz F. Expression of vascular endothelial growth factor and its receptor in an in vitro model of the bovine corpus luteum. *Reprod. Dom. Anim.* **43**, 22 (1999).
- Pollard H., Remy J.S., Loussouarn G., Demolombe S., Behr J.-P., Escande D. Polyethylenimine but not cationic lipids promotes transgene delivery to the nucleus in mammalian cells. *J. Biol. Chem.* **273**, 7507-7511 (1998).
- Pothier F., Ouellet M., Julien J.P., Guerin S.L. An improved CAT assay for promoter analysis in either transgenic mice or tissue culture cells. *DNA Cell Biol.* **11**, 83-90 (1992).

- Potter H. Electroporation in biology: methods, application, and instrumentation. *Anal. Biochem.* **174**, 361-373 (1988).
- Presta M., Moscatelli D., Joseph-Silverstein J., Rifkin D.B. Purification from a human hepatoma cell line of a basic fibroblast growth factor-like molecule that stimulates capillary endothelial cell Plasminogen activator production, DNA synthesis, and migration. *Mol. Cell. Biol.* **6**, 4060-4066 (1986).
- Ptashne M. Gene regulation by proteins acting nearby and at a distance. *Nature* **322**, 697-701 (1986).
- Qian H.S., Channon K., Neplioueva V., Wang Q., Finer M., Tsui L., George S.E., McArthur J. Improved adenoviral vector for vascular gene therapy. Beneficial effects on vascular function and inflammation. *Circ. Res.* **88**, 911-917 (2001).
- Rafii S. Circulating endothelial precursors: mystery, reality, and promise. *J. Clin. Invest.* **105**, 17-19 (2000).
- Raghavachari N., Fahl W.E. Targeted gene delivery to skin cells in vivo: a comparative study of liposomes and polymers as delivery vehicles. *J. Pharm. Sci.* **91**, 615-622 (2002).
- Régulier E., Paul S., Marigliano M., Kintz J., Poitevin Y., Ledoux C., Roecklin D., Cauet G., Calenda V., Homann H.E. Adenovirus-mediated delivery of antiangiogenic genes as an antitumor approach. *Cancer Gene Ther.* **8**, 45-54 (2001).
- Reix P., Bellon G., Bienvenu J., Pavirani A., Levrey-Hadden H. Cytokine pattern in cystic fibrosis patients during antibiotic therapy and gene therapy using adenoviral vector. *Eur. Cytokine Netw.* **13**, 324-330 (2002).
- Ribatti D., Vacca A., Nico B., Roncali L., Dammacco F. Postnatal vasculogenesis. *Mech. Dev.* **100**, 157-163 (2001).
- Richardson K.C., Jarett L., Finke E.H. Embedding in epoxy resins for ultrathin sectioning in electron microscopy. *Stain Techn.* **35**, 313 (1960).
- Risau W. Mechanisms of angiogenesis. *Nature* **386**, 671-674 (1997).
- Risau W., Flamme I. Vasculogenesis. *Annu. Rev. Cell Dev. Biol.* **11**, 73-91 (1995).
- Roeder R.G. Role of general and gene-specific cofactors in the regulation of eukaryotic transcription. *Cold Spring Harb. Symp. Quant. Biol.* **63**, 201-218 (1998).
- Roeder R.G. The complexities of eukaryotic transcription initiation: regulation of preinitiation complex assembly. *Trends Biochem. Sci.* **16**, 402-408 (1991).

- Rogers S. Induction of arginase in rabbit epithelium by the Shope rabbit papilloma virus. *Nature* **183**, 1815-1816 (1959).
- Rolland A.P. From genes to gene medicines: recent advances in nonviral gene delivery. *Crit. Rev. Ther. Drug Carrier Syst.* **15**, 143-198 (1998).
- Rönicke V., Risau W., Breier G. Characterization of the endothelium-specific murine vascular endothelial growth factor receptor-2 (Flk-1) promoter. *Circ. Res.* **79**, 277-285 (1996).
- Rosenthal R.A., Megyesi J.F., Henzel W.J., Ferrara N., Folkman J. Conditioned media from mouse sarcoma 180 cells contains vascular endothelial growth factor. *Growth Factors* **4**, 53-59 (1990).
- Roth J.A., Cristiano R.J. Gene therapy for cancer: what have we done and where are we going? *J. Natl. Cancer Inst.* **89**, 21-39 (1997).
- Russell W.C. Update on adenovirus and its vectors. *J. Gen. Virol.* **81**, 2573-2604 (2000).
- Rymaszewski Z., Cohen R.M., Chomczynski P. Human growth hormone stimulates proliferation of human retinal microvascular endothelial cells in vitro. *Proc. Natl. Acad. Sci. USA* **88**, 617-621 (1991).
- Sacco M.G., Caniatti M., Cato E.M., Fratini A., Chiesa G., Ceruti R., Adorni F., Zecca L., Scanziani E., Vezzoni P. Liposome-delivered angiostatin strongly inhibits tumor growth and metastatization in a transgenic model of spontaneous breast cancer. *Cancer Res.* **60**, 2660-2665 (2000).
- Sage E.H., Vernon R.B. Regulation of angiogenesis by extracellular matrix: the growth and the glue. *J. Hypertens.* **12** (Suppl.), S145-S152 (1994).
- Sage H., Pritzl P., Bornstein P. Secretory phenotypes of endothelial cells in culture: comparison of aortic, venous, capillary, and corneal endothelium. *Arteriosclerosis* **1**, 427-442 (1981).
- Sakuda H., Nakashima Y., Kuriyama S., Sueishi K. Media conditioned by smooth muscle cells cultured in a variety of hypoxic environments stimulates in vitro angiogenesis. A relationship to transforming growth factor-beta 1. *Am. J. Pathol.* **141**, 1507-1516 (1992).
- Sala R., Jefferies W.A., Walker B., Yang J., Tiong J., Law S.K., Carlevaro M.F., Di Marco E., Vacca A., Cancedda R., Cancedda F.D., Ribatti D. The human melanoma associated protein melanotransferrin promotes endothelial cell migration and angiogenesis in vivo. *Eur. J. Cell Biol.* **81**, 599-607 (2002).

- Sanes J.R., Rubenstein J.L., Nicolas J.F. Use of a recombinant retrovirus to study post-implantation cell lineage in mouse embryos. *EMBO J.* **5**, 3133-3142 (1986).
- Sasaguri Y., Yanagi H., Nagase H., Nakano R., Fukuda S., Morimasu M. Collagenase production by immortalized aortic endothelial cells infected with simian virus 40. *Virch. Arch. B Cell. Pathol. Incl. Mol. Pathol.* **60**, 91-97 (1991).
- Sato N., Kobayashi H., Saga T., Nakamoto Y., Ishimori T., Togashi K., Fujibayashi Y., Konishi J., Brechbiel M.W. Tumor targeting and imaging of intraperitoneal tumors by use of antisense oligo-DNA complexed with dendrimers and/or avidin in mice. *Clin. Cancer Res.* **7**, 3606-3612 (2001).
- Sato Y. Transcription factor ETS-1 as a molecular target for angiogenesis inhibition. *Hum. Cell* **11**, 207-214 (1998).
- Sato Y., Abe M., Tanaka K., Iwasaka C., Oda N., Kanno S., Oikawa M., Nakano T., Igarashi T. Signal transduction and transcriptional regulation of angiogenesis. *Adv. Exp. Med. Biol.* **476**, 109-115 (2000).
- Sato Y., Okamura K., Morimoto A., Hamanaka R., Hamaguchi K., Shimada T., Ono M., Kohno K., Sakata T., Kuwano M. Indispensable role of tissue-type plasminogen activator in growth factor-dependent tube formation of human microvascular endothelial cells in vitro. *Exp. Cell Res.* **204**, 223-229 (1993).
- Sauter B.V., Martinet O., Zhang W.J., Mandel J., Woo S.L. Adenovirus-mediated gene transfer of endostatin in vivo results in high level of transgene expression and inhibition of tumor growth and metastases. *Proc. Natl. Acad. Sci. USA* **97**, 4802-4807 (2000).
- Schlaeger T.M., Bartunkova S., Lawitts J.A., Teichmann G., Risau W., Deutsch U., Sato T.N. Uniform vascular-endothelial-cell-specific gene expression in both embryonic and adult transgenic mice. *Proc. Natl. Acad. Sci. USA* **94**, 3058-3063 (1997).
- Schleif R. DNA looping. *Annu. Rev. Biochem.* **61**, 199-223. (1992).
- Schönherr E., O'Connell B.C., Schitthy J., Robenek H., Fastermann D., Fisher L.W., Plenz G., Vischer P., Young M.F., Kresse H. Paracrine or virus-mediated induction of decorin expression by endothelial cells contributes to tube formation and prevention of apoptosis in collagen lattices. *Eur. J. Cell Biol.* **78**, 44-55 (1999).
- Schor A.M., Schor S.L., Allen T.D. Effects of culture conditions on the proliferation, morphology and migration of bovine aortic endothelial cells. *J. Cell Sci.* **62**, 267-285 (1983).

Schreiber A.B., Kenney J., Kowalski J., Thomas K.A., Gimenez-Gallego G., Rios-Candelore M., Di Salvo J., Barritault D., Courtois Y., Moenner M., Loret C., Burgess W.H., Mehlman T., Friesel R., Johnson W., Maciag T. A unique family of endothelial cell polypeptide mitogens: the antigenic and receptor cross-reactivity of bovine endothelial cell growth factor, brain-derived acidic fibroblast growth factor, and eye-derived growth factor-II. *J. Cell Biol.* **101**, 1623-1626 (1985).

Schuster S. Zelluläre und molekulare Mechanismen der in vitro-Angiogenese: Lichtmikroskopische, elektronenmikroskopische, immunhistochemische und molekularbiologische Untersuchungen. *Dissertation*. Fachbereich Veterinärmedizin, Freie Universität Berlin (2002).

Schütz M., Teifel M., Friedl P. Establishment of a human placental endothelial cell line with extended life span after transfection with SV 40 T-antigens. *Eur. J. Cell Biol.* **74**, 315-320 (1997).

Schwachtgen J.-L., Ferreira V., Meyer D., Kerbirou-Nabias D. Optimization of the transfection of human endothelial cells by electroporation. *Biotechniques* **17**, 882-887 (1994).

Seetharam L., Gotoh N., Maru Y., Neufeld G., Yamaguchi S., Shibuya M. A unique signal transduction from FLT tyrosine kinase, a receptor for vascular endothelial growth factor VEGF. *Oncogene* **10**, 135-147 (1995).

Segura I., Serrano A., González de Buitrago G., González M.A., Abad J.L., Clavería C., Gómez L., Bernad A., Martínez-A C., Riese H.H. Inhibition of programmed cell death impairs in vitro vascular-like structure formation and reduces in vivo angiogenesis. *FASEB J.* **16**, 833-841 (2002).

Seol J.G., Heo D.S., Kim H.K., Yoon J.H., Choi B.I., Lee H.S., Kim N.K., Kim C.Y. Selective gene expression in hepatic tumor with trans-arterial delivery of DNA/liposome/transferrin complex. *In Vivo* **14**, 513-517 (2000).

Seth A., Papas T.S. The c-ets-1 proto-oncogene has oncogenic activity and is positively autoregulated. *Oncogene* **5**, 1761-1767 (1990).

Shalaby F., Ho Y., Standford W.L., Fischer K.D., Schuh A.C., Schwartz L., Bernstein A., Rossant J. A requirement for Flk1 in primitive and definitive hematopoiesis and vasculogenesis. *Cell* **89**, 981-990 (1997).

Shalaby F., Rossant J., Yamaguchi T.P., Gertsenstein M., Wu X.F., Breitman M.L., Schuh A.C. Failure of blood-island formation and vasculogenesis in Flk-1-deficient mice. *Nature* **376**, 62-66 (1995).

- Shi Q., Rafii S., Wu M.H., Wijelath E.S., Yu C., Ishida A., Fujita Y., Kothari S., Mohle R., Sauvage L.R., Moore M.A.S., Storb R.F., Hammond W.P. Evidence for circulating bone marrow-derived endothelial cells. *Blood* **92**, 362-367 (1998).
- Shima D.T., Kuroki M., Deutsch U., Ng Y.S., Adamis A.P., D'Amore P.A. The mouse gene for vascular endothelial growth factor. Genomic structure, definition of the transcriptional unit, and characterization of transcriptional and post-transcriptional regulatory sequences. *J. Biol. Chem.* **271**, 3877-3883 (1996).
- Sinowatz F. Die Zelle. In: *Histologie* (Hees H., Sinowatz F., Hrsg.). 3. überarbeitete Auflage. Deutscher Ärzte-Verlag Köln, S. 35-93 (2000).
- Sirotnak F.M., Hutchison D.J. Absorption of deoxyribonucleic acid by mouse lymphoma cells. *Biochim. Biophys. Acta* **36**, 246-248 (1959).
- Skalak T.C., Price R.J. The role of mechanical stresses in microvascular remodeling. *Microcirculation* **3**, 143-165 (1996).
- Slevin M., Krupinski J., Kumar S., Gaffney J. Angiogenic oligosaccharides of hyaluronan induce protein tyrosine kinase activity in endothelial cells and activate a cytoplasmatic signal transduction pathway resulting in proliferation. *Lab. Invest.* **78**, 987-1003 (1998).
- Smith P.K., Krohn R.I., Hermanson G.T., Mallia A.K., Gartner F.H., Provenzano M.D., Fujimoto E.K., Goeke N.M., Olson B.J., Klenk D.C. Measurement of protein using bicinchoninic acid. *Anal. Biochem.* **150**, 76-85 (1985).
- Spanel-Borowski K., Mayerhofer A. Formation and regression of capillary sprouts in corpora lutea of immature superstimulated golden hamsters. *Acta Anat. (Basel)* **128**, 227-235 (1987).
- Springer C.J., Niculescu-Duvaz I. Prodrug-activating systems in suicide gene therapy. *J. Clin. Invest.* **105**, 1161-1167 (2000).
- Springer T.A. Adhesion receptors of the immune system. *Nature* **346**, 425-434 (1990).
- Springer T.A. Traffic signals on endothelium for lymphocyte recirculation and leukocyte emigration. *Annu. Rev. Physiol.* **57**, 827-872 (1995).
- Stamatatos L., Leventis R., Zuckermann M.J., Silvius J.R. Interactions of cationic lipid vesicles with negatively charged phospholipid vesicles and biological membranes. *Biochem.* **27**, 3917-3925 (1988).
- Stearns T. Green fluorescent protein. The green revolution. *Curr. Biol.* **5**, 262-264 (1995).

- Štefanec T. Endothelial apoptosis. Could it have a role in the pathogenesis and treatment of disease? *CHEST* **117**, 841-854 (2000).
- Sternlicht M.D., Werb Z. How matrix metalloproteinases regulate cell behavior. *Annu. Rev. Cell Dev. Biol.* **17**, 463-516 (2001).
- Stoeltzing O., Ahmad S.A., Liu W., McCarty M.F., Parikh A.A., Fan F., Reinmuth N., Bucana C.D., Ellis L.M. Angiopoietin-1 inhibits tumour growth and ascites formation in a murine model of peritoneal carcinomatosis. *Br. J. Cancer* **87**, 1182-1187 (2002).
- Streit M., Stephen A.E., Hawighorst T., Matsuda K., Lange-Asschenfeldt B., Brown L.F., Vancanti J.P., Detmar M. Systemic inhibition of tumor growth and angiogenesis by thrombospondin-2 using cell-based antiangiogenic gene therapy. *Cancer Res.* **62**, 2004-2012 (2002).
- Streuli C. Extracellular matrix remodelling and cellular differentiation. *Curr. Opin. Cell Biol.* **11**, 634-640 (1999).
- Sussman D.J., Milman G. Short term, high-efficiency expression of transfected DNA. *Mol. Cell. Biol.* **4**, 1641-1643 (1984).
- Szary J., Szala S. Intra-tumoral administration of naked plasmid DNA encoding mouse endostatin inhibits renal carcinoma growth. *Int. J. Cancer* **91**, 835-839 (2001).
- Tagawa M., Yokosuka O., Imazeki F., Ohto M., Omata M. Gene expression and active virus replication in the liver after injection of duck hepatitis B virus DNA into the peripheral vein of ducklings. *J. Hepatol.* **24**, 328-334 (1996).
- Takai N., Miyazaki T., Fujisawa K., Nasu K., Miyakawa I. Expression of c-Ets1 is associated with malignant potential in endometrial carcinoma. *Cancer* **89**, 2059-2067 (2000).
- Tan P.H., King W.J., Chen D., Awad H.M., Mackett M., Lechler R.I., Larkin D.F., George A.J. Transferrin receptor-mediated gene transfer to the corneal endothelium. *Transplantation* **71**, 552-560 (2001).
- Tanaka K., Oda N., Iwasaka C., Abe M., Sato Y. Induction of Ets-1 in endothelial cells during reendothelialization after denuding injury. *J. Cell. Physiol.* **176**, 235-244 (1998).
- Tanaka T., Manome Y., Wen P., Kufe D.W., Fine H.A. Viral vector-mediated transduction of a modified platelet factor 4 cDNA inhibits angiogenesis and tumor growth. *Nat. Med.* **3**, 437-442 (1997).
- Tang M.X., Redemann C.T., Szoka F.C. Jr. In vitro gene delivery by degraded poly-amidoamine dendrimers. *Bioconjug. Chem.* **7**, 703-714 (1996).

- Tang M.X., Szoka F.C. Jr. The influence of polymer structure on the interactions of cationic polymers with DNA and morphology of the resulting complexes. *Gene Ther.* **4**, 823-832 (1997).
- Tei K., Kawakami-Kimura N., Taguchi O., Kumamoto K., Higashiyama S., Taniguchi N., Toda K., Kawata R., Hisa Y., Kannagi R. Roles of cell adhesion molecules in tumor angiogenesis induced by cotransplantation of cancer and endothelial cells to nude rats. *Cancer Res.* **62**, 6289-6296 (2002).
- Teifel M., Heine L.-T. Milbredt S., Friedl P. Optimization of transfection of human endothelial cells. *Endothelium* **5**, 21-35 (1997).
- Temin H.M. Mechanism of cell transformation by RNA tumor viruses. *Annu. Rev. Microbiol.* **25**, 609-648 (1971).
- Terman B.I., Carrion M.E., Kovacs E., Rasmussen B.A., Eddy R.L., Shows T.B. Identification of a new endothelial cell growth factor receptor tyrosine kinase. *Oncogene* **6**, 1677-1683 (1991).
- Terman B.I., Dougher-Vermazen M., Carrion M.E., Dimitrov D., Armellino D.C., Gospodarowicz D., Bohlen P. Identification of the KDR tyrosine kinase as a receptor for vascular endothelial cell growth factor. *Biochem. Biophys. Res. Commun.* **187**, 1579-1586 (1992).
- Thompson J.F., Hayes L.S., Lloyd D.B. Modulation of firefly luciferase stability and impact on studies of gene regulation. *Gene* **103**, 171-177 (1991).
- Thorsell A., Blomqvist A.G., Heilig M. Cationic lipid-mediated delivery and expression of prepro-neuropeptide Y cDNA after intraventricular administration in rat: feasibility and limitations. *Regul. Pept.* **61**, 205-211 (1996).
- Thurston G., McLean J.W., Rizen M., Baluk P., Haskell A., Murphy T.J., Hanahan D., McDonald D.M. Cationic liposomes target angiogenic endothelial cells in tumors and chronic inflammation in mice. *J. Clin. Invest.* **101**, 1401-1413 (1998).
- Tilling T., Engelbertz C., Decker S., Korte D., Hüwel S., Galla H.-J. Expression and adhesive properties of basement membrane proteins in cerebral capillary endothelial cell cultures. *Cell Tissue Res.* **310**, 19-29 (2002).
- Timpl R. Macromolecular organization of basement membranes. *Curr. Opin. Cell Biol.* **8**, 618-624 (1996).
- Tomalia D.A., Baker H., Dewald J., Hall M., Kallos G., Martin S., Roeck J., Ryder J., Smith P. Dendritic macromolecules: synthesis of starburst dendrimers. *Macromol.* **19**, 2466-2468 (1986).

- Trinh Q.T., Austin E.A., Murray D.M., Knick V.C., Huber B.E. Enzyme/prodrug gene therapy: comparison of cytosine deaminase/5-fluorocytosine versus thymidine kinase/ganciclovir enzyme/prodrug systems in a human colorectal carcinoma cell line. *Cancer Res.* **55**, 4808-4812 (1995).
- Trochon V., Li H., Vasse M., Franken F., Thomaidis A., Soria J., Lu H., Gardner C., Soria C. Endothelial metalloprotease-disintegrin protein (ADAM) is implicated in angiogenesis in vitro. *Angiogenesis* **2**, 277-285 (1998).
- Tros de llarduya C., Arangoa M.A., Moreno-Aliaga M.J., Duzgunes N. Enhanced gene delivery in vitro and in vivo by improved transferrin-lipoplexes. *Biochim. Biophys. Acta* **1561**, 209-221 (2002).
- Trubetskoy V.S., Torchilin V.P., Kennel S.J., Huang L. Use of N-terminal modified poly(L-lysine)-antibody conjugate as a carrier for targeted gene delivery in mouse lung endothelial cells. *Bioconjug. Chem.* **3**, 323-327 (1992).
- Tsai S.Y., Schillinger K., Ye X. Adenovirus-mediated transfer of regulable gene expression. *Curr. Opin. Mol. Ther.* **2**, 515-523 (2000).
- Tseng W.-C., Haselton F.R., Giorgio T.D. Mitosis enhances transgene expression of plasmid delivered by cationic liposomes. *Biochim. Biophys. Acta* **1445**, 53-64 (1999).
- Ulrich-Merzenich G., Metzner C., Schiermeyer B., Vetter H. Vitamin C and vitamin E antagonistically modulate human vascular endothelial and smooth muscle cell DNA synthesis and proliferation. *Eur. J. Nutr.* **41**, 27-34 (2002).
- Unemori E.N., Ferrara N., Bauer E.A., Amento E.P. Vascular endothelial growth factor induces interstitial collagenase expression in human endothelial cells. *J. Cell. Physiol.* **153**, 557-562 (1992).
- Vailhé B., Lecomte M., Wiernsperger N., Tranqui L. The formation of tubular structures by endothelial cells is under the control of fibrinolysis and mechanical factors. *Angiogenesis* **2**, 331-344 (1998/1999).
- Vailhé B., Ronot X., Tracqui P., Usson Y., Tranqui L. In vitro angiogenesis is modulated by the mechanical properties of fibrin gels and is related to alpha(v)beta3 integrin localization. *In Vitro Cell. Dev. Biol. Anim.* **33**, 763-773 (1997).
- Vailhé B., Vittet D., Feige J.-J. In vitro models of vasculogenesis and angiogenesis. *Lab. Invest.* **81**, 439-452 (2001).

- Vajkoczy P., Farhadi M., Gaumann A., Heidenreich R., Erber R., Wunder A., Tonn J.C., Menger M.D., Breier G. Microtumor growth initiates angiogenic sprouting with simultaneous expression of VEGF, VEGF receptor-2, and angiopoietin-2. *J. Clin. Invest.* **109**, 777-785 (2002).
- Vandenbunder B., Pardanaud L., Jaffredo T., Mirabel M.A., Stehelin D. Complementary patterns of expression of c-ets 1, c-myb and c-myc in the blood-forming system of the chick embryo. *Development* **107**, 265-274 (1989).
- Veikkola T., Alitalo K. VEGFs, receptors and angiogenesis. *Semin. Cancer Biol.* **9**, 211-220 (1999).
- Velázquez O.C., Snyder R., Liu Z.-J., Fairman R.M., Herlyn M. Fibroblast-dependent differentiation of human microvascular endothelial cells into capillary-like, three-dimensional networks. *FASEB J.* **16**, 1316-1318 (2002).
- Verma I.M., Somia N. Gene therapy – promises, problems and prospects. *Nature* **389**, 239-242 (1997).
- Vernon R.B., Lara S.L., Drake C.J., Iruela-Arispe M.L., Angello J.C., Little C.D., Wight T.N., Sage E.H. Organized typ I collagen influences endothelial patterns during “spontaneous angiogenesis in vitro”: planar cultures as models of vascular development. *In Vitro Cell. Dev. Biol. Anim.* **31**, 120-131 (1995).
- Vienken J., Zimmermann U. An improved electrofusion technique for production of mouse hybridoma cells. *FEBS Lett.* **182**, 278-280 (1985).
- Voet D., Voet J.G. Transcription. In: *Biochemie* (Maelicke A., Müller-Esterl W., Hrsg.). 1. korrigierter Nachdruck. VCH Verlagsgesellschaft Weinheim, S. 856-897 (1994).
- Wagner D.D. The Weibel-Palade body: the storage granule for von Willebrand factor and P-selectin. *Thromb. Haemost.* **70**, 105-110 (1993).
- Wagner E., Plank C., Zatloukal K., Cotten M., Birnstiel M.L. Influenza virus hemagglutinin HA-2 N-terminal fusogenic peptides augment gene transfer by transferrin-polylysine-DNA complexes: toward a synthetic virus-like gene-transfer vehicle. *Proc. Natl. Acad. Sci. USA* **89**, 7934-7938 (1992).
- Wagner E., Zenke M., Cotten M., Beug H., Birnstiel M.L. Transferrin-polycation conjugates as carriers for DNA uptake into cells. *Proc. Natl. Acad. Sci. USA* **87**, 3410-3414 (1990).
- Wakiya K., Begue A., Stehelin D., Shibuya M. A camp response element and an Ets motif are involved in the transcriptional regulation of flt-1 tyrosine kinase (vascular endothelial growth factor receptor 1) gene. *J. Biol. Chem.* **271**, 30823-30828 (1996).

- Waltenberger J., Claesson-Welsh L., Siegbahn A., Shibuya M., Heldin C.H. Different signal transduction properties of KDR and Flt1, two receptors for vascular endothelial growth factor. *J. Biol. Chem.* **269**, 26988-26995 (1994).
- Waltenberger J., Mayr U., Pentz S., Hombach V. Functional upregulation of the vascular endothelial growth factor receptor KDR by hypoxia. *Circulation* **94**, 1647-1654 (1996).
- Walton T., Wang J.L., Ribas A., Barsky S.H., Economou J., Nguyen M. Endothelium-specific expression of an E-selectin promoter recombinant adenoviral vector. *Anticancer Res.* **18**, 1357-1360 (1998).
- Wang J.M., Kumar S., Pye D., Haboubi N., al-Nakib L. Breast carcinoma: comparative study of tumor vasculature using two endothelial cell markers. *J. Natl. Cancer Inst.* **86**, 386-388 (1994).
- Wang J.M., Kumar S., van Agthoven A., Kumar P., Pye D., Hunter R.D. Irradiation induces up-regulation of E9 protein (CD105) in human vascular endothelial cells. *Int. J. Cancer* **62**, 791-796 (1995).
- Warden D., Thorne H.V. The infectivity of polyoma virus DNA for mouse embryo cells in the presence of diethylaminoethyl-dextran. *J. Gen. Virol.* **3**, 371-377 (1968).
- Watson D.K., McWilliams M.J., Lapis P., Lautenberger J.A., Schweinfest C.W., Papas T.S. Mammalian ets-1 and ets-2 genes encode highly conserved proteins. *Proc. Natl. Acad. Sci. USA* **85**, 7862-7866 (1988).
- Weiss D.J., Liggitt D., Clark J.G. Histochemical discrimination of endogenous mammalian beta-galactosidase activity from that resulting from lac-Z gene expression. *Histochem. J.* **31**, 231-236 (1999).
- Weiss D.J., Liggitt D., Clark J.G. In situ histochemical detection of beta-galactosidase activity in lung: assessment of X-Gal reagent in distinguishing lacZ gene expression and endogenous beta-galactosidase activity. *Hum. Gene Ther.* **8**, 1545-1554 (1997).
- Wernert N. The multiple roles of tumour stroma. *Virch. Arch.* **430**, 433-443 (1997).
- Wernert N., Gilles F., Fafeur V., Bouali F., Raes M.B., Pyke C., Dupressoir T., Seitz G., Vandenbunder B., Stehelin D. Stromal expression of c-Ets1 transcription factor correlates with tumor invasion. *Cancer Res.* **54**, 5683-5688 (1994).
- Wernert N., Raes M.B., Lassalle P., Dehouck M.P., Goselin B., Vandenbunder B., Stehelin D. C-ets1 proto-oncogene is a transcription factor expressed in endothelial cells during tumor vascularization and other forms of angiogenesis in humans. *Am. J. Pathol.* **140**, 119-127 (1992).

- Wernert N., Stanjek A., Kiriakidis S., Hügel A., Jha H.C., Mazitschek R., Giannis A. Inhibition der Angiogenese in vivo durch ets-1-Antisense-Oligonucleotide – Hemmung der Expression des Ets-1-Transkriptionsfaktors durch das Antibiotikum Fumagillin. *Angew. Chem.* **111**, 3432-3435 (1999).
- Westphal J.R., Willems H.W., Schalkwijk C.J., Ruiter D.J., de Waal R.M. Characteristics and possible function of endoglin, a TGF-beta binding protein. *Behring Inst. Mitt.* **(92)**, 15-22 (1993).
- Wilson S.P., Liu F., Wilson R.E., Housley P.R. Optimization of calcium phosphate transfection for bovine chromaffin cells: relationship to calcium phosphate precipitate formation. *Anal. Biochem.* **226**, 212-220 (1995).
- Wong T.K., Neumann E. Electric field mediated gene transfer. *Biochem. Biophys. Res. Commun.* **107**, 584-587 (1982).
- Wood K.V. Marker proteins for gene expression. *Curr. Opin. Biotech.* **6**, 50-58 (1995).
- Wood K.V., Lam Y.A., McElroy W.D. Introduction of beetle luciferases and their applications. *J. Biolumin. Chemilumin.* **4**, 289-301 (1989).
- Wu G.Y., Wu C.H. Receptor-mediated gene delivery and expression in vivo. *J. Biol. Chem.* **263**, 14621-14624 (1988).
- Wu G.Y., Wu C.H. Receptor-mediated in vitro gene transformation by a soluble DNA carrier system. *J. Biol. Chem.* **262**, 4429-4432 (1987).
- Xu Y., Szoka F.C. Jr. Mechanism of DNA release from cationic liposome/DNA complexes used in cell transfection. *Biochem.* **35**, 5616-5623 (1996).
- Yamaguchi T.P., Dumont D.J., Conlon R.A., Breitman M.L., Rossant J. Flk-1, an flt-related receptor tyrosine kinase is an early marker for endothelial cell precursors. *Development* **118**, 489-498 (1993).
- Yang N.-S., Burkholder J., Roberts B., Martinell B., McCabe D. In vivo and in vitro gene transfer to mammalian somatic cells by particle bombardment. *Proc. Natl. Acad. Sci. USA* **87**, 9568-9572 (1990).
- Yang S., Graham J., Kahn J.W., Schwartz E.A., Gerritsen M.E. Functional roles for PECAM-1 (CD31) and VE-cadherin (CD144) in tube assembly and lumen formation in three-dimensional collagen gels. *Am. J. Pathol.* **155**, 887-895 (1999).

- Yoshida S., Ono M., Shono T., Izumi H., Ishibashi T., Suzuki H., Kuwano M. Involvement of interleukin-8, vascular endothelial growth factor, and basic fibroblast growth factor in tumor necrosis factor alpha-dependent angiogenesis. *Mol. Cell. Biol.* **17**, 4015-4023 (1997).
- Young D.C., Kingsley S.D., Ryan K.A., Dutko F.J. Selective inactivation of eukaryotic beta-galactosidase in assays for inhibitors of HIV-1 TAT using bacterial beta-galactosidase as a reporter enzyme. *Anal. Biochem.* **215**, 24-30 (1993).
- Young P.E., Baumhueter S., Lasky L.A. The sialomucin CD34 is expressed on hematopoietic cells and blood vessels during murine development. *Blood* **85**, 96-105 (1995).
- Zabner J., Fasbender A.J., Moninger T., Poellinger K.A., Welsh M.J. Cellular and molecular barriers to gene transfer by a cationic lipid. *J. Biol. Chem.* **270**, 1897-1907 (1995).
- Zabner J., Freimuth P., Puga A., Fabrega A., Welsh M.J. Lack of high affinity fiber receptor activity explains the resistance of ciliated airway epithelia to adenovirus infection. *J. Clin. Invest.* **100**, 1144-1149 (1997).
- Zhang C., Harder D.R. Cerebral capillary endothelial cell mitogenesis and morphogenesis induced by astrocytic epoxyeicosatrienoic acid. *Stroke* **33**, 2957-2964 (2002).
- Zhang L., Hellstrom K.E., Chen L. Luciferase activity as a marker of tumor burden and as an indicator of tumor response to antineoplastic therapy in vivo. *Clin. Exp. Metastasis* **12**, 87-92 (1994).
- Zhou H., Zeng G., Zhou A., Tang J., Huang Q., Chen G., Peng T., Hu B. Adenovirus mediated gene transfer of vascular smooth muscle cells and endothelial cells in vitro. *Chin. Med. J.* **108**, 493-496 (1995).
- Zhou X., Huang L. DNA transfection mediated by cationic liposomes containing lipopolysine: characterization and mechanism of action. *Biochim. Biophys. Acta* **1189**, 195-203 (1994).
- Zhu W.H., Guo X., Villaschi S., Nicosia R.F. Regulation of vascular growth and regression by matrix metalloproteinases in the rat aorta model of angiogenesis. *Lab. Invest.* **80**, 545-555 (2000).
- Zinder N.D., Lederberg J. Genetic exchange in *Salmonella*. *J. Bacteriology* **64**, 679-699 (1952).
- Zoellner H., Höfler M., Beckmann R., Hufnagl P., Vanyek E., Bielek E., Wojta J., Fabry A., Lockie S., Binder B.R. Serum albumin is a specific inhibitor of apoptosis in human endothelial cells. *J. Cell Sci.* **109**, 2571-2580 (1996).