

5 Literaturverzeichnis

- Abel K and Jurnak F. 1996. A complex profile of protein elongation: translating chemical energy into molecular movement. *Structure* 4: 229-238
- Adamson SD, Herbert E, Godchaux W. 1968. Factors affecting the rate of protein synthesis in lysate systems from reticulocytes. *Arch. Biochem. Biophys.* 125: 671-683
- Algranati ID, Goldemberg SH. 1977. Translation of natural mRNA in cell-free systems from a polyamine-requiring mutant of *Escherichia coli*. *Biochem. Biophys. Res. Commun.* 75: 1045-1051
- Amarantos I, Xaplanteri MA, Choli-Papadopoulou T, Kalpaxis DL. 1999. Effects of two photo-reactive spermine analogues on peptide bond formation and their application for labeling proteins in *Escherichia coli* functional ribosomal complexes. 2001. *Biochemistry* 40 (25): 7641-7650
- Amtliche Sammlung von Untersuchungsverfahren nach § 35 LMBG. Ausgabe November 1999. Blatt L 10.00/5. Untersuchung von Lebensmitteln: Bestimmung des Gehaltes an biogenen Aminen in Fisch und Fischerzeugnissen, Hochdruckflüssigkeitschromatografische Bestimmung, Referenzverfahren
- Anagnostopoulos CG and Kyriakidis DA. 1996. Regulation of the *Escherichia coli* ornithin decarboxylase activity by phosphorylation and nucleotides. *Biochim. Biophys. Acta.* 1297(2): 228-234
- Anderson CW, Straus JW, Dudock BS. 1983. Preparation of a cell-free protein-synthesizing system from wheat germ. *Methods Enzymol.* 101: 635-644
- Anderson CW, Straus JW, Dudock BS. 1983. Preparation of a cell-free protein-synthesizing system from wheat germ. *Meth. Enzymol.* 101: 635-644
- Appel RD, Hochstrasser DF, Funk M, Vargas JR, Pellegrini C, Muller AF, Scherrer JR. 1991. The MELANIE project: From a biopsy to automatic protein map interpretation by computer. *Electrophoresis.* 12: 722-735
- Arber W and Linn S. 1969. DNA modification and restriction. *Annu. Rev. Biochem.* 38: 467-500
- Arkov AL and Murgola EJ. 1999. Ribosomal RNAs in translation termination: facts and hypotheses. *Biochemistry (Mosc)* 64: 1354-1359
- Ausubel FM *et al.*, Editors. 1994. Preparation of genomic DNA from Bacteria. In: Current Protocols in Molecular Biology, Vol. 1, Abschnitt 2.4.1, Supplement 27. *John Wiley and sons*
- Azam TA, Hiraga S, Ishihama A. 2000. Two types of localization of the DNA-binding proteins within the *Escherichia coli* nucleoid. *Genes to Cells.* 5: 613-627
- Bader M, Muse W, Ballou DP, Gassner C, Bardwell JCA. 1999. Oxidative protein folding is driven by the electron transport system. *Cell* 98(2): 217-227
- Badock V, Steinhilber U, Bommert K, Wittmann-Liebold B and Otto A. 2001. Prefractionation of protein samples prior to two-dimensional gel electrophoresis using reversed phase liquid chromatography. *Electrophoresis* 14: 2856-2864
- Bain JD, Switzer C, Chamberlin AR, Benner SA. 1992. Ribosome-mediated incorporation of a non-standard amino acid into a peptide through expansion of the genetic code. *Nature.* 356: 537-539
- Baranov VI, Spirin AS. 1993. Gene expression in cell-free systems on preparative scale. *Methods Enzymol.* 217: 123-142
- Baranov VI, Morozov IY, Ortlepp SA, Spirin AS. 1989. Gene expression in a cell-free system on the preparative scale. *Gene.* 84: 463-466

- Bardwell JC, Lee JO, Jander G, Martin N, Belin D, Beckwith J. 1993. A pathway for disulfide bond formation in vivo. *Proc. Natl. Acad. Sci. U.S.A.* 90 (3): 1043-1047
- Bartetzko A and Nierhaus KH. 1988. Mg^{2+}/NH_4^+ /Polyamine system for polyuridine-dependent polyphenylalanine synthesis with near *in vivo* characteristics. *Methods Enzymol.* 164: 650-658
- Bayles KW. 2003. Are the molecular strategies that control apoptosis conserved in bacteria ? *Trends in Microbiology.* 11 (7): 306-311
- Behe M and Felsenfeld G. 1981. Effects of methylation on a synthetic polynucleotide: the B-Z transition in poly(dG-m5dC).(dG-m5dC) *Proc. Natl. Acad. Sci. U.S.A.* 78: 1619-1623
- Berlin CM and Schimke RT.1965. Influence of turnover rates on the response of enzymes to cortisol. *Mol. Pharmacol.* 1: 149-156
- Bertuzzi S, Davalli P, Astancolle S, Pinna C, Roncaglia R, Boraldi F, Tiozzo R, Sharrad A, Corti A. 1999. Coordinate changes of polyamine metabolism regulatory proteins during the cell cycle of normal human dermal fibroblasts. *FEBS Lett.* 446: 18
- Birnboim HC and Doly J. 1979. A rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucl. Acids Res.* 7: 1513-1523
- Blomberg C, Ehrenberg M, Kurland CG. 1980. Free-energy dissipation constraints on the accuracy of enzymatic selections. *Q. Rev.Biophys.* 13: 231-254
- Blum H, Beier H, Gross HJ. 1987. Improved silver staining of plant proteins, RNA and DNA in polyacrylamide gels. *Electrophoresis* 8: 93-99
- Boni I, Isajeva DM, Musychenko ML, Tzareva NV. 1991. Ribosome-messenger recognition: mRNA targets sites for ribosomal protein S1. *Nucleic Acids Res.* 19: 155-162
- Borsook H. 1950. Protein turnover and incorporation of labeled amino acids into tissue proteins in vivo and in vitro. *Physiol. Rev.* 30: 206-219
- Bradford MM. 1976. A rapid and sensitive method for the quantification of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* 72: 248-254
- Bremer H and Dennis PP. Modulation of chemical composition and other parameters of the cell by growth rate.1987. *Escherichia coli* and *Salmonella typhimurium*.(2) 1527-1542
- Brosius J, Dull TJ, Noller HF. 1980. Complete nucleotide sequence of a 23S ribosomal RNA gene from *Escherichia coli*. *Proc.Natl.Acad.Sci.U.S.A.* 77: 201-204
- Brosius J, Palmer ML, Kennedy PL, Noller HF. 1978. Complete nucleotide sequence of a 16S ribosomal RNA gene from *Escherichia coli*. *Proc.Natl.Acad.Sci.* 75: 4801-4805
- Brown CM and Tate WP. 1994. Direct recognition of mRNA stop signals by *Escherichia coli* polypeptide chain release factor 2. 1994. *J.Biol.Chem.* 269: 33164-33170
- Brown RS and Lennon JJ. 1995. Mass resolution improvement by incorporation of pulsed ion extraction in a matrix-assisted laser desorption/ionization linear time-of-flight mass spectrometer. *Anal. Chem.* 67: 1998-2003
- Brownlee GG, Sanger F, Barrell BG. 1968. The sequence of 5S ribosomal ribonucleic acid. *J.Mol.Biol.* 34: 379-412
- Bruns GP and London IM. 1965. The effect of hemin on the synthesis of globin. *Biochem. Biophys. Res. Commun.* 18: 236-242
- Brunton VG, Grant MH, Wallace HM. 1990. Spermine toxicity and glutathion depletion in BHK-21/C13 cells. *Biochem. Pharmacol.* 40: 1893-1900

- Buchberger B, Mutter W, Röder A. 2002. Matrix reactor: A new scalable reactor principle for cell-free protein-expression. In: Spirin AS. (ed.) Cell-free translation systems. pp. 121-130
- Burks EA, Chen G, Georgiou G, Iverson BL. 1997. *In vitro* scanning saturation mutagenesis of an antibody binding pocket. *Proc. Natl. Acad. Sci. U.S.A.* 94: 412-417
- Byrne R, Levin JG, Bladen HA, Nirenberg MW. 1964. The in vitro formation of a DNA-ribosome complex. *Proc. Natl. Acad. Sci. U.S.A.* 52: 140-148
- Canallakis ES, Paterakis AA, Huang SC, Panagiotidis CA, Kyriakidis DA. 1993. Identification, cloning, and nucleotide sequencing of the ornithin decarboxylase antizyme gene of *Escherichia coli*. *Proc. Natl. Acad. Sci. U.S.A.* 90(15): 7129-7133
- Capecchi MR and Klein HA. 1969. *Cold Spring Harbor Symp. Quant. Biol.* 34. 469
- Carbon P, Ehresmann P, Ehresmann B, Ebel JP. 1978. The sequence of *Escherichia coli* ribosomal 16S RNA determined by new rapid gel method. *FEBS Lett.* 94: 152-156
- Cashel M. 1969. The control of ribonucleic acid synthesis in *Escherichia coli*. *J. Biol. Chem.* 244: 3133-3141
- Caskey CT, Beaudet AL, Scolnick EM, Rosman M. 1971. Hydrolysis of fMet-tRNA by peptidyltransferase. *Proc. Natl. Acad. Sci. U.S.A.* 68: 3163-3167
- Caskey CT, Bosch L, Konecki DS. 1977. Release factor binding to ribosome requires an intact 16S rRNA 3'-terminus. *J. Biol. Chem.* 252(13): 4435-4437
- Cech TR. 2000. Structural biology. The ribosome is a ribozyme. *Science.* 289 (5481): 878-879
- Chamberlin MJ and Ryan T. 1982. Bacteriophage DNA-dependent RNA polymerases. *Enzymes (3rd Ed.)* 87-108
- Chen HZ and Zubay G. Prokaryotic coupled transcription-translation. *Methods. Enzymol.* 101: 674-690
- Childs AC, Mehta DJ, Gerner EW. 2003. Polyamine-dependent gene expression. *Cell. Mol. Life Sci.* 60 (7): 1394-1406
- Clemens MJ, Pain VM, Henshaw EC, London IM. 1976. Characterization of a macromolecular inhibitor of polypeptide chain initiation from Ehrlich's ascites tumor cells. *Biochem. Biophys. Res. Comm.* 72: 768-775
- Coffino P. 2001. Regulation of cellular polyamines by antizyme. *Nat. Rev. Mol. Cell Biol.* 3: 188-194
- Cohen SN, Chang ACY, Hsu L. 1972. Nonchromosomal antibiotic resistance in bacteria: Genetic transformation of *Escherichia coli* by R-factor DNA. *Proc. Natl. Acad. Sci. U.S.A.* 70: 1293-1297
- Craig D, Howell MT, Gibbs CL, Hunt T, Jackson RJ. 1992. Plasmid cDNA-directed synthesis in a coupled eucaryotic in vitro transcription-translation system. *Nucleic. Acids Res.* 20 : 4987-4995
- Crick FHC, Burnett L, Brenner S, Watts-Tobin RJ. 1961. General nature of the genetic code for proteins. *Nature.* 192: 1227-1232
- Crick FHC. 1966. Codon-anticodon pairing: the wobble hypothesis. *J. Mol. Biol.* 19: 548-555
- Crusick ME and Belfort M. 1998. Domain structure and RNA annealing activity of the *Escherichia coli* regulatory protein StpA. *Mol. Microbiol.* 28 (4): 847-857
- Dalgarno L and Shine J. 1973. Conserved terminal sequence in 16S rRNA may represent terminator anticodons. *Nature (London) New Biol.* 245: 261
- Dartigalongue C, Missiakas D, Raina S. 2001. Characterization of the *Escherichia coli* sigma E regulon. *J. Biol. Chem.* 276: 20866-20875
- Dawson RMC, Elliot DC, Elliot WH, Jones KM. 1986. Data for biochemical research. New York: *Oxford University Press.* p 399-415

- Deighan P, Free A, Dorman CJ. 2000. A role for the *Escherichia coli* H-NS-like protein StpA in OmpF porin expression through modulation of micF RNA stability. *Mol. Microbiol.* 38(1): 126-139
- Delaunay J, Ranu RS, Levin DH, Ernst V, London IM. 1977. Characterization of a rat liver factor that inhibits initiation of protein synthesis in rabbit reticulocyte lysates. *Proc. Natl. Acad. Sci. U.S.A.* 74: 2264-2268
- DeLisa MP, Waldes JJ, Bentley WE. 2001(a). Mapping stress-induced changes in autoinducer AI-2 production in chemostat-cultivated *Escherichia coli* K-12. *J. Bacteriol.* 183: 2918-2928
- DeLisa MP, Wu CF, Wang L, Valdes JJ, Bentley WE. 2001(b). DNA microarray-based identification of genes controlled by autoinducer 2-stimulated quorum sensing in *Escherichia coli*. *J. Bacteriol.* 183: 5239-5255
- DeVries JK and Zubay G. 1967. DNA-directed peptide synthesis.II. The synthesis of the α -fragment of the enzyme β -galactosidase. *Proc. Natl. Acad. Sci. U.S.A.* 57: 1010-1012
- Dincbas-Renquist V, Engstrom A, Mora L, Heurgue-Hamard V, Buckingham R, Ehrenberg M. 2000. *EMBO J.* 19 (24): 6900-69007
- Dorman CJ, Bhriain NN, Higgins CF.1990. DNA supercoiling and environmental regulation of virulence gene expression in *Shigella flexneri*. *Nature.* 344 (6268): 789-792
- Dudkowska M, Lai J, Gardini G, Stachurska A, Grzelakowska-Szabert B, Colombatto S, Manteuffel-Cymborowska M. 2003. Agmatine modulates the in vivo biosynthesis and interconversion of polyamines and cell proliferation. *Biochim. Biophys. Acta.* 1619 (2): 159-166
- Eckerskorn C, Jungblut P, Mewes W, Klose J, Lottspeich F. 1988. Identification of mouse brain proteins after two-dimensional electrophoresis and electroblotting by microsequence analysis and amino acid composition analysis. *Electrophoresis* 9: 830-838
- Ehrenberg M and Kurland CG. 1988. Measurement of translational kinetic parameters. *Methods Enzymol.* 164: 611- 631
- Erdmann VA, Huysmans E, Vandenberghe A, de Wachter R. 1983. Collection of published 5S and 5.8S ribosomal RNA sequences. *Nucl. Acids Res.* 11: 105-133
- Fahrenkrog B, Sauder U, Aebi U. 2004. The *S. cerevisiae* HtrA-like protein Nma111p is a nuclear serin protease that mediates yeast apoptosis. *J.Cell Sci.* 117: 115-126
- Farwell MA, Roberts MW, Rabinowitz JC. 1992. The effect of ribosomal protein S1 from *Escherichia coli* and *Micrococcus luteus* on protein synthesis *in vitro* by *Bacillus subtilis*. *Mol. Microbiol.* 6: 3375-3383
- Frolova LY Merkulova TI Kisselev LL. 2000. Translation termination in eukaryotes: Poly-peptide release factor eRF1 is composed of functionally and structurally distinct domaines. *RNA.* 6: 381-390
- Frydman B, de los Santos C, Frydman RB. 1990. A ¹³C NMR study of [5,8-¹³C₂] spermidine binding to tRNA and to *Escherichia coli* macromolecules. *J. Biol. Chem.* 265 (34): 20874-20878
- Fujita K, Murakami Y, Hajashi S. 1982. A macromolecular inhibitor of the antizyme to ornithine decarboxylase. *Biochem. J.* 204: 647-652
- Gale EF and Epps HMR. 1942. The effect of the pH of the medium during growth on the enzymic activities of bacteria (*Escherichia coli* and *Micrococcus lysodeikticus*) and the biological significance of the changes produced. *Biochem. J.* 36: 600-619
- Gardini G, Cabella C, Cravanzola C, Vargiu C, Belliardo S, Testore G, Solinas SP, Toninello A, Grillo MA, Colombatto S. 2001. Agmatine induces apoptosis in rat hepatocyte cultures. *J. Hepatol.* 35 (4): 482-489
- Gale EF and Folkes JP. 1954. Effect of nucleic acids on protein synthesis and amino-acid incorporation in disrupted staphylococcal cells. *Nature.* 173: 1223-1227

- Ganoza MC. 1966. Polypeptide chain termination in cell-free extracts of *E.coli*. *Cold Spring Harbor Symp. Quant. Biol.* 31: 273-288
- Geiger LE and Morris DR. 1978. Polyamine deficiency reduces the rate of DNA replication fork movement in *Escherichia coli*. *Nature.* 272 : 730-732
- Gerner EW, Mamont PS, Bernhardt A, Siat M. 1986. Post-translational modification of the protein-synthesis initiation factor eIF-4D by spermidine in rat hepatoma cells. *Biochem J.* 239(2): 379-386
- Gersuk GM, Corey MJ, Corey E, Stray JE, Kawasaki GH, Vesella RJ. 1997. High-affinity peptide ligands to prostate specific antigen identified by polysome selection. *Biochem. Biophys. Res. Comm.* 232: 578-582
- Geyl D, Böck A and Isono K. 1981. An improved method for two-dimensional gel electrophoresis: analysis of mutationally altered ribosomal proteins of *Escherichia coli*. *Mol. Gen. Genet.* 181: 309-312
- Giri L, Hill WE, Wittmann HG, Wittmann-Liebold B. 1984. Ribosomal proteins: their structure and spatial arrangement in procaryotic ribosomes. *Adv. Protein Chem.* 36: 1-78
- Gold LM, Schweiger M. 1969. Synthesis of phage-specific α - and β -glucosyl transferases directed by T-even DNA in vitro. *Proc. Natl. Acad. Sci. U.S.A.* 62: 892-898
- Gold LM, Schweiger M. 1971. Synthesis of bacteriophage-specific enzymes directed by DNA in vitro. *Methods Enzymol.* 20: 537-542
- Goldberg MD, Canvin JR, Freestone P, Andersen C, Laoudj D, Williams PH, Holland IB, Norris V. 1997. Artefactual cleavage of *E.coli* H-NS by OmpT. *Biochimie.* 79: 315-322
- Goldstein JL and Caskey CT. 1970. Peptide chain termination: effect of protein S on ribosomal binding of release factors. *Proc.Natl.Acad.Sci.U.S.A.* 67: 537-543
- Golomb M and Chamberlin M. Characterization of T7-specific ribonucleic acid polymerase IV. Resolution of the major in vitro transcripts by gel electrophoresis.1974. *J. Biol. Chem.* 249 (9): 2858-2863
- Goosen N and van de Putte P. 1995. The regulation of transcription initiation by integration host factor. *Mol. Microbiol.* 16(1): 1-7
- Grauschopf U Winther JR Korber P Zander T Dallinger P Bardwell JC. 1995. Why is DsbA such an oxidizing disulfide catalyst ? *Cell* 83 (6): 947-955
- Grunberg-Manago M, Dessen P, Pantaloni D Godefroy-Colburn T, Wolfe AD, Dondon J. 1975. Light-scattering studies showing the effect of initiation factors on the reversible dissociation of *Escherichia coli* ribosomes. *J. Mol. Biol.* 94: 461-478
- Hanes J and Plückthun A. 1997. *In vitro* selection and evolution of functional proteins by using ribosome display. *Proc. Natl. Acad. Sci. U.S.A.* 94: 4937-4942
- Haukanas BI and Kvam C. 1993. Application of magnetic beads in bioassays. *Biotechnol.* 11: 60-63
- He Y, Kashiwagi K, Fukuchi J, Terao K, Shirahata A, Igarashi K. 1993. Correlation between the inhibition of cell growth by accumulated polyamines and the decrease of magnesium and ATP. *Eur. J. Biochem.* 217: 89-96
- Heller JS, Rostomily R, Kyriakidis DA, Canellakis ES. 1983. Regulation of polyamine biosynthesis in *Escherichia coli* by basic proteins. *Proc. Natl. Acad. Sci. U.S.A* 80: 5181-5184
- Henkel T and Baeuerle PA. 1993. Functional analysis of mutated cDNA clones by directed use of PCR products in *in vitro* transcription/translation reactions. *Anal. Biochem.* 214: 351-352
- Henzel WJ, Billeci TM, Stults JT, Wong SC, Grimley C, Watanabe C. 1993. Identifying proteins from two-dimensional gels by molecular mass searching of peptide fragments in protein sequence databases. *Proc. Natl. Acad. Sci. U.S.A.* 90: 5011-5015

- Heukeshoven J and Dernick R. 1985. Characterization of a solvent system for separation of water-insoluble poliovirus proteins by reverse-phase high performance liquid chromatography. *Electrophoresis* 6: 103-112
- Heurgue-Hamard V, Champ S, Engstrom A, Ehrenberg M, Buckingham RH. 2002. The *hemK* gene in *Escherichia coli* encodes the N⁵-glutamine methyltransferase that modifies peptide release factors. *EMBO J.* 21 (4): 769-778
- Hinton JC, Santos DS, Seirafi A, Hulton CS, Pavitt GD, Higgins CF. 1992. Expression and mutational analysis of the nucleoid-associated protein H-NS of salmonella typhimurium. *Mol. Microbiol.* 6 (16): 2327-2337
- Hochuli E, Döberli H, Schacher A. 1987. New metalchelate adsorbents selective for proteins and peptides containing neighbouring histidine residues. *J. Chromatogr.* 411: 177-184
- Hölttä E, Jänne J, Pispä J. 1974. The regulation of polyamine synthesis during the stringent control in *Escherichia coli*. *Biochem. Biophys. Res. Commun.* 47: 1165-1171
- Howard GA, Adamson SD, Herbert E. 1970. Studies on cessation of protein synthesis in a reticulocyte lysate cell-free system. *Biochim. Biophys. Acta* 213: 237-243
- Hulton CS, Seirafi A, Hinton JC, Sidebotham JM, Wadell L, Pavitt GD, Owen-Hughes T, Spassky A, Buc H, Higgins CF. 1990. Histone-like protein H1 (H-NS), DNA supercoiling, and gene expression in bacteria. *Cell.* 63 (3): 631-642
- Hunt T, Vanderhoff G, London IM. 1972. Control of globin synthesis: the role of heme. *J. Mol. Biol.* 66: 471-481
- Huppa JB and Ploegh HL. 1997. *In vitro* translation and assembly of a complete T cell receptor-CD3 complex. *J. Exp. Med.* 186: 393-403
- Igarashi K and Kashiwagi K. 2000. Polyamines: mysterious modulators of cellular functions. *Biochem. Biophys. Res. Commun.* 271 (3): 559-564
- Igarashi K, Ito K, Sakai Y, Ogasawara T, Kashiwagi K. 1988. Regulation of protein synthesis by polyamines. *Adv. Exp. Med. Biol.* 250: 315-330
- Igarashi K, Kashiwagi K, Kashida K, Kagawa T, Hirose S. 1981. Decrease in the S1 protein of 30S ribosomal subunits in polyamine-requiring mutants of *Escherichia coli* grown in the absence of polyamines. *Eur. J. Biochem.* 114: 127-131
- Igarashi K, Kashiwagi K, Kashida K, Watanabe Y, Kogo A, Hirose S. 1979. Defect in the split proteins of 30S ribosomal subunits and under methylation of 16S ribosomal RNA in a polyamine-requiring mutant of *Escherichia coli* grown in the absence of polyamines. *Eur. J. Biochem.* 93: 345-353
- Iost I, Guillerez J and Dreyfus M. 1992. Bacteriophage T7 RNA-Polymerase travels far ahead of ribosomes *in vivo*. *J. Bacteriol.* 174: 619-622
- Ito K, Uno M, Nakamura Y. 2000. A tripeptide anticodon deciphers stop codons in messenger RNA. *Nature.* 403 : 680-684
- Iyer R, Williams C, Miller C. 2003. Arginine-arginine antiporter in extreme acid resistance in *Escherichia coli*. *J. Bacteriol.* 185 (22): 6556-6561
- Jagus R, Anderson WF, Safer B. 1981. The regulation of initiation of mammalian protein synthesis. *Prog. Nucleic Acid Res. Mol. Biol.* 25: 127-183
- James P, Quadroni M, Carafoli E, Gonnet G. 1993. Protein identification by mass profile fingerprinting. *Biochem. Biophys. Res. Commun.* 195: 58-64
- Jelenc PC and Kurland CG. 1979. Nucleoside triphosphate regeneration decreases the frequency of translation errors. *Proc. Natl. Acad. Sci. U.S.A.* 76: 3174-3178

- Jermutus L, Ryabova LA, Plückthun A. 1998. Recent advances in producing and selecting functional proteins by using cell-free translation. *Curr. Opin. Biotechnol.* 9: 534-548
- Jungblut P, Seifert R. 1990. Analysis by high-resolution two-dimensional electrophoresis of differentiation-dependent alterations in cytosolic protein pattern of HL-60 leucemic cells. *J. Biochem. Biophys. Meth.* 21: 47-58
- Kain KC, Orlandi PA, Lanar DE. 1991. Universalpromotor for gene expression without cloning :expression-PCR. *Biotechniques.* 10: 366-374
- Kalckar HM. 1958. Uridinediphosphogalactose: Metabolism, enzymology, and biology. *Adv. Enzymol. Relat. Areas Mol. Biol.* 20: 111-134
- Kalpaxis DL and Drinas D. 1993. Inhibitory effect of spermine on ribosomal peptidyl-transfer. *Arch. Biochem. Biophys.* 300 (2): 629-634
- Kaltschmidt E and Wittmann HG. 1970. Ribosomal proteins, VII two-dimensional polyacryl-amide gel electrophoresis for fingerprinting of ribosomal proteins. *Anal. Biochem.* 36: 401-412
- Karahalios P, Amarantos I, Mamos P, Papaioannou D, Kalpaxis DL. 1999. Effects of ethyl and benzyl analogues of spermine on Escherichia coli peptidyltransferase activity, polyamine transport, and cellular growth. *J. Bacteriol.* 181: 3904-3911
- Karas M and Hillenkamp F. 1988. Laser desorption ionization of proteins with molecular masses exceeding 10 000 daltons. *Anal. Chem.* 60: 2299-2301
- Karzai AW, Sauer RT. 2001. Protein factors assoziated with the SsrA. SmpB tagging and ribosome rescue complex. *Proc. Natl. Acad. Sci. USA* 98: 3040-3044
- Karimi R Pavlov MY Buckingham RH Ehrenberg M. 1999. Novel roles for classical factors at the interface between translation termination and initiation. *Molec. Cell.* 3: 601-609
- Kashiwagi K and Igarashi K. 1987. Nonspecific inhibition of Escherichia coli ornithin decarboxylase by various ribosomal proteins: detection of a new ribosomal protein possessing strong antizyme activity. *Biochim. Biophys. Acta.* 911 (2): 180-190
- Kellner R, Lottspeich F, Meyer HE. 1999. Microcharacterization of proteins. Weinheim: *Wiley-VCH Verlag GmbH.* p 101-107
- Kellner R, Lottspeich F, Meyer HE. 1999. Microcharacterization of proteins. *Wiley-VCH.* 101-102
- Khesin RB. 1953. Formation of amylase by cytoplasmatic granules isolated from pancreas cells. *Biokhimiya (USSR)* 18: 462-474
- Kigawa T and Yokoyama S. 1991. A continuous cell-free protein synthesis system for coupled transcription translation. *J. Biochem.* 110: 166-168
- Kim DM and Coi CY. 1996. A semicontinuous procaryotic coupled transcription/translation system using a dialysis membrane. *Biotechnol. Prog.* 12: 645-649
- Kim DM and Swartz JR. 1999. Prolonging cell-free protein synthesis with novel ATP regeneration system. *Biotechnol. Bioeng.* 66:180-188
- Kim DM and Swartz JR. 2000. Prolonging cell-free protein synthesis by selective reagent additions. *Biotechnol. Prog.* 16(3): 385-390
- Kim DM and Swartz JR. 2001. Regeneration of adenosine triphosphate from glycolytic intermediates for cell free-protein synthesis. *Biotechnol. Bioeng.* 74 (4):309-316
- Klose J and Kobalz U. 1995. Two-dimensional electrophoresis of proteins: An updated protocol and implications for a functional anlysis of the genome. *Electrophoresis* 16: 1034-1059

- Klose J. 1975. Protein mapping by combined isoelectric focusing and electrophoresis of mouse tissues. A novel approach to testing for induced point mutations in mammals. *Hum. Genet.* 26: 231-243
- Koonin EV and Aravind L. 2002. Origin and evolution of eukaryotic apoptosis: the bacterial connection. *Cell Death and Differentiation.* 9: 394-404
- Krojer T, Garrido-Franco M, Huber R, Ehrmann M, Clausen T. 2002. Crystal structure of DegP (HtrA) reveals a new protease-chaperone machine. *Nature.* 416: 455-459
- Kuehn GD and Atmar VJ. 1982. Posttranslational control of ornithin decarboxylase by polyamine-dependent protein kinase. *Fed. Proc.* 41: 30078
- Kuehn GD, Affolter H-U, Atmar VJ, Seebeck T, Gubler U, Braun R. 1979. Polyamine-mediated phosphorylation of a nuclear protein from Physarum polycephalum that stimulates rRNA synthesis. *Proc. Natl. Acad. Sci. U.S.A.* 76: 2541-2545
- Kung H, Spears C, Weissbach H. 1975. Purification and properties of a soluble factor required for the deoxyribonucleic acid-directed in vitro synthesis of beta-galactosidase. *J. Biol. Chem.* 250: 1556-1562
- Kung HF, Redfield B, Treadwell BV, Eskin B, Spears C, Weissbach H. 1977. DNA-directed in vitro synthesis of beta-galactosidase. Studies with purified factors. *J. Biol. Chem.* 252: 6889-6894
- Kurzchalia TV, Wiedmann M, Breter H, Zimmermann W, Bauschke E, Rapoport TA. 1988. tRNA-mediated labelling of proteins with biotin. A nonreactive method for the detection of cell-free translation products. *Eur. J. Biochem.* 172: 663-668
- Kyriakidis DA, Heller JS, Canellakis ES. 1978. Modulation of ornithin decarboxylase activity in Escherichia coli by positive and negative effectors. *Proc. Natl. Acad. Sci. U.S.A.* 75: 4699-4703
- Kyrylenko S, Kyrylenko O, Suuronen T, Salminen A. 2003. Differential regulation of the Sir2 histone deacetylase gene family by inhibitors of class I and II histone deacetylases. *Cell. Mol. Life Sci.* 60 (9): 1990-1997
- Laemmli UK. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227: 680-685
- Lamla T and Erdmann VA. 2003. Searching sequence space for high-affinity binding peptides using ribosome display. *J. Mol. Biol.* 329(2): 381-388
- Lamla T, Mammeri K, Erdmann VA. 2001. The cell-free protein biosynthesis – applications and analysis of the system. *Acta Biochimica Polonica.* 48: 453-456
- Lazar SW, Almirón M, Tormo A, Kolter R. 1998. Role of *Escherichia coli* SurA protein in stationary-phase survival. *J. Bacteriol.* 180: 5704-5711
- Lesley SA, Brow MA, Burgess RR. 1991. Use of *in vitro* protein synthesis from polymerase chain reaction-generated templates to study interaction of *E. coli* transcription factors with core RNA polymerase and for epitope mapping of monoclonal antibodies. *J. Biol. Chem.* 266: 2632-2638
- Lewis K. 2000. Programmed Death in Bacteria. *Microbiology and Molecular Biology Reviews.* 64 (3): 503-530
- Lipinska, B, Fayet O, Baird L, Georgopoulos C. 1989. Identification, characterization, and mapping of the *Escherichia coli* *htrA* gene, whose product is essential for growth only at elevated temperatures. *J. Bacteriol.* 171: 1574-1584
- Lucas-Lenard J and Lipman F. 1967. Initiation of polyphenylalanine synthesis by N-acetylphenylalanyl-SRNA. *Proc. Natl. Acad. Sci. U.S.A.* 57: 1050-1057
- Madin K, Sawasaki T, Ogasawara T, Endo Y. 2000. A highly efficient and robust cell-free protein synthesis system prepared from wheat embryos: plants apparently contain a suicide system directed at ribosomes. *Proc. Natl. Acad. Sci. U.S.A.* 97: 559-564

- Mann M, Hojrup P, Roepstorff P. 1993. Use of mass spectrometric molecular weight information to identify proteins in sequence databases. *Biol. Mass. Spectrom.* 22: 338-345
- Marzal E and Scouten WH. 1996. Dihydrofolate reductase synthesis in the presence of immobilized methotrexate. An approach to a continuous cell-free protein synthesis system. *J. Mol. Recognit.* 9: 543-548
- Matsuzaki K and Takeda Y. 1973. Aminoacyl transfer RNA formation. 3. Mechanism of aminoacylation stimulated by polyamines. *Biochim. Biophys. Acta.* 308(3): 339-351
- Mattheakis LC, Dias JM, Dower WJ. 1996. Cell-free synthesis of peptide libraries displayed on polysomes. *Methods Enzymol.* 267: 195-207
- McGovern V, Higgins NP, Chiz RS, Jaworski A. 1994. H-NS over-expression induces an artificial stationary phase by silencing global transcription. *Biochimie.* 76(10/11): 1019-1029
- McMahon ME and Erdmann VA. 1982. Binding of spermidine to transfer ribonucleic acid. *Biochemistry.* 21: 5280-5288
- Meade HM, Long SR, Ruvkun, CB, Brown, SE, and Ausubel FM. 1982. Physical and genetic characterization of symbiotic and auxotrophic mutants of *Rhizobium meliloti* induced by transposon Tn5 mutagenesis. *J. Bacteriol.* 149: 114-122
- Merk H. 2001. Steigerung der Effizienz des *Escherichia coli in vitro* Translationssystems durch Optimierung der Nukleinsäurekomponenten. *Dissertation.* FU Berlin
- Merril CR, Dunau ML, Goldmann D. 1981. A rapid sensitive silver stain for polypeptides in polyacrylamide gels. *Anal. Biochem.* 110: 201-207
- Mets LJ and Bogard L. 1974. Two-dimensional polyacrylamide gelelectrophoresis: an improved method for ribosomal proteins. *Anal. Biochem.* 57: 200-210
- Missiakas D and Raina S. 1997. Signal transduction pathways in response to protein misfolding in the extracytoplasmatic compartments of E.coli: role of two phosphoprotein phosphatases PrpA and PrpB. *EMBO J.* 16: 1670-1685
- Molloy MP, Herbert BR, Williams KL, Gooley AA. 1999. Extraction of *Escherichia coli* proteins with organic solvents prior to two-dimensional electrophoresis. *Electrophoresis.* 20: 701-704
- Morgan DM. 1990. Polyamines and their cellular regulation: perspectives. *Biochem. Soc. Trans.* 18: 1080-1084
- Muller YA, Schulz GE. 1993. Structure of the thiamine- and flavindependent enzyme pyruvate oxidase. *Science* 29: 965-967
- Mullis KB and Faloona FA. 1987. Specific synthesis of DNA *in vitro* via a polymerase-catalysed chain reaction. *Methods Enzymol.* 155: 335-
- Murakami Y, Matsufuji S, Tanaka K, Ichihara A, Hajashi S. 1993. Involvement of the proteasome and antizyme in ornithin decarboxylase degradation by a reticulocyte lysate. *Biochem. J.* 295: 305-308
- Na JG, Pinto I, Hampsey M. 1992. Isolation and characterization of SUA5, a novel gene required for normal growth in *Saccharomyces cerevisiae*. *Genetics* 11: 791-801
- Nakamura Y Ito K Ehrenberg M. 2000. Mimicry grasps reality in translation termination. *Cell.* 101: 349-359
- Neidhardt FC. 1987. *Escherichia coli* and *Salmonella Typhimurium*. *American Society for Microbiology.* Vol. 1: p. 635. Washington DC.
- Nierhaus KH. 1993. Solution of the ribosome riddle: how the ribosome selects the correct aminoacyl-tRNA out of 41 similar contestants. *Mol. Microbiol.* 9: 661-669

- Nieto JM, Madrid C, Miquelay E, Parra JL, Rodriguez S, Juarez A. 2002. Evidence for direct protein-protein interaction between members of the enterobacterial Hha/YmoA and H-NS families of proteins. *J. Bacteriol.* 184 (3): 629-635
- Nirenberg M, Leder P. 1964. RNA code words and protein synthesis. *Science.* 145: 1399-1407
- Nirenberg MW and Matthaei JH. 1961. The dependence of cell-free protein synthesis in *E.coli* upon naturally occurring or synthetic polynucleotides. *Proc. Natl. Acad. Sci. U.S.A.* 47: 1588-1602
- Nirenberg MW. 1963. Cell-free protein synthesis directed by messenger RNA. *Methods Enzymol.* 6: 17-23
- Nishimura N, Kitaoka Y, Niwano M. 1995. Enhancement of protein synthesis in continuous-flow, cell-free system by improvement of membrane permeation. *Journal of Fermentation and Bioengineering.* 80: 403-405
- Noren CJ, Anthony-Cahill SJ, Griffith MC, Schultz PG. 1989. A general method for site-specific incorporation of unnatural amino acids into proteins. *Science.* 244: 182-188
- Nyström T. 2003. Nonculturable bacteria: programmed survival forms or cells at death's door? *BioEssays.* 25: 204-211
- O'Farrell PH. 1975. High resolution two-dimensional electrophoresis of proteins. *J. Biol. Chem.* 250 (10): 4007-4021
- Ogasawara T, Ito K, Igarashi K. 1989. Effect of polyamines on globin synthesis in rabbit reticulocytes in polyamine-free protein synthetic system. *J. Biochem.* 105 (2): 164-167
- Ogata K, Ohno R, Morishita R, Endo Y, Wada A. 2000. Studies on ATPase (GTPase) intrinsic to *E.coli* ribosomes. *J. Biochem.* 128: 309-313
- Oka T, Tsuji H, Noda C, Sakai K, Hong Y, Suzuki I, Munoz S, Natori Y. 1995. Isolation and characterization of a novel perchloric acid-soluble protein inhibiting cell-free protein synthesis. *J. Biol. Chem.* 270 (50): 30060-30067
- Owen-Hughes TA, Pavitt GD, Santos DS, Sidebotham JM, Hulton CS, Hinton JC, Higgins CF. 1992. The chromatin-associated protein H-NS interacts with curved DNA to influence DNA topology and gene expression. *Cell* 71(2): 255-265
- Panagiotidis CA, Canellakis ES. Comparison of the basic Escherichia coli antizyme 1 and antizyme 2 with the ribosomal proteins S20/L26 and L34. 1984. *J. Biol. Chem.* 259(24): 15025-15027
- Panagiotidis CA, Huang SC, Canellakis ES. 1994. Post-translational and transcriptional regulation of polyamine biosynthesis in Escherichia coli. *Int. J. Biochem.* 26(8): 991-1001
- Paulin L and Pösö H. 1983. Ornithine decarboxylase activity from an extremely thermophilic bacterium, *Clostridium thermohydrosulfuricum*. Effect of GTP analogues on enzyme activity. *Biochim. Biophys. Acta* 742: 197-205
- Peebles CL, Gegenheimer P, Abelson J. 1983. Precise excision of intervening sequences from precursor tRNA by a membrane-associated yeast endonuclease. *Cell.* 32: 525-536
- Pegg AE and McCann PP. 1982. Polyamine metabolism and function. *Am. J. Physiol.* 243: C212-221
- Pegg AE and Williams-Ashman HG. 1981. Biosynthesis of putrescine, in: Morris DR, Marton LJ (editors). Polyamines in biology and medicine. New York: *Marcel Decker.* p. 3
- Pegg AE. 1988. Polyamine metabolism and its importance in neoplastic growth and a target for chemotherapy. *Cancer Res.* 48: 759-774
- Petersen HU, Danchin A, Grunberg-Manago M. 1976. Toward an understanding of the formylation of initiator tRNA methionine in prokaryotic protein synthesis II. A two state model for the 70S ribosome. *Biochemistry* 15: 1362-1369

- Peterson EA and Greenberg DM. 1952. Characteristics of the amino acid-incorporating system of liver homogenates. *J. Biol. Chem.* 194: 359-375
- Pettersson J and Liljas A. 1979. The stoichiometry and reconstitution of a stable protein complex from *Escherichia coli* ribosomes. *FEBS Lett.* 98: 139-144
- Pettersson J, Hardy SJS, Liljas A. 1976. The ribosomal protein L8 is a complex L7/L12 and L10. *FEBS Lett.* 64: 135-138
- Plückthun A, Schaffitzel C, Hanes J, Jermutus L. 2000. *In vitro* selection and evolution of proteins. *Adv. Protein Chem.* 55: 367-403
- Pochon F and Cohen SS. 1972. 4-Thiouridine and the conformation of E.coli tRNA induced by spermidine. *Biochem.Biophys.Res.Comm.* 47: 720-726
- Poole ES. 1997. Decoding the translational termination signal: the polypeptide chain release factor in *Escherichia coli* crosslinks to the base following the stop codon. *RNA.* 3: 974-982
- Pratt JM. 1984. Coupled transcription-translation in procaryotic cell-free systems. In: Hames BD, Higgins SJ, editors. *Transcription and translation: A practical approach.* NewYork
- Pribnow D. 1979. Genetic control signals in DNA. in Goldberger RF (Ed.). *Biological Regulation and Development*, Vol.1, pp.217-277, Plenum Press
- Proud CG. 1986. Guanine nucleotides, protein phosphorylation and control of translation. *Trends Biochem. Sci.* 11: 73-77
- Ringquist S, Shinedling S, Barrick D, Green L, Binkley J, Stormo GD, Gold L. 1992. Translation initiation in *Escherichia coli*: Sequences within the ribosome-binding site. *Mol. Microbiol* 6: 1219-1229
- Roberts MW, Rabinowitz JC. 1989. The effects of *Escherichia coli* ribosomal protein S1 on the translational specificity of bacterial ribosomes. *J. Biol. Chem.*: 264: 2228-2235
- Robinson M, Lilley R, Little S, Emtage JS, Yarranton G, Stephens P, Millican A, Eaton M, Humphreys G. 1984. Codon usage can affect efficiency of translation of genes in *Escherichia coli*. *Nucleic Acids Res.* 12: 6663-6671
- Rodnina MV, Savelsbergh A, Katunin VI, Wintermeyer W. 1997. Hydrolysis of GTP by elongation factor G frives tRNA movement on the ribosome. *Nature.* 385: 37-41
- Rosenfeld J, Capdevielle J, Guillemot JC, Ferrara P. 1992. In-gel digestion of proteins for internal sequence analysis after one- or two-dimensional gel electrophoresis. *Anal. Biochem.* 203: 173-179
- Rouviere PE and Gross CA. 1996. SurA, a periplasmic protein with peptidyl-prolyl isomerase activity, participates in the assembly of outer membrane porins. *Genes Dev.* 10: 3170-3182
- Rowbury RJ.1997. Regulatory components, including integration host factor, CysB and H-NS, that influence pH responses in *Escherichia coli*. *Lett. Appl. Microbiol.* 24 (5): 319- 328
- Russell DH and Russell SD. 1975. Relative usefulness of measuring polyamines in serum, plasma, and urine as biochemical markers of cancer. *Clin. Chem.* 21: 860-863
- Russell DH. 1983. Microinjection of purified ornithine decarboxylase into *Xenopus* oocytes selectively stimulates ribosomal RNA synthesis. *Proc. Natl. Acad. Sci. U.S.A.* 80: 1318-1321
- Russell DH. 1983. Ornithin decarboxylase may be a multifunctional protein. *Adv. Enzyme Regul.*21: 201-222
- Ryabova LA, Vinokurov LM, Shekhovtsova EA, Alakhov YB, Spirin AS. 1995. Acetyl phosphate as an energy source for bacterial cell-free translation systems. *Anal. Biochem.* 226: 184-186
- Sambrook J, Fritsch EF, Maniatis T. 1989. *Molecular cloning: a laboratory manual*, 2nd ed. *Cold Spring Harbor Laboratory Press.*

- Sanger F, Nicklen S, Coulson AR. 1977. DNA Sequencing with chain-terminating inhibitors. *Proc. Natl. Acad. Sci. U.S.A.* 74: 5463-5467
- Sawasaki T, Yoshinori H, Tsuchimochi M, Kamura N, Ogasawara T, Kuroita T, Endo Y. 2002. A bilayer cell-free protein synthesis system for high-throughput screening of gene products. *FEBS Letters.* 514: 102-105
- Schachtschabel D and Zillig W. 1959. Untersuchungen zur Biosynthese der Proteine. I. Über den Einbau C¹⁴-markierter Aminosäuren ins Protein zellfreier Nucleoprotein-Enzym-Systeme aus *E.coli*. *B.Hoppe-Seyler's Physiol. Chem.* 314: 262-275
- Schimmel PR. 1987. Aminoacyl tRNA synthetases: general scheme of structure-function relationships in the polypeptides and recognition of transfer RNAs. *Annu. Rev. Biochem.* 56: 125-158
- Schindler PT. 2000. Proteomics und molekularbiologische Analyse der zellfreien Proteinbiosynthese. *Dissertation*, Universität Stuttgart
- Schroeder O and Wagner R. 2002. The bacterial regulatory protein H-NS - a versatile modulator of nucleic acid structures. *Biol. Chem.* 383 (6): 945-960
- Schroeder O and Wagner R. 2000. The bacterial-binding protein H-NS represses ribosomal RNA transcription by trapping RNA polymerase in the initiation complex. *J. Mol. Biol.* 298 (5): 737-748
- Schulman LH and Abelson J. 1988. Recent excitement in understanding transfer RNA identity. *Science* 240: 1591-1592
- Schweiger M and Gold LM. 1969. Bacteriophage T4 DANN-dependent in vitro synthesis of lyozyme. *Proc. Natl. Acad. Sci. U.S.A.* 63: 1351-1358
- Scolnick EM and Caskey CT. 1969. Peptide chain termination. V. The role of release factors in mRNA terminator codon recognition. *Proc. Natl. Acad. Sci. U.S.A.* 64: 1235
- Seiler N and Knödgen B. 1985. Determination of polyamines and related compounds by reversed-phase high-performance liquid chromatography: improved separation systems. *J. Chromatogr.* 339: 45-57
- Shi X and Bennett GN. 1994. Plasmids bearing hfq and hns-like gene *stpA* complement hns mutants in modulating arginine decarboxylase gene expression in *Escherichia coli*. *J. Bacteriol.* 176 (21): 6769-6775
- Shi X, Waasdorp BC and Bennett GN. 1993. Modulation of acid-induced amino acid decarboxylase gene expression by hns in *Escherichia coli*. *J. Bacteriol.* 175 (4): 1182-1186
- Shimizu Y, Inoue A, Tomari Y, Suzuki T, Yokogawa T, Nishikawa K, Ueda T. 2001. Cell-free translation reconstituted with purified components. *Nature Biotechnology.* 19: 751-755
- Shine J and Dalgarno. 1974. The 3'-terminal sequence of *Escherichia coli* 16S ribosomal RNA: complementarity to nonsense triplets and ribosome binding *Proc. Natl. Acad. Sci. U.S.A.* 71: 1342-1346
- Siekevitz P and Zamecnik PC. 1951. In vitro incorporation of l-C¹⁴-DL-alanine into proteins of rat liver granular fractions. *Fed. Proc.* 10: 246-247
- Siekevitz P. 1952. Uptake of radioactive alanine in vitro into proteins of rat liver fractions. *J. Biol. Chem.* 195: 549-565
- Silhavy TJ, Berman ML, and Enquist LW. 1984. Experiments with gene fusions. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.
- Smyth CP, Lundbäck T, Renzoni D, Siligardi G, Beavil R, Layton M, Sidebotham JM, Hinton JCD, Driscoll PC, Higgins CF, Ladbury JE. 2000. Oligomerization of the chromatin-structuring protein H-NS. *Mol. Microbiol.* 4: 962-972

- Sørensen MA, Kurland CG and Pedersen S. 1989. Codon usage determines translation rate in *Escherichia coli*. *J. Mol. Biol.* 207: 365-377
- Spanjaard RA and van Duin J. 1988. Translation of the sequence AGG-AGG yields 50% ribosomal frameshift. *Proc. Natl. Acad. Sci. U.S.A.* 85: 7967-7971
- Spassky A, Rimsky, S Garreau H, Buc H. 1984. H1a, an E.coli DNA-binding protein which accumulates in stationary phase, strongly compacts DNA in vitro. *Nucleic Acids Research.* 12 (13): 5321-5340
- Specht T, Wolters J, Erdmann VA. 1991. Compilation of 5S rRNA and 5S rRNA gene sequences. *Nucl. Acids Res.* 19: Suppl: 2189-2230
- Sperrazza JM and Spremulli LL. 1983. Quantitation of cation binding to wheat germ ribosomes: influences on subunit association equilibria and ribosome activity. *Nucleic Acids Res.* 11: 2665-2679
- Spiess C, Beil A, Ehrmann M. 1999. A temperature-dependent switch from chaperone to protease in a widely conserved heat shock protein. *Cell* 97: 339-347
- Spirin AS, Baranov VI, Ryabova LA, Ovodov SY, Alakhov YB. 1988. A continuous cell-free translation system capable of producing polypeptides in high yield. *Science.* 242: 1162-1164
- Spirin AS. 1991. Cell-free protein bioreactor. In *Frontiers in Bioprocessing II*. Edited by Todd P, Skidar SK, Bier M. Washington DC: American Chemical Society: 31-43
- Spirito F, Figuerosa-Bossi N, Bossi L. 1994. The relative contributions of transcription and translation to plasmid DNA supercoiling in *Salmonella typhimurium*. *Mol. Microbiol.* 11 (1): 111-122
- Spurio R, Duerrenberger M, Dalconi M, La Teana A, Pon CL, Gualerzi CO. 1992. Lethal overproduction of of the *Escherichia coli* nukleoid protein H-NS: ultramicroscopic and molecular autopsy. *Mol. General Genetics.* 231(2): 201-211
- Steinberg TH, Haughland RP, Singer V. 1996b. Application of SYPRO orange and SYPRO red protein gel stains. *Anal. Biochem.* 239: 238-245
- Steinberg TH, Jones LJ, Haugland RP, Singer V. 1996a. SYPRO orange and SYPRO red protein gel stains: one-step fluorescent staining of denaturing gels for detection of nanogram levels of protein. *Anal. Biochem.* 239: 223-237
- Stiege W and Erdmann VA. 1995. The potentials of the in vitro protein biosynthesis system. *J. Biotechnol.* 41: 81-90
- Stim-Herndon KP. 1995. Effect of the local anesthetics phenethyl alcohol and procain on hns mutants of the acid-induced biodegradative arginine (adi) and lysine (cad) decarboxylases of *Escherichia coli*. *Curr. Microbiol.* 30 (5): 281-285
- Strauch KL, Johnson K, Beckwith J. 1989. Characterization of *degP*, a gene required for proteolysis in the cell envelope and essential for growth of *Escherichia coli* at high temperature. *J. Bacteriol.* 171: 2689-2696
- Sung HM, Yeaman G, Ross CA, Yasbin RE. 2003. Roles of YqjH and YqjW, homologs of the *Escherichia coli* UmuC/DinBY superfamily of DNA polymerases, in stationary-phase mutagenesis and UV-induced mutagenesis of *Bacillus subtilis*. *J. Bacteriol.* 185 (7): 2153-2160
- Subramanian AR, van Duin J. 1977. Exchange of individual ribosomal proteins between ribosomes as studied by heavy isotope-transfer experiments. *J. Mol. Biol.* 127: 41-44
- Sukhodolets MV, Garges S. 2003. Interaction of *Escherichia coli* RNA polymerase with the ribosomal protein S1 and the Sm-like ATPase Hfq. *Biochemistry.* 42:8022-8034
- Surette MG, Miller MB, Bassler BL. 1999. Quorum sensing in *Escherichia coli*, *Salmonella typhimurium*, and *Vibrio harveyi*: a new family of genes responsible for autoinducer production. *Proc. Natl. Acad. Sci. U.S.A.* 96: 1639-1644

- Tabor CW and Tabor H. 1984. Polyamines. *Annu. Rev. Biochem.* 53: 749-790
- Tabor CW and Tabor H. 1985. Polyamines in microorganism. *Microbiol. Rev.* 49: 81-99
- Teplova M, Tereshko V, Sanishvili R, Joachimiak A, Bushueva T, Anderson WF, Egli M. 2000. The structure of the yrdC gene product from *Escherichia coli* reveals a new fold and suggests a role in RNA binding. *Protein Sci.* 9 (12): 2557-2566
- Teplyakov A, Obmolova G, Bir N, Reddy P, Howard AJ, Gilliland G. 2003. Crystal structure of the YajQ protein from *Haemophilus influenzae* reveals a tandem of RNP-like domains. *J. Struct. Funct. Genomics* 4 (1): 1-9
- Terhorst C, Möller W, Laursen R, Wittmann-Liebold B. 1972. The primary structure of an acidic protein from 50S ribosomes of *Escherichia coli* which is involved in GTP hydrolysis dependent on elongation factors G and T. *FEBS Lett.* 28: 325-328
- Tormo A, Almirón M, Kolter R. 1990. *surA*, an *Escherichia coli* gene essential for survival in stationary phase. *J. Bacteriol.* 172: 4339-4347
- Tzareva NV, Makhno VI, Boni IV. 1994. Ribosome-messenger recognition in the absence of the Shine-Dalgarno interactions. *FEBS Lett.* 337: 189-194
- Tupper AE, Owen-Hughes TA, Ussery DW, Santos DS, Ferguson DJ, Sidebotham JM, Hinton JC, Higgins CF. 1994. The chromatin-associated protein H-NS alters DNA-topology in vitro. *EMBO J.* 13 (1): 258-268
- van Huynh N. 1993. Sequential elution of denatured proteins, hydrolysed RNA, and plasmid DNA of bacterial lysates absorbed onto stacked DEAE-cellulose membranes. *Anal. Biochem.* 211: 61-65
- Varshavsky AJ, Nedospasov SA, Bakayev VV, Bakayeva TG, Georgiev GP. 1977. Histone-like proteins in the purified *Escherichia coli* desoxyribonucleoprotein. *Nucleic Acids Research* 4 (7): 2181-2189
- Veciana-Nogues MT, Hernandez T, Marine-Font A, Vidal-Carou MC. 1995. Liquid chromatographic method for determination of biogenic amines in fish and fish products. *J. AOAC Int.* 78: 1045-1050
- Vladimirov SN, Ivanov AV, Karpova GG, Musolyamov AK, Egorov TA, Thiede B, Wittmann-Liebold B, Otto A. Characterization of the human small ribosomal subunit proteins by N-terminal and internal sequencing, and mass spectrometry. 1996. *Eur. J. Biochem.* 239: 144-149
- Voet D and Voet JG. 1994. Biochemie. *VCH Verlagsgesellschaft mbH Weinheim.* p.718
- Wagner EG, Jelenc PC, Ehrenberg M, Kurland CG. 1982. Rate of elongation of polyphenyl-alanine in vitro. *Eur. J. Biochem.* 122. 193-197
- Weber K and Osborn M. 1969. The reliability of molecular weight determination by dodecyl sulfate-polyacrylamide gel electrophoresis. *J. Biol. Chem.* 244: 4406-4412
- Weiss B, Jacquemin-Sablon A, Live TR, Fareed GC and Richardson CC. 1968. Enzymatic breakage and joining of deoxyribonucleic acid. I. Further purification and properties of polynucleotide ligase from *Escherichia coli* infected with bacteriophage T4. *J. Biol. Chem.* 243: 4543-4555
- Wilkins MR, Williams KL, Appel RD and Hochstrasser DF. 1997. *Proteome Research: New Frontiers in Functional Genomics.* Springer, Berlin.
- Winnick T. 1950a. Incorporation of labeled amino acids into protein of embryonic and tumor tissue homogenates. *Fed. Proc.* 9: 247
- Winnick T. 1950b. Studies on the mechanism of protein synthesis in embryonic and tumor tissues. II. Inactivation of fetal rat liver homogenates by dialyses and reactivation by the adenylic system. *Arch. Biochem.* 28: 338-347
- Withers HL and Nordstrom K. 1998. Quorum-sensing acts at initiation of chromosomal replication in *Escherichia coli*. *Proc. Natl. Acad. Sci. U.S.A.* 95: 15694-15699

- Wittmann HG. 1961. Ansätze zur Entschlüsselung des genetischen Codes. *Die Naturwissenschaften* 48: 729-734
- Wittmann HG 1963. Übertragung der genetischen Information. *Die Naturwissenschaften* 50(3): 76-88
- Wittmann HG. 1974. Purification and identification of *Escherichia coli* ribosomal proteins. In: Ribosomes, editor: Nomura M, Tissieres A, Lengye P. *Cold Spring Harbor Monograph Series*: 93-114
- Wittmann HG and Wittmann-Liebold B. 1974. Chemical structure of bacterial ribosomal proteins. In: Ribosomes, editor: Nomura M, Tissieres A, Lengye P. *Cold Spring Harbor Monograph Series*: 115-140;
- Wittmann HG. 1983. Architecture of procaryotic ribosomes. *Annu. Rev. Biochem.* 52: 35-65
- Wittmann-Liebold B. 1986. Ribosomal proteins: their structure and evolution. In: Structure, function and genetics of ribosomes. *Edited by Hardesty B and Kramer G.* Springer Verlag, Berlin, New York, pp. 326-361
- Wittmann-Liebold B, Köpke AKE, Arndt E, Krömer W, Hatakeyama T, Wittmann HG. 1990. Sequence comparison and evolution of ribosomal proteins and their genes. In: The ribosome, structure, function and evolution. *Edited by Hill WE, Dahlberg A, Garrett RA, Moore PB, Schlessinger D and Warner JR.* American Society Microbiology. Washington DC. pp. 598-616
- Wittmann-Liebold B, Ühlein M, Urlaub H, Müller EC, Otto A, Bischof O. 1995. Structural and functional implications in the eubacterial ribosome as revealed by protei-rRNA and antibiotic contact site. *Biochem. Cell Biol.* 73: 1187-1197
- Wood WB and Berg P. 1962. The effect of enzymatically synthesized ribonucleic acid on amino acid incorporation by a soluble protein-ribosome system from *Escherichia coli*. *Proc. Natl. Acad. Sci. U.S.A.* 48: 94-104
- Woodward WR, Ivey JL, Herbert E. 1974. Protein synthesis with rabbit reticulocyte preparations. *Methods Enzymol.* 30: 724-731
- Worcel A and Burgi F. 1972. On the structure of the folded chromosome of *Escherichia coli*. *J. Mol. Biol.* 14; 71(2):127-147
- Wower IK, Zwieb CW, Guven SA, Wower J. 2000. Binding and crosslinking of tmRNA to ribosomal protein S1, on and off the *Escherichia coli* ribosome. *EMBO J.* 19: 6612-6621
- Wright JM and Boyle SM. 1982. Negative control of ornithin decarboxylase and arginine decarboxylase by adenosine-3',5'-cyclic monophosphate in *Escherichia coli*. *Mol. Gen. Genet.* 186: 482-487
- Wülfiging C and Plückthun A. 1994. Protein folding in the periplasm of *Escherichia coli*. *Mol. Microbiol.* 12 (5): 685-692
- Yamamoto YI, Nagahori H, Yao S, Zhang ST, Suzuki E. 1996. Hollow fiber reactor for continuous flow cell-free protein production. *J. Chem. Eng. Japan.* 6: 1047-1050
- Yanofsky C. 1967. Gene structure and protein structure. *Sci. Am.* 216: 80-94
- Yates JR, Speicher S, Griffin PR, Hunkapiller T. 1993. Peptide mass maps: a highly informative approach to protein identification. *Anal. Biochem.* 214: 397-408
- Yuan R. 1981. Structure and mechanism of multifunctional restriction endonucleases. *Annu. Rev. Biochem.* 50: 285-319
- Yusupov MM, Yusupova GZ, Baucom A, Liebermann K, Earnest TN, Cate JH, Noller HF. 2001. Crystal structure of the ribosome at 5.5 Å resolution. *Science* 292: 883-896
- Zubay G. 1973. In vitro synthesis of protein microbial systems. *Annu. Rev. Genet.* 7: 267-287
- Zucker WV and Schulman H. 1968. Stimulation of globin-chain initiation by hemin in the reticulocyte cell-free system. *Proc. Natl. Acad. Sci. U.S.A.* 59: 582-589