

5 Literatur

- Abbott, C. A., McCaughan, G. W., Levy, M. T., Church, W. B., and Gorrell, M. D. (1999). **Binding to human dipeptidyl peptidase IV by adenosine deaminase and antibodies that inhibit ligand binding involves overlapping, discontinuous sites on a predicted beta propeller domain.** *Eur J Biochem* **266**, 798-810.
- Abdel-Ghany, M., Cheng, H., Levine, R. A., and Pauli, B. U. (1998). **Truncated dipeptidyl peptidase IV is a potent anti-adhesion and anti-metastasis peptide for rat breast cancer cells.** *Invasion Metastasis* **18**, 35-43.
- Adler, D., Kurktschiev, D., Subat, S., Lehmann, H. U., and Schentke, K. U. (1993). **[Dipeptidyl peptidase IV of peripheral blood lymphocytes in patients with primary biliary cirrhosis].** *Z Gastroenterol* **31**, 135-9.
- Aertgeerts, K., Ye, S., Tenant, M. G., Kraus, M. L., Rogers, J., Sang, B. C., Skene, R. J., Webb, D. R., and Prasad, G. S. (2004). **Crystal structure of human dipeptidyl peptidase IV in complex with a decapeptide reveals details on substrate specificity and tetrahedral intermediate formation.** *Protein Sci* **13**, 412-21. Epub 2004 Jan 10.
- Ahmad, S., Wang, L., and Ward, P. E. (1992). **Dipeptidyl(amino)peptidase IV and amino-peptidase M metabolize circulating substance P in vivo.** *J Pharmacol Exp Ther* **260**, 1257-61.
- Ansorge, S., and Schön, E. (1987). **Dipeptidyl peptidase IV (DP IV), a functional marker of the T lymphocyte system.** *Acta Histochem* **82**, 41-6.
- Apasov, S. G., Blackburn, M. R., Kellems, R. E., Smith, P. T., and Sitkovsky, M. V. (2001). **Adenosine deaminase deficiency increases thymic apoptosis and causes defective T cell receptor signaling.** *J Clin Invest* **108**, 131-41.
- Aratake, Y., Kotani, T., Tamura, K., Araki, Y., Kuribayashi, T., Konoe, K., and Ohtaki, S. (1991). **Dipeptidyl aminopeptidase IV staining of cytologic preparations to distinguish benign from malignant thyroid diseases.** *Am J Clin Pathol* **96**, 306-10.
- Asada, Y., Aratake, Y., Kotani, T., Marutsuka, K., Araki, Y., Ohtaki, S., and Sumiyoshi, A. (1993). **Expression of dipeptidyl aminopeptidase IV activity in human lung carcinoma.** *Histopathology* **23**, 265-70.
- Atherton, A. J., Monaghan, P., Warburton, M. J., Robertson, D., Kenny, A. J., and Gusterson, B. A. (1992). **Dipeptidyl peptidase IV expression identifies a functional sub-population of breast fibroblasts.** *Int J Cancer* **50**, 15-9.
- Barth, A., Schulz, H., and Neubert, K. (1974). **[Studies on the purification and characterization of dipeptidyl aminopeptidase IV].** *Acta Biol Med Ger* **32**, 157-74.
- Bauvois, B. (1988). **A collagen-binding glycoprotein on the surface of mouse fibroblasts is identified as dipeptidyl peptidase IV.** *Biochem J* **252**, 723-31.
- Bauvois, B. (2004). **Transmembrane proteases in cell growth and invasion: new contributors to angiogenesis?** *Oncogene* **23**, 317-29.
- Bermpohl, F., Löster, K., Reutter, W., and Baum, O. (1998). **Rat dipeptidyl peptidase IV (DPP IV) exhibits endopeptidase activity with specificity for denatured fibrillar collagens.** *FEBS Lett* **428**, 152-6.

- Bernt, K., Bork, J. P., Kiesewalter, F., Kilian, C., Reutter, W., and Fan, H. (1994). **Characterization of the active site of dipeptidylpeptidase IV (DPP IV).** *Biol Chem H-S* **375**, S32.
- Bertotto, A., Gerli, R., Spinozzi, F., Muscat, C., Fabietti, G. M., Crupi, S., Castellucci, G., De Benedictis, F. M., De Giorgi, G., Britta, R., and et al. (1994). **CD26 surface antigen expression on peripheral blood T lymphocytes from children with Down's syndrome (trisomy 21).** *Scand J Immunol* **39**, 633-6.
- Bishop, N. E. (2003). **Dynamics of endosomal sorting.** *Int Rev Cytol* **232**, 1-57.
- Blanco, J., Valenzuela, A., Herrera, C., Lluis, C., Hovanessian, A. G., and Franco, R. (2000). **The HIV-1 gp120 inhibits the binding of adenosine deaminase to CD26 by a mechanism modulated by CD4 and CXCR4 expression.** *FEBS Lett* **477**, 123-8.
- Blazquez, M. V., Madueno, J. A., Gonzalez, R., Jurado, R., Bachovchin, W. W., Pena, J., and Munoz, E. (1992). **Selective decrease of CD26 expression in T cells from HIV-1-infected individuals.** *J Immunol* **149**, 3073-7.
- Bogenrieder, T., Finstad, C. L., Freeman, R. H., Papandreou, C. N., Scher, H. I., Albino, A. P., Reuter, V. E., and Nanus, D. M. (1997). **Expression and localization of aminopeptidase A, aminopeptidase N, and dipeptidyl peptidase IV in benign and malignant human prostate tissue.** *Prostate* **33**, 225-32.
- Bongers, J., Lambros, T., Ahmad, M., and Heimer, E. P. (1992). **Kinetics of dipeptidyl peptidase IV proteolysis of growth hormone-releasing factor and analogs.** *Biochim Biophys Acta* **1122**, 147-53.
- Bristol, L. A., Sakaguchi, K., Appella, E., Doyle, D., and Takacs, L. (1992). **Thymocyte costimulating antigen is CD26 (dipeptidyl-peptidase IV). Costimulation of granulocyte, macrophage, and T lineage cell proliferation via CD26.** *J Immunol* **149**, 367-72.
- Brostrom, C., Sonnerborg, A., Lindback, S., and Gaines, H. (1998). **Low relative frequencies of CD26(+) CD4(+) cells in long-term nonprogressing human immunodeficiency virus type 1-infected subjects.** *Clin Diagn Lab Immunol* **5**, 662-6.
- Buc, H. A., Moncion, A., Hamet, M., Houllier, A. M., Thuilier, L., and Perignon, J. L. (1990). **Influence of adenosine deaminase inhibition on the phosphoinositide.** *Eur J Immunol* **20**, 611-5.
- Cai, G. Q., Salonikidis, P. S., Fei, J., Schwarz, W., Schülein, R., Reutter, W., and Fan, H. (2004). **Terminal processing of N-linked oligosaccharides is necessary for efficient GABA-uptake activity of the GABA transporter.** *FEBS Journal* **272**, 1625-1638.
- Callahan, P. X., McDonald, J. K., and Ellis, S. (1972). **Dipeptidyl aminopeptidase I: application in sequencing of peptides.** *Fed Proc* **31**, 1105-13.
- Callebaut, C., Krust, B., Jacotot, E., and Hovanessian, A. G. (1993). **T cell activation antigen, CD26, as a cofactor for entry of HIV in CD4+ cells.** *Science* **262**, 2045-50.
- Carbone, A., Gloghini, A., Zagonel, V., Aldinucci, D., Gattei, V., Degan, M., Impronta, S., Sorio, R., Monfardini, S., and Pinto, A. (1995). **The expression of CD26 and CD40 ligand is mutually exclusive in human T-cell non-Hodgkin's lymphomas/leukemias.** *Blood* **86**, 4617-26.

- Cheng, H. C., Abdel-Ghany, M., Elble, R. C., and Pauli, B. U. (1998). **Lung endothelial dipeptidyl peptidase IV promotes adhesion and metastasis of rat breast cancer cells via tumor cell surface-associated fibronectin.** *J Biol Chem* **273**, 24207-15.
- Cheng, H. C., Abdel-Ghany, M., and Pauli, B. U. (2003). **A novel consensus motif in fibronectin mediates dipeptidyl peptidase IV adhesion and metastasis.** *J Biol Chem* **278**, 24600-7. Epub 2003 Apr 25.
- Cheng, H. C., Abdel-Ghany, M., Zhang, S., and Pauli, B. U. (1999). **Is the Fischer 344/CRJ rat a protein-knock-out model for dipeptidyl peptidase IV-mediated lung metastasis of breast cancer?** *Clin Exp Metastasis* **17**, 609-15.
- Choe, H., Farzan, M., Sun, Y., Sullivan, N., Rollins, B., Ponath, P. D., Wu, L., Mackay, C. R., LaRosa, G., Newman, W., Gerard, N., Gerard, C., and Sodroski, J. (1996). **The beta-chemokine receptors CCR3 and CCR5 facilitate infection by primary HIV-1 isolates.** *Cell* **85**, 1135-48.
- Christopherson, K. W., 2nd, Hangoc, G., Mantel, C. R., and Broxmeyer, H. E. (2004). **Modulation of hematopoietic stem cell homing and engraftment by CD26.** *Science* **305**, 1000-3.
- Conarello, S. L., Li, Z., Ronan, J., Roy, R. S., Zhu, L., Jiang, G., Liu, F., Woods, J., Zycband, E., Moller, D. E., Thornberry, N. A., and Zhang, B. B. (2003). **Mice lacking dipeptidyl peptidase IV are protected against obesity and insulin resistance.** *Proc Natl Acad Sci U S A* **100**, 6825-30. Epub 2003 May 14.
- Constantinescu, C. S., Kamoun, M., Dotti, M., Farber, R. E., Galetta, S. L., and Rostami, A. (1995). **A longitudinal study of the T cell activation marker CD26 in chronic progressive multiple sclerosis.** *J Neurol Sci* **130**, 178-82.
- Cordero, O. J., Ayude, D., Nogueira, M., Rodriguez-Berrocal, F. J., and de la Cadena, M. P. (2000). **Preoperative serum CD26 levels: diagnostic efficiency and predictive value for colorectal cancer.** *Br J Cancer* **83**, 1139-46.
- Covas, M. J., Pinto, L. A., and Victorino, R. M. (1997). **Effects of substance P on human T cell function and the modulatory role of peptidase inhibitors.** *Int J Clin Lab Res* **27**, 129-34.
- Daddona, P. E., and Kelley, W. N. (1977). **Purification of human erythrocyte adenosine deaminase.** *Adv Exp Med Biol* **76A**, 223-34.
- Dang, N. H., Torimoto, Y., Deusch, K., Schlossman, S. F., and Morimoto, C. (1990). **Comitogenic effect of solid-phase immobilized anti-1F7 on human CD4 T cell activation via CD3 and CD2 pathways.** *J Immunol* **144**, 4092-100.
- Dang, N. H., Torimoto, Y., Schlossman, S. F., and Morimoto, C. (1990). **Human CD4 helper T cell activation: functional involvement of two distinct collagen receptors, 1F7 and VLA integrin family.** *J Exp Med* **172**, 649-52.
- Dang, N. H., Torimoto, Y., Shimamura, K., Tanaka, T., Daley, J. F., Schlossman, S. F., and Morimoto, C. (1991). **1F7 (CD26): a marker of thymic maturation involved in the differential regulation of the CD3 and CD2 pathways of human thymocyte activation.** *J Immunol* **147**, 2825-32.
- Darmoul, D., Lacasa, M., Baricault, L., Marguet, D., Sapin, C., Trotot, P., Barbat, A., and Trugnan, G. (1992). **Dipeptidyl peptidase IV (CD 26) gene expression in enterocyte-**

like colon cancer cell lines HT-29 and Caco-2. Cloning of the complete human coding sequence and changes of dipeptidyl peptidase IV mRNA levels during cell differentiation. *J Biol Chem* **267**, 4824-33.

David, F., Bernard, A. M., Pierres, M., and Marguet, D. (1993). **Identification of serine 624, aspartic acid 702, and histidine 734 as the catalytic triad residues of mouse dipeptidyl-peptidase IV (CD26). A member of a novel family of nonclassical serine hydrolases.** *J Biol Chem* **268**, 17247-52.

De Meester, I., Korom, S., Van Damme, J., and Scharpe, S. (1999). **CD26, let it cut or cut it down.** *Immunol Today* **20**, 367-75.

De Meester, I., Vanham, G., Kestens, L., Vanhoof, G., Bosmans, E., Gigase, P., and Scharpe, S. (1994). **Binding of adenosine deaminase to the lymphocyte surface via CD26.** *Eur J Immunol* **24**, 566-70.

Demuth, H. U., and Heins, J. (1995). **Catalytic mechanism of dipeptidyl peptidase IV.** in *Dipeptidyl Peptidase IV (CD26) in Metabolism and the Immune Response* (Fleischer, B., Ed.) R. G. Landes Company, Texas, pp. 1-35.

Demuth, H. U., Hinke, S. A., Pederson, R. A., and McIntosh, C. H. (2002). **Rebuttal to Deacon and Holst: "Metformin effects on dipeptidyl peptidase IV degradation of glucagon-like peptide-1" versus "Dipeptidyl peptidase inhibition as an approach to the treatment and prevention of type 2 diabetes: a historical perspective".** *Biochem Biophys Res Commun* **296**, 229-32.

Demuth, H. U., Neumann, U., and Barth, A. (1989). **Reactions between dipeptidyl peptidase IV and diacyl hydroxylamines: mechanistic investigations.** *J Enzyme Inhib* **2**, 239-48.

Deng, H., Liu, R., Ellmeier, W., Choe, S., Unutmaz, D., Burkhardt, M., Di Marzio, P., Marmon, S., Sutton, R. E., Hill, C. M., Davis, C. B., Peiper, S. C., Schall, T. J., Littman, D. R., and Landau, N. R. (1996). **Identification of a major co-receptor for primary isolates of HIV-1.** *Nature* **381**, 661-6.

Dinjens, W. N., ten Kate, J., Wijnen, J. T., van der Linden, E. P., Beek, C. J., Lenders, M. H., Khan, P. M., and Bosman, F. T. (1989). **Distribution of adenosine deaminase-complexing protein in murine tissues.** *J Biol Chem* **264**, 19215-20.

Dobers, J., Fan, H., and Reutter, W. (1996). **Characterization of functional domains of dipeptidyl peptidase IV by deletion-mutants and site-directed-mutagenesis.** *Biol. Chem. H-S. Suppl* **377**, 161.

Dobers, J., Grams, S., Reutter, W., and Fan, H. (2000). **Roles of cysteines in rat dipeptidyl peptidase IV/CD26 in processing and proteolytic activity.** *Eur J Biochem* **267**, 5093-100.

Dobers, J., Zimmermann-Kordmann, M., Ledermann, M., Schewe, T., Reutter, W., and Fan, H. (2002). **Expression, purification, and characterization of human dipeptidyl peptidase IV/CD26 in Sf9 insect cells.** *Protein Expr Purif* **25**, 527-32.

Dong, R. P., Tachibana, K., Hegen, M., Munakata, Y., Cho, D., Schlossman, S. F., and Morimoto, C. (1997). **Determination of adenosine deaminase binding domain on CD26 and its immunoregulatory effect on T cell activation.** *J Immunol* **159**, 6070-6.

- Drucker, D. J., Shi, Q., Crivici, A., Sumner-Smith, M., Tavares, W., Hill, M., DeForest, L., Cooper, S., and Brubaker, P. L. (1997). **Regulation of the biological activity of glucagon-like peptide 2 in vivo by dipeptidyl peptidase IV.** *Nat Biotechnol* **15**, 673-7.
- Engel, M., Hoffmann, T., Wagner, L., Wermann, M., Heiser, U., Kiefersauer, R., Huber, R., Bode, W., Demuth, H. U., and Brandstetter, H. (2003). **The crystal structure of dipeptidyl peptidase IV (CD26) reveals its functional regulation and enzymatic mechanism.** *Proc Natl Acad Sci USA* **100**, 5063-8. Epub 2003 Apr 10.
- Erickson, R. H., Bella, A. M., Jr., Brophy, E. J., Kobata, A., and Kim, Y. S. (1983). **Purification and molecular characterization of rat intestinal brush border membrane dipeptidyl aminopeptidase IV.** *Biochim Biophys Acta* **756**, 258-65.
- Fan, H., Dobers, J., and Reutter, W. (2001). **DPPIV/CD26: structural and biological characteristics of asparagine and cysteine mutants.** in *Cell-Surface Aminopeptidases: Basic and Clinical Aspects* (Mizutani, S., Turner, A. J., Nomura, S., and Ino, K., Eds.), Elsevier Science B.V., Amsterdam, pp. 303-316.
- Fan, H., Meng, W., Kilian, C., Grams, S., and Reutter, W. (1997). **Domain-specific N-glycosylation of the membrane glycoprotein dipeptidylpeptidase IV (CD26) influences its subcellular trafficking, biological stability, enzyme activity and protein folding.** *Eur J Biochem* **246**, 243-51.
- Fan, H., Xu, H. X., Loch, N., Kiesewalter, F., Lucka, L., Tauber, R., and Reutter, W. (1993). **Biosynthesis and degradation of rat DPP IV transfected into CHO cells.** *Eur J Cell Biol* **37**, 114.
- Fan, H., Yan, S., Stehling, S., Marguet, D., Schuppan, D., and Reutter, W. (2003). **Dipeptidyl peptidase IV/CD26 in T cell activation, cytokine secretion and immunoglobulin production.** *Adv Exp Med Biol* **524**, 165-74.
- Fiedler, K., and Simons, K. (1995). **The role of N-glycans in the secretory pathway.** *Cell* **81**, 309-12.
- Fleischer, B. (1987). **A novel pathway of human T cell activation via a 103 kD T cell activation antigen.** *J Immunol* **138**, 1346-50.
- Fleischer, B. (1994). **CD26: a surface protease involved in T-cell activation.** *Immunol Today* **15**, 180-4.
- Flentke, G. R., Munoz, E., Huber, B. T., Plaut, A. G., Kettner, C. A., and Bachovchin, W. W. (1991). **Inhibition of dipeptidyl aminopeptidase IV (DP-IV) by Xaa-boroPro dipeptides and use of these inhibitors to examine the role of DP-IV in T-cell function.** *Proc Natl Acad Sci USA* **88**, 1556-9.
- Fox, D. A., Hussey, R. E., Fitzgerald, K. A., Acuto, O., Poole, C., Palley, L., Daley, J. F., Schlossman, S. F., and Reinherz, E. L. (1984). **Ta1, a novel 105 KD human T cell activation antigen defined by a monoclonal antibody.** *J Immunol* **133**, 1250-6.
- Franco, R., Valenzuela, A., Lluis, C., and Blanco, J. (1998). **Enzymatic and extraenzymatic role of ecto-adenosine deaminase in lymphocytes.** *Immunol Rev* **161**, 27-42.
- Frohman, L. A., Downs, T. R., Heimer, E. P., and Felix, A. M. (1989). **Dipeptidylpeptidase IV and trypsin-like enzymatic degradation of human growth hormone-releasing hormone in plasma.** *J Clin Invest* **83**, 1533-40.

- Fujita, K., Hirano, M., Ochiai, J., Funabashi, M., Nagatsu, I., Nagatsu, T., and Sakakibara, S. (1978). **Serum glycyproline p-nitroanilidase activity in rheumatoid arthritis and systemic lupus erythematosus.** *Clin Chim Acta* **88**, 15-20.
- Fujiwara, H., Maeda, M., Imai, K., Fukuoka, M., Yasuda, K., Takakura, K., and Mori, T. (1992). **Human luteal cells express dipeptidyl peptidase IV on the cell surface.** *J Clin Endocrinol Metab* **75**, 1352-7.
- Fülöp, V., Bocskei, Z., and Polgar, L. (1998). **Prolyl oligopeptidase: an unusual beta-propeller domain regulates proteolysis.** *Cell* **94**, 161-70.
- Gerli, R., Muscat, C., Bertotto, A., Bistoni, O., Agea, E., Tognellini, R., Fiorucci, G., Cesari, M., and Bombardieri, S. (1996). **CD26 surface molecule involvement in T cell activation and lymphokine synthesis in rheumatoid and other inflammatory synovitis.** *Clin Immunol Immunopathol* **80**, 31-7.
- Gorrell, M. D., Gysbers, V., and McCaughan, G. W. (2001). **CD26: a multifunctional integral membrane and secreted protein of activated lymphocytes.** *Scand J Immunol* **54**, 249-64.
- Gosrau, R. (1985). **Cytochemistry of membrane proteases.** *Histochem J* **17**, 737-71.
- Gougeon, M. L., Lecoeur, H., Callebaut, C., Jacotot, E., Duloust, A., Roue, R., Montagnier, L., and Hovanessian, A. G. (1996). **Selective loss of the CD4+/CD26+ T-cell subset during HIV infection.** *Res Immunol* **147**, 5-8.
- Grandt, D., Dahms, P., Schimiczek, M., Eysselein, V. E., Reeve, J. R., Jr., and Mentlein, R. (1993). **[Proteolytic processing by dipeptidyl aminopeptidase IV generates receptor selectivity for peptide YY (PYY)].** *Med Klin (Munich)* **88**, 143-5.
- Grondin, G., Hooper, N. M., and LeBel, D. (1999). **Specific localization of membrane dipeptidase and dipeptidyl peptidase IV in secretion granules of two different pancreatic islet cells.** *J Histochem Cytochem* **47**, 489-98.
- Gruber, M., Scholz, W., and Flad, H. D. (1988). **Influence of human T lymphocytes identified by antibodies to dipeptidyl peptidase IV on differentiation of human B lymphocytes stimulated with *Staphylococcus aureus* Cowan I and pokeweed mitogen.** *Cell Immunol* **113**, 423-34.
- Guan, E., Wang, J., and Norcross, M. A. (2004). **Amino-terminal processing of MIP-1 β /CCL4 by CD26/dipeptidyl-peptidase IV.** *J Cell Biochem* **92**, 53-64.
- Gutheil, W. G., Subramanyam, M., Flentke, G. R., Sanford, D. G., Munoz, E., Huber, B. T., and Bachovchin, W. W. (1994). **Human immunodeficiency virus 1 Tat binds to dipeptidyl aminopeptidase IV (CD26): a possible mechanism for Tat's immunosuppressive activity.** *Proc Natl Acad Sci U S A* **91**, 6594-8.
- Haacke, W., Kullertz, G., and Barth, A. (1986). **[Diagnostic value of the enzyme dipeptidyl peptidase IV (DP IV) in abdominal cancers].** *Arch Geschwulstforsch* **56**, 145-53.
- Hammond, C., Braakman, I., and Helenius, A. (1994). **Role of N-linked oligosaccharide recognition, glucose trimming, and calnexin in glycoprotein folding and quality control.** *Proc Natl Acad Sci U S A* **91**, 913-7.
- Hanski, C., Huhle, T., Gosrau, R., and Reutter, W. (1988). **Direct evidence for the binding of rat liver DPP IV to collagen in vitro.** *Exp Cell Res* **178**, 64-72.

- Hanski, C., Huhle, T., and Reutter, W. (1985). **Involvement of plasma membrane dipeptidyl peptidase IV in fibronectin-mediated adhesion of cells on collagen.** *Biol Chem Hoppe Seyler* **366**, 1169-76.
- Hartel, S., Gossrau, R., Hanski, C., and Reutter, W. (1988). **Dipeptidyl peptidase (DPP) IV in rat organs. Comparison of immunohistochemistry and activity histochemistry.** *Histochemistry* **89**, 151-61.
- Hartel, S., Hanski, C., Neumeier, R., Gossrau, R., and Reutter, W. (1988). **Characterization of different forms of dipeptidyl peptidase IV from rat liver and hepatoma by monoclonal antibodies.** *Adv Exp Med Biol* **240**, 207-14.
- Hartel-Schenk, S., Gossrau, R., and Reutter, W. (1990). **Comparative immunohistochemistry and histochemistry of dipeptidyl peptidase IV in rat organs during development.** *Histochem J* **22**, 567-78.
- Hashikawa, T., Hooker, S. W., Maj, J. G., Knott-Craig, C. J., Takedachi, M., Murakami, S., and Thompson, L. F. (2004). **Regulation of adenosine receptor engagement by ecto-adenosine deaminase.** *Faseb J* **18**, 131-3. Epub 2003 Nov 20.
- Hegen, M., Kameoka, J., Dong, R. P., Schlossman, S. F., and Morimoto, C. (1997). **Cross-linking of CD26 by antibody induces tyrosine phosphorylation and activation of mitogen-activated protein kinase.** *Immunology* **90**, 257-64.
- Hegen, M., Mittrucker, H. W., Hug, R., Demuth, H. U., Neubert, K., Barth, A., and Fleischer, B. (1993). **Enzymatic activity of CD26 (dipeptidylpeptidase IV) is not required for its signalling function in T cells.** *Immunobiology* **189**, 483-93.
- Hegen, M., Niedobitek, G., Klein, C. E., Stein, H., and Fleischer, B. (1990). **The T cell triggering molecule Tp103 is associated with dipeptidyl aminopeptidase IV activity.** *J Immunol* **144**, 2908-14.
- Helenius, A. (1994). **How N-linked oligosaccharides affect glycoprotein folding in the endoplasmic reticulum.** *Mol Biol Cell* **5**, 253-65.
- Herrera, C., Morimoto, C., Blanco, J., Mallol, J., Arenzana, F., Lluis, C., and Franco, R. (2001). **Comodulation of CXCR4 and CD26 in human lymphocytes.** *J Biol Chem* **276**, 19532-9. Epub 2001 Jan 12.
- Heymann, E., and Mentlein, R. (1978). **Liver dipeptidyl aminopeptidase IV hydrolyzes substance P.** *FEBS Lett* **91**, 360-4.
- Hildebrandt, M., Reutter, W., Arck, P., Rose, M., and Klapp, B. F. (2000). **A guardian angel: the involvement of dipeptidyl peptidase IV in psychoneuroendocrine function, nutrition and immune defence.** *Clin Sci (Lond)* **99**, 93-104.
- Hildebrandt, M., Reutter, W., and Gitlin, J. D. (1991). **Tissue-specific regulation of dipeptidyl peptidase IV expression during development.** *Biochem J* **277**, 331-4.
- Hinke, S. A., Pospisilik, J. A., Demuth, H. U., Mannhart, S., Kuhn-Wache, K., Hoffmann, T., Nishimura, E., Pederson, R. A., and McIntosh, C. H. (2000). **Dipeptidyl peptidase IV (DPIV/CD26) degradation of glucagon. Characterization of glucagon degradation products and DPIV-resistant analogs.** *J Biol Chem* **275**, 3827-34.

- Hino, M., Fuyamada, H., Hayakawa, T., Nagatsu, T., and Oya, H. (1976). **X-Prolyl dipeptidyl-aminopeptidase activity, with X-proline p-nitroanilides as substrates, in normal and pathological human sera.** *Clin Chem* **22**, 1256-61.
- Hiramatsu, H., Kyono, K., Higashiyama, Y., Fukushima, C., Shima, H., Sugiyama, S., Inaka, K., Yamamoto, A., and Shimizu, R. (2003). **The structure and function of human dipeptidyl peptidase IV, possessing a unique eight-bladed beta-propeller fold.** *Biochem Biophys Res Commun* **302**, 849-54.
- Hoffmann, T., Faust, J., Neubert, K., and Ansorge, S. (1993). **Dipeptidyl peptidase IV (CD 26) and aminopeptidase N (CD 13) catalyzed hydrolysis of cytokines and peptides with N-terminal cytokine sequences.** *FEBS Lett* **336**, 61-4.
- Holst, J. J., and Deacon, C. F. (1998). **Inhibition of the activity of dipeptidyl-peptidase IV as a treatment for type 2 diabetes.** *Diabetes* **47**, 1663-70.
- Hong, W., and Doyle, D. (1987). **cDNA cloning for a bile canaliculus domain-specific membrane glycoprotein of rat hepatocytes.** *Proc Natl Acad Sci U S A* **84**, 7962-6.
- Hong, W. J., and Doyle, D. (1990). **Molecular dissection of the NH₂-terminal signal/anchor sequence of rat dipeptidyl peptidase IV.** *J Cell Biol* **111**, 323-8.
- Hong, W. J., Piazza, G. A., Hixson, D. C., and Doyle, D. (1989). **Expression of enzymatically active rat dipeptidyl peptidase IV in Chinese hamster ovary cells after transfection.** *Biochemistry* **28**, 8474-9.
- Hopsu-Havu, V. K., and Glenner, G. G. (1966). **A new dipeptide naphthylamide hydrolyzing glycyl-prolyl-beta-naphthylamide.** *Histochemie* **7**, 197-201.
- Horstkorte, R., Fan, H., and Reutter, W. (1996). **Rapid isolation of endosomes from BHK cells: identification of DPP IV (CD26) in endosomes.** *Exp Cell Res* **226**, 398-401.
- Huhn, J., Ehrlich, S., Fleischer, B., and von Bonin, A. (2000). **Molecular analysis of CD26-mediated signal transduction in T cells.** *Immunol Lett* **72**, 127-32.
- Imai, K., Kanzaki, H., Fujiwara, H., Maeda, M., Ueda, M., Suginami, H., and Mori, T. (1994). **Expression and localization of aminopeptidase N, neutral endopeptidase, and dipeptidyl peptidase IV in the human placenta and fetal membranes.** *Am J Obstet Gynecol* **170**, 1163-8.
- Ishii, T., Ohnuma, K., Murakami, A., Takasawa, N., Kobayashi, S., Dang, N. H., Schlossman, S. F., and Morimoto, C. (2001). **CD26-mediated signaling for T cell activation occurs in lipid rafts through its association with CD45RO.** *Proc Natl Acad Sci U S A* **98**, 12138-43. Epub 2001 Oct 2.
- Iwaki-Egawa, S., Watanabe, Y., and Fujimoto, Y. (1997). **CD26/dipeptidyl peptidase IV does not work as an adenosine deaminase-binding protein in rat cells.** *Cell Immunol* **178**, 180-6.
- Iwaki-Egawa, S., Watanabe, Y., Kikuya, Y., and Fujimoto, Y. (1998). **Dipeptidyl peptidase IV from human serum: purification, characterization, and N-terminal amino acid sequence.** *J Biochem (Tokyo)* **124**, 428-33.
- Iwata, S., Yamaguchi, N., Munakata, Y., Ikushima, H., Lee, J. F., Hosono, O., Schlossman, S. F., and Morimoto, C. (1999). **CD26/dipeptidyl peptidase IV differentially regulates**

the chemotaxis of T cells and monocytes toward RANTES: possible mechanism for the switch from innate to acquired immune response. *Int Immunol* **11**, 417-26.

Jensen, J., Langkilde, A. R., Fenst, C., Nicolaisen, M. S., Roed, H. G., Christiansen, M., and Sellebjerg, F. (2004). **CD4 T cell activation and disease activity at onset of multiple sclerosis.** *J Neuroimmunol* **149**, 202-9.

Johnson, R. C., Zhu, D., Augustin-Voss, H. G., and Pauli, B. U. (1993). **Lung endothelial dipeptidyl peptidase IV is an adhesion molecule for lung-metastatic rat breast and prostate carcinoma cells.** *J Cell Biol* **121**, 1423-32.

Kähne, T., Neubert, K., and Ansorge, S. (1995). **Enzymatic activity of DAPI/CD26 is involved in PMA-induced hyperphosphorylation of p56lck.** *Immunol Lett* **46**, 189-93.

Kähne, T., Neubert, K., Faust, J., and Ansorge, S. (1998). **Early phosphorylation events induced by DAPI/CD26-specific inhibitors.** *Cell Immunol* **189**, 60-6.

Kajiyama, H., Kikkawa, F., Khin, E., Shibata, K., Ino, K., and Mizutani, S. (2003). **Dipeptidyl peptidase IV overexpression induces up-regulation of E-cadherin and tissue inhibitors of matrix metalloproteinases, resulting in decreased invasive potential in ovarian carcinoma cells.** *Cancer Res* **63**, 2278-83.

Kameoka, J., Tanaka, T., Nojima, Y., Schlossman, S. F., and Morimoto, C. (1993). **Direct association of adenosine deaminase with a T cell activation antigen, CD26.** *Science* **261**, 466-9.

Kenny, A. J., Booth, A. G., George, S. G., Ingram, J., Kershaw, D., Wood, E. J., and Young, A. R. (1976). **Dipeptidyl peptidase IV, a kidney brush-border serine peptidase.** *Biochem J* **157**, 169-82.

Khin, E. E., Kikkawa, F., Ino, K., Kajiyama, H., Suzuki, T., Shibata, K., Tamakoshi, K., Nagasaka, T., and Mizutani, S. (2003). **Dipeptidyl peptidase IV expression in endometrial endometrioid adenocarcinoma and its inverse correlation with tumor grade.** *Am J Obstet Gynecol* **188**, 670-6.

Kieffer, T. J., McIntosh, C. H., and Pederson, R. A. (1995). **Degradation of glucose-dependent insulinotropic polypeptide and truncated glucagon-like peptide 1 in vitro and in vivo by dipeptidyl peptidase IV.** *Endocrinology* **136**, 3585-96.

Kiely, M. L., McKnight, G. S., and Schimke, R. T. (1976). **Studies on the attachment of carbohydrate to ovalbumin nascent chains in hen oviduct.** *J Biol Chem* **251**, 5490-5.

Kiesewalter, F., Fan, H., Moormann, P., Geßner, R., Tauber, R., and Reutter, W. (1994). **Membrane trafficking of chimeric plasma membrane glycoproteins.** *Biol. Chem. H-S* **375**, S61.

Kikuchi, M., Fukuyama, K., and Epstein, W. L. (1988). **Soluble dipeptidyl peptidase IV from terminal differentiated rat epidermal cells: purification and its activity on synthetic and natural peptides.** *Arch Biochem Biophys* **266**, 369-76.

Knapp, W., Rieber, P., Dörken, B., Schmidt, R. E., Stein, H., and vd Borne, A. E. (1989). **Towards a better definition of human leucocyte surface molecules.** *Immunol Today* **10**, 253-8.

- Kobata, A. (1992). **Structures and functions of the sugar chains of glycoproteins.** *Eur J Biochem* **209**, 483-501.
- Kojima, K., Mihara, R., Sakai, T., Togari, A., Matsui, T., Shinpo, K., Fujita, K., Fukasawa, K., Harada, M., and Nagatsu, T. (1987). **Serum activities of dipeptidyl-aminopeptidase II and dipeptidyl-aminopeptidase IV in tumor-bearing animals and in cancer patients.** *Biochem Med Metab Biol* **37**, 35-41.
- Kornfeld, R., and Kornfeld, S. (1985). **Assembly of asparagine-linked oligosaccharides.** *Annu Rev Biochem* **54**, 631-64.
- Kornfeld, S., and Mellman, I. (1989). **The biogenesis of lysosomes.** *Annu Rev Cell Biol* **5**, 483-525.
- Kotani, T., Aratake, Y., Ogata, Y., Umeki, K., Araki, Y., Hirai, K., Kuma, K., and Ohtaki, S. (1991). **Expression of dipeptidyl aminopeptidase IV activity in thyroid carcinoma.** *Cancer Lett* **57**, 203-8.
- Kotani, T., Asada, Y., Aratake, Y., Umeki, K., Yamamoto, I., Tokudome, R., Hirai, K., Kuma, K., Konoe, K., Araki, Y., and et al. (1992). **Diagnostic usefulness of dipeptidyl aminopeptidase IV monoclonal antibody in paraffin-embedded thyroid follicular tumours.** *J Pathol* **168**, 41-5.
- Kreil, G., Umbach, M., Brantl, V., and Teschemacher, H. (1983). **Studies on the enzymatic degradation of beta-casomorphins.** *Life Sci* **33**, 137-40.
- Kreisel, W., Heussner, R., Volk, B., Büchsel, R., Reutter, W., and Gerok, W. (1982). **Identification of the 110000 Mr glycoprotein isolated from rat liver plasma membrane as dipeptidylaminopeptidase IV.** *FEBS Lett* **147**, 85-8.
- Kreisel, W., Volk, B. A., Büchsel, R., and Reutter, W. (1980). **Different half-lives of the carbohydrate and protein moieties of a 110,000-dalton glycoprotein isolated from plasma membranes of rat liver.** *Proc Natl Acad Sci U S A* **77**, 1828-31.
- Kubota, T., Flentke, G. R., Bachovchin, W. W., and Stollar, B. D. (1992). **Involvement of dipeptidyl peptidase IV in an in vivo immune response.** *Clin Exp Immunol* **89**, 192-7.
- Kullertz, G., and Boigm, J. (1986). **[Dipeptidyl peptidase IV activity in the serum and synovia of patients with rheumatoid arthritis].** *Z Rheumatol* **45**, 52-6.
- Lambeir, A. M., Diaz Pereira, J. F., Chacon, P., Vermeulen, G., Heremans, K., Devreese, B., Van Beeumen, J., De Meester, I., and Scharpe, S. (1997). **A prediction of DPP IV/CD26 domain structure from a physico-chemical investigation of dipeptidyl peptidase IV (CD26) from human seminal plasma.** *Biochim Biophys Acta* **1340**, 215-26.
- Lambeir, A. M., Durinx, C., Proost, P., Van Damme, J., Scharpe, S., and De Meester, I. (2001). **Kinetic study of the processing by dipeptidyl-peptidase IV/CD26 of neuropeptides involved in pancreatic insulin secretion.** *FEBS Lett* **507**, 327-30.
- Lambeir, A. M., Durinx, C., Scharpe, S., and De Meester, I. (2003). **Dipeptidyl-peptidase IV from bench to bedside: an update on structural properties, functions, and clinical aspects of the enzyme DPP IV.** *Crit Rev Clin Lab Sci* **40**, 209-94.
- Lambeir, A. M., Proost, P., Durinx, C., Bal, G., Senten, K., Augustyns, K., Scharpe, S., Van Damme, J., and De Meester, I. (2001). **Kinetic investigation of chemokine truncation**

by CD26/dipeptidyl peptidase IV reveals a striking selectivity within the chemokine family. *J Biol Chem* **276**, 29839-45. Epub 2001 Jun 4.

Lambeir, A. M., Proost, P., Scharpe, S., and De Meester, I. (2002). **A kinetic study of glucagon-like peptide-1 and glucagon-like peptide-2 truncation by dipeptidyl peptidase IV, in vitro.** *Biochem Pharmacol* **64**, 1753-6.

Lapadula, G., Iannone, F., Zuccaro, C., Covelli, M., Patella, V., Lobianco, G., and Pipitone, V. (1995). **Expression of membrane-bound peptidases (CD10 and CD26) on human articular chondrocytes. Possible role of neuropeptidases in the pathogenesis of osteoarthritis.** *Clin Exp Rheumatol* **13**, 143-8.

Lemansky, P., Gieselmann, V., Hasilik, A., and von Figura, K. (1984). **Cathepsin D and beta-hexosaminidase synthesized in the presence of 1-deoxynojirimycin accumulate in the endoplasmic reticulum.** *J Biol Chem* **259**, 10129-35.

Lis, H., and Sharon, N. (1993). **Protein glycosylation. Structural and functional aspects.** *Eur J Biochem* **218**, 1-27.

Loch, N., Tauber, R., Becker, A., Hartel-Schenk, S., and Reutter, W. (1992). **Biosynthesis and metabolism of dipeptidylpeptidase IV in primary cultured rat hepatocytes and Morris hepatoma 7777 cells.** *Eur J Biochem* **210**, 161-8.

Löster, K., Zeilinger, K., Schuppan, D., and Reutter, W. (1995). **The cysteine-rich region of dipeptidyl peptidase IV (CD 26) is the collagen-binding site.** *Biochem Biophys Res Commun* **217**, 341-8.

Ludwig, K., Fan, H., Dobers, J., Berger, M., Reutter, W., and Bottcher, C. (2004). **3D structure of the CD26-ADA complex obtained by cryo-EM and single particle analysis.** *Biochem Biophys Res Commun* **313**, 223-9.

Ludwig, K., Yan, S., Fan, H., Reutter, W., and Bottcher, C. (2003). **The 3D structure of rat DPPIV/CD26 as obtained by cryo-TEM and single particle analysis.** *Biochem Biophys Res Commun* **304**, 73-7.

Marguet, D., Bernard, A. M., Vivier, I., Darmoul, D., Naquet, P., and Pierres, M. (1992). **cDNA cloning for mouse thymocyte-activating molecule. A multifunctional ecto-dipeptidyl peptidase IV (CD26) included in a subgroup of serine proteases.** *J Biol Chem* **267**, 2200-8.

Martin, R. A., Cleary, D. L., Guido, D. M., Zurcher-Neely, H. A., and Kubiak, T. M. (1993). **Dipeptidyl peptidase IV (DPP-IV) from pig kidney cleaves analogs of bovine growth hormone-releasing factor (bGRF) modified at position 2 with Ser, Thr or Val. Extended DPP-IV substrate specificity?** *Biochim Biophys Acta* **1164**, 252-60.

Matsumoto, Y., Bishop, G. A., and McCaughan, G. W. (1992). **Altered zonal expression of the CD26 antigen (dipeptidyl peptidase IV) in human cirrhotic liver.** *Hepatology* **15**, 1048-53.

Mattern, T., Reich, C., Schönbeck, U., Ansorge, S., Demuth, H. U., Loppnow, H., Ulmer, A. J., and Flad, H. D. (1998). **CD26 (dipeptidyl peptidase i.v.) on human T lymphocytes does not mediate adhesion of these cells to endothelial cells or fibroblasts.** *Immunobiology* **198**, 465-75.

Maxfield, F. R., and McGraw, T. E. (2004). **Endocytic recycling.** *Nat Rev Mol Cell Biol* **5**, 121-32.

- Medrano, F. J., Alonso, J., Garcia, J. L., Romero, A., Bode, W., and Gomis-Ruth, F. X. (1998). **Structure of proline iminopeptidase from *Xanthomonas campestris* pv. citri: a prototype for the prolyl oligopeptidase family.** *Embo J* 17, 1-9.
- Mentlein, R. (1999). **Dipeptidyl-peptidase IV (CD26)--role in the inactivation of regulatory peptides.** *Regul Pept* 85, 9-24.
- Mentlein, R. (2004). **Cell-surface peptidases.** *Int Rev Cytol* 235, 165-213.
- Mentlein, R., Dahms, P., Grandt, D., and Kruger, R. (1993). **Proteolytic processing of neuropeptide Y and peptide YY by dipeptidyl peptidase IV.** *Regul Pept* 49, 133-44.
- Mentlein, R., Gallwitz, B., and Schmidt, W. E. (1993). **Dipeptidyl-peptidase IV hydrolyses gastric inhibitory polypeptide, glucagon-like peptide-1(7-36)amide, peptide histidine methionine and is responsible for their degradation in human serum.** *Eur J Biochem* 214, 829-35.
- Mentlein, R., and Heymann, E. (1982). **Dipeptidyl peptidase IV inhibits the polymerization of fibrin monomers.** *Arch Biochem Biophys* 217, 748-50.
- Mentlein, R., Heymann, E., Scholz, W., Feller, A. C., and Flad, H. D. (1984). **Dipeptidyl peptidase IV as a new surface marker for a subpopulation of human T-lymphocytes.** *Cell Immunol* 89, 11-9.
- Mentlein, R., Rix, H., Feller, A. C., and Heymann, E. (1986). **Characterization of dipeptidyl peptidase IV from lymphocytes of chronic lymphocytic leukemia of T-type.** *Biomed Biochim Acta* 45, 567-74.
- Michalak, M., Mariani, P., and Opas, M. (1998). **Calreticulin, a multifunctional Ca²⁺ binding chaperone of the endoplasmic reticulum.** *Biochem Cell Biol* 76, 779-85.
- Misumi, Y., Hayashi, Y., Arakawa, F., and Ikehara, Y. (1992). **Molecular cloning and sequence analysis of human dipeptidyl peptidase IV, a serine proteinase on the cell surface.** *Biochim Biophys Acta* 1131, 333-6.
- Morimoto, C., and Schlossman, S. F. (1998). **The structure and function of CD26 in the T-cell immune response.** *Immunol Rev* 161, 55-70.
- Morimoto C., S., F. S. (1995). **CD26: A key costimulatory molecule involved in CD4 memory T cell function and activation.** in *Dipeptidyl Peptidase IV (CD26) in Metabolism and Immune Response* (B., F., Ed.) Springer, New York, pp. 145-153.
- Morrison, M. E., Vijayasaradhi, S., Engelstein, D., Albino, A. P., and Houghton, A. N. (1993). **A marker for neoplastic progression of human melanocytes is a cell surface ectopeptidase.** *J Exp Med* 177, 1135-43.
- Munoz, E., Blazquez, M. V., Madueno, J. A., Rubio, G., and Pena, J. (1992). **CD26 induces T-cell proliferation by tyrosine protein phosphorylation.** *Immunology* 77, 43-50.
- Nagakura, T., Yasuda, N., Yamazaki, K., Ikuta, H., Yoshikawa, S., Asano, O., and Tanaka, I. (2001). **Improved glucose tolerance via enhanced glucose-dependent insulin secretion in dipeptidyl peptidase IV-deficient Fischer rats.** *Biochem Biophys Res Commun* 284, 501-6.

- Nausch, I., Mentlein, R., and Heymann, E. (1990). **The degradation of bioactive peptides and proteins by dipeptidyl peptidase IV from human placenta.** *Biol Chem Hoppe Seyler* **371**, 1113-8.
- Neurath, H. (1984). **Evolution of proteolytic enzymes.** *Science* **224**, 350-7.
- Oberlin, E., Amara, A., Bachelerie, F., Bessia, C., Virelizier, J. L., Arenzana-Seisdedos, F., Schwartz, O., Heard, J. M., Clark-Lewis, I., Legler, D. F., Loetscher, M., Baggolini, M., and Moser, B. (1996). **The CXC chemokine SDF-1 is the ligand for LESTR/fusin and prevents infection by T-cell-line-adapted HIV-1.** *Nature* **382**, 833-5.
- Oefner, C., D'Arcy, A., Mac Sweeney, A., Pierau, S., Gardiner, R., and Dale, G. E. (2003). **High-resolution structure of human apo dipeptidyl peptidase IV/CD26 and its complex with 1-[(2-[(5-iodopyridin-2-yl)amino]-ethyl]amino)-acetyl]-2-cyano-(S)-pyrrolidine.** *Acta Crystallogr D Biol Crystallogr* **59**, 1206-12.
- Ogata, S., Misumi, Y., and Ikehara, Y. (1989). **Primary structure of rat liver dipeptidyl peptidase IV deduced from its cDNA and identification of the NH₂-terminal signal sequence as the membrane-anchoring domain.** *J Biol Chem* **264**, 3596-601.
- Ogata, S., Misumi, Y., Tsuji, E., Takami, N., Oda, K., and Ikehara, Y. (1992). **Identification of the active site residues in dipeptidyl peptidase IV by affinity labeling and site-directed mutagenesis.** *Biochemistry* **31**, 2582-7.
- Ohtsuki, T., Tsuda, H., and Morimoto, C. (2000). **Good or evil: CD26 and HIV infection.** *J Dermatol Sci* **22**, 152-60.
- Oravecz, T., Pall, M., Roderiquez, G., Gorrell, M. D., Ditto, M., Nguyen, N. Y., Boykins, R., Unsworth, E., and Norcross, M. A. (1997). **Regulation of the receptor specificity and function of the chemokine RANTES (regulated on activation, normal T cell expressed and secreted) by dipeptidyl peptidase IV (CD26)-mediated cleavage.** *J Exp Med* **186**, 1865-72.
- Oravecz, T., Pall, M., Wang, J., Roderiquez, G., Ditto, M., and Norcross, M. A. (1997). **Regulation of anti-HIV-1 activity of RANTES by heparan sulfate proteoglycans.** *J Immunol* **159**, 4587-92.
- Pauly, R. P., Rosche, F., Wermann, M., McIntosh, C. H., Pederson, R. A., and Demuth, H. U. (1996). **Investigation of glucose-dependent insulinotropic polypeptide-(1-42) and glucagon-like peptide-1-(7-36) degradation in vitro by dipeptidyl peptidase IV using matrix-assisted laser desorption/ionization-time of flight mass spectrometry. A novel kinetic approach.** *J Biol Chem* **271**, 23222-9.
- Pederson, R. A., Kieffer, T. J., Pauly, R., Kofod, H., Kwong, J., and McIntosh, C. H. (1996). **The enteroinsular axis in dipeptidyl peptidase IV-negative rats.** *Metabolism* **45**, 1335-41.
- Petell, J. K., Diamond, M., Hong, W. J., Bujanover, Y., Amarri, S., Pittschier, K., and Doyle, D. (1987). **Isolation and characterization of a Mr = 110,000 glycoprotein localized to the hepatocyte bile canalculus.** *J Biol Chem* **262**, 14753-9.
- Piazza, G. A., Callanan, H. M., Mowery, J., and Hixson, D. C. (1989). **Evidence for a role of dipeptidyl peptidase IV in fibronectin-mediated interactions of hepatocytes with extracellular matrix.** *Biochem J* **262**, 327-34.

Porwoll, S., Loch, N., Kannicht, C., Nuck, R., Grunow, D., Reutter, W., and Tauber, R. (1998). **Cell surface glycoproteins undergo postbiosynthetic modification of their N-glycans by stepwise demannosylation.** *J Biol Chem* **273**, 1075-85.

Pospisilik, J. A., Martin, J., Doty, T., Ehses, J. A., Pamir, N., Lynn, F. C., Piteau, S., Demuth, H. U., McIntosh, C. H., and Pederson, R. A. (2003). **Dipeptidyl peptidase IV inhibitor treatment stimulates beta-cell survival and islet neogenesis in streptozotocin-induced diabetic rats.** *Diabetes* **52**, 741-50.

Proost, P., De Meester, I., Schols, D., Struyf, S., Lambeir, A. M., Wuyts, A., Opdenakker, G., De Clercq, E., Scharpe, S., and Van Damme, J. (1998). **Amino-terminal truncation of chemokines by CD26/dipeptidyl-peptidase IV. Conversion of RANTES into a potent inhibitor of monocyte chemotaxis and HIV-1-infection.** *J Biol Chem* **273**, 7222-7.

Proost, P., Menten, P., Struyf, S., Schutyser, E., De Meester, I., and Van Damme, J. (2000). **Cleavage by CD26/dipeptidyl peptidase IV converts the chemokine LD78beta into a most efficient monocyte attractant and CCR1 agonist.** *Blood* **96**, 1674-80.

Proost, P., Struyf, S., Schols, D., Durinx, C., Wuyts, A., Lenaerts, J. P., De Clercq, E., De Meester, I., and Van Damme, J. (1998). **Processing by CD26/dipeptidyl-peptidase IV reduces the chemotactic and anti-HIV-1 activity of stromal-cell-derived factor-1alpha.** *FEBS Lett* **432**, 73-6.

Püschel, G., Mentlein, R., and Heymann, E. (1982). **Isolation and characterization of dipeptidyl peptidase IV from human placenta.** *Eur J Biochem* **126**, 359-65.

Rasmussen, H. B., Branner, S., Wiberg, F. C., and Wagtmann, N. (2003). **Crystal structure of human dipeptidyl peptidase IV/CD26 in complex with a substrate analog.** *Nat Struct Biol* **10**, 19-25.

Reddy, P. S., and Corley, R. B. (1998). **Assembly, sorting, and exit of oligomeric proteins from the endoplasmic reticulum.** *Bioessays* **20**, 546-54

Reinhold, D., Bank, U., Buhling, F., Neubert, K., Mattern, T., Ulmer, A. J., Flad, H. D., and Ansorge, S. (1993). **Dipeptidyl peptidase IV (CD26) on human lymphocytes. Synthetic inhibitors of and antibodies against dipeptidyl peptidase IV suppress the proliferation of pokeweed mitogen-stimulated peripheral blood mononuclear cells, and IL-2 and IL-6 production.** *Immunobiology* **188**, 403-14.

Reinhold, D., Hemmer, B., Gran, B., Steinbrecher, A., Brocke, S., Kähne, T., Wrenger, S., Born, I., Faust, J., Neubert, K., Martin, R., and Ansorge, S. (2000). **Dipeptidyl peptidase IV (CD26): role in T cell activation and autoimmune disease.** *Adv Exp Med Biol* **477**, 155-60.

Reutter, W., Baum, O., Loester, K., Fan, H., Bork, J. P., Bernt, K., Hanski, C., and Tauber, R. (1995). **Functional aspects of the three extracellular domains of dipeptidyl peptidase IV: Characterization of glycosylation events, of the collagen-binding site and endopeptidase activity.** in *Dipeptidyl Peptidase IV (CD26) in Metabolism and the Immune Response* (Fleischer, B., Ed.) R. G. Landes Company, Texas, pp. 55-79.

Reutter, W., Hartel, S., Hanski, C., Huhle, T., Zimmer, T., and Gossrau, R. (1989). **Biochemical properties of dipeptidyl peptidase IV in liver and hepatoma plasma membranes.** *Adv Enzyme Regul* **28**, 253-69.

- Rothman, J. E., Katz, F. N., and Lodish, H. F. (1978). **Glycosylation of a membrane protein is restricted to the growing polypeptide chain but is not necessary for insertion as a transmembrane protein.** *Cell* **15**, 1447-54.
- Russell, J. S., Chi, H., Lantry, L. E., Stephens, R. E., and Ward, P. E. (1996). **Substance P and neurokinin A metabolism by cultured human skeletal muscle myocytes and fibroblasts.** *Peptides* **17**, 1397-403.
- Sakaguchi, M., Murayama, K., Jinsmaa, Y., Yoshikawa, M., and Matsumura, E. (2003). **Neurite outgrowth-stimulating activities of beta-casomorphins in Neuro-2a mouse neuroblastoma cells.** *Biosci Biotechnol Biochem* **67**, 2541-7.
- Schlagenhauff, B., Klessen, C., Teichmann-Dorr, S., Breuninger, H., and Rassner, G. (1992). **Demonstration of proteases in basal cell carcinomas. A histochemical study using amino acid-4-methoxy-2-naphthylamides as chromogenic substrates.** *Cancer* **70**, 1133-40.
- Scholz, W., Mentlein, R., Heymann, E., Feller, A. C., Ulmer, A. J., and Flad, H. D. (1985). **Interleukin 2 production by human T lymphocytes identified by antibodies to dipeptidyl peptidase IV.** *Cell Immunol* **93**, 199-211.
- Schön, E., and Ansorge, S. (1990). **Dipeptidyl peptidase IV in the immune system. Cytofluorometric evidence for induction of the enzyme on activated T lymphocytes.** *Biol Chem Hoppe Seyler* **371**, 699-705.
- Schön, E., Jahn, S., Kiessig, S. T., Demuth, H. U., Neubert, K., Barth, A., Von Baehr, R., and Ansorge, S. (1987). **The role of dipeptidyl peptidase IV in human T lymphocyte activation. Inhibitors and antibodies against dipeptidyl peptidase IV suppress lymphocyte proliferation and immunoglobulin synthesis in vitro.** *Eur J Immunol* **17**, 1821-6.
- Schrader, W. P., West, C. A., Miczek, A. D., and Norton, E. K. (1990). **Characterization of the adenosine deaminase-adenosine deaminase complexing protein binding reaction.** *J Biol Chem* **265**, 19312-8.
- Shane, R., Wilk, S., and Bodnar, R. J. (1999). **Modulation of endomorphin-2-induced analgesia by dipeptidyl peptidase IV.** *Brain Res* **815**, 278-86.
- Shimizu, Y., and Shaw, S. (1991). **Lymphocyte interactions with extracellular matrix.** *Faseb J* **5**, 2292-9.
- Shioda, T., Kato, H., Ohnishi, Y., Tashiro, K., Ikegawa, M., Nakayama, E. E., Hu, H., Kato, A., Sakai, Y., Liu, H., Honjo, T., Nomoto, A., Iwamoto, A., Morimoto, C., and Nagai, Y. (1998). **Anti-HIV-1 and chemotactic activities of human stromal cell-derived factor 1alpha (SDF-1alpha) and SDF-1beta are abolished by CD26/dipeptidyl peptidase IV-mediated cleavage.** *Proc Natl Acad Sci U S A* **95**, 6331-6.
- Smith, R. E., Talhouk, J. W., Brown, E. E., and Edgar, S. E. (1998). **The significance of hypersialylation of dipeptidyl peptidase IV (CD26) in the inhibition of its activity by Tat and other cationic peptides. CD26: a subverted adhesion molecule for HIV peptide binding.** *AIDS Res Hum Retroviruses* **14**, 851-68.
- Stancikova, M., Lojda, Z., Lukac, J., and Ruzickova, M. (1992). **Dipeptidyl peptidase IV in patients with systemic lupus erythematosus.** *Clin Exp Rheumatol* **10**, 381-5.

- Stecca, B. A., Nardo, B., Chieco, P., Mazziotti, A., Bolondi, L., and Cavallari, A. (1997). **Aberrant dipeptidyl peptidase IV (DPP IV/CD26) expression in human hepatocellular carcinoma.** *J Hepatol* **27**, 337-45.
- Steeg, C., Hartwig, U., and Fleischer, B. (1995). **Unchanged signaling capacity of mutant CD26/dipeptidylpeptidase IV molecules devoid of enzymatic activity.** *Cell Immunol* **164**, 311-5.
- Steinbrecher, A., Reinhold, D., Quigley, L., Gado, A., Tresser, N., Izikson, L., Born, I., Faust, J., Neubert, K., Martin, R., Ansorge, S., and Brocke, S. (2000). **Dipeptidyl peptidase IV in inflammatory CNS disease.** *Adv Exp Med Biol* **477**, 145-53.
- Struyf, S., Proost, P., Schols, D., De Clercq, E., Opdenakker, G., Lenaerts, J. P., Detheux, M., Parmentier, M., De Meester, I., Scharpe, S., and Van Damme, J. (1999). **CD26/dipeptidyl-peptidase IV down-regulates the eosinophil chemotactic potency, but not the anti-HIV activity of human eotaxin by affecting its interaction with CC chemokine receptor 3.** *J Immunol* **162**, 4903-9.
- Struyf, S., Proost, P., and Van Damme, J. (2003). **Regulation of the immune response by the interaction of chemokines and proteases.** *Adv Immunol* **81**, 1-44.
- Tanaka, S., Murakami, T., Nonaka, N., Ohnuki, T., Yamada, M., and Sugita, T. (1998). **Anti-arthritis effects of the novel dipeptidyl peptidase IV inhibitors TMC-2A and TSL-225.** *Immunopharmacology* **40**, 21-6.
- Tanaka, T. (1993). **Cloning and functional expression of the T cell activation antigen CD26.** *J Immunol* **150**, 2090.
- Tanaka, T., Camerini, D., Seed, B., Torimoto, Y., Dang, N. H., Kameoka, J., Dahlberg, H. N., Schlossman, S. F., and Morimoto, C. (1992). **Cloning and functional expression of the T cell activation antigen CD26.** *J Immunol* **149**, 481-6.
- Tanaka, T., Kameoka, J., Yaron, A., Schlossman, S. F., and Morimoto, C. (1993). **The costimulatory activity of the CD26 antigen requires dipeptidyl peptidase IV enzymatic activity.** *Proc Natl Acad Sci USA* **90**, 4586-90.
- Tanaka, T., Umeki, K., Yamamoto, I., Sakamoto, F., Noguchi, S., and Ohtaki, S. (1995). **CD26 (dipeptidyl peptidase IV/DPP IV) as a novel molecular marker for differentiated thyroid carcinoma.** *Int J Cancer* **64**, 326-31.
- Tauber, R., Park, C. S., Becker, A., Geyer, R., and Reutter, W. (1989). **Rapid intramolecular turnover of N-linked glycans in plasma membrane glycoproteins. Extension of intramolecular turnover to the core sugars in plasma membrane glycoproteins of hepatoma.** *Eur J Biochem* **186**, 55-62.
- Tauber, R., Park, C. S., and Reutter, W. (1983). **Intramolecular heterogeneity of degradation in plasma membrane glycoproteins: evidence for a general characteristic.** *Proc Natl Acad Sci USA* **80**, 4026-9.
- Thoma, R., Loffler, B., Stihle, M., Huber, W., Ruf, A., and Hennig, M. (2003). **Structural basis of proline-specific exopeptidase activity as observed in human dipeptidyl peptidase-IV.** *Structure (Camb)* **11**, 947-59.
- Thompson, N. L., Hixson, D. C., Callanan, H., Panzica, M., Flanagan, D., Faris, R. A., Hong, W. J., Hartel-Schenk, S., and Doyle, D. (1991). **A Fischer rat substrain deficient in**

dipeptidyl peptidase IV activity makes normal steady-state RNA levels and an altered protein. Use as a liver-cell transplantation model. *Biochem J* 273, 497-502.

Tiruppathi, C., Miyamoto, Y., Ganapathy, V., and Leibach, F. H. (1993). **Genetic evidence for role of DPP IV in intestinal hydrolysis and assimilation of prolyl peptides.** *Am J Physiol* 265, G81-9.

Torimoto, Y., Dang, N. H., Vivier, E., Tanaka, T., Schlossman, S. F., and Morimoto, C. (1991). **Coassociation of CD26 (dipeptidyl peptidase IV) with CD45 on the surface of human T lymphocytes.** *J Immunol* 147, 2514-7.

Trombetta, E. S., and Helenius, A. (1998). **Lectins as chaperones in glycoprotein folding.** *Curr Opin Struct Biol* 8, 587-92.

Valenzuela, A., Blanco, J., Callebaut, C., Jacotot, E., Lluis, C., Hovanessian, A. G., and Franco, R. (1997). **Adenosine deaminase binding to human CD26 is inhibited by HIV-1 envelope glycoprotein gp120 and viral particles.** *J Immunol* 158, 3721-9.

Van den Oord, J. J. (1998). **Expression of CD26/dipeptidyl-peptidase IV in benign and malignant pigment-cell lesions of the skin.** *Br J Dermatol* 138, 615-21.

Vanham, G., Kestens, L., De Meester, I., Vingerhoets, J., Penne, G., Vanhoof, G., Scharpe, S., Heyligen, H., Bosmans, E., Ceuppens, J. L., and et al. (1993). **Decreased expression of the memory marker CD26 on both CD4+ and CD8+ T lymphocytes of HIV-infected subjects.** *J Acquir Immune Defic Syndr* 6, 749-57.

Vanhoof, G., Goossens, F., De Meester, I., Hendriks, D., and Scharpe, S. (1995). **Proline motifs in peptides and their biological processing.** *Faseb J* 9, 736-44

Varki, A. (1993). **Biological roles of oligosaccharides: all of the theories are correct.** *Glycobiology* 3, 97-130.

Verstovsek, S., Cabanillas, F., and Dang, N. H. (2000). **CD26 in T-cell lymphomas: a potential clinical role?** *Oncology (Huntingt)* 14, 17-23.

Viscidi, R. P., Mayur, K., Lederman, H. M., and Frankel, A. D. (1989). **Inhibition of antigen-induced lymphocyte proliferation by Tat protein from HIV-1.** *Science* 246, 1606-8.

Volk, B. A., Kreisel, W., Kottgen, E., Gerok, W., and Reutter, W. (1983). **Heterogeneous turnover of terminal and core sugars within the carbohydrate chain of dipeptidylaminopeptidase IV isolated from rat liver plasma membrane.** *FEBS Lett* 163, 150-2.

von Bonin, A., Mittrucker H.-W., Fleischer B. (1995). **Molecular requirements for signaling through the CD26 molecule in T lymphocytes.** in *Dipeptidyl Peptidase IV (CD26) in Metabolism and Immune Response.* (B., F., Ed.) Springer, New York, pp. 145-153.

von Bonin, A., Huhn, J., and Fleischer, B. (1998). **Dipeptidyl-peptidase IV/CD26 on T cells: analysis of an alternative T-cell activation pathway.** *Immunol Rev* 161, 43-53.

von Bonin, A., Steeg, C., Mittrucker, H. W., and Fleischer, B. (1997). **The T-cell receptor associated zeta-chain is required but not sufficient for CD26 (dipeptidylpeptidase IV) mediated signaling.** *Immunol Lett* 55, 179-82.

- Weber, A. E. (2004). **Dipeptidyl peptidase IV inhibitors for the treatment of diabetes.** *J Med Chem* **47**, 4135-41.
- Weihofen, W. A., Liu, J., Reutter, W., Saenger, W., and Fan, H. (2004). **Crystal structure of CD26/DPPIV in complex with adenosine deaminase reveals a highly amphiphilic interface.** *J Biol Chem* **279**, 43330-5.
- Wesley, U. V., Albino, A. P., Tiwari, S., and Houghton, A. N. (1999). **A role for dipeptidyl peptidase IV in suppressing the malignant phenotype of melanocytic cells.** *J Exp Med* **190**, 311-22.
- Wickner, W. T., and Lodish, H. F. (1985). **Multiple mechanisms of protein insertion into and across membranes.** *Science* **230**, 400-7.
- Wiedeman, P. E., and Trevillyan, J. M. (2003). **Dipeptidyl peptidase IV inhibitors for the treatment of impaired glucose tolerance and type 2 diabetes.** *Curr Opin Investig Drugs* **4**, 412-20.
- Willheim, M., Ebner, C., Baier, K., Kern, W., Schrattbauer, K., Thien, R., Kraft, D., Breiteneder, H., Reinisch, W., and Scheiner, O. (1997). **Cell surface characterization of T lymphocytes and allergen-specific T cell clones: correlation of CD26 expression with T(H1) subsets.** *J Allergy Clin Immunol* **100**, 348-55.
- Wolf, B., Fischer, G., and Barth, A. (1978). **[Kinetics of dipeptidyl-peptidase IV].** *Acta Biol Med Ger* **37**, 409-20.
- Wrenger, S., Hoffmann, T., Faust, J., Mrestani-Klaus, C., Brandt, W., Neubert, K., Kraft, M., Olek, S., Frank, R., Ansorge, S., and Reinhold, D. (1997). **The N-terminal structure of HIV-1 Tat is required for suppression of CD26-dependent T cell growth.** *J Biol Chem* **272**, 30283-8.
- Wu, L., LaRosa, G., Kassam, N., Gordon, C. J., Heath, H., Ruffing, N., Chen, H., Humblia, J., Samson, M., Parmentier, M., Moore, J. P., and Mackay, C. R. (1997). **Interaction of chemokine receptor CCR5 with its ligands: multiple domains for HIV-1 gp120 binding and a single domain for chemokine binding.** *J Exp Med* **186**, 1373-81.
- Yan, S., Marguet, D., Dobers, J., Reutter, W., and Fan, H. (2003). **Deficiency of CD26 results in a change of cytokine and immunoglobulin secretion after stimulation by pokeweed mitogen.** *Eur J Immunol* **33**, 1519-27.
- Yan, S., Marguet, D., Reutter, W., and Fan, H. (2004). **CD26 in lymphocyte development/differentiation and OVA-induced airway inflammation.** *Immunology 2004*, im Druck.
- Yoshioka, M., Erickson, R. H., Matsumoto, H., Gum, E., and Kim, Y. S. (1991). **Expression of dipeptidyl aminopeptidase IV during enterocytic differentiation of human colon cancer (Caco-2) cells.** *Int J Cancer* **47**, 916-21.
- Zoro, P., Vassko, V., Garcia, S., Pazart, L., Aho, S., and De Micco, C. (1996). **[Tumor markers in the cytodiagnosis of thyroid nodules. Detection of dipeptidyl aminopeptidase IV (DAP IV) activity].** *Ann Pathol* **16**, 261-5.