

8. Literatur

1. LeBihan D, Breton E, Lallemand D, Grenier P, Cabanis E, Laval-Jeantet M. MR imaging of intravoxel incoherent motion: application to diffusion and perfusion in neurologic disorders. *Radiology* 1986;161:401-407
2. Lev MH, Rosen BR. Clinical applications of intracranial perfusion MR imaging. *Neuroimaging Clin N Am* 1999;9:309-331
3. Connelly A, Jackson GD, Frackowiak RS, Belliveau JW, Vargha-Khadem F, Gadian DG. Functional mapping of activated human primary cortex with a clinical MR imaging system. *Radiology* 1993;188:125-130
4. Edelman RR, Wedeen VJ, Davis KR, Widder D, Hahn P, Shoukimas G, Brady TJ. Multiphasic MR imaging. A new method for direct imaging of pulsatile CSF flow. *Radiology* 1986;161:779-783
5. Nitz W. Bildgebende Sequenzen in der Kernspintomographie und ihre klinische Anwendung. Teil 1: *elektromedica* 1996;64:23-29. Teil 2: *elektromedica* 1996;64:48-51. Teil 3: *elektromedica* 1997;65:8-14
6. Mathews VP, Elster AD, King JC, Ulmer JL, Hamilton CA, Strottman JM. Combined effects of magnetization transfer and gadolinium in cranial MR imaging and MR angiography. *AJR Am J Roentgenol* 1995;164:169-172
7. Le Bihan D. Molecular diffusion nuclear magnetic resonance imaging. *Magn Reson Q* 1991;7:1-30
8. Wende S, Ludecke B. Technique and value of gas and Pantopaque cisternography in the diagnosis of cerebello-pontine angle tumours. *Neuroradiology* 1971;2:24-29

9. Benabid AL, Koudsie A, Benazzouz A, Le Bas JF, Pollak P. Imaging of subthalamic nucleus and ventralis intermedius of the thalamus. *Mov Disord* 2002;17 Suppl 3:S123-129
10. Wolpert SM, Scott RM. The value of metrizamide CT cisternography in the management of cerebral arachnoid cysts. *AJNR Am J Neuroradiol* 1981;2:29-35
11. Lying-Tunell U, Söderborg B. Quantitative scintigraphic method of estimating the circulation of cerebrospinal fluid. *Acta Radiol* 1972;13:554-569
12. Quencer RM, Post MJ, Hinks RS. Cine MR in the evaluation of normal and abnormal CSF flow: intracranial and intraspinal studies. *Neuroradiology*. 1990;32:371-391
13. Clarke E, OMalley CD. The human brain and spinal cord: a historical study illustrated by writings from antiquity to the twentieth century. San Francisco: Norman, 2nd ed., 1996
14. DiChiro G. Movement of the cerebrospinal fluid in human beings. *Nature* 1964;204:290-291
15. Leonhardt H. Ependym und zirkumventrikuläre Organe. In: Oksche IA (Hrsg.): *Handbuch der mikroskopischen Anatomie des Menschen*, IV/10, Neuroglia; Springer, 1980
16. Badaut J, Lasbennes F, Magistretti PJ, Regli L. Aquaporins in brain: distribution, physiology, and pathophysiology. *J Cereb Blood Flow Metab* 2002;22:367-78
17. Venero JL, Vizuete ML, Machado A, Cano J. Aquaporins in the central nervous system. *Prog Neurobiol* 2001;63:32

18. Rosenberg GA, Kyner WT, Estrada E. Bulk flow of brain interstitial fluid under normal and hyperosmolar conditions. *Am J Physiol.* 1980;238:F42-9
19. Doczi T. Volume regulation of the brain tissue-a survey. *Acta Neurochir (Wien)* 1993;121:1-8
20. Wood JH (ed.). *Neurobiology of cerebrospinal fluid.* Plenum Press, New York-London 1983
21. Gideon P, Thomsen C, Stahlberg F, Henriksen O. Cerebrospinal fluid production and dynamics in normal ageing: a MRI phase-mapping study. *Acta Neurol Scand* 1994;89:362-366
22. Du Boulay GH. Pulsatile movements in the CSF pathways. *Br J Radiol* 1966;39:255-262
23. Henry-Feugeas MC, Idy-Peretti I, Blanchet B, Hassine D, Zannoli G, Schouman-Claeys E. Temporal and spatial resolution of normal cerebrospinal fluid dynamics with MR imaging. *Magn Reson Imag* 1993;11:1107-1118
24. Lanz T, Wachsmuth W (Hrsg.). *Praktische Anatomie: ein Lehr- und Hilfsbuch der anatomischen Grundlagen ärztlichen Handelns.* Berlin (u.a.), Springer; Kopf Lang J (Hrsg). A. Übergeordnete Systeme. 1986; B. Gehirn- und Augenschädel. 1979
25. Klose U, Requardt H, Schroth G, Deimling M. MR tomographic demonstration of liquor pulsation. *ROFO Fortschr Geb Rontgenstr Nuklearmed* 1987;147:313-319
26. Greitz D, Franck A, Nordell B. On the pulsatile nature of intracranial and spinal CSF-circulation demonstrated by MR imaging. *Acta Radiol* 1993;34:321-328

27. Greitz D. Cerebrospinal fluid circulation and associated intracranial dynamics. A radiologic investigation using MR imaging and radionuclide cisternography. *Acta Radiol* 1993;34:1-21
28. Thomsen C, Stahlberg F, Stubgaard M, Nordell B. Fourier analysis of cerebrospinal fluid flow velocities: MR imaging study. The Scandinavian Flow Group. *Radiology* 1990;177:659-665
29. Weed LH. Some limitation of the Monro-Kellie hypothesis. *Arch Surg* 1929;18:1049-1056
30. Greitz D, Wirestam R, Franck A, Nordell B, Thomsen C, Stahlberg F. Pulsatile brain movement and associated hydrodynamics studied by magnetic resonance phase imaging. The Monro-Kellie doctrine revisited. *Neuroradiology* 1992;34:370-380
31. Barkhof F, Kouwenhoven M, Scheltens P, Sprenger M, Algra P, Valk J. Phase-contrast cine MR imaging of normal aqueductal CSF flow. *Acta Radiol* 1994;35:123-130
32. Vanneste JA. Three decades of normal pressure hydrocephalus: are we wiser now? *J Neurol Neurosurg Psychiatry* 1994;57:1021-1025
33. Enzmann DR, Pelc NJ. Normal patterns of intracranial and spinal cerebrospinal fluid defined with phase contrast cine MR imaging. *Radiology* 1991;178:467-474
34. Mascalchi M, Ciraolo L, Tanfani G, Taverni N, Inzitari D, Siracusa GF, Dal Pozzo GC. Cardiac-gated phase MR imaging of aqueductal CSF flow. *J Comput Assist Tomogr* 1988;12:923-926

35. Schroth G, Klose U. Cerebrospinal fluid flow. I. Physiology of cardiac-related pulsation. *Neuroradiology* 1992;35:1-9
36. Schroth G, Klose U. Cerebrospinal fluid flow. II. Physiology of respiration-related pulsations. *Neuroradiology* 1992;35:10-15
37. Marmarou A, Shulman K, Rosende RM. A nonlinear analysis of the cerebrospinal fluid system and intracranial pressure dynamics. *J Neurosurg* 1978;48:332-344
38. Miller JD. Volume and pressure in the craniospinal axis. In: *Clinical Neurosurgery*. Wilkins RH (Ed.); Williams and Wilkins, Baltimore 1975;76-105
39. Gomez DG, Chambers AA, DiBenedetto AT, Potts DG. The spinal cerebrospinal fluid absorptive pathways. *Neuroradiology* 1974;8:61-66
40. Butler AB, Mann JD, Maffeo CJ, Dacey RG, Johnson RN, Bass NH. Mechanisms of cerebrospinal fluid absorption in normal and pathologically altered arachnoid villi. In: Wood JH (ed): *Neurobiology of cerebrospinal fluid*; Plenum Press, New York-London 1983
41. Greitz D, Hannerz J. A proposed model of cerebrospinal fluid circulation: observations with radionuclide cisternography. *AJNR Am J Neuroradiol* 1996;17:431-438
42. Maillot C. The perispinal spaces. Constitution, organization and relations with the cerebrospinal fluid (CSF). *J Neuroradiol* 1991;18:18-31
43. Reed DJ, Woodbury DM. Kinetics of iodide, sucrose, inulin and radio-iodinated serum albumin in the central nervous system and cerebrospinal fluid of the rat. *J Physiol* 1963;169:816-850

44. Drayer BP, Rosenbaum AE. Metrizamide brain penetrance. *Acta Radiol* 1977;Suppl.355:280-293
45. Jinkins JR, Bashir R, Al Kawi MZ, Siquiera E. The parenchymal CT myelogram: in vivo imaging of the gray matter of the spinal cord. *AJNR Am J Neuroradiol* 1987;8:979-982
46. Meier U, Knopf W, Gärtner F, Künzel B, Huhnd T. Indikationen zum intrathekalen Infusionstest bei Störungen der Liquordynamik. *Zentralbl Neurochir* 1990;51:107-111
47. Listerud J, Einstein S, Outwater E, Kressel HY. First principles of fast spin echo. *Magn Reson Q* 1992;8:199-244
48. Jolesz FA, Jones KM. Fast spin-echo imaging of the brain. *Top Magn Reson Imaging* 1993;5:1-13
49. Mezrich R. A perspective on K-space. *Radiology*. 1995;195:297-315
50. Siewert C, Hosten N, Felix R. The use of the T2-weighted turbo-spin-echo sequence in studying the neurocranium. A comparison with the conventional T2-weighted spin-echo sequence. *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr* 1994;161:44-50
51. Hoffmann KT, Hosten N, Ehrenstein T, Gutberlet M, Roricht S, Felix R. The T2-weighted half-Fourier acquired single-shot turbo-spin-echo technic compared to the conventional T2-weighted turbo-spin-echo technic for cerebral magnetic resonance tomography. A sequence comparison. *ROFO Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr* 2000;172:521-526

52. Czerny C, Rand T, Gstoettner W, Woelfl G, Imhof H, Trattnig S. MR imaging of the inner ear and cerebellopontine angle: comparison of three-dimensional and two-dimensional sequences. *AJR Am J Roentgenol* 1998;170:791-796
53. Malko JA, Hoffman JC Jr, McClees EC, Davis PC, Braun IF. A phantom study of intracranial CSF signal loss due to pulsatile motion. *AJNR Am J Neuroradiol* 1988;9:83-89
54. Hinks RS, Quencer RM. Motion artifacts in brain and spine MR. *Radiol Clin North Am* 1988;26:737-753
55. Frahm J, Haase A, Matthaei D. Rapid NMR imaging of dynamic processes using the FLASH technique. *Magn Reson Med* 1986;3:321-327
56. Nitz WR. Fast and ultrafast non-echo-planar MR imaging techniques. *Eur Radiol* 2002;12:2866-2882
57. Mugler JP 3rd. Overview of MR imaging pulse sequences. *Magn Reson Imaging Clin N Am* 1999;7:661-697
58. Reiser M, Faber SC. Recent and future advances in high-speed imaging. *Eur Radiol* 1997;7 Suppl 5:166-173
59. Bradley WG Jr. MR appearance of hemorrhage in the brain. *Radiology*. 1993;189:15-26
60. Nitz WR. MR imaging: acronyms and clinical applications. *Eur Radiol* 1999;9:979-997
61. Bruder H, Fischer H, Graumann R, Deimling M. A new steady-state imaging sequence for simultaneous acquisition of two MR images with clearly different contrasts. *Magn Reson Med* 1988;7:35-42

62. Jolesz FA, Patz S, Hawkes RC, Lopez I. Fast imaging of CSF flow/motion patterns using steady-state free precession (SSFP). *Invest Radiol* 1987;22:761-771
63. Patz S, Hawkes RC. The application of steady-state free precession to the study of very slow fluid flow. *Magn Reson Med* 1986;3:140-145
64. Pelc NJ, Herfkens RJ, Shimakawa A, Enzmann DR. Phase contrast cine magnetic resonance imaging. *Magn Reson Q* 1991;7:229-254
65. Naidich TP, Altman NR, Gonzalez-Arias SM. Phase contrast cine magnetic resonance imaging: normal cerebrospinal fluid oscillation and applications to hydrocephalus. *Neurosurg Clin N Am* 1993;4:677-705
66. Higgins CB, Caputo G, Wendland MF, Saeed M. Measurement of blood flow and perfusion in the cardiovascular system. *Invest Radiol.* 1992;27 Suppl 2:S66-71
67. Cline HE, Lorensen WE, Schroeder WJ. 3D phase contrast MRI of cerebral blood flow and surface anatomy. *J Comput Assist Tomogr* 1993;17:173-177
68. Dumoulin CL, Souza SP, Walker MF, Wagle W. Three-dimensional phase contrast angiography. *Magn Reson Med* 1989;9:139-149
69. Zhao M, Charbel FT, Alperin N, Loth F, Clark ME. Improved phase-contrast flow quantification by three-dimensional vessel localization. *Magn Reson Imaging* 2000;18:697-706
70. Stock KW, Wetzel SG, Lyrer PA, Radu EW. Quantification of blood flow in the middle cerebral artery with phase-contrast MR imaging. *Eur Radiol* 2000;10:1795-1800

71. Quencer RM, Post MJ, Hinks RS. Cine MR in the evaluation of normal and abnormal CSF flow: intracranial and intraspinal studies. *Neuroradiology* 1990;32:371-391
72. Fukuhara T, Vorster SJ, Ruggieri P, Luciano MG. Third ventriculostomy patency: comparison of findings at cine phase-contrast MR imaging and at direct exploration. *AJNR Am J Neuroradiol* 1999;20:1560-1566
73. Foroutan M, Mafee MF, Dujovny M. Third ventriculostomy, phase-contrast cine MRI and endoscopic techniques. *Neurol Res* 1998;20:443-448
74. Eguchi T, Taoka T, Nikaido Y, Shiomi K, Fujimoto T, Otsuka H, Takeuchi H. Cine-magnetic resonance imaging evaluation of communication between middle cranial fossa arachnoid cysts and cisterns. *Neurol Med Chir(Tokyo)* 1996;36:353-357
75. Enzmann DR, Pelc NJ. Brain motion: measurement with phase-contrast MR imaging. *Radiology* 1992;185:653-660
76. Alperin N, Vikingstad EM, Gomez-Anson B, Levin DN. Hemodynamically independent analysis of cerebrospinal fluid and brain motion observed with dynamic phase contrast MRI. *Magn Reson Med* 1996;35:741-754
77. Enzmann DR, Pelc NJ. Cerebrospinal fluid flow measured by phase-contrast cine MR. *AJNR Am J Neuroradiol* 1993;14:1301-1307
78. Lev S, Bhadelia RA, Estin D, Heilman CB, Wolpert SM. Functional analysis of third ventriculostomy patency with phase-contrast MRI velocity measurements. *Neuroradiology* 1997;39(3):175-179

79. Gideon P, Stahlberg F, Thomsen C, Gjerris F, Sorensen PS, Henriksen O. Cerebrospinal fluid flow and production in patients with normal pressure hydrocephalus studied by MRI. *Neuroradiology*. 1994;36:210-215
80. Kahn T, Müller E, Lewin JS, Mödder U. MR measurement of spinal CSF flow with the RACE technique. *J Comp Assist Tomogr* 1992;16:54-61
81. Axel L, Dougherty L. MR imaging of motion with spatial modulation of magnetization. *Radiology* 1989;171:841-845
82. Axel L, Dougherty L. Heart wall motion: improved method of spatial modulation of magnetization for MR imaging. *Radiology* 1989;172:349-350
83. Buchalter MB, Sims C, Dixon AK, Weissberg PL, Stone DL, Shah NJ, Hall LD, Wilkinson ID, Lomas DJ, Freer CE. Measurement of regional left ventricular function using labelled magnetic resonance imaging. *Br J Radiol* 1991;64:953-958
84. Wayte SC, Redpath TW, Beale DJ. A cine-SPAMM sequence for NMR imaging of pulsatile cerebrospinal fluid flow. *Phys Med Biol* 1993;38:455-463
85. Wayte SC, Redpath TW. Cine magnetic resonance imaging of pulsatile cerebrospinal fluid flow using CSPAMM. *Br J Radiol* 1994;67:1088-1095
86. Connor SE, O'Gorman R, Summers P, Simmons A, Moore EM, Chandler C, Jarosz JM. Spamm, cine phase contrast imaging and fast spin-echo T2-weighted imaging in the study of intracranial cerebrospinal fluid (CSF) flow. *Clin Radiol* 2001;56:763-772
87. Lee SK, Chung TS, Kim YS. Evaluation of CSF motion in syringomyelia with spatial modulation of magnetisation (SPAMM). *Yonsei Med J* 2002;43:37-42

88. Goel A, Desai K. Surgery for syringomyelia: an analysis based on 163 surgical cases. *Acta Neurochir* 2000;142(3):293-301
89. Lee KH, Chung TS, Jeon TJ, Kim YH, Chien D, Laub G. Application of spatial modulation of magnetization to cervical spinal stenosis for evaluation of the hydrodynamic changes occurring in cerebrospinal fluid. *Korean J Radiol* 2000;1:11-18
90. Clark WC, Acker JD, Robertson JH, Gardner G, Dusseau JJ, Moretz W. Neuroradiological detection of small and intracanalicular acoustic tumors: an emphasis on CO₂ contrast-enhanced computed tomography cisternography. *Neurosurgery* 1982;11:733-738
91. Wende S, Nakayama N. Neuroradiologische Diagnostik von Kleinhirnbrückenwinkeltumoren. *Z Neurol* 1972;203:1-12
92. Huckman MS. Normal pressure hydrocephalus: evaluation of diagnostic and prognostic tests. *AJNR Am J Neuroradiol* 1981;2:385-395
93. Funck RB, MacMoran JW, Parker JA, Bernhard RA, D'Orazio EA. Radiology of the skull and central nervous system. *Prog Neurol Psychiatry* 1972;27:183-198
94. Greitz T, Hindmarsh T. Computer assisted tomography of intracranial CSF circulation using a water-soluble contrast medium. *Acta Radiol* 1974;15:497-507
95. Partain CL, Scatliff JH, Staab EV, Wu HP. Quantitative multiregional CSF kinetics using serial, metrizamide enhanced computed tomography. *J Comput Assist Tomogr* 1978;2:467-470

96. Ruscalleda J, Guardia E, dos Santos FM, Carvajal A. Dynamic study of arachnoid cysts with metrizamide. *Neuroradiology* 1980;20:185-189
97. Scott RM, Wolpert SM. Metrizamide CT cisternography in cranial arachnoid cysts. In: American Society for Pediatric Neurosurgery: Concepts in pediatric neurosurgery I; Karger, Basel-New York 1981;69-78
98. Crisi G, Calò M, De Santis M, Angiari P, Merli GA. Metrizamide-enhanced computed tomography of intracranial arachnoid cysts. *J Comput Assist Tomogr* 1984;8:928-935
99. Liquorsintigraphie. In: Nuklearmedizin. Schicha, Schober (Eds.); 4. Auflage; Schattauer, Stuttgart 2000;165-166
100. Evans RW. Diagnostic testing for the evaluation of headaches. *Neurol Clin* 1996;14:1-26
101. Silberstein SD, Corbett JJ. The forgotten lumbar puncture. *Cephalgia* 1993;13:212-213
102. Shah KH, Edlow JA. Distinguishing traumatic lumbar puncture from true subarachnoid hemorrhage. *J Emerg Med* 2002;23:67-74
103. Gorelick PB, Biller J. Lumbar puncture. Technique, indications, and complications. *Postgrad Med* 1986;79:257-268
104. Dandy WE. Intracranial pressure without brain tumor. *Arch Surg* 1937;106:492-51395
105. Friedman DI, Jacobson DM. Diagnostic criteria for idiopathic intracranial hypertension. *Neurology* 2002;59:1492-14

106. Janny P, Chazol J, Colnet G, Irthum B, Georget AM. Benign intracranial hypertension and disorders of CSF absorption. *Surg Neurol* 1981;15:168-174
107. Fridén HG, Ekstedt J. Volume/pressure relationship of the cerebrospinal space in humans. *Neurosurgery* 1983;13:351-366
108. Lofgren J, Zwetnow NN. Cranial and spinal components of the cerebrospinal fluid pressure-volume curve. *Acta Neurol Scand* 1973;49:575-585
109. Shapiro K, Fried A, Takei F, Kohn I. Effect of the skull and dura on neural axis pressure-volume relationship and CSF hydrodynamics. *J Neurosurg* 1985;63:76-81
110. Borgesen SE, Gjerris F, Sorensen SC. The resistance to cerebrospinal fluid absorption in humans. A method of evaluation by lumbo-ventricular perfusion with particular reference to normal pressure hydrocephalus. *Acta Neurol Scand* 1978;57:88-96
111. Katzman R, Hussey F. A simple constant-infusion manometric test for measurement of CSF absorption. I. Rationale and methods. *Neurology* 1970;20:534-544
112. Hussey F, Schanzer B, Katzman R. A simple constant-infusion manometric test for measurement of CSF absorption. II. Clinical studies. *Neurology* 1970;20:665-680
113. Kosteljanetz M. Intracranial pressure: cerebrospinal fluid dynamics and pressure-volume relations. *Acta Neurol Scand Suppl* 1987;111:1-23
114. Marmarou A, Shulman K, LaMorgese J. Compartmental analysis of compliance and outflow resistance of the cerebrospinal fluid system. *J Neurosurg* 1975;43:523-534

115. Ekstedt J. CSF hydrodynamic studies in man. 1. Method of constant pressure CSF infusion. *J Neurol Neurosurg Psychiatry* 1977;40:105-119
116. Ekstedt J. CSF hydrodynamic studies in man. 2. Normal hydrodynamic variables related to CSF pressure and flow. *J Neurol Neurosurg Psychiatry* 1978;41:345-353
117. Borgesen SE. Conductance to outflow of CSF in normal pressure hydrocephalus. *Acta Neurochir* 1984;71:1-45
118. Borgesen SE, Gjerris F, Sorensen SC. Cerebrospinal fluid conductance and compliance of the craniospinal space in normal-pressure hydrocephalus. A comparison between two methods for measuring conductance to outflow. *J Neurosurg* 1979;51:521-525
119. Meier U. Der intrathekale Infusionstest als Entscheidungshilfe zur Shunt-Operation beim Normaldruckhydrozephalus. *Akt Neurologie* 1997;24:24-35
120. Dippel DW, Habbema JD. Probabilistic diagnosis of normal pressure hydrocephalus and other treatable cerebral lesions in dementia. *J Neurol Sci* 1993;119:123-133
121. DiLauro L, Mearini M, Bollati A. The predictive value of 5 days CSF diversion for shunting in normal pressure hydrocephalus. *J Neurol Neurosurg Psychiatry* 1986;49:842-843
122. Boydston WR, Sanford RA, Mühlbauer MS, Kun LE, Kirk E, Dohan FC Jr, Schweitzer JB. Gliomas of the tectum and periaqueductal region of the mesencephalon. *Pediatr Neurosurg* 1991-92;17:234-238
123. Loevner LA. Imaging features of posterior fossa neoplasms in children and adults. *Semin Roentgenol* 1999;34:84-101

124. Duong H, Sarazin L, Bourgouin P, Vezina JL. Magnetic resonance imaging of lateral ventricular tumors. *Can Assoc Radiol J* 1995;46:434-442
125. Matsumae M, Kikins R, Morocz I, Lorenzo AV, Albert MS, Black PM, Jolesz FA. Intracranial compartment volumes in patients with enlarged ventricles assessed by magnetic resonance-based image processing. *J Neurosurg* 1996;84:972-981
126. Ettlin TM, Staehelin HB, Kischka U, Ulrich J, Scollo-Lavizzari G, Wiggli U, Seiler WO. Computed tomography, electroencephalography, and clinical features in the differential diagnosis of senile dementia. *Arch Neurol* 1989;46:1217-1220
127. Takahashi S, Higano S, Ishii K, Matsumoto K, Sakamoto K, Iwasaki Y, Suzuki M. Hypoxic brain damage: cortical laminar necrosis and delayed changes in white matter in sequential MR imaging. *Radiology* 1993;189:449-456
128. Naidich TP, McLone DG, Radkowski MA. Intracranial arachnoid cysts. *Pediatr Neurosci* 1985-86;12:112-122
129. Hoffmann HJ, Hendrick EB, Humphreys RP, Armstrong EA. Investigation and management of suprasellar arachnoid cysts. *J Neurosurg* 1982;57:597-602
130. Go KG, Houthoff HJ, Blaauw EH, Havinga P, Hartshuiker J. Arachnoid cysts of the sylvian fissure. Evidence of fluid secretion. *J Neurosurg* 1984;60:803-813
131. Schachenmayr W, Friede RL. Fine structure of arachnoid cysts. *J Neuropathol Exp Neurol* 1979;38:434-446
132. Galassi E, Tognetti F, Gaist G, Fagioli L, Frank F, Frank G. CT scan and metrizamide CT cisternography in arachnoid cysts of the middle cranial fossa: Classification and pathophysiological aspects. *Surg Neurol* 1982;17:363-369

133. Williams B, Guthkelch AN. Why do central arachnoid pouches expand? *J Neurol Neurosurg Psychiatry* 1974;37:1085-1092
134. Williams B. Combined cisternal and lumbar pressure recordings in the sitting position using differential manometry. *J Neurol Neurosurg Psychiatry* 1972;35:142-143
135. Santamarta D, Aguas J, Ferrer E. The natural history of arachnoid cysts: endoscopic and cine-mode MRI evidence of a slit-valve mechanism. *Minim Invas Neurosurg* 1995;38:133-137
136. Rengachary SS, Watanabe I. Ultrastructure and pathogenesis of intracranial arachnoid cysts. *J Neuropathol Exp Neurol* 1981;40:61-83
137. Stein SC. Intracranial developmental cysts in children: Treatment by cystoperitoneal shunting. *Neurosurgery* 1981;8:647-650
138. DiRocco C, DiTrapani G, Iannelli A. Arachnoid cysts of the fourth ventricle and "arrested" hydrocephalus. *Surg Neurol* 1979;12:467-471
139. Beltramello A, Mazza C. Spontaneous disappearance of a large middle fossa arachnoid cyst. *Surg Neurol* 1985;24:181-183
140. Wiener SN, Pearlstein AE, Eiber A. MR imaging of intracranial arachnoid cysts. *J Comput Assist Tomogr* 1987;11:236-241
141. Brant-Zawadski M, Kelly W, Kjos B, Newton TH, Norman D, Dillon W, Sobel D. Magnetic resonance imaging and characterization of normal and abnormal intracranial cerebrospinal fluid (CSF) spaces. *Neuroradiology* 1985;27:3-8

142. Brooks ML, Jolesz FA, Patz S. MRI of pulsatile CSF motion within arachnoid cysts. *Magn Reson Imaging* 1988;6:575-584
143. Hoffmann KT, Hosten N, Meyer BU, Röricht S, Sprung C, Oellinger J, Gutberlet M, Felix R. CSF flow studies of intracranial cysts and cyst-like lesions achieved using reversed fast imaging with steady-state precession MR sequences. *AJNR Am J Neuroradiol* 2000;21:493-502
144. Tien RD, McFall J, Heinz R. Evaluation of complex cystic masses of the brain: value of steady-state free-precession MR imaging. *Am J Roentgenol* 1992;159:1049-1055
145. Bloomfield IG, Johnston IH, Bilton LE. Effects of proteins, blood cells and glucose on the viscosity of cerebrospinal fluid. *Pediatr Neurosurg* 1998;28:246-251
146. Brydon HL, Hayward R, Harkness W, Bayston R. Physical properties of cerebrospinal fluid of relevance to shunt function. 1: The effect of protein upon CSF viscosity. *Br J Neurosurg* 1995;9:639-644
147. Grucker D, Guiberteau T, Eclancher B, Chambron J, Chiarelli R, Rassat A, Subra G, Gallez B. Dynamic nuclear polarization with nitroxides dissolved in biological fluids. *J Magn Reson B* 1995;106:101-109
148. Fransson A, Andreo P, Potter R. Aspects of MR image distortions in radiotherapy treatment planning. *Strahlenther Onkol.* 2001;177:59-73
149. Schenck JF. The role of magnetic susceptibility in magnetic resonance imaging: mri magnetic compatibility of the first and second kinds. *Med Phys* 1996;23:815-850

150. Fahrig R, Nikolov H, Fox AJ, Holdsworth DW. A three-dimensional cerebrovascular flow phantom. *Med Phys*. 1999 Aug;26(8):1589-99
151. Jolesz FA, Patz S, Hawkes RC, Wallman JK. Mapping of normal and abnormal cerebrospinal fluid flow/motion patterns using steady state free precession imaging. *Acta Radiol Suppl* 1986;369:302-304
152. Wood ML. Gradient moment nulling for steady-state free precession MR imaging of cerebrospinal fluid. *Med Phys* 1991;18:1038-1044
153. Tien RD, Bernstein M, MacFall J. Pulsatile motion artifact reduction in 3D steady-state-free-precession-echo brain imaging. *Magn Reson Imaging* 1993;11:175-181
154. Sondergaard L, Stahlberg F, Thomsen C, Spraggins TA, Gymoese E, Malmgren L, Muller E, Henriksen O. Comparison between retrospective gating and ECG triggering in magnetic resonance velocity mapping. *Magn Reson Imaging* 1993;11: 533-537
155. Powell AJ, Maier SE, Chung T, Geva T. Phase-velocity cine magnetic resonance imaging measurement of pulsatile blood flow in children and young adults: in vitro and in vivo validation. *Pediatr Cardiol* 2000;21:104-110
156. Rebergen SA, van der Wall EE, Doornbos J, de Roos A. Magnetic resonance measurement of velocity and flow: technique, validation, and cardiovascular applications. *Am Heart J* 1993;126:1439-1456
157. Mostbeck GH, Caputo GR, Higgins CB. MR measurement of blood flow in the cardiovascular system. *Am J Roentgenol* 1991;159:453-461

158. Chatzimavroudis GP, Oshinski JN, Franch RH, Walker PG, Yoganathan AP, Pettigrew RI. Evaluation of the precision of magnetic resonance phase velocity mapping for blood flow measurements. *J Cardiovasc Magn Reson* 2001;3:11-19
159. Lee VS, Spritzer CE, Carroll BA, Pool LG, Bernstein MA, Heinle SK, MacFall JR. Flow quantification using fast cine phase-contrast MR imaging, conventional cine phase-contrast MR imaging, and Doppler sonography: in vitro and in vivo validation. *AJR Am J Roentgenol* 1997;169:1125-1131
160. Laffon E, Valli N, Latrabe V, Franconi JM, Barat JL, Laurent F. A validation of a flow quantification by MR phase mapping software. *Eur J Radiol* 1998;27:166-172
161. Ho SSY, Chan YL, Yeung DKW, Metreweli C. Blood flow volume quantification of cerebral ischemia: comparison of three noninvasive imaging techniques of carotid and vertebral arteries. *AJR Am J Roentgenol* 2002;178:551-556
162. Hofman MB, Visser FC, van Rossum AC, Vink QM, Sprenger M, Westerhof N. In vivo validation of magnetic resonance blood volume flow measurements with limited spatial resolution in small vessels. *Magn Reson Med* 1995;33:778-784
163. Hakim S, Adams RD. The special clinical problem of symptomatic hydrocephalus with normal cerebrospinal fluid pressure. Observations on cerebrospinal fluid hydrodynamics. *J Neurol Sci* 1965;2:307-327
164. Adams RD, Fischer CM, Hakim S, Ojemann RG, Sweet WH. Symptomatic occult hydrocephalus with "normal" cerebrospinal-fluid pressure. A treatable syndrome. *N Engl J Med* 1965;273:117-126

165. Savolainen S, Paljarvi L, Vapalathi M. Prevalence of Alzheimers disease in patients investigated for presumed normal pressure hydrocephalus: a clinical and neuropathological study. *Acta Neurochir* 1999;141:849-853
166. Vanneste JAL, Augustijn P, Dirven C, Tan WF, Goedhart ZD. Shunting normal pressure hydrocephalus: do the benefits outweigh the risks? A multicenter study and literature review. *Neurology* 1992;42:54-59.
167. Larson EB, Reifler BV, Featherstone HJ, English DR. Dementia in elderly outpatients: a prospective study. *Ann Intern Med* 1984;100:417-424
168. Clarfield AM. The reversible dementias: do they reverse ? *Ann Intern Med* 1988;109:476-486
169. Gleason PL, Black PM, Matsumae M. The neurobiology of normal pressure hydrocephalus. *Neurosurg Clin N Am* 1993;4:667-675
170. Knutsson E, Lying-Tunell U. Gait apraxia in normal-pressure hydrocephalus: Patterns of movement and muscle activation. *Neurology* 1985;35:155-160
171. Mamo HL, Meric PC, Ponsin JC, Rey AC, Luft AG, Seylaz JA. Cerbral blood flow in normal pressure hydrocephalus. *Stroke* 1987;18:1074-1080
172. Waldemar G, Schmidt JF, Delecluse F, Andersen AR, Gjerris S, Paulson OB. High resolution SPECT with [99mTc]-d, l-HMPAO in normal pressure hydrocephalus before and after shunt operation. *J Neurol Neurosurg Psychiatry* 1993;56:655-664
173. Tanaka A, Kimura M, Nakayama Y, Yoshinaga S, Tomonaga M. Cerebral blood flow and autoregulation in normal pressure hydrocephalus syndrome. *Neurosurgery* 1997;40:1161-1168

174. Miyake H, Ohta T, Kajimoto Y, Deguchi J. Diamox® challenge test to decide indications for cerebrospinal fluid shunting in normal pressure hydrocephalus. *Acta Neurochir* 1999;141:1187-1193
175. Hakim S, Venegas JG, Burton JD. The physics of the cranial cavity, hydrocephalus and normal pressure hydrocephalus: mechanical interpretation and mathematical model. *Surg Neurol* 1976;5:187-210
176. Koto A, Rosenberg G, Zingesser LH, Horouptian D, Katzman R. Syndrome of normal pressure hydrocephalus: possible relation to hypertensive and arteriosclerotic vasculopathy. *J Neurol Neurosurg Psychiatry* 1977;40:73-79
177. Bradley WG Jr, Whittemore AR, Watanabe AS, Davis SJ, Teresi LM, Homyak M. Association of deep white matter infarction with chronic communicating hydrocephalus: implications regarding the possible origin of normal-pressure hydrocephalus. *AJNR Am J Neuroradiol* 1991;12:31-39
178. Greitz TV, Grepe AO, Kalmer MS, Lopez J. Pre- and postoperative evaluation of cerebral blood flow in low pressure hydrocephalus. *J Neurosurg* 1969;31:644-651
179. Sklar FH, Lindler ML. The role of the pressure-volume relationship of brain elasticity in the mechanics and treatment of hydrocephalus. In: Shapiro K, Mamarou A, Portnoy H eds. *Hydrocephalus*. 1984;New York, Raven Press
180. DeLand FH, James AE Jr, Ladd DJ, Konigsmark BW. Normal pressure hydrocephalus: a histologic study. *Am J Clin Pathol* 1972;58:58-63
181. Vessal K, Sperber EE, James AE Jr. Chronic communicating hydrocephalus with normal CSF pressures: a cisternographic-pathologic correlation. *Ann Radiol* 1974;17:785-793

182. Bateman GA. Vascular compliance in normal pressure hydrocephalus. AJNR Am J Neuroradiol 2000;21:1574-1585
183. Bateman GA. The reversibility of reduced cortical vein compliance in normal-pressure hydrocephalus following shunt insertion. Neuroradiology 2003;45:65-70
184. Bradley WG. Normal pressure hydrocephalus: new concepts on etiology and diagnosis. AJNR Am J Neurorad 2000;21:1586-1590
185. Tator CH, Fleming JF, Sheppard RH, Turner VM. A radiosscopic test for communicating hydrocephalus. J Neurosurg 1968;28:327-340
186. Portnoy HD, Branch C, Castro ME. The relationship of intracranial venous pressure to hydrocephalus. Childs Nerv Syst 1994;10:29-35
187. Bradley WG Jr, Scalzo D, Queralt J, Nitz WN, Atkinson DJ, Wong P. Normal-pressure hydrocephalus: evaluation with cerebrospinal fluid flow measurements at MR imaging. Radiology 1996;198:523-529
188. Egeler-Peerdeman SM, Barkhof F, Walchenbach R, Valk J. Cine phase-contrast MR imaging in normal pressure hydrocephalus patients: relation to surgical outcome. Acta Neurochir Suppl 1998;71:340-342
189. Mase M, Yamada K, Banno T, Miyachi T, Ohara S, Matsumoto T. Quantitative analysis of CSF flow dynamics using MRI in normal pressure hydrocephalus. Acta Neurochir Suppl 1998;71:350-353
190. Miyati T, Mase M, Banno T, Kasuga T, Yamada K, Fujita H, Koshida K, Sanada S, Onoguchi M. Frequency analyses of CSF flow on cine MRI in normal pressure hydrocephalus. Eur Radiol 2003;13:1019-1024

191. Schroth G, Klose U. Cerebrospinal fluid flow III. Pathological cerebrospinal fluid pulsations. *Neuroradiology* 1992;35:16-24
192. Mascalchi M, Arnetoli G, Inzitari D, Dal Pozzo G, Lolli F, Caramella D, Bartolozzi C. Cine-MR imaging of aqueductal CSF flow in normal pressure hydrocephalus syndrome before and after CSF shunt. *Acta Radiol* 1993;34:586-592
193. Bateman GA. Pulse-wave encephalopathy: a comparative study of the hydrodynamics of leukoaraiosis and normal-pressure hydrocephalus. *Neuroradiology* 2002;44:740-748
194. Chu D, Levin DN, Alperin N. Assessment of the biomechanical state of intracranial tissues by dynamic MRI of cerebrospinal fluid pulsations: a phantom study. *Magn Reson Imaging* 1998;16:1043-1048
195. Brooks ML, Jolesz FA, Patz S. MRI of pulsatile CSF motion within arachnoid cysts. *Magn Reson Imaging* 1988;6:575-584
196. Davis SW, Levy LM, LeBihan DJ, Rajan S, Schellinger D. Sacral meningeal cysts: evaluation with MR imaging. *Radiology* 1993;187:445-448
197. Nitz WR, Bradley WG Jr, Watanabe AS, Lee RR, Burgoyne B, O'Sullivan RM, Herbst MD. Flow dynamics of cerebrospinal fluid: assessment with phase-contrast velocity MR imaging performed with retrospective cardiac gating. *Radiology* 1992;183:395-405
198. Levy LM, Gulya AJ, Davis SW, Le Bihan DJ, Rajan SS, Schellinger D. Flow-sensitive magnetic resonance imaging in the evaluation of cerebrospinal fluid leaks. *Am J Otol* 1995;16:591-596

199. Schellinger D, LeBihan D, Rajan SS, Cammarata CA, Patronas NJ, Deveikis JP, Levy LM. MR of slow CSF flow in the spine. *AJNR Am J Neuroradiol* 1992;13:1393-1403
200. Levy LM, Di Chiro G. MR phase imaging and cerebrospinal fluid flow in the head and spine. *Neuroradiology* 1990;32:399-406
201. Enzmann DR, O'Donohue J, Rubin JB, Shuer L, Cogen P, Silverberg G. CSF pulsations within nonneoplastic spinal cord cysts. *AJR Am J Roentgenol* 1987;149:149-157
202. Kadowaki C, Hara M, Numoto M, Takeuchi K, Saito I. Cine magnetic resonance imaging of aqueductal stenosis. *Childs Nerv Syst* 1995;11:107-111
203. Fujimura M, Tominaga T, Kosho K, Shimizu H, Yoshimoto T. Cine-mode magnetic resonance imaging of a thoracic intradural arachnoid cyst: case report. *Surg Neurol* 1996;45:533-536
204. Dutt SN, Mirza S, Chavda SV, Irving RM. Radiologic differentiation of intracranial epidermoids from arachnoid cysts. *Otol Neurotol* 2002;23:84-92
205. Kim SK, Wang KC, Cho BK. Surgical outcome of pediatric hydrocephalus treated by endoscopic III ventriculostomy: prognostic factors and interpretation of postoperative neuroimaging. *Childs Nerv Syst* 2000;16:161-168
206. Rovira A, Capellades J, Grive E, Poca MA, Pedraza S, Sahuquillo J, Rodriguez-Baeza A. Spontaneous ventriculostomy: report of three cases revealed by flow-sensitive phase-contrast cine MR imaging. *AJNR Am J Neuroradiol* 1999;20:1647-1652

207. Fukuhara T, Vorster SJ, Luciano MG. Risk factors for failure of endoscopic third ventriculostomy for obstructive hydrocephalus. *Neurosurgery* 2000;46:1100-1109
208. Kim MH, Shin KM, Song JH. Cine MR CSF flow study in hydrocephalus: what are the valuable parameters? *Acta Neurochir Suppl* 1998;71:343-346
209. Oi S, Hidaka M, Honda Y, Togo K, Shinoda M, Shimoda M, Tsugane R, Sato O. Neuroendoscopic surgery for specific forms of hydrocephalus. *Childs Nerv Syst* 1999;15:56-68
210. Goumnerova LC, Frim DM. Treatment of hydrocephalus with third ventriculostomy: outcome and CSF flow patterns. *Pediatr Neurosurg* 1997;27:149-152
211. Maeder P, Gudinchet F, Meuli R, Fankhauser H. Dynamic MRI of cerebrospinal fluid flow in endoscopic percutaneous ventriculostomy. *Br J Neurosurg* 1998;12 :18-22
212. Kelly PJ. Stereotactic third ventriculostomy in patients with nontumoral adolescent/adult onset aqueductal stenosis and symptomatic hydrocephalus. *J Neurosurg* 1991;75:865-873
213. Meier U, Zeilinger FS, Schonherr B. Endoscopic ventriculostomy versus shunt operation in normal pressure hydrocephalus: diagnostics and indication. *Minim Invasive Neurosurg.* 2000;43:87-90
214. Laitt RD, Mallucci CL, Jaspan T, McConachi NS, Vloeberghs M, Punt J. Constructive interference in steady-state 3D Fourier-transform MRI in the management of hydrocephalus and third ventrikulostomy. *Neuroradiology* 1999;41:117-113

215. Kulkarni AV, Drake JM, Armstrong DC, Dirks PB. Imaging correlates of successful third ventrikulostomy. *J Neurosurg* 2000;92:915-919
216. Wilcock DJ, Jaspan T, Worthington BS, Punt J. Neuro-endoscopic third ventriculostomy: evaluation with magnetic resonance imaging. *Clin Radiol* 1997;52:50-54
217. Cinalli G, Salazar C, Malluci C, Yada JZ, Zerah M, Sainte-Rose C. The role of endoscopic third ventriculostomy in the management of shunt malfunction. *Neurosurgery* 43;1323-1329
218. Jack CR Jr, Kelly PJ. Stereotactic third ventriculostomy: assessment of patency with MR imaging. *Am J Neuroradiol AJNR* 1989;10:512-522
219. Missir O, Dormont D, Pierot L. MR visualization of CSF flow through a ventriculo-cisternostomy. *Neuroradiology* 1989;31:93-94
220. Quencer RM. Intracranial CSF flow in pediatric hydrocephalus: evaluation with cine-MR imaging. *Am J Neuroradiol* 1992;13:601-608