

Bibliography

Abdelilah-Seyfried S., Cox D.N. and Jan Y.N., Bazooka is a permissive factor for the invasive behavior of *discs large* tumor cells in *Drosophila* ovarian follicular epithelia, *Development* (2003) 130(9) 1927-1935

Afonso C. and Henrique D., PAR3 acts as a molecular organizer to define the apical domain of chick neuroepithelial cells, *J Cell Sci.* (2006) 119(Pt20) 4293-4304

Ahn J.Y., Liu X., Liu Z., Pereira L., Cheng D., Peng J., Wade P.A., Hamburger A.W., Ye K., Nuclear Akt associates with PKC-phosphorylated Ebp1, preventing DNA fragmentation by inhibition of caspase-activated Dnase, *EMBO J.* (2006) 25(10) 2083-2095

Albanese C., Johnson J., Watanabe G., Eklund N., Vu D., Arnold A., and Pestell R. G., Transforming p21ras mutants and c-Ets-2 activate the cyclin D1 promoter through distinguishable regions, *J Biol Chem.* (1995) 270(40) 23589-23597

Aschenbrenner L., Naccache S.N. and Hasson T., Uncoated endocytic vesicles require the unconventional myosin, Myo6, for rapid transport through actin barriers, *Mol Biol Cell* (2004) 15(5) 2253-2263

Avraham K.B., Hasson T., Steel K.P., Kingsley D.M., Russell L.B., Mooseker M.S., Copeland N.G. and Jenkins N.A., The mouse *Snell's waltzer* deafness gene encodes an unconventional myosin required for structural integrity of inner ear hair cells, *Nat Genet.* (1995) 11(4) 369-375

Bachmann A., Schneider M., Theilenberg E., Grawe F. and Knust E., *Drosophila* Stardust is a partner of Crumbs in the control of epithelial cell polarity, *Nature* (2001) 414 (6864) 638-643

Baek K.H., The first oncogene in *Drosophila melanogaster*, *Mutat Res.* (1999) 436(2) 131-136

Barembaum M. and Bronner-Fraser M., Early steps in neural crest specification, *Semin. Cell Dev. Biol.* (2005) 16(6) 642-646

Baron W., de Vries E.J., de Vries H. and Hoekstra D., Protein kinase C prevents oligodendrocyte differentiation: modulation of actin cytoskeleton and cognate polarized membrane traffic, *J Neurobiol.* (1999) 41(3) 385-398

Benton R. and St Johnston D., A conserved oligomerization domain in *Drosophila* Bazooka/PAR-3 is important for apical localization and epithelial polarity, *Curr. Biol.* (2003) 13(15) 1330-1334

Bertet C., Sulak L. and Lecuit T., Myosin-dependent junction remodelling controls planar cell intercalation and axis elongation, *Nature* (2004) 429(6992) 667-671

Betschinger J., Eisenhaber F. and Knoblich J.A., Phosphorylation-induced autoinhibition regulates the cytoskeletal protein Lethal (2) giant larvae, *Curr Biol.* 2005 15(3) 276-282

Betschinger J., Mechtler K. and Knoblich J.A., The Par complex directs asymmetric cell division by phosphorylating the cytoskeletal protein Lgl, *Nature* (2003) 422(6929) 326-330

Bhat M.A., Izaddoost S., Lu Y., Cho K.O., Choi K.W. and Bellen H.J., Discs Lost, a novel multi-PDZ domain protein, establishes and maintains epithelial polarity, *Cell* (1999) 96(6) 833-845

Bhat N.R., Phosphorylation of MARCKS (80-kDa) protein, a major substrate for protein kinase C in oligodendroglial progenitors, *J Neurosci. Res.* (1991) 30(2) 447-454

Bilder D., Epithelial polarity and proliferation control: links from the *Drosophila* neoplastic tumor suppressors, *Genes Dev.* (2004) 18(16) 1909-1925

Bilder D. and Perrimon N., Localization of apical epithelial determinants by the basolateral PDZ protein Scribble, *Nature* (2000) 403(6770) 676-80

Bilder D., Li M. and Perrimon N., Cooperative regulation of cell polarity and growth by *Drosophila* tumor suppressors, *Science* (2000) 289(5476) 113-116

Blankenship J.T., Backovic S.T., Sanny J.S., Weitz O. and Zallen J.A., Multicellular rosette formation links planar cell polarity to tissue morphogenesis, *Dev Cell.* (2006) 11(4) 459-470

Bohm H., Brinkmann V., Drab M., Henske A. and Kurzchalia T.V., Mammalian homologues of *C. elegans* PAR-1 are asymmetrically localized in epithelial cells and may influence their polarity, *Curr Biol.* (1997) 7(8) 603-606

Breckler J., Au K., Cheng J., Hasson T. and Burnside B., Novel myosin VI isoform is abundantly expressed in retina, *Exp Eye Res.* (2000) 70(1) 121-134

Brown K.E., Baonza A. and Freeman, M., Epithelial cell adhesion in the developing *Drosophila* retina is regulated by Atonal and the EGF receptor pathway, *Dev Biol.* (2006) 300, 710-721

Buss F., Spudich G. and Kendrick-Johnes J., Myosin VI: cellular functions and motor properties, *Annu Rev Cell Dev Biol.* (2004) 20 649-676

Cai H., Szeberenyi J., and Cooper G. M., Effect of a dominant inhibitory Ha-ras mutation on mitogenic signal transduction in NIH 3T3 cells, *Mol Cell Bio.* (1990) 10(10) 5314-5323

Cheung M., Chaboissier M.C., Mynett A., Hirst E., Schedl A. and Briscoe J., The transcriptional control of trunk neural crest induction, survival, and delamination, *Dev Cell* (2005) 8(2) 179-192

Cooper, M.S., D'Amico, L.A., and Henry, C.A., Confocal microscopic analysis of morphogenetic movements, *Methods Cell Biol.* (1999) 59 179-204.

Cowan C.R. and Hyman A.A., Acto-myosin reorganization and PAR polarity in *C. elegans*, *Development* (2007) 134(6) 1035-1043

Cowan C.R. and Hyman A.A., Centrosomes direct cell polarity independently of microtubule assembly in *C. elegans* embryos, *Nature* (2004) 431(7004) 92-96

David N.B., Sapede D., Saint-Etienne L., Thisse C., Thisse B., Dambly-Chaudiere C., Rosa F.M. and Ghysen A., Molecular basis of cell migration in the fish lateral line: Role of the chemokine receptor CXCR4 and of its ligand, SDF1, *Proc Natl Acad Sci U S A* (2002) 99(25) 16297-16302

De Lorenzo C., Strand D. and Mechler B.M., Requirement of *Drosophila* I(2)gl function for survival of the germline cells and organization of the follicle cells in a columnar epithelium during oogenesis, *Int J Dev Biol.* (1999) 43(3) 207-217

Dobrowolski S., Harter M., and Stacey D. W., Cellular ras activity is required for passage through multiple points of the G0/G1 phase in BALB/c 3T3 cells, *Mol Cell Bio.* (1994) 14(8) 5441-5449

Dollar G.L., Weber U., Mlodzik M. and Sokol S.Y., Regulation of Lethal giant larvae by Dishevelled, *Nature* (2005) 437(7063) 1376-1380

Draper B.W., Morcos P.A. and Kimmel C.B., Inhibition of zebrafish fgf8 pre-mRNA splicing with morpholino oligos: a quantifiable method for gene knockdown, *Genesis* (2001) 30(3) 154-156

Driever W., Solnica-Krezel L., Schier A.F., Neuhauss S.C., Malicki J., Stemple D.L., Stainier D.Y., Zwartkruis F., Abdelilah S., Rangini Z., Belak J. and Boggs C., A genetic screen for mutations affecting embryogenesis in zebrafish, *Development* (1996) 123 37-46

Duchek P. and Rorth P., Guidance of cell migration by EGF receptor signaling during *Drosophila* oogenesis, *Science* (2001) 291(5501) 131-133

Duchek P., Somogyi K., Jekely G., Beccari S. and Rorth P, Guidance of cell migration by the *Drosophila* PDGF/VEGF receptor, *Cell* (2001) 107(1) 17-26

Eisenberg L.M. and Eisenberg C.A., Evaluating the role of Wnt signal transduction in promoting the development of the heart, *ScientificWorldJournal* (2007) 7 161-176

Etienne-Manneville S. and Hall A., Cdc42 regulates GSK-3beta and adenomatous polyposis coli to control cell polarity, *Nature* (2003) 421(6924) 753-756

Etienne-Manneville S., Actin and Microtubules in Cell Motility: Which One is in Control?, *Traffic* (2004) 5 470-477

Feig L. A., and Cooper G. M., Inhibition of NIH 3T3 cell proliferation by a mutant ras protein with preferential affinity for GDP, *Mol Cell Bio.* (1988) 8(8) 3235-3243

Filmus J., Robles A. I., Shi W., Wong M. J., Colombo L. L., and Conti C. J., Induction of cyclin D1 overexpression by activated ras, *Oncogene* (1994) 9(12) 3627-3633

Frank D.J., Noquchi T. and Miller K.G., Myosin VI: a structural role in actin organization important for protein and organelle localization and trafficking, *Curr Opin Cell Biol.* (2004) 16(2) 189-194

Gao L., Joberty G. and Macara I.G., Assembly of epithelial tight junctions is negatively regulated by Par6, *Curr Biol.* (2002) 12(3) 221-225

Geiger B. and Ginsberg D., The cytoplasmic domain of adherens-type junctions, *Cell Motil Cytoskeleton* (1991) 20(1) 1-6

Geisbrecht E.R. and Montell D.J., Myosin VI is required for E-Cadherin-mediated border cell migration, *Nat Cell Biol.* (2002) 4(8) 616-620

Ghysen A. and Dambly-Chaudiere C., Development of the zebrafish lateral line, *Curr Opin Neurobiol.* (2004) 14(1) 67-73

Gompel N., Cubedo N., Thisse C., Thisse B., Dambly-Chaudiere C. and Ghysen A., Pattern formation in the lateral line of zebrafish, *Mech Dev.* (2001) 105(1-2) 69-77

Gopalakrishnan S., Hallett M.A., Atkinson S.J. and Marrs J.A., aPKC-PAR complex dysfunction and tight junction disassembly in renal epithelial cells during ATP depletion, *Am J Physiol Cell Physiol.* (2007) 292(3) C1094-1102

Grant K.A., Raible D.W. and Piotrowski T., Regulation of latent sensory hair cell precursors by glia in the zebrafish lateral line, *Neuron* (2005) 45(1) 69-80

Grawe F., Wodarz A., Lee B., Knust E. and Skaer H., The *Drosophila* genes *crumbs* and *stardust* are involved in the biogenesis of adherens junctions, *Development* (1996) 122(3) 951-959

Gumbiner B.M., Cell adhesion: the molecular basis of tissue architecture and morphogenesis, *Cell* (1996) 84(3) 345-357

Haas P. and Gilmour D., Chemokine signaling mediates self-organizing tissue migration in the zebrafish lateral line, *Dev Cell.* (2006) 10(5) 673-680

Haffter P. et al., The identification of genes with unique and essential functions in the development of the zebrafish, *Danio rerio*, *Development* (1996) 123 1-36

Haines L., Neyt C., Gautier P., Keenan D.G., Bryson-Richardson R.J., Hollway G.E., Cole N.J. and Currie P.D., Met and Hgf signaling controls hypaxial muscle and lateral line development in the zebrafish, *Development* (2004) 131(19) 4857-4869

Hao Y., Boyd L. and Seydoux G., Stabilization of cell polarity by the *C. elegans* RING protein PAR-2, *Dev. Cell* (2006) 10(2) 199-208

Harris T.J. and Peifer M., The positioning and segregation of apical cues during epithelial polarity establishment in *Drosophila*, *J Cell Biol.* (2005) 170(5) 813-823

Hasson T., Myosin VI: two distinct roles in endocytosis, *J Cell Sci.* (2003) 116(Pt 17) 3453-3461

Hirose T., Izumi Y., Nagashima Y., Tamai-Nagai Y., Kurihara H., Sakai T., Suzuki Y., Yamanaka T., Suzuki A., Mizuno K. and Ohno S., Involvement of ASIP/PAR-3 in the promotion of epithelial tight junction formation, *J Cell Sci.* (2002) 115 (Pt 12) 2485-2495

Ho R.K. and Kane D.A., Cell-autonomous action of zebrafish *spt-1* mutation in specific mesodermal precursors, *Nature* (1990) 348(6303) 728-730

Hong Y., Stronach B., Perrimon N., Jan L.Y. and Jan Y.N., *Drosophila* Stardust interacts with Crumbs to control polarity of epithelia but not neuroblasts, *Nature* (2001) 414(6864) 634-638

Horne-Badovinac S., Lin D., Waldorn S., Schwarz M., Mbamalu G., Pawson T., Jan Y., Stainier D.Y. and Abdelilah-Seyfried S., Positional cloning of *heart and soul* reveals multiple roles for PKC lambda in zebrafish organogenesis, *Curr Biol.* (2001) 11(19) 1492-1502

Horne-Badovinac S., Rebaqliati M. and Stainier D.Y., A cellular framework for gut-looping morphogenesis in zebrafish, *Science* (2003) 302(5645) 662-665

Hsu Y.C., Willoughby J.J., Christensen A.K. and Jensen A.M., Mosaic Eyes is a novel component of the Crumbs complex and negatively regulates photoreceptor apical size, *Development* (2006) 133(24) 4849-4859

Huang G.Y., Cooper E.S., Waldo K., Kirby M.L., Gilula N.B. and Lo C.W., Gap junction-mediated cell-cell communication modulates mouse neural crest migration, *J.Cell Biol.* (1998) 143(6) 1725-1734

Hurov J.B., Watkins J.L. and Piwnica-Worms H., Atypical PKC phosphorylates PAR-1 kinases to regulate localization and activity, *Curr. Biol.* (2004) 14(8) 736-741

Itoh M. and Chitnis A.B., Expression of proneural and neurogenic genes in the zebrafish lateral line primordium correlates with selection of hair cell fate in neuromasts, *Mech Dev.* (2001) 102(1-2) 263-266

Izumi Y., Hirose T., Tamai Y., Hirai S., Nagashima Y., Fujimoto T., Tabuse Y., Kemphues K.J. and Ohno S., An atypical PKC directly associates and colocalizes at the epithelial tight junction with ASIP, a mammalian homologue of *Caenorhabditis elegans* polarity protein PAR-3, *J Cell Biol.* (1998) 143(1) 95-106

Juneja S.C., Barr K.J., Enders G.C. and Kidder G.M., Defects in the germ line and gonads of mice lacking connexin43, *Biol. Reprod.* (1999) 60(5) 1263-1270

Justice N., Roegiers F., Jan L.Y. and Jan Y.N., Lethal Giant Larvae Acts Together with Numb in Notch Inhibition and Cell Fate Specification in the *Drosophila* Adult Sensory Organ Precursor Lineage, *Curr Biol.* (2003) 13(9) 778-783

Kalmes A., Merdes G., Neumann B., Strand D. and Mechler B.M., A serine-kinase associated with the p127-*l(2)gl* tumour suppressor of *Drosophila* may regulate the binding of p127 to nonmuscle myosin II heavy chain and the attachment of p127 to the plasma membrane. *J Cell. Sci.* (1996) 109(Pt 6) 1359-1368

Kamberov E., Makarova O., Roh M., Liu A., Karnak D., Straight S. and Margolis B., Molecular Cloning and Characterization of Pals, Proteins Associated with mLin-7, *J Biol Chem.* (2000) 275(15) 11425-11431

Kampfer S., Windegger M., Hochholdinger F., Schwaiger W., Pestell R.G., Baier G., Grunicke H.H., Uberall F., Protein kinase C isoforms involved in the transcriptional activation of cyclin D1 by transforming Ha-Ras, *J Biol Chem.* (2001) 276(46) 42834-42842

Kappler J.A., Starr C.J., Chan D.K., Kollmar R. and Hudspeth A.J., A nonsense mutation in the gene encoding a zebrafish myosin VI isoform causes defects in hair-cell mechanotransduction, *Proc Natl Acad Sci U S A* (2004) 101(35) 13056-13061

Karlovich C.A., John R.M., Ramirez L., Stainier D.Y. and Myers R.M., Characterization of the Huntington's disease (HD) gene homologue in the zebrafish *Danio rerio*, (1998) *Gene* 217(1-2) 117-125

Kellerman K.A. and Miller K.G., An unconventional myosin heavy chain gene from *Drosophila melanogaster*, *J Cell Biol.* (1992) 119(4) 823-834

Kerstetter A.E., Azodi E. Marrs J.A. and Liu Q., Cadherin-2 function in the cranial ganglia and lateral line system of developing zebrafish, *Dev Dyn.* (2004) 230(1) 137-143

Kim Y.S., Chung H.M. and Baek K.H., WD-40 repeat containing rat *lethal giant larvae* recessive oncogene, but not *m-tomosyn*, restores the salt sensitivity in *Saccharomyces cerevisiae*, *Int J Oncol* (2003) 23(1) 229-233

Kimmel C.B., Ballard W.W., Kimmel S.R., Ullmann B. and Schilling T.F., Stages of embryonic development of the zebrafish, *Dev Dyn.* (1995) 203(3) 253-310

Kimmel C.B., Warga R.M. and Schilling T.F., Origin and organization of the zebrafish fate map, *Development* (1990) 108(4) 581-594

King R.C., Ovarian Development in *Drosophila melanogaster*, Academic Press, New York (1970)

Kirby M.L. and Waldo K.L., Neural crest and cardiovascular patterning, *Circ. Res.* (1995) 77(2) 211-215

Klezovitch O., Fernandez T.E., Tapscott S.J. and Vasioukhin V., Loss of cell polarity causes severe brain dysplasia in *Lgl1* knockout mice, *Genes Dev.* (2004) 18(5) 559-571

Koester R.W. and Fraser S.E., Tracing transgene expression in living zebrafish embryos, *Dev Biol.* (2001) 233(2) 329-346

Kollmar R., Nakamura S.K., Kappler J.A. and Hudspeth A.J., Expression and phylogeny of claudins in vertebrate primordial, *Proc, Natl Acad Sci U S A* (2001) 98(18) 10196-10201

Koppen M., Fernandez B.G. Carvalho L., Jacinto A., Heisenberg C.P., Coordinated cell-shape changes control epithelial movement in zebrafish and *Drosophila*, *Development* (2006) 133(14) 2671-2681

Kovacs M., Toth J., Hetenyi C., Malnasi-Csizmadia A. And Sellers J.R., Mechanism of blebbistatin inhibition of myosin II, *J Biol Chem.* (2004) 279(34) 35557-35563

Kuchinke U., Grawe F. and Knust E., Control of spindle orientation in *Drosophila* by the Par-3-related PDZ-domain protein Bazooka, *Curr Biol.* (1998) 8(25) 1357-1365

Kusakabe M. and Nishida E., The polarity-inducing kinase Par-1 controls *Xenopus* gastrulation in cooperation with 14-3-3 and aPKC, *EMBO J* (2004) 23(21) 4190-4201

Langevin J., Le Borgne R., Rosenfeld F., Gho M., Schweisguth F. and Balliche Y., *Lethal giant larvae* controls the localization of Notch-signaling regulators Numb, Neuralized, and Sanpodo in *Drosophila* sensory-organ precursor cells, *Curr Biol.* (2005) 15(10) 955-962

Larsson K., Boehl F., Sjoestroem I., Akhtar N., Strand D., Mechler B.M., Grabowski R. and Adler L., The *Saccharomyces cerevisiae* *SOP1* and *SOP2* Genes, Which Act in Cation Homeostasis, Can Be Functionally Substituted by the *Drosophila lethal(2)giant larvae* Tumor Suppressor Gene, *J Biol Chem* (1998) 273(50) 33610-33618

Le Douarin N.M. and Dupin E., Multipotentiality of the neural crest, *Curr. Opin. Genet. Dev.* (2003) 13(5) 529-536

Lehman K., Rossi G., Adamo J.E. and Brennwald P., Yeast homologues of Tomosyn and *lethal giant larvae* function in exocytosis and are associated with the plasma membrane SNARE, Sec9, *J cell Biol.* (1999) 146(1) 125-140

Leimer U., Lun K., Romig H., Walter J., Grunberg J., Brand M. and Haass C., Zebrafish (*Danio rerio*) presenilin promotes aberrant amyloid beta-peptide production and requires a critical aspartate residue for its function in amyloidogenesis, *Biochemistry* (1999) 38(41) 13602-13609

Li J. and Aderem A., MacMARCKS, a novel member of the MARCKS family of protein kinase C substrates, *Cell* (1992) 70(5) 791-801

Li Q., Shirabe K. and Kuwada J.Y., Chemokine signaling regulates sensory cell migration in zebrafish, *Dev Biol.* (2004) 269 (1) 123-136

Lieschke G.J. and Currie P.D., Animal models of human disease: zebrafish swim into view, *Nat Rev Genet.* (2007) 8(5) 353-367

Lio Q., Ensign R.D. and Azodi E., Cadherin-1, -2 and -4 expression in the cranial ganglia and lateral line system of developing zebrafish, *Gene Expr Patterns* (2003) 3(5) 653-658

Magee A.I. and Buxton R.S., Transmembrane molecular assemblies regulated by the greater cadherin family, *Curr Opin Cell Biol.* (1991) 3(5) 854-861

Malicki J., Neuhauss S.C., Schier A.F., Solnica-Krezel L., Stemple D.L., Stainier D.Y., Abdelilah S., Zwartkuis F., Rangini Z. and Driever W., Mutations affecting development of the zebrafish retina, *Development*, (1996) 123 263-273

Manfruelli P., Arquier N., Hanratty W.P. and Semeriva M., The tumor suppressor gene, *lethal(2)giant larvae (l(2)gl)*, is required for cell shape change of epithelial cells during *Drosophila* development, *Development* (1996) 122(7) 2283-2294

Mermall V. McNally J.G. and Miller K.G., Transport of cytoplasmic particles catalysed by an unconventional myosin in living *Drosophila* embryos, *Nature* (1994) 369(6481) 560-562

Metcalfe W.K., Sensory neuron growth cones comigrate with posterior lateral line primordial cells in zebrafish, *J Comp Neurol.* (1985) 238(2) 218-224

Mirouse V., Swick L.L., Kazgan N., St Johnston D. and Brenman J.E., LKB1 and AMPK maintain epithelial cell polarity under energetic stress, *J Cell Biol.* (2007) 177(3) 387-392

Monnot M.J., Babin P.J., Poleo G., Andre M., Laforest L., Ballagny C. and Akimenko M.A., Epidermal expression of apolipoprotein E gene during fin and scale development and fin regeneration in zebrafish, *Dev Dyn.* (1999) 214(3) 207-215

Montell D.J., Command and control: regulatory pathways controlling invasive behavior of the border cells, *Mech Dev.* (2001) 105(1-2) 19-25

Montell D.J., Rorth P. and Spradling A.C., slow border cells, a locus required for a developmentally regulated cell migration during oogenesis, encodes *Drosophila* C/EBP, *Cell* (1992) 71(1) 51-62

Muller H.A. and Wieschaus E., *armadillo*, *bazooka*, and *stardust* Are Critical for early stages in formation of the zonula adherens and maintenance of the

Polarized Blastoderm epithelium in *Drosophila*, *J Cell Biol.* (1996) 134(1) 149-163

Munro E., Nance J. and Priess J.R., Cortical flows powered by asymmetrical contraction transport PAR proteins to establish and maintain anterior-posterior polarity in the early *C. elegans* embryo, *Dev Cell* (2004) 7(3) 413-424

Muskavitch M.A., Delta-notch signaling and *Drosophila* cell fate choice, *Dev Biol.* (1994) 166(2) 415-430

Myat M.M., Chang S., Rodriguez-Boulan E. and Aderem A., Identification of the basolateral targeting determinant of a peripheral membrane protein, MacMARCKS, in polarized cells, *Curr. Biol.* (1998) 8(12) 677-683

Nagai-Tamai Y., Mizuno K., Hirose T., Suzuki A. and Ohno S., Regulated protein-protein interaction between aPKC and PAR-3 plays an essential role in the polarization of epithelial cells, *Genes Cells* (2002) 7(11) 1161-1171

Nakayama M., Amano M., Katsumi A., Kaneko T., Kawabata S., Takefuji M. and Kaibuchi K., Rho-kinase and myosin II activities are required for cell type and environment specific migration, *Genes Cells*. (2005) 10(2) 107-117

Nam S.C. and Choi K.W., Interaction of Par-6 and Crumbs complexes is essential for photoreceptor morphogenesis in *Drosophila*, *Development* (2003) 130(18) 4363-4372

Nasevicius A. and Ekker S.C., Effective targeted gene 'knockdown' in zebrafish, *Nat Genet.* (2000) 26(2) 216-220

Niewiadomska P., Godt D. and Tepass U., DE-Cadherin is required for intercellular motility during *Drosophila* oogenesis, *J Cell Biol.* (1999) 144(3) 533-547

Oda H., Uemura T. and Takeichi M., Phenotypic analysis of null mutants for DE-cadherin and Armadillo in *Drosophila* ovaries reveals distinct aspects of their functions in cell adhesion and cytoskeletal organization, *Genes Cells*. (1997) 2(1) 29-40

Omori Y. and Malicki J., *oko meduzy* and related *crumbs* genes are determinants of apical cell features in the vertebrate embryo, *Curr. Biol.* (2006) 16(10) 945-957

Pacquelet A. and Rorth P., Regulatory mechanisms required for DE-cadherin function in cell migration and other types of adhesion, *J Cell Biol.* (2005) 170(5) 503-812

Pellettieri J. and Seydoux G., Anterior-posterior polarity in *C. elegans* and *Drosophila*--PARallels and differences, *Science* (2002) 298(5600) 1946-1950

Peng C.Y., Manning L., Albertson R. and Doe C.Q., The tumour-suppressor genes *lgl* and *dlg* regulates basal protein targeting in *Drosophila* neuroblasts, *Nature* (2000) 408(6812) 596-600

Peterson R.T., Mably J.D., Chen J.N. and Fishman M.C., Convergence of distinct pathways to heart patterning revealed by the small molecule concentramide and the mutation heart-and-soul, *Curr Biol.* (2001) 11(19) 1481-1491

Petritsch C., Tavosanis G., Turck C.W., Jan L.Y. and Jan Y.N., The *Drosophila* myosin VI Jaguar is required for basal protein targeting and correct spindle orientation in mitotic neuroblasts, *Dev Cell.* (2003) 4(2) 273-281

Petronczki M. and Knoblich J.A., DmPAR-6 directs epithelial polarity and asymmetric cell division of neuroblasts in *Drosophila*, *Nat Cell Biol.* (2001) 3(1) 43-49

Pinheiro E.M. and Montell D.J., Requirement for Par-6 and Bazooka in *Drosophila* border cell migration, *Development* (2004) 131(21) 5243-5251

Plant P.J., Fawcett J.P., Lin D.C.C., Holdorf A.D., Binns K., Kulkarni S. and Pawson T., A polarity complex of mPAR-6 and atypical PKC binds, phosphorylates and regulates mammalian Lgl, *Nat. Cell. Biol.* (2003) 5(4) 301-308

Prasad M. and Montel D.J., Cellular and molecular mechanisms of border cell migration analyzed using time-lapse live-cell imaging, *Dev. Cell* (2007) 12(6) 997-1005

Qiu R.G., Abo A. and Steven Martin G., A human homolog of the *C. elegans* polarity determinant Par-6 links Rac and Cdc42 to PKCzeta signaling and cell transformation, *Curr. Biol.* (2000) 10(12) 697-707

Rodriguez-Boulan E. and Nelson W.J., Morphogenesis of the polarized epithelial cell phenotype, *Science* (1989) 245(4919) 718-725

Roh M.H., Makarova O., Liu C.J., Shin K., Lee S., Laurinec S., Goyal M., Wiggins R. and Margolis B., The Maguk protein, Pals1, functions as an adapter, linking mammalian homologues of Crumbs and Discs Lost, *J Cell Biol.* (2002) 157(1) 161-172

Rohr S., Bit-Avragim N. and Abdelilah-Seyfried S., Heart and soul/PRKCi and nagie oko/Mpp5 regulate myocardial coherence and remodeling during cardiac morphogenesis, *Development* (2006) 133(1) 107-115

Rolls M.M., Albertson R., Shih H.P., Lee C.Y. and Doe C.Q., *Drosophila* aPKC regulates cell polarity and cell proliferation in neuroblasts and epithelia, *J Cell Biol.* (2003) 163(5) 1089-1098

Rorth P, Initiating and guiding migration: lessons from border cells, *Trends Cell Biol.* (2002) 12(7) 325-331

Sahly I., Andermann P. and Petit C., The zebrafish *eya1* gene and its expression pattern during embryogenesis, *Dev Genes Evol.* (1999) 209(7) 399-410

Sakakibara A. and Horwitz A.F., Mechanism of polarized protrusion formation on neuronal precursors migrating in the developing chicken cerebellum, *J Cell Sci.* (2006) 119(Pt 17) 3583-3592

Sapede D., Gompel N., Dambly-Chaudiere C. and Ghysen A., Cell migration in the postembryonic development of the fish lateral line, *Development* (2002) 129(3) 605-615

Schaar B.T. and McConnell S.K., Cytoskeletal coordination during neuronal migration *Proc Natl Acad Sci U S A* (2005) 102(38) 13652-13657

Schober M., Schaefer M. and Knoblich J.A., Bazooka recruits Inscuteable to orient asymmetric cell divisions in *Drosophila* neuroblasts, *Nature* (1999) 402(6761) 548-551

Schonegg S. and Hyman A.A., CDC-42 and RHO-1 coordinate actomyosin contractility and PAR protein localization during polarity establishment in *C. elegans* embryos, *Development* (2006) 133 (18) 3507-3516

Seiler C., Ben-David O., Sidi S., Hendrich O., Rusch A., Burnside B., Avraham K.B. and Nicolson T., Myosin VI is required for structural integrity of the apical surface of sensory hair cells in zebrafish, *Dev Biol.* (2004) 272(2) 328-338

Self T., Sobe T., Copeland N.G., Jenkins N.A., Avraham K.B. and Steel K.P., Role of myosin VI in the differentiation of cochlear hair cells, *Dev Biol.* (1999) 214(2) 331-341

Siliciano J.D. and Goodenough D.A., Localization of the tight junction protein, ZO-1, is modulated by extracellular calcium and cell-cell contact in Madin-Darby canine kidney epithelial cells, *J Cell Biol.* (1988) 107(6 Pt 1) 2389-2399

Smith C.A., Lau K.M., Rahmani Z., Dho S.E., Brothers G., She Y.M., Berry D.M., Bonneil E., Thibault P., Schweisguth F., Le Borgne R. and McGlade C.J., aPKC-mediated phosphorylation regulates asymmetric membrane localization of the cell fate determinant Numb, *EMBO J.* (2007) 26(2) 468-480

Sonawane M., Carpio Y., Geisler R., Schwarz H., Maischein H.M. and Nüsslein-Volhard C., Zebrafish *penner/lethal giant larvae 2* functions in hemidesmosome formation, maintenance of cellular morphology and growth regulation in the developing basal epidermis, *Development* (2005) 132(14) 3255-3265

Song J.Y., Van Noorden C.J. and Frederiks W.M., Rearrangement of hepatocellular F-actin precedes the formation of rosette-like structures in parenchyma of cholestatic rat liver, *Hepatology*. 1998 27(3) 765-771

Sotillos S., Diaz-Meco M.T., Caminero E., Moscat J., Campuzano S., DaPKC-dependent phosphorylation of Crumbs is required for epithelial cell polarity in *Drosophila*, *J Cell Biol.* (2004) 166(4) 549-557

Straight A.F., Cheung A., Limouze J., Chen I., Westwood N.J., Sellers J.R. and Mitchison T.J., Dissecting temporal and spatial control of cytokinesis with a myosin II inhibitor, *Science* (2003) 299(5613) 1743-1747

Strand D., Jakobs R., Merdes G., Neumann B., Kalmes A., Heid H.W., Husmann I. and Mechler B.M., The *Drosophila lethal(2)giant larvae* tumor suppressor protein forms homo-oligomers and is associated with nonmuscle myosin II heavy chain, *J Cell. Sci.* (1994) 127(5) 1361-1373

Stuart G.W., McMurray J.V. and Westerfield M., Replication, integration and stable germ-line transmission of foreign sequences injected into early zebrafish embryos, *Development* (1988) 103(2) 403-412

Sun Z. and Hopkins N., *vhnf1*, the MODY5 and familial GCKD-associated gene, regulates regional specification of the zebrafish gut, pronephros, and hindbrain, *Genes Dev.* (2001) 15(23) 3217-3229

Suzuki A., Hirata M., Kamimura K., Maniwa R., Yamanaka T., Mizuno K., Kishikawa M., Hirose H., Amano Y., Izumi N., Miwa Y. and Ohno S., aPKC acts upstream of PAR-1b in both the establishment and maintenance of mammalian epithelial polarity, *Curr. Biol.* (2004) 14(16) 1425-1435

Suzuki A., Yamanaka T., Hirose T., Manabe N., Mizuno K., Shimizu M., Akimoto K., Izumi Y., Ohnishi T. and Ohno S., Atypical protein kinase C is involved in the evolutionarily conserved par protein complex and plays a critical role in establishing epithelia-specific junctional structures, *J Cell Biol.* (2001) 152(6) 1183-1196

Tabuse Y., Izumi Y., Piano F., Kemphues K.J., Miwa J. and Ohno S., Atypical protein kinase C cooperates with PAR-3 to establish embryonic polarity in *Caenorhabditis elegans*, *Development* (1998) 125(18) 3607-3614

Takai Y., Kishimoto A., Inoue M. and Nishizuka Y., Studies on a cyclic nucleotide-independent Protein Kinase and its proenzyme in mammalian tissues, *J Biol Chem.* (1977) 252(21) 7603-7609

Tanentzapf G. and Tepass U., Interactions between the Crumbs, Lethal giant larvae and Bazooka pathways in epithelial polarization, *Nat Cell Biol.* (2003) 5(1) 46-52

Tepass U., Tanentzapf G., Ward R. and Fehon R., Epithelial cell polarity and cell junctions in *Drosophila*, *Annu. Rev. Genet.* (2001) 35 747-784

Vasavada R.C., Wang L., Fujinaka Y., Takane K.K., Rosa T.C., Mellado-Gil J.M., Friedman P.A. and Garcia-Ocana A., Protein Kinase C- ζ Activation Markedly Enhances β -Cell Proliferation: An Essential Role in Growth Factor-Mediated β -Cell Mitogenesis, *Diabetes* (2007)

Warner C.L., Stewart A., Luzio J.P., Steel K.P., Libby R.T., Kendrick-Jones J. and Buss F., Loss of myosin VI reduces secretion and the size of the Golgi in fibroblasts from Snell's waltzer mice, *EMBO J.* (2003) 22(3) 569-579

Wei X. and Malicki J., *nagie oko*, encoding a MAGUK-family protein, is essential for cellular patterning of the retina, *Nat Genet.* (2002) 31(2) 150-157

Wells A.L., Lin A.W., Chen L.Q., Safer D., Cain S.M., Hasson T., Carragher B.O., Milligan R.A. and Sweeney H.I., Myosin VI is an actin-based motor that moves backwards, *Nature* (1999) 401(6752) 505-508

Westerfield M., "The zebrafish Book", Univ. of Oregon Press, Eugene. OR. 1993

Wodarz A., Tumor suppressors: linking cell polarity and growth control, *Curr Biol.* (2000) 10(17) 624-626

Wodarz A., Ramrath A., Grimm A. and Knust E., *Drosophila* atypical Protein Kinase C associates with Bazooka and controls polarity of epithelia and neuroblasts, *J Cell Biol.* (2000) 150(6) 1361-1374

Woods D.F. and Bryant P.J., The *discs-large* tumor suppressor gene of *Drosophila* encodes a guanylate kinase homolog localized at septate junctions, *Cell* (1991) 66(3) 451-464

Wooten M.W., Seibenhener M.L., Neidigh K.B. and Vandenplas M.L., Mapping of atypical protein kinase C within the nerve growth factor signaling cascade: relationship to differentiation and survival of PC12 cells, *Mol. Cell Biol.* (2000) 20(13) 4494-4504

Xia S., Forman L.W. and Faller D.V., Protein kinase C delta is required for survival of cells expressing activated p21RAS, J Biol Chem. (2007) 282(18) 13199-13210

Xu X., Francis R., Wei C.J., Linask K.L. and Lo C.W., Connexin 43-mediated modulation of polarized cell movement and the directional migration of cardiac neural crest cells, Development (2006) 133(18) 3629-3639

Yamanaka T., Horikoshi Y., Sugiyama Y., Ishiyama C., Suzuki A., Hirose T., Iwamatsu A., Shinohara A. and Ohno S., Mammalian Lgl forms a protein complex with PAR-6 and aPKC independently of PAR-3 to regulate epithelial cell polarity, Curr. Biol. (2003) 13(9) 734-743

Yamanaka T., Horikoshi Y., Suzuki A., Sugiyama Y., Kitamura K., Maniwa R., Nagai Y., Yamashita A., Hirose T., Ishikawa H. and Ohno S., PAR-6 regulates aPKC activity in a novel way and mediates cell-cell contact-induced formation of the epithelial junctional complex, Genes Cells (2001) 6(8) 721-731

Yamaguchi T., Suzuki M., Kimura H. and Kato M., Role of protein kinase C in eosinophil function, Allergol Int. (2006) 55(3) 245-252

Yochem J. and Herman R.K., Investigating *C. elegans* development through mosaic analysis, Development (2003) 130(20) 4761-4768

Zallen J.A., Planar polarity and tissue morphogenesis, Cell (2007) 129(6) 1051-1063

Zallen J.A. and Wieschaus E., Patterned gene expression directs bipolar planar polarity in *Drosophila*, Dev. Cell (2004) 6(3) 343-355

Zallen J.A. and Zallen R., Cell-patterned disordering during convergent extension in *Drosophila*, (2004) J. Phys. Condens. Matter 16 S5073-S5080

Zhang X., Wang P., Gangar A., Zhang J., Brennwald P., TerBush D. and Guo W., Lethal giant larvae proteins interact with the exocyst complex and are involved in polarized exocytosis, J Cell Biol. (2005) 170(2) 273-283