

9. Literaturverzeichnis

1. Frist B. Foreword. In: Goldstein DJ, Oz MC, editors. Cardiac Assist Devices. Armonk, New York: Future Publishing Co., Inc.; 2000. p. V-VI.
2. Funk M. Epidemiology of end stage heart disease. In: Hogness J, Vanantwerp M, editors. The artificial heart: prototypes, policies, and patients. Washington: National Academic Press; 1991. p. 251-261.
3. Erdmann E. Die Behandlung der Herzinsuffizienz: eine Übersicht. In: Dominiak P, G. Heusch, editors. Betablocker im neuen Jahrtausend. Darmstadt: Steinkopff Verlag Darmstadt; 2001. p. 2-10.
4. McKee PA, Castelli WP, McNamara PM, Kannel WB. The natural history of congestive heart failure: the Framingham study. *N Engl J Med* 1971;285(26):1441-6.
5. Effects of enalapril on mortality in severe congestive heart failure. Results of the Cooperative North Scandinavian Enalapril Survival Study (CONSENSUS). The CONSENSUS Trial Study Group. *N Engl J Med* 1987;316(23):1429-35.
6. Effect of enalapril on survival in patients with reduced left ventricular ejection fractions and congestive heart failure. The SOLVD Investigators. *N Engl J Med* 1991;325(5):293-302.
7. Pfeffer MA, Braunwald E, Moye LA, Basta L, Brown EJ, Jr., Cuddy TE, et al. Effect of captopril on mortality and morbidity in patients with left ventricular dysfunction after myocardial infarction. Results of the survival and ventricular enlargement trial. The SAVE Investigators. *N Engl J Med* 1992;327(10):669-77.
8. Packer M, Greenberg B, Massie B, Dash H. Deleterious effects of hydralazine in patients with pulmonary hypertension. *N Engl J Med* 1982;306(22):1326-31.
9. Hogness J. Preface. In: Hogness J, Vanantwerp M, editors. The Artificial Heart: Prototypes, Policies, and Patients. Washington: National Academic Press; 1991. p. i-x.
10. Kaye MP. The Registry of the International Society for Heart and Lung Transplantation: tenth official report--1993. *J Heart Lung Transplant* 1993;12(4):541-8.
11. Potapov EV, Alexi-Meskisvili VV, Hetzer R. N. Terebinski - Pionier der Klappenchirurgie am offenen Herzen. *Z. Herz-, Thorax-, Gefäßchir.* 1998;12:144-149.
12. Gibbon J. Application of a mechanical heart and lung apparatus to cardiac surgery. *Minnesota Medicine* 1954;37:171-185.
13. Hosenpud JD, Bennett LE, Keck BM, Boucek MM, Novick RJ. The Registry of the International Society for Heart and Lung Transplantation: seventeenth official report-2000. *J Heart Lung Transplant* 2000;19(10):909-31.

14. Mouloupoulos S, Topaz O, Kolff W. Diastolic balloon pumping (with carbon dioxide) in the Aorta. A mechanical assistance to the failing circulation. *Am Heart J* 1962;1962(63):669-675.
15. Kantrowitz A, Tjonneland S, Freed PS, Phillips SJ, Butner AN, Sherman JL, Jr. Initial clinical experience with intraaortic balloon pumping in cardiogenic shock. *Jama* 1968;203(2):113-8.
16. DeBakey ME. Left ventricular bypass pump for cardiac assistance. Clinical experience. *Am J Cardiol* 1971;27(1):3-11.
17. Jett GK. Extracorporeal Support: The Abiomed BVS 5000. In: Goldstein D, Oz M, editors. *Cardiac Assist Devices*. Armonk, New York: Futura Publishing Co.,Inc.; 2000. p. 235-250.
18. Goldstein D. Intracorporeal Support: Thermo Cardiosystems Ventricular Assist Devices. In: GOLDstein D, Oz M, editors. *Cardiac Assist Devices*. Armonk, New York: Futura Publishing Co.,Inc.; 2000. p. 307-322.
19. Ramasamy N, Vargo RL, Kormos RL, Portner PM. Intracorporeal support: The Novacor left ventricular assist system. In: Goldstein D, Oz M, editors. *Cardiac Assist Device*. Armonk, NY: Futura Publishing Co., Inc; 2000. p. 323-339.
20. de Vivo F, De Santo LS, Maiello C, Marra C, Cotrufo M. Novacor left ventricular assist device: present experience. *Int J Artif Organs* 1999;22(1):11-3.
21. Potapov EV, Loebe M, Nasser BA, Sinawski H, Koster A, Kuppe H, et al. Pulsatile flow in patients with a novel nonpulsatile implantable ventricular assist device. *Circulation* 2000;102(19 Suppl 3):III183-7.
22. Westaby S, Banning AP, Jarvik R, Frazier OH, Pigott DW, Jin XY, et al. First permanent implant of the Jarvik 2000 Heart. *Lancet* 2000;356(9233):900-3.
23. Long JW. Advanced mechanical circulatory support with the HeartMate left ventricular assist device in the year 2000. *Ann Thorac Surg* 2001;71(3 Suppl):S176-82; discussion S183-4.
24. Griffith BP, Kormos RL, Borovetz HS, Litwak K, Antaki JF, Poirier VL, et al. HeartMate II left ventricular assist system: from concept to first clinical use. *Ann Thorac Surg* 2001;71(3 Suppl):S116-20; discussion S114-6.
25. Boujoukos AJ, Martich GD. Mechanical circulatory assist devices. *J Intensive Care Med* 1996;11(1):23-36.

26. Friedel N, Viazis P, Schiessler A, Warnecke H, Hennig E, Hetzer R. Patient selection for mechanical circulatory support as a bridge to cardiac transplantation. *Int J Artif Organs* 1991;14(5):276-9.
27. Hetzer R, Hennig E, Schiessler A, Friedel N, Warnecke H, Adt M. Mechanical circulatory support and heart transplantation. *J Heart Lung Transplant* 1992;11(4 Pt 2):S175-81.
28. Loebe M, Hennig E, Muller J, Spiegelsberger S, Weng Y, Hetzer R. Long-term mechanical circulatory support as a bridge to transplantation, for recovery from cardiomyopathy, and for permanent replacement. *European Journal of Cardio-Thoracic Surgery* 1997;11(Suppl):S18-24.
29. Loebe M, Weng Y, Muller J, Dandel M, Halfmann R, Spiegelsberger S, et al. Successful mechanical circulatory support for more than two years with a left ventricular assist device in a patient with dilated cardiomyopathy. *J Heart Lung Transplant* 1997;16(11):1176-9.
30. Loebe M, Muller J, Hetzer R. Ventricular assistance for recovery of cardiac failure. *Curr Opin Cardiol* 1999;14(3):234-48.
31. Hetzer R, Muller J, Weng Y, Wallukat G, Spiegelsberger S, Loebe M. Cardiac recovery in dilated cardiomyopathy by unloading with a left ventricular assist device. *Ann Thorac Surg* 1999;68(2):742-9.
32. Muller J, Wallukat G, Weng YG, Dandel M, Spiegelsberger S, Semrau S, et al. Weaning from mechanical cardiac support in patients with idiopathic dilated cardiomyopathy. *Circulation* 1997;96(2):542-9.
33. Hausmann H, Potapov EV, Koster A, Siniawski H, Kukucka M, Loebe M, et al. Predictors of Survival One Hour after Implantation of an Intra-aortic Balloon Pump in Cardiac Surgery. *J Cardiac Surgery* 2001(in press).
34. Oz MC, Argenziano M, Catanese KA, Gardocki MT, Goldstein DJ, Ashton RC, et al. Bridge experience with long-term implantable left ventricular assist devices. Are they an alternative to transplantation? *Circulation* 1997;95(7):1844-52.
35. Noon G, Morley D, Irwin S, DeBakey M. The DeBakey Ventricular Assist Device. In: Goldstein D, Oz M, editors. *Cardiac Assist Devices*. Armonk, New York: Futura Publishing Co., Inc.; 2000. p. 375-386.
36. Wernicke JT, Meier D, Mizuguchi K, Damm G, Aber G, Benkowski R, et al. A fluid dynamic analysis using flow visualization of the Baylor/NASA implantable axial flow blood pump for design improvement. *Artificial Organs* 1995;19(2):161-77.

37. DeBakey ME. A miniature implantable axial flow ventricular assist device. *Ann Thorac Surg* 1999;68(2):637-40.
38. Hooker DR. A study of the isolated kidney: the influence of pulse pressure upon renal function. *AM J Physiol* 1910(27):24-44.
39. Dale H, Schuster E. A double perfusion pump. *J Physiol (Lond)* 1928;64:356-64.
40. Jacobi C. Apparat zur Durchblutung isolierter überlebender Organe. *Archiv für experimentele Pathologie und Pharmakologie* 1890(26):386-400.
41. Brukhonenko S, Tshetshjulin S. Opyty po izolirovaniyu golovy sobaki. In: *Trudy II vsesojusnogo s'esda fiziologov*. Leningrad: Glavnauka; 1926. p. 289.
42. Brukhonenko S. Apparat dlja iskusstvennogo krovoobrastsheniya (teplokrovnych). *Journal experimental'noj biologii i mediziny* 1928(10):296-305.
43. Brukhonenko S. Circulation artificielle du sang dans l'organisme entier d'un chien avec couer exclu. *J Physiol Path Gen* 1929(27):257-262.
44. Wright G. The assesment of pulsatile blood flow. *Circulation* 1995;10:135-40.
45. Wilkens H, Regelson W, Hoffmeister F. The physiologic importance of pulsatile blood flow. *New Engl J Med* 1962;267:443-446.
46. Vainshtein G, Moskalenko Y. The Significance of Pulsation Factor for Functioning of the Cerebral Circulation System. *Fisiol Zh Im I M Sechenova* 1995;81(6):54-8.
47. Konishi H, Yland MJ, Brown M, Yamazaki K, Macha M, Konishi R, et al. Effect of pulsatility and hemodynamic power on recovery of renal function. *Asaio J* 1996;42(5):M720-3.
48. Finlayson D. Con: Nonpulsatile Flow Is Preferable to Pulsatile Flow During Cardiopulmonary Bypass. *J Cardiothorac Anesthesia* 1987;1(2):169-170.
49. Mori F, Ivey T, Itoh T, Thomas R, Breazeale D, Misbach G. Effect of pulsatile reperfusion on postischemic recovery of myocardial function after global hypothermic cardiac arrest. *J Thorac Cardiovasc Surg* 1987;93:719-27.
50. Shevde K, DeBois W. Pro: Pulsatile Flow Is Preferable to Nonpulsatile Flow During Cardiopulmonary Bypass. *J Cardiothorac Anesthesia* 1987;1(2):165-8.
51. Taylor K, Bain W, Davidson K, Turner M. Comparative clinical study of pulsatile and non-pulsatile perfusion in 350 consecutive patients. *Thorax* 1982;37:324-30.
52. Bollinger A. Periphäre Zirkulation. In: Siegenthaler W, editor. *Klinische Pathophysiologie*. Stuttgart: Georg Thieme; 1970. p. 563.
53. Hetzer R, Loebe M, Hummel M, Franz N, Schueler S, Friedel N, et al. Heart transplantation in Berlin--1993 update. *Clin Transpl* 1993:129-35.

54. Hetzer R, Loebe M, Potapov EV, Weng Y, Stiller B, Hennig E, et al. Circulatory support with pneumatic paracorporeal ventricular assist device in infants and children. *Annals of Thoracic Surgery* 1998;66(5):1498-506.
55. Albert W, Kiekbusch S, Köller K, Hetzer R. Quality of Life with Ventricular Assist Devices. In: Hetzer R, Hennig E, Loebe M, editors. *Mechanical circulatory support*. Darmstadt: Springer and Steinkopff; 1997. p. 191-205.
56. El-Banayosy A, Arusoglu L, Kizner L, Fey O, Minami K, Korfer R. Complications of circulatory assist. *Perfusion* 2000;15(4):327-31.
57. El-Banayosy A, Arusoglu L, Kizner L, Tenderich G, Minami K, Inoue K, et al. Novacor left ventricular assist system versus Heartmate vented electric left ventricular assist system as a long-term mechanical circulatory support device in bridging patients: a prospective study. *J Thorac Cardiovasc Surg* 2000;119(3):581-7.
58. Goldberg SP, Baddley JW, Aaron MF, Pappas PG, Holman WL. Fungal infections in ventricular assist devices. *Asaio J* 2000;46(6):S37-40.
59. Grossi P, Dalla Gasperina D, Pagani F, Marone P, Vigano M, Minoli L. Infectious complications in patients with the Novacor left ventricular assist system. *Transplant Proc* 2001;33(1-2):1969-71.
60. Holman WL, Fix RJ, Foley BA, McGiffin DC, Rayburn BK, Kirklin JK. Management of wound and left ventricular assist device pocket infection. *Ann Thorac Surg* 1999;68(3):1080-2.
61. Holman WL, Skinner JL, Waites KB, Benza RL, McGiffin DC, Kirklin JK. Infection during circulatory support with ventricular assist devices. *Ann Thorac Surg* 1999;68(2):711-6.
62. McBride LR, Swartz MT, Reedy JE, Miller LW, Pennington DG. Device related infections in patients supported with mechanical circulatory support devices for greater than 30 days. *ASAIO Trans* 1991;37(3):M258-9.
63. Myers TJ, Khan T, Frazier OH. Infectious complications associated with ventricular assist systems. *Asaio J* 2000;46(6):S28-36.
64. Nurozler F, Argenziano M, Oz MC, Naka Y. Fungal left ventricular assist device endocarditis. *Ann Thorac Surg* 2001;71(2):614-8.
65. Prendergast TW, Todd BA, Beyer AJ, 3rd, Furukawa S, Eisen HJ, Addonizio VP, et al. Management of left ventricular assist device infection with heart transplantation. *Ann Thorac Surg* 1997;64(1):142-7.

66. Tjan TD, Asfour B, Hammel D, Schmidt C, Scheld HH, Schmid C. Wound complications after left ventricular assist device implantation. *Ann Thorac Surg* 2000;70(2):538-41.
67. Weyand M, Hermann M, Kondruweit M, Deng MC, Schmid C, Peters G, et al. Clinical impact of infections in left ventricular assist device recipients: the importance of site and organism. *Transplant Proc* 1997;29(8):3327-9.
68. Ankersmit HJ, Tugulea S, Spanier T, Weinberg AD, Artrip JH, Burke EM, et al. Activation-induced T-cell death and immune dysfunction after implantation of left-ventricular assist device. *Lancet* 1999;354(9178):550-5.
69. Deng MC, Erren M, Tjan TD, Tamminga N, Werntze B, Zimmermann P, et al. Left ventricular assist system support is associated with persistent inflammation and temporary immunosuppression. *Thorac Cardiovasc Surg* 1999;47(Suppl 2):326-31.
70. Hasper D, Hummel M, Docke WD, Kleber FX, Felix SB, Hetzer R, et al. Inflammatory mediators in patients with biventricular assist device systems. *Z Kardiol* 1996;85(11):820-7.
71. Hasper D, Hummel M, Hetzer R, Volk HD. Blood contact with artificial surfaces during BVAD support. *Int J Artif Organs* 1996;19(10):590-6.
72. Hasper D, Hummel M, Kleber FX, Reindl I, Volk HD. Systemic inflammation in patients with heart failure. *Eur Heart J* 1998;19(5):761-5.
73. Himmelreich G, Ullmann H, Riess H, Rosch R, Loebe M, Schiessler A, et al. Pathophysiologic role of contact activation in bleeding followed by thromboembolic complications after implantation of a ventricular assist device. *ASAIO Journal* 1995;41(3):M790-4.
74. Hummel M, Czerlinski S, Friedel N, Liebenthal C, Hasper D, von Baehr R, et al. Interleukin-6 and interleukin-8 concentrations as predictors of outcome in ventricular assist device patients before heart transplantation. *Crit Care Med* 1994;22(3):448-54.
75. Hummel M, Docke WD, Friedel N, von Baehr R, Hetzer R, Volk HD. Monitoring of the cellular immune system in patients with biventricular assist devices awaiting cardiac transplantation. *Clin Transplant* 1994;8(1):59-66.
76. Dewald O, Fischlein T, Vetter HO, Schmitz C, Godje O, Gohring P, et al. Platelet morphology in patients with mechanical circulatory support. *Eur J Cardiothorac Surg* 1997;12(4):634-41.

77. Despotis GJ, Levine V, Joist H, Santoro SA, Mendeloff E. Multiple episodes of thrombosis with biventricular support devices with inadequate anticoagulation and evidence of accelerated intravascular coagulation. *J Thorac Cardiovasc Surg* 1997;113(2):419-22.
78. Livingston ER, Fisher CA, Bibidakis EJ, Pathak AS, Todd BA, Furukawa S, et al. Increased activation of the coagulation and fibrinolytic systems leads to hemorrhagic complications during left ventricular assist implantation. *Circulation* 1996;94(9 Suppl):II227-34.
79. Takahama T, Kanai F, Onishi K. Anticoagulation during use of a left ventricular assist device. *Asaio J* 2000;46(3):354-7.
80. Loebe M, Potapov E, Drews T, Weng Y, Ngo W, Graf zu Dohna R, et al. Advances and perspectives in mechanical heart assist. *Z Kardiol* 2000;89(Suppl 7):91-8.
81. Potapov EV, Nasser BA, Loebe M, Kukucka M, Koster A, Kuppe H, et al. Transcranial detection of microembolic signals in patients with a novel nonpulsatile implantable LVAD. *Asaio J* 2001;47(3):249-53.
82. Waaben J, Wulf H, Wettermark G, Andersen K, Husum B. ATP-content in muscular interstitial fluid during pulsatile and non-pulsatile cardiopulmonary bypass in pigs. *Biomed Biochem Acta* 1985;44(7/8):1113-8.
83. Fukae K, Tominaga R, Tokunaga S, Kawachi Y, Imaizumi T, Yasui H. The effects of pulsatile and nonpulsatile systemic perfusion on renal sympathetic nerve activity in anesthetized dogs. *J Thorac Cardiovasc Surg* 1996;111(2):478-84.
84. Busse R, Fleming I. Pulsatile stretch and shear stress: physical stimuli determining the production of endothelium-derived relaxing factors. *Journal of Vascular Research* 1998;35(2):73-84.
85. McMaster P, Parsons R. The effect of the pulse on the spread of substances through tissues. *J Exper Med* 1938;68:377-400.
86. Parsons R, McMaster P. Effect of pulse upon formation and flow of lymph. *J Exper Med* 1938;68:353-376.
87. Trinkle JK, Helton NE, Wood RE, Bryant LR. Metabolic comparison of a new pulsatile pump and a roller pump for cardiopulmonary bypass. *J Thorac Cardiovasc Surg* 1969;58(4):562-9.
88. Wright G. Hemodynamic analysis could resolve the pulsatile blood flow controversy. *Ann Thorac Surg* 1994;58(4):1199-204.

89. Gaer J, Shaw A, Wild R, Swift I, Munsch C, Smith P, et al. Effect of Cardiopulmonary Bypass on Gastrointestinal Perfusion and Function. *Annals of Thoracic Surgery* 1994;57:371-5.
90. Golding LR, Murakami G, Harasaki H, Takatani S, Jacobs G, Yada I, et al. Chronic nonpulsatile blood flow. *Trans Am Soc Artif Intern Organs* 1982;28:81-5.
91. Orime Y, Shino M, Nakata K. The role of pulsatility in end-organ microcirculation after cardiogenic shock. *ASAIO Journal* 1992(42):M724-M729.
92. Hauge A, Nicolaysen G. Pulmonary O₂ transfer during pulsatile and non-pulsatile perfusion. *Acta Physiol Scand* 1980;109(3):325-32.
93. Konishi H, Sohara Y, Endo S, Misawa Y, Fuse K. Pulmonary microcirculation during pulsatile and non pulsatile perfusion. *Asaio J* 1997;43(5):M657-9.
94. Canivet J, Larbusson R, Damas P, Blaffart F, Faymonville M, Limet R, et al. Plasma renin activity and urine b₂-microglobulin during and after cardiopulmonary bypass: pulsatile vs non-pulsatile perfusion. *European Heart Journal* 1990;11:1079-82.
95. Taenaka Y, Tatsumi E, Nakamura H, Nakatani T, Yagura A, Sekii H, et al. Physiologic reactions of awake animals to an immediate switch from a pulsatile to nonpulsatile systemic circulation. *ASAIO Trans* 1990;36(3):M541-4.
96. Angell James JE, Daly M. Effects of graded pulsatile pressure on the reflex vasomotor responses elicited by changes of mean pressure in the perfused carotid sinus-aortic arch regions of the dog. *J Physiol* 1971;214(1):51-64.
97. Angell James JE. The effects of altering mean pressure, pulse pressure and pulse frequency on the impulse activity in baroreceptor fibres from the aortic arch and right subclavian artery in the rabbit. *J Physiol* 1971;214(1):65-88.
98. Johnston GG, Hammill F, Marzec U, Gerard D, Johansen K, Dilley RB, et al. Prolonged pulseless perfusion in unanesthetized calves. *Arch Surg* 1976;111(11):1225-30.
99. Johnston GG, Hammill FS, Johansen KH, Marzec U, Gerard D, Dilley RB, et al. Prolonged pulsatile and nonpulsatile LV bypass with a centrifugal pump. *Trans Am Soc Artif Intern Organs* 1976;22:323-31.
100. Satoh H, Miyamoto Y, Shimazaki Y, Kadoba K, Masai T, Yagura A, et al. Comparison between pulsatile and nonpulsatile circulatory assist for the recovery of shock liver. *Asaio J* 1995;41(3):M596-600.
101. Tatsumi E, Miyazaki K, Toda K, Taenaka Y, Nakatani T, Baba Y, et al. Influence of non pulsatile systemic circulation on tissue blood flow and oxygen metabolism. *Asaio J* 1996;42(5):M757-62.

102. Shaw PJ, Bates D, Cartlidge NE, Heaviside D, Julian DG, Shaw DA. Early neurological complications of coronary artery bypass surgery. *Br Med J (Clin Res Ed)* 1985;291(6506):1384-7.
103. Mathie RT. Hepatic blood flow measurement with inert gas clearance. *J Surg Res* 1986;41(1):92-110.
104. Webber CE, Garnett ES. The relationship between colloid osmotic pressure and plasma proteins during and after cardiopulmonary bypass. *J Thorac Cardiovasc Surg* 1973;65(2):234-7.
105. Golding LR, Jacobs G, Murakami T, Takatani S, Valdes F, Harasaki H, et al. Chronic nonpulsatile blood flow in an alive, awake animal 34-day survival. *Trans Am Soc Artif Intern Organs* 1980;26:251-5.
106. Many M, Giron F, Birtwell WC, Deterling RA, Jr., Soroff HS. Effects of depulsation of renal blood flow upon renal function and renin secretion. *Surgery* 1969;66(1):242-9.
107. Potapov EV, Loebe M, Müller J, Hetzer R. New treatment options for inflammatory cardiomyopathy: Focus on immunoadsorption and intermittent mechanical support. In: Navarro-López F, editor. *XXI Congress of the European Society of Cardiology*. Bologna: Monduzzi Editore; 1999. p. 531-542.
108. El-Banayosy A, Deng M, Loisanse DY, Vetter H, Gronda E, Loebe M, et al. The European experience of Novacor left ventricular assist (LVAS) therapy as a bridge to transplant: a retrospective multi-centre study. *Eur J Cardiothorac Surg* 1999;15(6):835-41.
109. Schmid C, Hammel D, Deng MC, Weyand M, Baba H, Tjan TD, et al. Ambulatory care of patients with left ventricular assist devices. *Circulation* 1999;100(19 Suppl):II224-8.
110. Noon GP, Morley D, Irwin S, Benkowski R. Development and clinical application of the MicroMed DeBakey VAD. *Curr Opin Cardiol* 2000;15(3):166-71.
111. Noon GP, Morley DL, Irwin S, Abdelsayed SV, Benkowski RJ, Lynch BE. Clinical experience with the MicroMed DeBakey ventricular assist device. *Ann Thorac Surg* 2001;71(3 Suppl):S133-8; discussion S144-6.
112. Wieselthaler GM, Schima H, Lassnigg AM, Dworschak M, Pacher R, Grimm M, et al. Lessons learned from the first clinical implants of the DeBakey ventricular assist device axial pump: a single center report. *Ann Thorac Surg* 2001;71(3 Suppl):S139-43; discussion S144-6.
113. Potapov EV, Loebe M, Hennig E, Nasser BA, Sinawski H, Kopitz M, et al. Pulsatile Flow in Patients with a Novel Non-pulsatile Implantable LVAD. In: Swain JA, Utley JR, editors. *20th San Diego Cardiothoracic Surgery Symposium: Pathophysiology & Techniques of Cardiopulmonary Bypass*; 2000; San Diego, California, USA.; 2000. p. 61.

114. Aberg T. Signs of brain cell injury during open heart operations: past and present. *Ann Thorac Surg* 1995;59(5):1312-5.
115. Persson L, Hardemark HG, Gustafsson J, Rundstrom G, Mendel-Hartvig I, Esscher T, et al. S-100 protein and neuron-specific enolase in cerebrospinal fluid and serum: markers of cell damage in human central nervous system. *Stroke* 1987;18(5):911-8.
116. Fassbender K, Schmidt R, Schreiner A, Fatar M, Muhlhauser F, Daffertshofer M, et al. Leakage of brain-originated proteins in peripheral blood: temporal profile and diagnostic value in early ischemic stroke. *J Neurol Sci* 1997;148(1):101-5.
117. Hardemark HG, Ericsson N, Kotwica Z, Rundstrom G, Mendel-Hartvig I, Olsson Y, et al. S-100 protein and neuron-specific enolase in CSF after experimental traumatic or focal ischemic brain damage. *J Neurosurg* 1989;71(5 Pt 1):727-31.
118. Usui A, Kato K, Murase M, Hotta T, Tanaka M, Takeuchi E, et al. Neural tissue-related proteins (NSE, G0 alpha, 28-kDa calbindin-D, S100b and CK-BB) in serum and cerebrospinal fluid after cardiac arrest. *J Neurol Sci* 1994;123(1-2):134-9.
119. Hay E, Royds JA, Davies-Jones GA, Lewtas NA, Timperley WR, Taylor CB. Cerebrospinal fluid enolase in stroke. *J Neurol Neurosurg Psychiatry* 1984;47(7):724-9.
120. Dauberschmidt R, Zinsmeyer J, Mrochen H, Meyer M. Changes of neuron-specific enolase concentration in plasma after cardiac arrest and resuscitation. *Mol Chem Neuropathol* 1991;14(3):237-45.
121. Schaarschmidt H, Prange HW, Reiber H. Neuron-specific enolase concentrations in blood as a prognostic parameter in cerebrovascular diseases. *Stroke* 1994;25(3):558-65.
122. Johnsson P, Blomquist S, Luhrs C, Malmkvist G, Alling C, Solem JO, et al. Neuron-specific enolase increases in plasma during and immediately after extracorporeal circulation. *Ann Thorac Surg* 2000;69(3):750-4.
123. Wimmer-Greinecker G, Matheis G, Brieden M, Dietrich M, Oremek G, Westphal K, et al. Neuropsychological changes after cardiopulmonary bypass for coronary artery bypass grafting. *Thorac Cardiovasc Surg* 1998;46(4):207-12.
124. Schmitt B, Bauersfeld U, Schmid ER, Tuchschnid P, Molinari L, Fanconi S, et al. Serum and CSF levels of neuron-specific enolase (NSE) in cardiac surgery with cardiopulmonary bypass: a marker of brain injury? *Brain Dev* 1998;20(7):536-9.
125. Westaby S, Johnsson P, Parry AJ, Blomqvist S, Solem JO, Alling C, et al. Serum S100 protein: a potential marker for cerebral events during cardiopulmonary bypass. *Ann Thorac Surg* 1996;61(1):88-92.

126. Blomquist S, Johnsson P, Luhrs C, Malmkvist G, Solem JO, Alling C, et al. The appearance of S-100 protein in serum during and immediately after cardiopulmonary bypass surgery: a possible marker for cerebral injury. *Journal of Cardiothoracic & Vascular Anesthesia* 1997;11(6):699-703.
127. Gao F, Harris DN, Sapsed-Byrne S, Sharp S. Neurone-specific enolase and Sangtec 100 assays during cardiac surgery: Part III--Dose haemolysis affect their accuracy? *Perfusion* 1997;12(3):171-7.
128. Koster A, Loebe M, Hansen R, Potapov EV, Noon GP, Kuppe H, et al. Alterations in coagulation after implantation of a pulsatile novacor LVAD and the axial flow MicroMed DeBakey LVAD. *Ann Thorac Surg* 2000;70(2):533-7.
129. Anderson RE, Hansson LO, Liska J, Settergren G, Vaage J. The effect of cardiotomy suction on the brain injury marker S100beta after cardiopulmonary bypass. *Ann Thorac Surg* 2000;69(3):847-50.
130. Herrmann M, Ebert AD, Galazky I, Wunderlich MT, Kunz WS, Huth C. Neurobehavioral outcome prediction after cardiac surgery: role of neurobiochemical markers of damage to neuronal and glial brain tissue. *Stroke* 2000;31(3):645-50.
131. Rasmussen LS, Christiansen M, Hansen PB, Moller JT. Do blood levels of neuron-specific enolase and S-100 protein reflect cognitive dysfunction after coronary artery bypass? *Acta Anaesthesiol Scand* 1999;43(5):495-500.
132. Kilminster S, Treasure T, McMillan T, Holt DW. Neuropsychological change and S-100 protein release in 130 unselected patients undergoing cardiac surgery. *Stroke* 1999;30(9):1869-74.
133. Isgro F, Schmidt C, Pohl P, Saggau W. A predictive parameter in patients with brain related complications after cardiac surgery? *Eur J Cardiothorac Surg* 1997;11(4):640-4.
134. Jonsson H, Johnsson P, Alling C, Backstrom M, Bergh C, Blomquist S. S100beta after coronary artery surgery: release pattern, source of contamination, and relation to neuropsychological outcome. *Ann Thorac Surg* 1999;68(6):2202-8.
135. Gao F, Harris DN, Sapsed-Byrne S. Time course of neurone-specific enolase and S-100 protein release during and after coronary artery bypass grafting. *Br J Anaesth* 1999;82(2):266-7.
136. Anderson RE, Hansson LO, Vaage J. Release of S100B during coronary artery bypass grafting is reduced by off-pump surgery. *Annals of Thoracic Surgery* 1999;67(6):1721-5.

137. Kawahito K, Mohara J, Misawa Y, Fuse K. Platelet damage caused by the centrifugal pump: in vitro evaluation by measuring the release of alpha-granule packing proteins. *Artif Organs* 1997;21(10):1105-9.
138. Spanier T, Oz M, Levin H, Weinberg A, Stamatis K, Stern D, et al. Activation of coagulation and fibrinolytic pathways in patients with left ventricular assist devices. *J Thorac Cardiovasc Surg* 1996;112(4):1090-7.
139. Wang IW, Kottke-Marchant K, Vargo RL, McCarthy PM. Hemostatic profiles of HeartMate ventricular assist device recipients. *Asaio J* 1995;41(3):M782-7.
140. Corry DC, DeLucia A, 3rd, Zhu H, Radcliffe RR, Brevetti GR, El-Khatib H, et al. Time course of cytokine release and complement activation after implantation of the HeartMate left ventricular assist device. *Asaio J* 1998;44(5):M347-51.
141. Biffl WL, Moore EE, Moore FA, Peterson VM. Interleukin-6 in the injured patient. Marker of injury or mediator of inflammation? *Ann Surg* 1996;224(5):647-64.
142. Kruithof EK, Mestries JC, Gascon MP, Ythier A. The coagulation and fibrinolytic responses of baboons after in vivo thrombin generation--effect of interleukin 6. *Thromb Haemost* 1997;77(5):905-10.
143. Olescowicz L, Puszkin E, Mrowiec Z, Isaaks R, Dutcher J. Alterations in platelet function in patients receiving interleukin-6 as cytokine therapy. *Cancer Invest* 1996(14):307-316.
144. Ikeda K, Nasagawa K, Horiuchi T, Tsuru T, Nishizaka H, Niho Y. C5a induces tissue factor activity on endothelial cells. *Thromb Haemost* 1997(77):394-398.
145. Czermak BJ, Friedl HP, Ward PA. Complement, cytokines, and adhesion molecule expression in inflammatory reactions. *Proc Assoc Am Physicians* 1998;110(4):306-12.
146. Loebe M, Gormann K, Burger R, Gage J, Harke C, Hetzer R. Complement activation in patients undergoing mechanical circulatory support. *ASAIO J* 1998(44):M340-M346.
147. Wilhelm CR, Ristich J, Kormos RL, Wagner WR. Monocyte tissue factor expression and ongoing complement generation in ventricular assist device patients. *Ann Thorac Surg* 1998;65(4):1071-6.
148. Agati S, Bruschi G, Russo C, Colombo T, Lanfranconi M, Vitali E. First successful Italian clinical experience with DeBakey VAD. *J Heart Lung Transplant* 2001;20(8):914-7.