

References

- [1] J. H. Ahrens and U. Dieter. *Pseudo Random Numbers*. Wiley, New York, 1979.
- [2] M. P. Allen and D. J. Tildesley. *Computer Simulations of Liquids*. Clarendon Press, Oxford, 1990.
- [3] C. J. Alpert, A. B. Kahng, and S.-Z. Yao. Spectral partitioning with multiple eigenvectors. *Discrete Appl. Math.*, 90:3–26, 1998.
- [4] C. Altona and M. Sundaralingam. Conformational analysis of the sugar ring in nucleosides and nucleotides. A new description using the concept of pseudorotation. *J. Amer. Chem. Soc.*, 94:8205–8212, 1972.
- [5] A. Amadei, A. B. M. Linssen, and H. J. C. Berendsen. Essential dynamics of proteins. *Proteins*, 17:412–425, 1993.
- [6] V. I. Arnold. *Mathematische Methoden der klassischen Mechanik*. VEB Deutscher Verlag der Wissenschaften, Berlin, 1988.
- [7] A. A. Barker. Monte Carlo calculation of the radial distribution functions for a proton-electron plasma. *Austral. J. Phys.*, 18:119–133, 1965.
- [8] B. A. Berg. Introduction to multicanonical Monte Carlo simulations. Lecture given at the Fields Institute *Workshop on Monte Carlo Methods*, 1998.
- [9] B. A. Berg and T. Neuhaus. Multicanonical algorithms for first-order phase transitions. *Phys. Lett. B*, 267:249–253, 1991.
- [10] A. Berman and R. J. Plemmons. *Nonnegative Matrices in the Mathematical Sciences*. SIAM, Philadelphia, 1994.
- [11] B. J. Berne and J. E. Straub. Novel methods of sampling phase space in the simulation of biological systems. *Curr. Opinion in Struct. Biol.*, 7:181–189, 1997.
- [12] R. Bhatia. *Matrix Analysis*. Springer, New York, 1997.
- [13] P. Billingsley. *Probability and Measure*. Wiley, New York, 2nd edition, 1986.
- [14] G. E. P. Box and M. E. Muller. A note on the generation of random normal deviates. *Ann. Math. Statist.*, 29:610–611, 1958.
- [15] A. Brass, B. J. Pendleton, Y. Chen, and B. Robson. Hybrid Monte Carlo simulations theory and initial comparison with molecular dynamics. *Biopolymers*, 33:1307–1315, 1993.
- [16] P. Brémaud. *Markov Chains: Gibbs Fields, Monte Carlo Simulation, and Queues*. Springer, New York, 1999.
- [17] C. L. Brooks, M. Karplus, and B. M. Pettitt. *Proteins: A Theoretical Perspective of Dynamics, Structure, and Thermodynamics*, volume 71 of *Adv. Chem. Phys.* Wiley, New York, 1988.
- [18] M. H. Chen, Q. M. Shao, and J. G. Ibrahim. *Monte Carlo methods in Bayesian computation*. Springer Series in Statistics. Springer, New York, 2000.

- [19] K. L. Chung. *Markov Chains with Stationary Transition Probabilities*. Springer, New York, 2nd edition, 1967.
- [20] B. W. Church, A. Ullitsky, and D. Shalloway. Macrostate dissection of thermodynamic Monte Carlo integrals. In D. M. Ferguson, J. I. Siepmann, and D. G. Truhlar, editors, *Monte Carlo Methods in Chemical Physics*, volume 105 of *Advances in Chemical Physics*. J. Wiley & Sons, New York, 1999.
- [21] F. Cordes, M. Weber, and J. Schmidt-Ehrenberg. Metastable conformations via successive Perron cluster analysis of dihedrals. ZIB-Report 02-40, Konrad-Zuse-Zentrum, Berlin, 2002.
- [22] P. J. Courtois. *Decomposability: Queueing and Computer System Applications*. Academic Press, New York, 1977.
- [23] M. K. Cowles and B. P. Carlin. Markov chain Monte Carlo convergence diagnostics: A comparative review. *J. Amer. Statist. Assoc.*, 91(434):883–904, 1996.
- [24] M. Dellnitz and O. Junge. On the approximation of complicated dynamical behavior. *SIAM J. Num. Anal.*, 36(2):491–515, 1999.
- [25] M. Dellnitz and R. Preis. Congestion and almost invariant sets in dynamical systems. In F. Winkler, editor, *Proceedings of SNSC’01 (to appear)*. Springer, 2002.
- [26] P. Deuflhard and F. Bornemann. *Numerische Mathematik II, Integration gewöhnlicher Differentialgleichungen*. Walter de Gruyter, Berlin, New York, 1994.
- [27] P. Deuflhard, M. Dellnitz, O. Junge, and C. Schütte. Computation of essential molecular dynamics by subdivision techniques. In [28], pages 98–115, 1999.
- [28] P. Deuflhard, J. Hermans, B. Leimkuhler, A. E. Mark, S. Reich, and R. D. Skeel, editors. *Computational Molecular Dynamics: Challenges, Methods, Ideas*, volume 4 of *Lecture Notes in Computational Science and Engineering*. Springer, 1999.
- [29] P. Deuflhard and A. Hohmann. *Numerische Mathematik I, Eine algorithmisch orientierte Einführung*. Walter de Gruyter, Berlin, New York, 2nd edition, 1993.
- [30] P. Deuflhard, W. Huisenga, A. Fischer, and C. Schütte. Identification of almost invariant aggregates in reversible nearly uncoupled Markov chains. *Lin. Alg. Appl.*, 315:39–59, 2000.
- [31] P. Diaconis and D. Stroock. Geometric bounds for eigenvalues for Markov chains. *Ann. Appl. Probab.*, 1:36–61, 1991.
- [32] J. L. Doob. *Stochastic Processes*. Wiley, New York, 1953.
- [33] S. Duane, A. D. Kennedy, B. J. Pendleton, and D. Roweth. Hybrid Monte Carlo. *Phys. Lett. B*, 195(2):216–222, 1987.
- [34] S. M. Ermakow. *Die Monte-Carlo-Methode und verwandte Fragen*. VEB Deutscher Verlag der Wissenschaften, Berlin, 1975.

- [35] W. Feller. *An Introduction to Probability Theory and Its Applications*, volume I. Wiley, New York, 3rd edition, 1968.
- [36] D. M. Ferguson, J. I. Siepmann, and D. G. Truhlar, editors. *Monte Carlo Methods in Chemical Physics*, volume 105 of *Advances in Chemical Physics*. Wiley, New York, 1999.
- [37] A. M. Ferrenberg and R. H. Swendsen. New Monte Carlo technique for studying phase transitions. *Phys. Rev. Lett.*, 61(23):2635–2638, 1988.
- [38] A. M. Ferrenberg and R. H. Swendsen. Optimized Monte Carlo data analysis. *Phys. Rev. Lett.*, 63(12):1195–1197, 1989.
- [39] J. A. Fill. An interruptible algorithm for perfect sampling via Markov chains. *Annals Appl. Prob.*, 8(1):131–162, 1998.
- [40] A. Fischer. Die Hybride Monte-Carlo Methode in der Molekülphysik. Diploma Thesis, Freie Universität Berlin, 1997.
- [41] A. Fischer. An uncoupling-coupling technique for Markov chain Monte Carlo methods. ZIB-Report 00-04, Konrad-Zuse-Zentrum, Berlin, 2000.
- [42] A. Fischer, F. Cordes, and C. Schütte. Hybrid Monte Carlo with adaptive temperature in mixed-canonical ensemble: Efficient conformational analysis of RNA. *J. Comput. Chem.*, 19(15):1689–1697, 1998.
- [43] A. Fischer, C. Schütte, P. Deuflhard, and F. Cordes. Hierarchical uncoupling-coupling of metastable conformations. In T. Schlick and H. H. Gan, editors, *Computational Methods for Macromolecules: Challenges and Applications, Proceedings of the 3rd International Workshop on Algorithms for Macromolecular Modeling, New York, Oct. 12–14, 2000*, volume 24 of *Lecture Notes in Computational Science and Engineering*. Springer, 2002.
- [44] G. S. Fishman. *Monte Carlo: Concepts, Algorithms, and Applications*. Springer, New York, 1996.
- [45] H. Frauenfelder and B. H. McMahon. Energy landscape and fluctuations in proteins. *Ann. Phys.*, 9(9–10):655–667, 2000.
- [46] D. Frenkel and B. Smit. *Understanding Molecular Simulation*. Academic Press, New York, 1996.
- [47] T. Galliat, P. Deuflhard, R. Roitzsch, and F. Cordes. Automatic identification of metastable conformations via self-organized neural networks. In T. Schlick and H. H. Gan, editors, *Computational Methods for Macromolecules: Challenges and Applications—Proceedings of the 3rd International Workshop on Algorithms for Macromolecular Modelling*, Lecture Notes in Computational Science and Engineering. Springer, 2002.
- [48] A. Ganopolski and S. Rahmstorf. Rapid changes of glacial climate simulated in a coupled climate model. *Nature*, 409:153–158, 2001.
- [49] A. Gelman. Inference and monitoring convergence. In W. R. Gilks, S. Richardson, and D. J. Spiegelhalter, editors, *Markov Chain Monte Carlo in Practice*, pages 131–143. Chapman & Hall, 1996.

- [50] A. Gelman and X.-L. Meng. Simulating normalizing constants: From importance sampling to bridge sampling to path sampling. *Statist. Sci.*, 13(2):163–185, 1998.
- [51] A. Gelman and D. B. Rubin. Inference from iterative simulation using multiple sequences (with discussion). *Statist. Sci.*, 7(4):457–511, 1992.
- [52] S. Geman and D. Geman. Stochastic relaxation, Gibbs distribution and the Bayesian restoration of images. *IEEE Trans. Pattn. Anal. and Mach. Intell.*, 6:721–741, 1984.
- [53] C. J. Geyer. Markov chain Monte Carlo maximum likelihood. In E. M. Keramidas, editor, *Proceedings of the 23rd Symposium on the Interface, Computing Science and Statistics*, pages 156–163, 1991.
- [54] C. J. Geyer. Practical Markov chain Monte Carlo (with discussion). *Statist. Sci.*, 7:473–511, 1992.
- [55] C. J. Geyer. Estimating normalizing constants and reweighting mixtures in Markov chain Monte Carlo. Technical Report 568, School of Statistics, Univ. Minnesota, 1994.
- [56] W. R. Gilks, S. Richardson, and D. J. Spiegelhalter, editors. *Markov Chain Monte Carlo in Practice*. Chapman & Hall, London, 1996.
- [57] J. Goodman and A. D. Sokal. Multigrid Monte Carlo method. Conceptual foundations. *Phys. Rev. D*, 40(6):2035–2071, 1989.
- [58] P. J. Green. Reversible jump Markov chain Monte Carlo computation and Bayesian model determination. *Biometrika*, 82(4):711–732, 1995.
- [59] H. Grubmüller and P. Tavan. Molecular dynamics of conformational substates for a simplified protein model. *J. Chem. Phys.*, 101:5047–5057, 1994.
- [60] R. Haberlandt, S. Fritzsche, G. Peinel, and K. Heinzinger. *Molekulardynamik*. Vieweg, Braunschweig, 1995.
- [61] E. Hairer, S. P. Nørsett, and G. Wanner. *Solving Ordinary Differential Equations I, Nonstiff Problems*. Springer, Berlin, 2nd edition, 1993.
- [62] T. A. Halgren. Merck molecular force field I-V. *J. Comp. Chem.*, 17(5,6):490–641, 1996.
- [63] J. M. Hammersley and D. C. Handscomb. *Monte Carlo Methods*. Methuen & Co., London/J. Wiley & Sons, New York, 1964.
- [64] U. H. E. Hansmann and Y. Okamoto. Numerical comparison of three recently proposed algorithms in the protein folding problem. *J. Comput. Chem.*, 18:920–933, 1997.
- [65] U. H. E. Hansmann, Y. Okamoto, and F. Eisenmenger. Molecular dynamics, Langevin and hybrid Monte Carlo simulations in a multicanonical ensemble. *Chem. Phys. Lett.*, 259:321–330, 1996.
- [66] W. K. Hastings. Monte Carlo sampling methods using Markov chains and their applications. *Biometrika*, 57(1):97–109, 1970.
- [67] D. W. Heermann. *Computer Simulation Methods in Theoretical Physics*. Springer, Berlin, 2nd edition, 1990.

-
- [68] B. Hesselbo and R. B. Stinchcombe. Monte Carlo simulation and global optimization without parameters. *Phys. Rev. Lett.*, 74(12):2151–2155, 1995.
 - [69] D. M. Higdon. Auxiliary variable methods for Markov chain Monte Carlo with applications. *J. Amer. Statist. Assoc.*, 93:585–595, 1998.
 - [70] W. G. Hoover. Canonical dynamics: Equilibrium phase-space distributions. *Phys. Rev. A*, 31(3):1695–1697, 1985.
 - [71] W. Huiszinga. *Metastability of Markovian systems: A transfer operator approach in application to molecular dynamics*. PhD thesis, Free University Berlin, 2001.
 - [72] W. Huiszinga, C. Best, R. Roitzsch, C. Schütte, and F. Cordes. From simulation data to conformational ensembles: Structure and dynamic based methods. *J. Comp. Chem.*, 20(16):1760–1774, 1999.
 - [73] W. Huiszinga and B. Schmidt. Metastability and Dominant Eigenvalues of Transfer Operators (in preparation), 2003.
 - [74] K. Hukushima and K. Nemoto. Exchange Monte Carlo method and application to spin glass simulations. *J. Phys. Soc. Jap.*, 65(4):1604–1608, 1996.
 - [75] Y. Iba. Extended ensemble Monte Carlo. *Internat. J. Modern Phys. C*, 12:623–656, 2001.
 - [76] M. Iosifescu. *Finite Markov Processes and their applications*. Wiley, Chichester, 1980.
 - [77] C. Kipnis and S. R. S. Varadhan. Central limit theorem for additive functionals of reversible Markov processes and applications to simple exclusions. *Comm. Math. Phys.*, 104:1–19, 1986.
 - [78] S. Kirkpatrick, C. D. Gelatt, and M. P. Vecchi. Optimization by simulated annealing. *Science*, 220:671–680, 1983.
 - [79] D. Knuth. *The Art of Computer Programming, Vol. 2, Seminumerical Algorithms*. Addison-Wesley, 2nd edition, 1981.
 - [80] I. Kontoyiannis and S. P. Meyn. Spectral theory and limit theorems for geometrically ergodic Markov processes. Preprint, 2002.
 - [81] P. J. M. v. Laarhoven and E. H. L. Aarts. *Simulated Annealing: Theory and Applications*. Reidel, Dordrecht, 1987.
 - [82] J. W. Lamperti. *Probability: A Survey of the Mathematical Theory*. Wiley, New York, 2nd edition, 1996.
 - [83] D. P. Landau and K. Binder. *A Guide to Monte Carlo Simulations in Statistical Physics*. Cambridge University Press, Cambridge, 2000.
 - [84] J. S. Liu. *Monte Carlo Strategies in Scientific Computing*. Springer, New York, 2001.
 - [85] B. Mann. *Berry-Esseen Central Limit Theorems for Markov Chains*. PhD thesis, Harvard University, 1996.
 - [86] E. Marinari and G. Parisi. Simulated tempering: a new Monte Carlo scheme. *Europhys. Lett.*, 19(6):451–458, 1992.

- [87] B. Mehlig, D. W. Heermann, and B. M. Forrest. Hybrid Monte Carlo method for condensed-matter systems. *Phys. Review B*, 45(2):679–685, 1992.
- [88] X.-L. Meng and W. H. Wong. Simulating ratios of normalizing constants via a simple identity: A theoretical exploration. *Statist. Sinica*, 6:831–860, 1996.
- [89] N. Metropolis, A. W. Rosenbluth, M. N. Rosenbluth, A. H. Teller, and E. Teller. Equation of state calculations by fast computing machines. *J. Chem. Phys.*, 21(6):1087–1092, 1953.
- [90] N. Metropolis and S. Ulam. The Monte Carlo method. *J. Amer. Stat. Assoc.*, 44(247):335–341, 1949.
- [91] C. D. Meyer. Stochastic complementation, uncoupling Markov chains, and the theory of nearly reducible systems. *SIAM Rev.*, 31:240–272, 1989.
- [92] C. D. Meyer. Uncoupling the Perron eigenvector problem. *Lin. Alg. Appl.*, 114/115:69–94, 1989.
- [93] S. P. Meyn and R. L. Tweedie. *Markov Chains and Stochastic Stability*. Springer, Berlin, 1993.
- [94] R. M. Neal. Probabilistic inference using Markov chain Monte Carlo methods. Technical Report CRG-TR-93-1, Dept. of Computer Science, University of Toronto, 1993.
- [95] R. M. Neal. An improved acceptance procedure for the hybrid Monte Carlo algorithm. *J. Comput. Phys.*, 111:194–203, 1994.
- [96] R. M. Neal. *Bayesian learning for neural networks*. Lecture Notes in Statistics. Springer, New York, 1996.
- [97] A. Neumaier. Molecular modeling of proteins and mathematical prediction of protein structure. *SIAM Rev.*, 39:407–460, 1997.
- [98] F. Niedermayer. General cluster updating method for Monte Carlo simulations. *Phys. Rev. Lett.*, 61(18):2026–2029, 1988.
- [99] J. R. Norris. *Markov Chains*. Cambridge Series in Statistical and Probabilistic Mathematics. Cambridge University Press, 1997.
- [100] S. Nosé. A unified formulation of the constant temperature molecular dynamics methods. *J. Chem. Phys.*, 81(1):511–519, 1984.
- [101] S. K. Park and K. W. Miller. Random number generators: good ones are hard to find. *Comm. Assoc. Comput. Mach.*, 31:1192–1201, 1988.
- [102] P. H. Peskun. Optimum Monte-Carlo sampling using Markov chains. *Biometrika*, 60:607–612, 1973.
- [103] R. Preis. *Analyses and Design of Efficient Graph Partitioning Methods*. PhD thesis, Universität Paderborn, 2000.
- [104] H. Risken. *The Fokker-Planck Equation*. Springer, Berlin, 2nd edition, 1989.
- [105] C. P. Robert and G. Casella. *Monte Carlo statistical methods*. Springer Texts in Statistics. Springer, New York, 1999.

- [106] G. O. Roberts. Markov chain concepts related to sampling algorithms. In W. R. Gilks, S. Richardson, and D. J. Spiegelhalter, editors, *Markov Chain Monte Carlo in Practice*, pages 45–57. Chapman & Hall, 1996.
- [107] M. Rosenblatt. *Markov Chains: Structure and Asymptotic Properties*. Springer, Berlin, 1971.
- [108] J.-P. Ryckaert and A. Bellemans. Molecular dynamics of liquid n-butane near its boiling point. *Chem. Phys. Lett.*, 30(1):123–125, 1975.
- [109] J.-P. Ryckaert and A. Bellemans. Molecular dynamics of liquid alkanes. *Faraday Discuss.*, 66:95–106, 1978.
- [110] J. M. Sanz-Serna. Symplectic integrators for Hamiltonian problems: an overview. In *Acta Numerica*, pages 243–286. Cambridge University Press, 1992.
- [111] J. Schmidt-Ehrenberg, D. Baum, and H.-C. Hege. Visualizing dynamic molecular conformations. In R. Moorhead, M. Gross, and K. I. Joy, editors, *Proceedings of IEEE Visualization 2002*, pages 235–242, Boston, 2002.
- [112] C. Schütte. *Conformational Dynamics: Modelling, Theory, Algorithm, and Application to Biomolecules*. Habilitation Thesis, Fachbereich Mathematik und Informatik, Freie Universität Berlin, 1998.
- [113] C. Schütte, A. Fischer, W. Huisenga, and P. Deuflhard. A direct approach to conformational dynamics based on hybrid Monte Carlo. *J. Comput. Phys.*, 151:146–168, 1999.
- [114] C. Schütte and W. Huisenga. Biomolecular conformations can be identified as metastable sets of molecular dynamics. In P. G. Ciarlet and J.-L. Lions, editors, *Handbook of Numerical Analysis*, volume Computational Chemistry. North-Holland, 2003.
- [115] C. Schütte, W. Huisenga, and P. Deuflhard. Transfer operator approach to conformational dynamics in biomolecular systems. In B. Fiedler, editor, *Ergodic Theory, Analysis, and Efficient Simulation of Dynamical Systems*. Springer, 2001.
- [116] E. Seneta. *Non-negative Matrices and Markov Chains*. Springer Series in Statistics. Springer, New York, Heidelberg, Berlin, 1981.
- [117] J. I. Siepmann and D. Frenkel. Configurational-bias Monte Carlo – a new sampling scheme for flexible chains. *Mol. Phys.*, 75:59–70, 1992.
- [118] H. A. Simon and A. Ando. Aggregation of variables in dynamic systems. *Econometrica*, 29(2):111–138, 1961.
- [119] H. D. Simon, A. Sohn, and R. Biswas. Harp: A fast spectral partitioner. *J. Parallel and Distrib. Comp.*, 50:88–103, 1998.
- [120] A. D. Sokal. Monte Carlo methods in statistical mechanics: Foundations and new algorithms. Lecture Notes, Cours de Troisième Cycle de la Physique en Suisse Romande, Lausanne, 1989.
- [121] R. H. Swendsen and J. Wang. Nonuniversal critical dynamics in Monte Carlo simulations. *Phys. Rev. Lett.*, 58(2):86–88, 1987.

- [122] M. A. Tanner and W. H. Wong. The calculation of posterior distributions by data augmentation (with discussion). *J. Amer. Statist. Assoc.*, 82:528–540, 1987.
- [123] L. Tierney. Markov chains for exploring posterior distributions (with discussion). *Ann. Statist.*, 22:1701–1762, 1994.
- [124] G. M. Torrie and J. P. Valleau. Monte Carlo free energy estimates using non-Boltzmann sampling: Application to the sub-critical Lennard-Jones fluid. *Chem. Phys. Lett.*, 28(4):578–581, 1974.
- [125] G. M. Torrie and J. P. Valleau. Monte Carlo study of a phase-separating liquid mixture by umbrella sampling. *J. Chem. Phys.*, 66(4):1402–1408, 1977.
- [126] G. M. Torrie and J. P. Valleau. Nonphysical sampling distributions in Monte Carlo free-energy estimation: Umbrella sampling. *J. Comput. Phys.*, 23:187–199, 1977.
- [127] W. F. van Gunsteren, S. R. Billeter, A. A. Eising, P. H. Hünenberger, P. Krüger, A. E. Mark, W. R. P. Scott, and I. G. Tironi. *Biomolecular Simulation: The GROMOS96 Manual and User Guide*. vdf Hochschulverlag AG an der ETH Zürich, 1996.
- [128] L. Verlet. Computer “experiments” on classical fluids. I. Thermodynamical properties of Lennard-Jones molecules. *Phys. Rev.*, 159(1):98–103, 1967.
- [129] M. Weber and T. Galliat. Characterization of transition states in conformational dynamics using fuzzy sets. ZIB-Report 02-12, Konrad-Zuse-Zentrum, Berlin, 2002.
- [130] D. B. Wilson. Layered multishift coupling for use in perfect sampling algorithms (with a primer on CFTP). In N. Madras, editor, *Monte Carlo Methods*, volume 26 of *Fields Institute Communications*, pages 141–176. Amer. Math. Soc., 2000.
- [131] G. Winkler. *Image Analysis, Random Fields and Dynamic Monte Carlo Methods*. Springer, Berlin, 1995.
- [132] U. Wolff. Collective Monte Carlo updating for spin systems. *Phys. Rev. Lett.*, 62(4):361–364, 1989.
- [133] F. Yaşar, T. Çelik, B. A. Berg, and H. Meirovitch. Multicanonical procedure for continuum peptide models. *J. Comput. Chem.*, 21(14):1251–1261, 2000.