

## 7. Literatur

**Aakalu G, Smith WB, Nguyen N, Jiang C, Schuman EM.** (2001)  
Dynamic visualization of local protein synthesis in hippocampal neurons.  
*Neuron* **30**:489-502

**Abel T, Nguyen PV, Barad M, Deuel TA, Kandel ER, Bourtchouladze R.** (1997)  
Genetic demonstration of a role for PKA in the late phase of LTP and in hippocampus-based long-term memory.  
*Cell* **88**:615-26

**Amaral DG.** (1993)  
Emerging principles of intrinsic hippocampal organization.  
*Curr Opin Neurobiol.* **3**:225-9

**Anagnostaras SG, Gale GD, Fanselow MS.** (2001)  
Hippocampus and contextual fear conditioning: recent controversies and advances.  
*Hippocampus* **11**:8-17

**Banbury Conference.** (1997)  
Mutant mice and neuroscience: recommendations concerning genetic background. Banbury Conference on genetic background in mice.  
*Neuron* **19**:755-9

**Bayer KU, De Koninck P, Leonard AS, Hell JW, Schulman H.** (2001)  
Interaction with the NMDA receptor locks CaMKII in an active conformation.  
*Nature* **411**:801-5

**Bird CM, Burgess N.** (2008)  
The hippocampus and memory: insights from spatial processing.  
*Nat Rev Neurosci.* **9**:182-94

**Blichenberg A, Schwanke B, Rehbein M, Garner CC, Richter D, Kindler S.** (1999)  
Identification of a cis-acting dendritic targeting element in MAP2 mRNAs.  
*J Neurosci.* **19**:8818-29

**Bliss TV, Lomo T.** (1973)  
Long-lasting potentiation of synaptic transmission in the dentate area of the anaesthetized rabbit following stimulation of the perforant path.  
*J Physiol.* **232**:331-56

**Bliss TV, Collingridge GL.** (1993)

A synaptic model of memory: long-term potentiation in the hippocampus.

*Nature* **361**:31-9

**Böckers TM, Segger-Junius M, Iglauer P, Bockmann J, Gundelfinger ED, Kreutz MR, Richter D, Kindler S, Kreienkamp HJ.** (2004)

Differential expression and dendritic transcript localization of Shank family members: identification of a dendritic targeting element in the 3' untranslated region of Shank1 mRNA.

*Mol Cell Neurosci.* **26**:182-90

**Brakeman PR, Lanahan AA, O'Brien R, Roche K, Barnes CA, Huganir RL, Worley PF.** (1997)

Homer: a protein that selectively binds metabotropic glutamate receptors.

*Nature* **386**:284-8

**Brennan JE, Chao DS, Gee SH, McGee AW, Craven SE, Santillano DR, Wu Z, Huang F, Xia H, Peters MF, Froehner SC, Bredt DS.** (1996)

Interaction of nitric oxide synthase with the postsynaptic density protein PSD-95 and alpha1-syntrophin mediated by PDZ domains.

*Cell* **84**:757-67

**Broadbent NJ, Squire LR, Clark RE.** (2004)

Spatial memory, recognition memory, and the hippocampus.

*Proc Natl Acad Sci U S A.* **101**:14515-20

**Burgin KE, Waxham MN, Rickling S, Westgate SA, Mobley WC, Kelly PT.** (1990)

In situ hybridization histochemistry of Ca<sup>2+</sup>/calmodulin-dependent protein kinase in developing rat brain.

*J Neurosci.* **10**:1788-98

**Chen L, Chetkovich DM, Petralia RS, Sweeney NT, Kawasaki Y, Wenthold RJ, Bredt DS, Nicoll RA.** (2000)

Stargazin regulates synaptic targeting of AMPA receptors by two distinct mechanisms.

*Nature* **408**:936-43

**Chowdhury S, Shepherd JD, Okuno H, Lyford G, Petralia RS, Plath N, Kuhl D, Huganir RL, Worley PF.** (2006)

Arc/Arg3.1 interacts with the endocytic machinery to regulate AMPA receptor trafficking.

*Neuron* **52**:445-59

**Collins MO, Husi H, Yu L, Brandon JM, Anderson CN, Blackstock WP, Choudhary JS, Grant SG.** (2006)

Molecular characterization and comparison of the components and multiprotein complexes in the postsynaptic proteome.

*J Neurochem.* **97**:16-23

**Debiec J, LeDoux JE, Nader K.** (2002)

Cellular and systems reconsolidation in the hippocampus.

*Neuron* **36**:527-38

**Deisseroth K, Bitto H, Tsien RW.** (1996)

Signaling from synapse to nucleus: postsynaptic CREB phosphorylation during multiple forms of hippocampal synaptic plasticity.

*Neuron* **16**:89-101

**Deisseroth K, Mermelstein PG, Xia H, Tsien RW.** (2003)

Signaling from synapse to nucleus: the logic behind the mechanisms.

*Curr Opin Neurobiol.* **13**:354-65

**Donai H, Sugiura H, Ara D, Yoshimura Y, Yamagata K, Yamauchi T.** (2003)  
Interaction of Arc with CaM kinase II and stimulation of neurite extension by Arc in neuroblastoma cells expressing CaM kinase II.  
*Neurosci Res.* **47**:399-408

**Dragunow M, Abraham WC, Goulding M, Mason SE, Robertson HA, Faull RL.** (1989)  
Long-term potentiation and the induction of c-fos mRNA and proteins in the dentate gyrus of unanesthetized rats.  
*Neurosci Lett.* **101**:274-80

**Eichenbaum H.** (2001)  
The hippocampus and declarative memory: cognitive mechanisms and neural codes.  
*Behav Brain Res.* **127**:199-207

**Elias GM, Funke L, Stein V, Grant SG, Bredt DS, Nicoll RA.** (2006)  
Synapse-specific and developmentally regulated targeting of AMPA receptors by a family of MAGUK scaffolding proteins.  
*Neuron* **52**:307-20

**Engert F, Bonhoeffer T.** (1999)  
Dendritic spine changes associated with hippocampal long-term synaptic plasticity.  
*Nature* **399**:66-70

**Freund TF, Buzsáki G.** (1996)  
Interneurons of the hippocampus.  
*Hippocampus* **6**:347-470

**Frey U, Frey S, Schollmeier F, Krug M.** (1996)  
Influence of actinomycin D, a RNA synthesis inhibitor, on long-term potentiation in rat hippocampal neurons in vivo and in vitro.  
*J Physiol.* **490** :703-11

**Frey U, Huang YY, Kandel ER.** (1993)  
Effects of cAMP simulate a late stage of LTP in hippocampal CA1 neurons.  
*Science* **260**:1661-4

**Frey U, Krug M, Reymann KG, Matthies H.** (1988)  
Anisomycin, an inhibitor of protein synthesis, blocks late phases of LTP phenomena in the hippocampal CA1 region in vitro.  
*Brain Res.* **452**:57-65

**Gao Y, Tatavarty V, Korza G, Levin MK, Carson JH.** (2008)  
Multiplexed Dendritic Targeting of {alpha} Calcium Calmodulin-dependent Protein Kinase II, Neurogranin, and Activity-regulated Cytoskeleton-associated Protein RNAs by the A2 Pathway.  
*Mol Biol Cell* **19**:2311-27

**Garner CC, Tucker RP, Matus A.** (1988)  
Selective localization of messenger RNA for cytoskeletal protein MAP2 in dendrites.  
*Nature* **336**:674-7

**Gerrow K, Romorini S, Nabi SM, Colicos MA, Sala C, El-Husseini A.** (2006)  
A preformed complex of postsynaptic proteins is involved in excitatory synapse development.  
*Neuron* **49**:547-62

**Ghirardi M, Montarolo PG, Kandel ER.** (1995)  
A novel intermediate stage in the transition between short- and long-term facilitation in the sensory to motor neuron synapse of aplysia.  
*Neuron* **14**:413-20

**Giorgi C, Yeo GW, Stone ME, Katz DB, Burge C, Turrigiano G, Moore MJ.** (2007)  
The EJC factor eIF4AIII modulates synaptic strength and neuronal protein expression.  
*Cell* **130**:179-91

**Giraldo P, Montoliu L.** (2001)  
Size matters: use of YACs, BACs and PACs in transgenic animals.  
*Transgenic Res.* **10**:83-103

**Goelet P, Castellucci VF, Schacher S, Kandel ER.** (1986)  
The long and the short of long-term memory--a molecular framework.  
*Nature* **322**:419-22

**Greenberg ME, Ziff EB, Greene LA.** (1986)  
Stimulation of neuronal acetylcholine receptors induces rapid gene transcription.  
*Science* **234**:80-3

**Grewal SS, Fass DM, Yao H, Ellig CL, Goodman RH, Stork PJ.** (2000)  
Calcium and cAMP signals differentially regulate cAMP-responsive element-binding protein function via a Rap1-extracellular signal-regulated kinase pathway.  
*J Biol Chem.* **275**:34433-41

**Guzowski JF, McNaughton BL, Barnes CA, Worley PF.** (1999)  
Environment-specific expression of the immediate-early gene Arc in hippocampal neuronal ensembles.  
*Nat Neurosci.* **2**:1120-4

**Hebb DO.** (1949)  
The organization of behaviour: a neurophysiological theory.  
*New York: Wiley*

**Heintz N.** (2001)  
BAC to the future: the use of bac transgenic mice for neuroscience research.  
*Nat Rev Neurosci.* **2**:861-70

**Huang YY, Li XC, Kandel ER.** (1994)  
cAMP contributes to mossy fiber LTP by initiating both a covalently mediated early phase and macromolecular synthesis-dependent late phase.  
*Cell* **79**:69-79

**Husi H, Ward MA, Choudhary JS, Blackstock WP, Grant SG.** (2000)  
Proteomic analysis of NMDA receptor-adhesion protein signaling complexes.  
*Nat Neurosci.* **3**:661-9

**Husi H, Grant SG.** (2001)  
Proteomics of the nervous system.  
*Trends Neurosci.* **24**:259-66

**Hyman SE, Malenka RC.** (2001)  
Addiction and the brain: the neurobiology of compulsion and its persistence.  
*Nat Rev Neurosci.* **2**:695-703

**Impey S, Mark M, Villacres EC, Poser S, Chavkin C, Storm DR.** (1996)  
Induction of CRE-mediated gene expression by stimuli that generate long-lasting LTP in area CA1 of the hippocampus.  
*Neuron* **16**:973-82

**Irie M, Hata Y, Takeuchi M, Ichtchenko K, Toyoda A, Hirao K, Takai Y, Rosahl TW, Südhof TC.** (1997)  
Binding of neuroligins to PSD-95.  
*Science* **277**:1511-5

**Johnston MV.** (2004)

Clinical disorders of brain plasticity.

*Brain Dev.* **26**:73-80

**Kang H, Schuman EM.** (1996)

A requirement for local protein synthesis in neurotrophin-induced hippocampal synaptic plasticity.

*Science* **273**:1402-6

**Kang H, Sun LD, Atkins CM, Soderling TR, Wilson MA, Tonegawa S.** (2001)

An important role of neural activity-dependent CaMKIV signaling in the consolidation of long-term memory.

*Cell* **106**:771-83

**Kauselmann G, Weiler M, Wulff P, Jessberger S, Konietzko U, Scafidi J, Staubli U, Bereiter-Hahn J, Strebhardt K, Kuhl D.** (1999)

The polo-like protein kinases Fnk and Snk associate with a Ca(2+)- and integrin-binding protein and are regulated dynamically with synaptic plasticity.

*EMBO J.* **18**:5528-39

**Kelly MP, Deadwyler SA.** (2002)

Acquisition of a novel behavior induces higher levels of Arc mRNA than does overtrained performance.

*Neuroscience* **110**:617-26

**Kennedy MB.** (2000)

Signal-processing machines at the postsynaptic density.

*Science* **290**:750-4

**Kim E, Cho KO, Rothschild A, Sheng M.** (1996)

Heteromultimerization and NMDA receptor-clustering activity of Chapsyn-110, a member of the PSD-95 family of proteins.

*Neuron* **17**:103-13

**Kim E, Naisbitt S, Hsueh YP, Rao A, Rothschild A, Craig AM, Sheng M.** (1997)

GKAP, a novel synaptic protein that interacts with the guanylate kinase-like domain of the PSD-95/SAP90 family of channel clustering molecules.

*J Cell Biol.* **136**:669-78

**Kim JH, Liao D, Lau LF, Huganir RL.** (1998)

SynGAP: a synaptic RasGAP that associates with the PSD-95/SAP90 protein family.

*Neuron* **20**:683-91

**Klebaur JE, Ostrander MM, Norton CS, Watson SJ, Akil H, Robinson TE.** (2002)

The ability of amphetamine to evoke arc (Arg 3.1) mRNA expression in the caudate, nucleus accumbens and neocortex is modulated by environmental context.

*Brain Res.* **930**:30-6

**Kobayashi H, Yamamoto S, Maruo T, Murakami F.** (2005)

Identification of a cis-acting element required for dendritic targeting of activity-regulated cytoskeleton associated protein mRNA.

*Eur J Neurosci.* **22**:2977-84

**Konietzko U, Kauselmann G, Scafidi J, Staubli U, Mikkelsen H, Berns A, Schweizer M, Waltereit R, Kuhl D.** (1999)

Pim kinase expression is induced by LTP stimulation and required for the consolidation of enduring LTP.

*EMBO J.* **18**:3359-69

**Kornau HC, Schenker LT, Kennedy MB, Seeburg PH.** (1995)  
Domain interaction between NMDA receptor subunits and the postsynaptic density protein PSD-95.  
*Science* **269**:1737-40

**Kornau HC, Seeburg PH, Kennedy MB.** (1997)  
Interaction of ion channels and receptors with PDZ domain proteins.  
*Curr Opin Neurobiol.* **7**:368-73

**Krug M, Lössner B, Ott T.** (1984)  
Anisomycin blocks the late phase of long-term potentiation in the dentate gyrus of freely moving rats.  
*Brain Res Bull.* **13**:39-42

**Kuhl D.** (2000)  
Learning about activity dependent genes. In: Advances in synaptic plasticity (Baudry M, Davis JL, Thompson RF, eds).  
*Boston: MIT*, 1-31

**Kuhl D, Skehel P.** (1998)  
Dendritic localization of mRNAs.  
*Curr Opin Neurobiol.* **8**:600-6

**Lamprecht R, LeDoux J.** (2004)  
Structural plasticity and memory.  
*Nat Rev Neurosci.* **5**:45-54

**Lanahan A, Worley P.** (1998)  
Immediate-early genes and synaptic function.  
*Neurobiol Learn Mem.* **70**:37-43

**Lashley KS.** (1929)  
Brain mechanisms and intelligence: a quantitative study of injuries to the brain.  
*Chicago: Chicago University Press*

**LeDoux JE.** (2000)  
Emotion circuits in the brain.  
*Annu Rev Neurosci.* **23**:155-84

**Li L, Carter J, Gao X, Whitehead J, Tourtellotte WG.** (2005)  
The neuroplasticity-associated arc gene is a direct transcriptional target of early growth response (Egr) transcription factors.  
*Mol Cell Biol.* **25**:10286-300

**Link W, Konietzko U, Kauselmann G, Krug M, Schwanke B, Frey U, Kuhl D.** (1995)  
Somatodendritic expression of an immediate early gene is regulated by synaptic activity.  
*Proc Natl Acad Sci U S A* **92**:5734-8

**Lisman J, Schulman H, Cline H.** (2002)  
The molecular basis of CaMKII function in synaptic and behavioural memory.  
*Nat Rev Neurosci.* **3**:175-90

**Liu X, Davis RL.** (2006)  
Insect olfactory memory in time and space.  
*Curr Opin Neurobiol.* **16**:679-85

**Lyford GL, Yamagata K, Kaufmann WE, Barnes CA, Sanders LK, Copeland NG, Gilbert DJ, Jenkins NA, Lanahan AA, Worley PF.** (1995)  
Arc, a growth factor and activity-regulated gene, encodes a novel cytoskeleton-associated protein that is enriched in neuronal dendrites.  
*Neuron* **14**:433-45

- Lynch G, Larson J, Kelso S, Barrionuevo G, Schottler F.** (1983)  
Intracellular injections of EGTA block induction of hippocampal long-term potentiation.  
*Nature* **305**:719-21
- Malenka RC, Lancaster B, Zucker RS.** (1992)  
Temporal limits on the rise in postsynaptic calcium required for the induction of long-term potentiation.  
*Neuron* **9**:121-8
- Malinow R, Schulman H, Tsien RW.** (1989)  
Inhibition of postsynaptic PKC or CaMKII blocks induction but not expression of LTP.  
*Science* **245**:862-6
- Martin KC, Casadio A, Zhu H, Yaping E, Rose JC, Chen M, Bailey CH, Kandel ER.** (1997)  
Synapse-specific, long-term facilitation of aplysia sensory to motor synapses: a function for local protein synthesis in memory storage.  
*Cell* **91**:927-38
- Matus A.** (2000)  
Actin-based plasticity in dendritic spines.  
*Science* **290**:754-8
- McGuire SE, Deshazer M, Davis RL.** (2005)  
Thirty years of olfactory learning and memory research in Drosophila melanogaster.  
*Prog Neurobiol.* **76**:328-47
- Menzel R.** (2001)  
Searching for the memory trace in a mini-brain, the honeybee.  
*Learn Mem.* **8**:53-62
- Messaoudi E, Kanhema T, Soulé J, Tiron A, Dagyte G, da Silva B, Bramham CR.** (2007)  
Sustained Arc/Arg3.1 synthesis controls long-term potentiation consolidation through regulation of local actin polymerization in the dentate gyrus *in vivo*.  
*J Neurosci.* **27**:10445-55
- Migaud M, Charlesworth P, Dempster M, Webster LC, Watabe AM, Makhinson M, He Y, Ramsay MF, Morris RG, Morrison JH, O'Dell TJ, Grant SG.** (1998)  
Enhanced long-term potentiation and impaired learning in mice with mutant postsynaptic density-95 protein.  
*Nature* **396**:433-9
- Miller S, Yasuda M, Coats JK, Jones Y, Martone ME, Mayford M.** (2002)  
Disruption of dendritic translation of CaMKIIalpha impairs stabilization of synaptic plasticity and memory consolidation.  
*Neuron* **36**:507-19
- Milner B, Squire LR, Kandel ER.** (1998)  
Cognitive neuroscience and the study of memory.  
*Neuron* **20**:445-68
- Morgan JI, Cohen DR, Hempstead JL, Curran T.** (1987)  
Mapping patterns of c-fos expression in the central nervous system after seizure.  
*Science* **237**:192-7
- Mori Y, Imaizumi K, Katayama T, Yoneda T, Tohyama M.** (2000)  
Two cis-acting elements in the 3' untranslated region of alpha-CaMKII regulate its dendritic targeting.  
*Nat Neurosci.* **3**:1079-84

**Morris RG, Anderson E, Lynch GS, Baudry M.** (1986)

Selective impairment of learning and blockade of long-term potentiation by an N-methyl-D-aspartate receptor antagonist, AP5.

*Nature* **319**:774-6

**Nader K.** (2003)

Memory traces unbound.

*Trends Neurosci.* **26**:65-72

**Naisbitt S, Kim E, Tu JC, Xiao B, Sala C, Valtschanoff J, Weinberg RJ, Worley PF, Sheng M.**

(1999)

Shank, a novel family of postsynaptic density proteins that binds to the NMDA receptor/PSD-95/GKAP complex and cortactin.

*Neuron* **23**:569-82

**Nedivi E, Hevroni D, Naot D, Israeli D, Citri Y.** (1993)

Numerous candidate plasticity-related genes revealed by differential cDNA cloning.

*Nature* **363**:718-22

**Neves G, Cooke SF, Bliss TV.** (2008)

Synaptic plasticity, memory and the hippocampus: a neural network approach to causality.

*Nat Rev Neurosci.* **9**:65-75

**Nguyen PV, Kandel ER.** (1996)

A macromolecular synthesis-dependent late phase of long-term potentiation requiring cAMP in the medial perforant pathway of rat hippocampal slices.

*J Neurosci.* **16**:3189-98

**O'Keefe J.** (1976)

Place units in the hippocampus of the freely moving rat.

*Exp Neurol.* **51**:78-109

**Osten P, Valsamis L, Harris A, Sacktor TC.** (1996)

Protein synthesis-dependent formation of protein kinase Mzeta in long-term potentiation.

*J Neurosci.* **16**:2444-51

**Pandey SC, Zhang H, Ugale R, Prakash A, Xu T, Misra K.** (2008)

Effector immediate-early gene arc in the amygdala plays a critical role in alcoholism.

*J Neurosci.* **28**:2589-600

**Penfield W, Milner B.** (1958)

Memory deficit produced by bilateral lesions in the hippocampal zone.

*AMA Arch Neurol Psychiatry* **79**:475-97

**Pinaud R, Tremere LA, Penner MR, Hess FF, Barnes S, Robertson HA, Currie RW.** (2002)

Plasticity-driven gene expression in the rat retina.

*Brain Res Mol Brain Res.* **98**:93-101

**Plath N.** (2004)

Funktionelle Charakterisierung des aktivitätsregulierten Gens Arg3.1.

Berlin: Dissertation

**Plath N, Ohana O, Dammermann B, Errington ML, Schmitz D, Gross C, Mao X, Engelsberg A, Mahlke C, Welzl H, Kobalz U, Stawrakakis A, Fernandez E, Waltereit R, Bick-Sander A, Therstappen E, Cooke SF, Blanquet V, Wurst W, Salmen B, Bösl MR, Lipp HP, Grant SG, Bliss TV, Wolfer DP, Kuhl D.** (2006)

Arc/Arg3.1 is essential for the consolidation of synaptic plasticity and memories.

*Neuron* **52**:437-44

- Qian Z, Gilbert ME, Colicos MA, Kandel ER, Kuhl D.** (1993)  
Tissue-plasminogen activator is induced as an immediate-early gene during seizure, kindling and long-term potentiation.  
*Nature* **361**:453-7
- Repa JC, Muller J, Apergis J, Desrochers TM, Zhou Y, LeDoux JE.** (2001)  
Two different lateral amygdala cell populations contribute to the initiation and storage of memory.  
*Nat Neurosci*. **4**:724-31
- Rial Verde EM, Lee-Osbourne J, Worley PF, Malinow R, Cline HT.** (2006)  
Increased expression of the immediate-early gene arc/arg3.1 reduces AMPA receptor-mediated synaptic transmission.  
*Neuron* **52**:461-74
- Rudy JW, Huff NC, Matus-Amat P.** (2004)  
Understanding contextual fear conditioning: insights from a two-process model.  
*Neurosci Biobehav Rev*. **28**:675-85
- Saffen DW, Cole AJ, Worley PF, Christy BA, Ryder K, Baraban JM.** (1988)  
Convulsant-induced increase in transcription factor messenger RNAs in rat brain.  
*Proc Natl Acad Sci U S A* **85**:7795-9
- Schnell E, Sizemore M, Karimzadegan S, Chen L, Bredt DS, Nicoll RA.** (2002)  
Direct interactions between PSD-95 and stargazin control synaptic AMPA receptor number.  
*Proc Natl Acad Sci U S A* **99**:13902-7
- Schwärzel M, Müller U.** (2006)  
Dynamic memory networks: dissecting molecular mechanisms underlying associative memory in the temporal domain.  
*Cell Mol Life Sci*. **63**:989-98
- Scoville WB, Milner B.** (1957)  
Loss of recent memory after bilateral hippocampal lesions.  
*J Neurol Neurosurg Psychiatry* **20**:11-21
- Sharma SK, Sherff CM, Shobe J, Bagnall MW, Sutton MA, Carew TJ.** (2003)  
Differential role of mitogen-activated protein kinase in three distinct phases of memory for sensitization in Aplysia.  
*J Neurosci*. **23**:3899-907
- Sheng M, Greenberg ME.** (1990)  
The regulation and function of c-fos and other immediate early genes in the nervous system.  
*Neuron* **4**:477-85
- Sheng M, Kim MJ.** (2002)  
Postsynaptic signaling and plasticity mechanisms.  
*Science* **298**:776-80
- Shepherd JD, Rumbaugh G, Wu J, Chowdhury S, Plath N, Kuhl D, Huganir RL, Worley PF.** (2006)  
Arc/Arg3.1 mediates homeostatic synaptic scaling of AMPA receptors.  
*Neuron* **52**:475-84
- Siekevitz P.** (1985)  
The postsynaptic density: a possible role in long-lasting effects in the central nervous system.  
*Proc Natl Acad Sci U S A* **82**:3494-8
- Soderling TR, Derkach VA.** (2000)  
Postsynaptic protein phosphorylation and LTP.  
*Trends Neurosci*. **23**:75-80

**Squire LR, Knowlton B, Musen G.** (1993)

The structure and organization of memory.

*Annu Rev Psychol.* **44**:453-95

**Steward O, Levy WB.** (1982)

Preferential localization of polyribosomes under the base of dendritic spines in granule cells of the dentate gyrus.

*J Neurosci.* **2**:284-91

**Steward O, Wallace CS, Lyford GL, Worley PF.** (1998)

Synaptic activation causes the mRNA for the IEG Arc to localize selectively near activated postsynaptic sites on dendrites.

*Neuron* **21**:741-51

**Steward O, Worley PF.** (2001)

A cellular mechanism for targeting newly synthesized mRNAs to synaptic sites on dendrites.

*Proc Natl Acad Sci U S A* **98**:7062-8

**Stough S, Shobe JL, Carew TJ.** (2006)

Intermediate-term processes in memory formation.

*Curr Opin Neurobiol.* **16**:672-8

**Sutton MA, Carew TJ.** (2000)

Parallel molecular pathways mediate expression of distinct forms of intermediate-term facilitation at tail sensory-motor synapses in Aplysia.

*Neuron* **26**:219-31

**Sutton MA, Bagnall MW, Sharma SK, Shobe J, Carew TJ.** (2004)

Intermediate-term memory for site-specific sensitization in aplysia is maintained by persistent activation of protein kinase C.

*J Neurosci.* **24**:3600-9

**Sutton MA, Masters SE, Bagnall MW, Carew TJ.** (2001)

Molecular mechanisms underlying a unique intermediate phase of memory in aplysia.

*Neuron* **31**:143-54

**Sutton MA, Schuman EM.** (2006)

Dendritic protein synthesis, synaptic plasticity, and memory.

*Cell* **127**:49-58

**Tan A, Moratalla R, Lyford GL, Worley P, Graybiel AM.** (2000)

The activity-regulated cytoskeletal-associated protein arc is expressed in different striosome-matrix patterns following exposure to amphetamine and cocaine.

*J Neurochem.* **74**:2074-8

**Tomita S, Adesnik H, Sekiguchi M, Zhang W, Wada K, Howe JR, Nicoll RA, Bredt DS.** (2005)

Stargazin modulates AMPA receptor gating and trafficking by distinct domains.

*Nature* **435**:1052-8

**Toni N, Buchs PA, Nikonenko I, Bron CR, Muller D.** (1999)

LTP promotes formation of multiple spine synapses between a single axon terminal and a dendrite.

*Nature* **402**:421-5

**Toni N, Buchs PA, Nikonenko I, Povilaitite P, Parisi L, Muller D.** (2001)

Remodeling of synaptic membranes after induction of long-term potentiation.

*J Neurosci.* **21**:6245-51

**Tsien JZ, Huerta PT, Tonegawa S.** (1996)

The essential role of hippocampal CA1 NMDA receptor-dependent synaptic plasticity in spatial memory.

*Cell* **87**:1327-38

**Tu JC, Xiao B, Naisbitt S, Yuan JP, Petralia RS, Brakeman P, Doan A, Aakalu VK, Lanahan AA, Sheng M, Worley PF.** (1999)

Coupling of mGluR/Homer and PSD-95 complexes by the Shank family of postsynaptic density proteins.

*Neuron* **23**:583-92

**Vnek N, Rothblat LA.** (1996)

The hippocampus and long-term object memory in the rat.

*J Neurosci.* **16**:2780-7

**Wallace CS, Lyford GL, Worley PF, Steward O.** (1998)

Differential intracellular sorting of immediate early gene mRNAs depends on signals in the mRNA sequence.

*J Neurosci.* **18**:26-35

**Waltereit R, Dammermann B, Wulff P, Scafidi J, Staubli U, Kauselmann G, Bundman M, Kuhl D.** (2001)

Arg3.1/Arc mRNA induction by Ca<sup>2+</sup> and cAMP requires protein kinase A and mitogen-activated protein kinase/extracellular regulated kinase activation.

*J Neurosci.* **21**:5484-93

**Wang KH, Majewska A, Schummers J, Farley B, Hu C, Sur M, Tonegawa S.** (2006)

In vivo two-photon imaging reveals a role of arc in enhancing orientation specificity in visual cortex.

*Cell* **126**:389-402

**Welzl H, D'Adamo P, Lipp HP.** (2001)

Conditioned taste aversion as a learning and memory paradigm.

*Behav Brain Res.* **125**:205-13

**Worley PF, Bhat RV, Baraban JM, Erickson CA, McNaughton BL, Barnes CA.** (1993)

Thresholds for synaptic activation of transcription factors in hippocampus: correlation with long-term enhancement.

*J Neurosci.* **13**:4776-86

**Xia Z, Dudek H, Miranti CK, Greenberg ME.** (1996)

Calcium influx via the NMDA receptor induces immediate early gene transcription by a MAP kinase/ERK-dependent mechanism.

*J Neurosci.* **16**:5425-36

**Xiao B, Tu JC, Petralia RS, Yuan JP, Doan A, Breder CD, Ruggiero A, Lanahan AA, Wenthold RJ, Worley PF.** (1998)

Homer regulates the association of group 1 metabotropic glutamate receptors with multivalent complexes of homer-related, synaptic proteins.

*Neuron* **21**:707-16

**Yamagata K, Andreasson KI, Kaufmann WE, Barnes CA, Worley PF.** (1993)

Expression of a mitogen-inducible cyclooxygenase in brain neurons: regulation by synaptic activity and glucocorticoids.

*Neuron* **11**:371-86

**Yang XW, Model P, Heintz N.** (1997)

Homologous recombination based modification in Escherichia coli and germline transmission in transgenic mice of a bacterial artificial chromosome.

*Nat Biotechnol.* **15**:859-65

**Yin Y, Edelman GM, Vanderklish PW.** (2002)

The brain-derived neurotrophic factor enhances synthesis of Arc in synaptoneuroosomes.

*Proc Natl Acad Sci U S A* **99**:2368-73