

6. Reference

- Abel, G., Szollosi, J., Chihara, G. and Fachet, J. (1989): **Effect of lentinan and mannan on phagocytosis of fluorescent latex microbeads by mouse peritoneal macrophages: a flow cytometric study**, Int J Immunopharmacol, 11: 615-21.
- Ahn, K.S., Sim, W.S. and Kim, I.H. (1996): **Decursin: a cytotoxic agent and protein kinase C activator from the root of Angelica gigas**, Planta Med, 62: 7-9.
- Ainsworth, A.J. (1994): **A beta-glucan inhibitable zymosan receptor on channel catfish neutrophils**, Vet Immunol Immunopathol, 41: 141-52.
- al-Sarireh, B. and Eremin, O. (2000): **Tumour-associated macrophages (TAMS): disordered function, immune suppression and progressive tumour growth**, J R Coll Surg Edinb, 45: 1-16.
- Alleva, D.G., Burger, C.J. and Elgert, K.D. (1994): **Tumor-induced regulation of suppressor macrophage nitric oxide and TNF-alpha production. Role of tumor-derived IL-10, TGF-beta, and prostaglandin E2**, J Immunol, 153: 1674-86.
- Armstrong, A.C. and Hawkins, R.E. (2001): **Vaccines in oncology: background and clinical potential**, Br J Radiol, 74: 991-1002.
- Bao, X.F., Wang, X.S., Dong, Q., Fang, J.N. and Li, X.Y. (2002): **Structural features of immunologically active polysaccharides from Ganoderma lucidum**, Phytochemistry, 59: 175-81.
- Bondada, S., Wu, H., Robertson, D.A. and Chelvarajan, R.L. (2000): **Accessory cell defect in unresponsiveness of neonates and aged to polysaccharide vaccines**, Vaccine, 19: 557-65.
- Bredt, D.S. and Snyder, S.H. (1994): **Nitric oxide: a physiologic messenger molecule**, Annu Rev Biochem, 63: 175-95.
- Brzozowski, T., Konturek, P.C., Konturek, S.J., Drozdowicz, D., Pajdo, R., Pawlik, M., Brzozowska, I. and Hahn, E.G. (2000): **Expression of cyclooxygenase (COX)-1 and COX-2 in adaptive cytoprotection induced by mild stress**, J Physiol Paris, 94: 83-91.
- Chang, C.J., Ashendel, C.L., Geahlen, R.L., McLaughlin, J.L. and Waters, D.J. (1996): **Oncogene signal transduction inhibitors from medicinal plants**, In Vivo, 10: 185-90.
- Chaux, P., Hammann, A., Martin, F. and Martin, M. (1993): **Surface phenotype and functions of tumor-infiltrating dendritic cells: CD8 expression by a cell subpopulation**, Eur J Immunol, 23: 2517-25.

- Chihara, G., Maeda, Y., Hamuro, J., Sasaki, T. and Fukuoka, F. (1969): **Inhibition of mouse sarcoma 180 by polysaccharides from Lentinus edodes (Berk.) sing**, Nature, 222: 687-8.
- Chihara, G., Hamuro, J., Maeda, Y.Y., Shioi, T., Suga, T., Takasuka, N. and Sasaki, T. (1987): **Antitumor and metastasis-inhibitory activities of lentinan as an immunomodulator: an overview**, Cancer Detect Prev Suppl, 1: 423-43.
- Coyne, C.P. and Fenwick, B.W. (1993): **Inhibition of lipopolysaccharide-induced macrophage tumor necrosis factor-alpha synthesis by polymyxin B sulfate**, Am J Vet Res, 54: 305-14.
- Cragg, G.M., Newman, D.J. and Snader, K.M. (1997): **Natural products in drug discovery and development**, J Nat Prod, 60: 52-60.
- Cragg, G.M. and Newman, D.J. (1999): **Discovery and development of antineoplastic agents from natural sources**, Cancer Invest, 17: 153-63.
- Cuendet, M. and Pezzuto, J.M. (2000): **The role of cyclooxygenase and lipoxygenase in cancer chemoprevention**, Drug Metabol Drug Interact, 17: 109-57.
- Cunto-Amesty, G., Luo, P., Monzavi-Karbassi, B., Lees, A. and Kieber-Emmons, T. (2001): **Exploiting molecular mimicry to broaden the immune response to carbohydrate antigens for vaccine development**, Vaccine, 19: 2361-8.
- da Rocha, A.B., Lopes, R.M. and Schwartsmann, G. (2001): **Natural products in anticancer therapy**, Curr Opin Pharmacol, 1: 364-9.
- de Pasquale, A. (1984): **Pharmacognosy: the oldest modern science**, J Ethnopharmacol, 11: 1-16.
- Do, R.K., Hatada, E., Lee, H., Tourigny, M.R., Hilbert, D. and Chen-Kiang, S. (2000): **Attenuation of apoptosis underlies B lymphocyte stimulator enhancement of humoral immune response**, J Exp Med, 192: 953-64.
- Dorrie, J., Gerauer, H., Wachter, Y. and Zunino, S.J. (2001): **Resveratrol induces extensive apoptosis by depolarizing mitochondrial membranes and activating caspase-9 in acute lymphoblastic leukemia cells**, Cancer Res, 61: 4731-9.
- el-Mekkawy, S., Meselhy, M.R., Nakamura, N., Tezuka, Y., Hattori, M., Kakiuchi, N., Shimotohno, K., Kawahata, T. and Otake, T. (1998): **Anti-HIV-1 and anti-HIV-1-protease substances from Ganoderma lucidum**, Phytochemistry, 49: 1651-7.
- Fong, L. and Engleman, E.G. (2000): **Dendritic cells in cancer immunotherapy**, Annu Rev Immunol, 18: 245-73.

Goodrich, M.E. and McGee, D.W. (1998): **Regulation of mucosal B cell immunoglobulin secretion by intestinal epithelial cell-derived cytokines**, Cytokine, 10: 948-55.

Graham, J.G., Quinn, M.L., Fabricant, D.S. and Farnsworth, N.R. (2000): **Plants used against cancer - an extension of the work of Jonathan Hartwell**, J Ethnopharmacol, 73: 347-77.

Gross, J.A., Johnston, J., Mudri, S., Enselman, R., Dillon, S.R., Madden, K., Xu, W., Parrish-Novak, J., Foster, D., Lofton-Day, C., Moore, M., Littau, A., Grossman, A., Haugen, H., Foley, K., Blumberg, H., Harrison, K., Kindsvogel, W. and Clegg, C.H. (2000): **TACI and BCMA are receptors for a TNF homologue implicated in B-cell autoimmune disease**, Nature, 404: 995-9.

Guo, Y., Matsumoto, T., Kikuchi, Y., Ikejima, T., Wang, B. and Yamada, H. (2000): **Effects of a pectic polysaccharide from a medicinal herb, the roots of *Bupleurum falcatum L.* on interleukin 6 production of murine B cells and B cell lines**, Immunopharmacology, 49: 307-16.

Hamuro, J., Rollinghoff, M. and Wagner, H. (1978): **beta(1 leads to 3) Glucan-mediated augmentation of alloreactive murine cytotoxic T-lymphocytes in vivo**, Cancer Res, 38: 3080-5.

Han, S.B., Kim, Y.H., Lee, C.W., Park, S.M., Lee, H.Y., Ahn, K.S., Kim, I.H. and Kim, H.M. (1998): **Characteristic immunostimulation by angelan isolated from Angelica gigas Nakai**, Immunopharmacology, 40: 39-48.

Han, S.B., Park, S.H., Lee, K.H., Lee, C.W., Lee, S.H., Kim, H.C., Kim, Y.S., Lee, H.S. and Kim, H.M. (2001): **Polysaccharide isolated from the radix of Platycodon grandiflorum selectively activates B cells and macrophages but not T cells**, Int Immunopharmacol, 1: 1969-78.

Hansen, I. and Nissen, N.I. (1972): **[Vinca alkaloids, a newer group of anti-neoplastic drugs]**, Ugeskr Laeger, 134: 1315-21.

Harvey, A.L. (1999): **Medicines from nature: are natural products still relevant to drug discovery?**, Trends Pharmacol Sci, 20: 196-8.

Harvey, A. (2000): **Strategies for discovering drugs from previously unexplored natural products**, Drug Discov Today, 5: 294-300.

Hatae, M., Nakamura, T. and Ohnishi, Y. (2000): **[Evidenced-based medicine and future direction of Taxol]**, Gan To Kagaku Ryoho, 27: 1279-87.

He, Y., Li, R., Chen, Q., Lin, Z., Xia, D. and Ma, L. (1992): **[Chemical studies on immunologically active polysaccharides of *Ganoderma lucidum*(Leyss. ex Fr.) Karst]**, Zhongguo Zhong Yao Za Zhi, 17: 226-8, 256.

- Hien, T.T. and White, N.J. (1993): **Qinghaosu**, Lancet, 341: 603-8.
- Hoessl, R., Leclerc, S., Endicott, J.A., Nobel, M.E., Lawrie, A., Tunnah, P., Leost, M., Damiens, E., Marie, D., Marko, D., Niederberger, E., Tang, W., Eisenbrand, G. and Meijer, L. (1999): **Indirubin, the active constituent of a Chinese antileukaemia medicine, inhibits cyclin-dependent kinases**, Nat Cell Biol, 1: 60-7.
- Hong, W.K. and Sporn, M.B. (1997): **Recent advances in chemoprevention of cancer**, Science, 278: 1073-7.
- Hsu, H.Y., Lian, S.L. and Lin, C.C. (1990): **Radioprotective effect of Ganoderma lucidum (Leyss. ex Fr.) Karst after X-ray irradiation in mice.**, Am J Chin Med, 18: 61-69.
- Ikekawa, A. and Kaneniwa, N. (1968): **Influence of particle size on physicochemical properties of pharmaceutical powders. VII. Fluidity and packing property of binary mixtures**, Chem Pharm Bull (Tokyo), 16: 1543-9.
- Ishitani, R., Tanaka, M., Sunaga, K., Katsube, N. and Chuang, D.M. (1998): **Nuclear localization of overexpressed glyceraldehyde-3-phosphate dehydrogenase in cultured cerebellar neurons undergoing apoptosis**, Mol Pharmacol, 53: 701-7.
- Jang, J.H. and Surh, Y.J. (2001): **Protective effects of resveratrol on hydrogen peroxide-induced apoptosis in rat pheochromocytoma (PC12) cells**, Mutat Res, 496: 181-90.
- Jayasuriya, H., Koonchanok, N.M., Geahlen, R.L., McLaughlin, J.L. and Chang, C.J. (1992): **Emodin, a protein tyrosine kinase inhibitor from Polygonum cuspidatum**, J Nat Prod, 55: 696-8.
- Jayatilake, G.S., Jayasuriya, H., Lee, E.S., Koonchanok, N.M., Geahlen, R.L., Ashendel, C.L., McLaughlin, J.L. and Chang, C.J. (1993): **Kinase inhibitors from Polygonum cuspidatum**, J Nat Prod, 56: 1805-10.
- Jayatilake, G.S., Thornton, M.P., Leonard, A.C., Grimwade, J.E. and Baker, B.J. (1996): **Metabolites from an Antarctic sponge-associated bacterium, Pseudomonas aeruginosa**, J Nat Prod, 59: 293-6.
- Joe, A.K., Liu, H., Suzui, M., Vural, M.E., Xiao, D. and Weinstein, I.B. (2002): **Resveratrol induces growth inhibition, S-phase arrest, apoptosis, and changes in biomarker expression in several human cancer cell lines**, Clin Cancer Res, 8: 893-903.
- Kanmatsuse, K., Kajiwara, N., Hayashi, K., Shimogaichi, S., Fukinbara, I., Ishikawa, H. and Tamura, T. (1985): **[Studies on Ganoderma lucidum. I. Efficacy against hypertension and side effects]**, Yakugaku Zasshi, 105: 942-7.

- Kerekgyarto, C., Virag, L., Tanko, L., Chihara, G. and Fachet, J. (1996): **Strain differences in the cytotoxic activity and TNF production of murine macrophages stimulated by lentinan**, Int J Immunopharmacol, 18: 347-53.
- Khare, S.D., Sarosi, I., Xia, X.Z., McCabe, S., Miner, K., Solovyev, I., Hawkins, N., Kelley, M., Chang, D., Van, G., Ross, L., Delaney, J., Wang, L., Lacey, D., Boyle, W.J. and Hsu, H. (2000): **Severe B cell hyperplasia and autoimmune disease in TALL-1 transgenic mice**, Proc Natl Acad Sci U S A, 97: 3370-5.
- Kim, J.W., Kim, S.J., Han, S.M., Paik, S.Y., Hur, S.Y., Kim, Y.W., Lee, J.M. and Namkoong, S.E. (1998): **Increased glyceraldehyde-3-phosphate dehydrogenase gene expression in human cervical cancers**, Gynecol Oncol, 71: 266-9.
- Kim, D.H., Shim, S.B., Kim, N.J. and Jang, I.S. (1999b): **Beta-glucuronidase-inhibitory activity and hepatoprotective effect of Ganoderma lucidum.**, Biol Pharm Bull, 22: 162-164.
- Kim, K.C. and Kim, I.G. (1999a): **Ganoderma lucidum extract protects DNA from strand breakage caused by hydroxyl radical and UV irradiation.**, Int J Mol Med, 4: 273-277.
- Kim, Y.S., Eo, S.K., Oh, K.W., Lee, C. and Han, S.S. (2000): **Antiherpetic activities of acidic protein bound polysaccharide isolated from Ganoderma lucidum alone and in combinations with interferons**, J Ethnopharmacol, 72: 451-8.
- Kino, K., Sone, T., Watanabe, J., Yamashita, A., Tsuboi, H., Miyajima, H. and Tsunoo, H. (1991). **Immunomodulator, LZ-8, prevents antibody production in mice.**, Int J Immunopharmacol, 13, 1109-1115.
- Kong, L.D., Cai, Y., Huang, W.W., Cheng, C.H. and Tan, R.X. (2000): **Inhibition of xanthine oxidase by some Chinese medicinal plants used to treat gout**, J Ethnopharmacol, 73: 199-207.
- Krause SW, Kreutz M and Andreesen R. **Isolation, Characterization and Cultivation of Human Monocytes and macrophages Methods in Microbiology**, Volume 25, 1998.
- Kubo, M., Matsuda, H., Nogami, M., Arichi, S. and Takahashi, T. (1983): **[Ganoderma lucidum. (4) Effects on disseminated intravascular coagulation]**, Yakugaku Zasshi, 103: 871-7.
- Landis, S.H., Murray, T., Bolden, S. and Wingo, P.A. (1999): **Cancer statistics, 1999**, CA Cancer J Clin, 49: 8-31, 1.
- Lee, H. and Tsai, S.J. (1991): **Effect of emodin on cooked-food mutagen activation**, Food Chem Toxicol, 29: 765-70.

Lee, S.H., Ryu, S.Y., Kim, H.B., Kim, M.Y. and Chun, Y.J. (2002): **Induction of apoptosis by 3,4'-dimethoxy-5-hydroxystilbene in human promyeloid leukemic HL-60 cells**, Planta Med, 68: 123-7.

Li YX. **On anti-tumour reaction of bio-active agents.** (Dissertation) Nanjing Agricultural University, China, 1999.

Lin, C.N., Tome, W.P. and Won, S.J. (1991): **Novel cytotoxic principles of Formosan Ganoderma lucidum**, J Nat Prod, 54: 998-1002.

Lin, J.M., Lin, C.C., Chiu, H.F., Yang, J.J. and Lee, S.G. (1993): **Evaluation of the anti-inflammatory and liver-protective effects of anoectochilus formosanus, ganoderma lucidum and gynostemma pentaphyllum in rats**, Am J Chin Med, 21: 59-69.

Lin, J.K., Liang, Y.C. and Lin-Shiau, S.Y. (1999): **Cancer chemoprevention by tea polyphenols through mitotic signal transduction blockade**, Biochem Pharmacol, 58: 911-5.

Lin MH and Hsu SY, (1987): **Studies on pharmacological effects of various extracts of Polygonum cuspidatum S. et Z**, Tai-wan Yao Hsueh Tsa Chih 39: 42-53.

Liu, W.K., Ng, T.B., Sze, S.F. and Tsui, K.W. (1993): **Activation of peritoneal macrophages by polysaccharopeptide from the mushroom, Coriolus versicolor**, Immunopharmacology, 26: 139-46.

Luo S and Luo L. (1994): **Effect of crystal No. 4 of Polygonum cuspidatum on the viability of island flaps with venous stasis: an experimental study**, Chung Hua Cheng Hsing Shao Shang Wai Ko Tsa Chih (China), 10: 222-225.

Luo ZH. (1993): **The use of Chinese traditional medicines to improve impaired immune functions in jscald mice**, Chung Hua Cheng Hsing Shao Shang Wai Ko Tsa Chih (China) 9: 56-58

Malmstrom, P. (2000): **Improved patient outcomes with BCG immunotherapy vs. chemotherapy - Swedish and worldwide experience**, Eur Urol, 37: 16-20.

Manson, M.M., Holloway, K.A., Howells, L.M., Hudson, E.A., Plummer, S.M., Squires, M.S. and Prigent, S.A. (2000b): **Modulation of signal-transduction pathways by chemopreventive agents**, Biochem Soc Trans, 28: 7-12.

Manson, M.M., Gescher, A., Hudson, E.A., Plummer, S.M., Squires, M.S. and Prigent, S.A. (2000a): **Blocking and suppressing mechanisms of chemoprevention by dietary constituents**, Toxicol Lett, 112-113: 499-505.

- Markine-Goriaynoff, D., Nguyen, T.D., Bigaignon, G., Van Snick, J. and Coutelier, J.P. (2001): **Distinct requirements for IL-6 in polyclonal and specific Ig production induced by microorganisms**, Int Immunol, 13: 1185-92.
- Maruyama, H., Yamazaki, K., Murofushi, S., Konda, C. and Ikekawa, T. (1989): **Antitumor activity of Sarcodon aspratus (Berk.) S. Ito and Ganoderma lucidum (Fr.) Karst**, J Pharmacobiodyn, 12: 118-23.
- Mi, Z., Chen, H., Zhang, X., Li, Z., Chen, W. and Shao, X. (1997): [Screening of antiviral agents from medicinal herbs by means of Hepadnaviruses models], Zhongguo Zhong Yao Za Zhi, 22: 43-5, 63.
- Min, B.S., Nakamura, N., Miyashiro, H., Bae, K.W. and Hattori, M. (1998): **Triterpenes from the spores of Ganoderma lucidum and their inhibitory activity against HIV-1 protease**, Chem Pharm Bull (Tokyo), 46: 1607-12.
- Min, B.S., Gao, J.J., Nakamura, N. and Hattori, M. (2000): **Triterpenes from the spores of Ganoderma lucidum and their cytotoxicity against meth-A and LLC tumor cells**, Chem Pharm Bull (Tokyo), 48: 1026-33.
- Mitamura, T., Sakamoto, S., Suzuki, S., Yoshimura, S., Maemura, M. and Kudo, H. (2000): **Effects of lentinan on colorectal carcinogenesis in mice with ulcerative colitis**, Oncol Rep, 7: 599-601.
- Miyazaki, K., Mizutani, H., Katabuchi, H., Fukuma, K., Fujisaki, S. and Okamura, H. (1995): **Activated (HLA-DR+) T-lymphocyte subsets in cervical carcinoma and effects of radiotherapy and immunotherapy with sizofiran on cell-mediated immunity and survival**, Gynecol Oncol, 56: 412-20.
- Moon, E.Y., Han, J.J., Rhee, D.K. and Pyo, S. (1998): **Aflatoxin B1-induced suppression of nitric oxide production in murine peritoneal macrophages**, J Toxicol Environ Health A, 55: 517-30.
- Moore, P.A., Belvedere, O., Orr, A., Pieri, K., LaFleur, D.W., Feng, P., Soppet, D., Charters, M., Gentz, R., Parmelee, D., Li, Y., Galperina, O., Giri, J., Roschke, V., Nardelli, B., Carrell, J., Sosnovtseva, S., Greenfield, W., Ruben, S.M., Olsen, H.S., Fikes, J. and Hilbert, D.M. (1999): **BLyS: member of the tumor necrosis factor family and B lymphocyte stimulator**, Science, 285: 260-3.
- Moreno, J.J. (2000): **Resveratrol modulates arachidonic acid release, prostaglandin synthesis, and 3T6 fibroblast growth**, J Pharmacol Exp Ther, 294: 333-8.
- Mukherjee, A.K., Basu, S., Sarkar, N. and Ghosh, A.C. (2001): **Advances in cancer therapy with plant based natural products**, Curr Med Chem, 8: 1467-86.

- Murasugi, A., Tanaka, S., Komiyama, N., Iwata, N., Kino, K., Tsunoo, H. and Sakuma, S. (1991): **Molecular cloning of a cDNA and a gene encoding an immunomodulatory protein, Ling Zhi-8, from a fungus, Ganoderma lucidum.**, J Biol Chem, 266: 2486-2493.
- Nanba, H., Mori, K., Toyomasu, T. and Kuroda, H. (1987): **Antitumor action of shiitake (Lentinus edodes) fruit bodies orally administered to mice**, Chem Pharm Bull (Tokyo), 35: 2453-8.
- Ng, T.B. (1998): **A review of research on the protein-bound polysaccharide (polysaccharopeptide, PSP) from the mushroom Coriolus versicolor (Basidiomycetes: Polyporaceae)**, Gen Pharmacol, 30: 1-4.
- Nicolini, G., Rigolio, R., Miloso, M., Bertelli, A.A. and Tredici, G. (2001): **Anti-apoptotic effect of trans-resveratrol on paclitaxel-induced apoptosis in the human neuroblastoma SH-SY5Y cell line**, Neurosci Lett, 302: 41-4.
- Ockert, D., Schmitz, M., Hampl, M. and Rieber, E.P. (1999): **Advances in cancer immunotherapy**, Immunol Today, 20: 63-5.
- Ollert, M.W., David, K., Vollmert, C., Juhl, H., Erttmann, R., Bredehorst, R. and Vogel, C.W. (1997): **Mechanisms of in vivo anti-neuroblastoma activity of human natural IgM**, Eur J Cancer, 33: 1942-8.
- Pisha, E., Chai, H., Lee, I.S., Chagwedera, T.E., Farnsworth, N.R., Cordell, G.A., Beecher, C.W., Fong, H.H., Kinghorn, A.D., Brown, D.M. and et al. (1995): **Discovery of betulinic acid as a selective inhibitor of human melanoma that functions by induction of apoptosis**, Nat Med, 1: 1046-51.
- Popov, S.V., Popova, G.Y., Ovodova, R.G., Bushneva, O.A. and Ovodov, Y.S. (1999): **Effects of polysaccharides from Silene vulgaris on phagocytes**, Int J Immunopharmacol, 21: 617-24.
- Revillion, F., Pawlowski, V., Hornez, L. and Peyrat, J.P. (2000): **Glyceraldehyde-3-phosphate dehydrogenase gene expression in human breast cancer**, Eur J Cancer, 36: 1038-42.
- Rivory, L.P. and Robert, J. (1995): **[Pharmacology of camptothecin and its derivatives]**, Bull Cancer, 82: 265-85.
- Rose, D.P. and Connolly, J.M. (1999): **Omega-3 fatty acids as cancer chemopreventive agents**, Pharmacol Ther, 83: 217-44.
- Rosenberg, S.A., Yang, J.C., White, D.E. and Steinberg, S.M. (1998): **Durability of complete responses in patients with metastatic cancer treated with high-dose interleukin-2: identification of the antigens mediating response**, Ann Surg, 228: 307-19.

- Rosenberg, S.A. (2001): **Progress in human tumour immunology and immunotherapy**, Nature, 411: 380-4.
- Sakurai, M.H., Matsumoto, T., Kiyohara, H. and Yamada, H. (1999): **B-cell proliferation activity of pectic polysaccharide from a medicinal herb, the roots of Bupleurum falcatum L. and its structural requirement**, Immunology, 97: 540-7.
- Sasaki, T., Arai, Y., Ikekawa, T., Chihara, G. and Fukuoka, F. (1971): **Antitumor polysaccharides from some polyporaceae, Ganoderma applanatum (Pers.) Pat and Phellinus linteus (Berk. et Curt) Aoshima**, Chem Pharm Bull (Tokyo), 19: 821-6.
- Schek, N., Hall, B.L. and Finn, O.J. (1988): **Increased glyceraldehyde-3-phosphate dehydrogenase gene expression in human pancreatic adenocarcinoma**, Cancer Res, 48: 6354-9.
- Schneider, P., MacKay, F., Steiner, V., Hofmann, K., Bodmer, J.L., Holler, N., Ambrose, C., Lawton, P., Bixler, S., Acha-Orbea, H., Valmori, D., Romero, P., Werner-Favre, C., Zubler, R.H., Browning, J.L. and Tschopp, J. (1999): **BAFF, a novel ligand of the tumor necrosis factor family, stimulates B cell growth**, J Exp Med, 189: 1747-56.
- Sgambato, A., Ardito, R., Faraglia, B., Boninsegna, A., Wolf, F.I. and Cittadini, A. (2001): **Resveratrol, a natural phenolic compound, inhibits cell proliferation and prevents oxidative DNA damage**, Mutat Res, 496: 171-80.
- She, Q.B., Bode, A.M., Ma, W.Y., Chen, N.Y. and Dong, Z. (2001): **Resveratrol-induced activation of p53 and apoptosis is mediated by extracellular-signal-regulated protein kinases and p38 kinase**, Cancer Res, 61: 1604-10.
- Sheehan, M.P., Rustin, M.H., Atherton, D.J., Buckley, C., Harris, D.W., Brostoff, J., Ostlere, L., Dawson, A. and Harris, D.J. (1992): **Efficacy of traditional Chinese herbal therapy in adult atopic dermatitis**, Lancet, 340: 13-7.
- Shimizu, A., Yano, T., Saito, Y. and Inada, Y. (1985): **Isolation of an inhibitor of platelet aggregation from a fungus, Ganoderma lucidum**, Chem Pharm Bull (Tokyo), 33: 3012-5.
- Shin, H.R., Kim, J.Y., Yun, T.K., Morgan, G. and Vainio, H. (2000): **The cancer-preventive potential of Panax ginseng: a review of human and experimental evidence**, Cancer Causes Control, 11: 565-76 suppressed by EGCG or other tea polyphenols.
- Shureiqi, I., Reddy, P. and Brenner, D.E. (2000): **Chemoprevention: general perspective**, Crit Rev Oncol Hematol, 33: 157-67.
- Sinha, K., Chaudhary, G. and Kumar Gupta, Y. (2002): **Protective effect of resveratrol against oxidative stress in middle cerebral artery occlusion model of stroke in rats**, Life Sci, 71: 655-65.

- Sirover, M.A. (1999): **New insights into an old protein: the functional diversity of mammalian glyceraldehyde-3-phosphate dehydrogenase**, Biochim Biophys Acta, 1432: 159-84.
- Smyth, M.J., Godfrey, D.I. and Trapani, J.A. (2001): **A fresh look at tumor immunosurveillance and immunotherapy**, Nat Immunol, 2: 293-9.
- Song, K.S., Cho, S.M., Lee, J.H., Kim, H.M., Han, S.B., Ko, K.S. and Yoo, I.D. (1995): **B-lymphocyte-stimulating polysaccharide from mushroom Phellinus linteus**, Chem Pharm Bull (Tokyo), 43: 2105-8.
- Spencer, J., Perry, M.E. and Dunn-Walters, D.K. (1998): **Human marginal-zone B cells**, Immunol Today, 19: 421-6.
- Stanley, E.R. (1997): **Murine bone marrow-derived macrophages**, Methods Mol Biol, 75: 301-4.
- Su, H.Y., Cherng, S.H., Chen, C.C. and Lee, H. (1995): **Emodin inhibits the mutagenicity and DNA adducts induced by 1-nitropyrene**, Mutat Res, 329: 205-12.
- Szabo, T., Kadish, J.L. and Czop, J.K. (1995): **Biochemical properties of the ligand-binding 20-kDa subunit of the beta-glucan receptors on human mononuclear phagocytes**, J Biol Chem, 270: 2145-51.
- Takemoto, N., Kiyohara, H., Maruyama, H., Komatsu, Y., Yamada, H. and Kawamura, H. (1994): **A novel type of B-cell mitogen isolated from juzen-taiho-to (TJ-48), a Japanese traditional medicine**, Int J Immunopharmacol, 16: 919-29.
- Tasaka, K., Mio, M., Izushi, K., Akagi, M. and Makino, T. (1988): **Anti-allergic constituents in the culture medium of Ganoderma lucidum. (II). The inhibitory effect of cyclooctasulfur on histamine release.**, Agents Actions, 23: 157-160.
- Tinhofer, I., Bernhard, D., Senfter, M., Anether, G., Loeffler, M., Kroemer, G., Kofler, R., Csordas, A. and Greil, R. (2001): **Resveratrol, a tumor-suppressive compound from grapes, induces apoptosis via a novel mitochondrial pathway controlled by Bcl-2**, Faseb J, 15: 1613-5.
- Tokunaga, K., Nakamura, Y., Sakata, K., Fujimori, K., Ohkubo, M., Sawada, K. and Sakiyama, S. (1987): **Enhanced expression of a glyceraldehyde-3-phosphate dehydrogenase gene in human lung cancers**, Cancer Res, 47: 5616-9.
- Tomazela, D.M., Pupo, M.T., Passador, E.A., da Silva, M.F., Vieira, P.C., Fernandes, J.B., Fo, E.R., Oliva, G. and Pirani, J.R. (2000): **Pyranocalcones and a flavone from Neoraputia magnifica and their Trypanosoma cruzi glycosomal glyceraldehyde-3-phosphate dehydrogenase-inhibitory activities**, Phytochemistry, 55: 643-51.

- Tran, T.H., Day, N.P., Nguyen, H.P., Nguyen, T.H., Pham, P.L., Dinh, X.S., Ly, V.C., Ha, V., Waller, D., Peto, T.E. and White, N.J. (1996): **A controlled trial of artemether or quinine in Vietnamese adults with severe falciparum malaria**, *N Engl J Med*, 335: 76-83.
- Van der Goes, A., Kortekaas, M., Hoekstra, K., Dijkstra, C.D. and Amor, S. (1999): **The role of anti-myelin (auto)-antibodies in the phagocytosis of myelin by macrophages**, *J Neuroimmunol*, 101: 61-7.
- van der Hem, L.G., van der Vliet, J.A., Bocken, C.F., Kino, K., Hoitsma, A.J. and Tax, W.J. (1995): **Ling Zhi-8: studies of a new immunomodulating agent**, *Transplantation* 1995 Sep 15;60(5):438-43, 60: 438-443.
- Vetvicka, V., Thornton, B.P. and Ross, G.D. (1996): **Soluble beta-glucan polysaccharide binding to the lectin site of neutrophil or natural killer cell complement receptor type 3 (CD11b/CD18) generates a primed state of the receptor capable of mediating cytotoxicity of iC3b-opsonized target cells**, *J Clin Invest*, 98: 50-61.
- Vetvicka, V., Thornton, B.P., Wieman, T.J. and Ross, G.D. (1997): **Targeting of natural killer cells to mammary carcinoma via naturally occurring tumor cell-bound iC3b and beta-glucan-primed CR3 (CD11b/CD18)**, *J Immunol*, 159: 599-605.
- Wang, Y., Zhao, K. and Wu, X. (1994): **[The prognostic implication of determination of activation of leucocyte in severe burns]**, *Zhonghua Zheng Xing Shao Shang Wai Ke Za Zhi*, 10: 286-9.
- Wang, S.Y., Hsu, M.L., Hsu, H.C., Tzeng, C.H., Lee, S.S., Shiao, M.S. and Ho, C.K. (1997): **The anti-tumor effect of Ganoderma lucidum is mediated by cytokines released from activated macrophages and T lymphocytes**, *Int J Cancer*, 70: 699-705.
- Wang, Y.Y., Khoo, K.H., Chen, S.T., Lin, C.C., Wong, C.H. and Lin, C.H. (2002): **Studies on the immuno-modulating and antitumor activities of Ganoderma lucidum (Reishi) polysaccharides: functional and proteomic analyses of a fucose-containing glycoprotein fraction responsible for the activities**, *Bioorg Med Chem*, 10: 1057-62.
- Wasser, S.P. and Weis, A.L. (1999): **Therapeutic effects of substances occurring in higher Basidiomycetes mushrooms: a modern perspective**, *Crit Rev Immunol*, 19: 65-96.
- Wu, K.Y. (1992): **[Effect of crystal No 4 of Polygonum cuspidatum on microcirculatory disturbances during burn shock]**, *Zhonghua Zheng Xing Shao Shang Wai Ke Za Zhi*, 8: 133-5, 166.
- Wu, X.B., Zhao, K.S. and Huang, X.L. (1994): **[Changes in adhesion features of leukocytes in rats with severe burns]**, *Zhonghua Yi Xue Za Zhi*, 74: 312-4, 328.
- Wu, K. and Huang, Q. (1996): **[Relationship between disturbances of microcirculation and TNF during burn shock]**, *Zhonghua Zheng Xing Shao Shang Wai Ke Za Zhi*, 12: 41-4.

- Wu, T.S., Shi, L.S. and Kuo, S.C. (2001): **Cytotoxicity of Ganoderma lucidum triterpenes**, J Nat Prod, 64: 1121-2.
- Yoon, S.Y., Eo, S.K., Kim, Y.S., Lee, C.K. and Han, S.S. (1994): **Antimicrobial activity of Ganoderma lucidum extract alone and in combination with some antibiotics**, Arch Pharm Res, 17: 438-42.
- Yoshimura, N., Sawada, T., Furusawa, M. and Fuchinoue, S. (2001): **Expression of xenoantigen transformed human cancer cells to be susceptible to antibody-mediated cell killing**, Cancer Lett, 164: 155-60.
- Zhang, L.X., Mong, H. and Zhou, X.B. (1993): **[Effect of Japanese Ganoderma Lucidum on production of interleukin-2 from murine splenocytes]**, Zhongguo Zhong Xi Yi Jie He Za Zhi, 13: 613-5, 582.
- Zhang, J., Wang, G., Li, H., Zhuang, C., Mizuno, T., Ito, H., Mayuzumi, H., Okamoto, H. and Li, J. (1994): **Antitumor active protein-containing glycans from the Chinese mushroom songshan lingzhi, Ganoderma tsugae mycelium**, Biosci Biotechnol Biochem, 58: 1202-5.
- Zhang, Q. and Lin, Z. (1999): **[Study on antitumor activity and mechanism of Ganoderma polysaccharides B]**, Zhongguo Zhong Xi Yi Jie He Za Zhi, 19: 544-7.
- Zhang, L., Zhang, M., Zhou, Q., Chen, J. and Zeng, F. (2000): **Solution properties of antitumor sulfated derivative of alpha-(1-->3)-D-glucan from Ganoderma lucidum**, Biosci Biotechnol Biochem, 64: 2172-8.
- Zhang, J., Tang, Q., Zimmerman-Kordmann, M., Reutter, W. and Fan, H. (2002): **Activation of B lymphocytes by GLIS, a bioactive proteoglycan from Ganoderma lucidum**, Life Sci, 71: 623-38.
- Zhang JS. **Isolation and biological characterization of active compounds from fungal extracts used in traditional Chinese medicine: Immunostimulation and inhibition of tumor growth.** (Dissertation) Freien Universität Berlin, 2000.
- Zhao, K.S. (1989): **[Effect of Polygonum cuspidatum No 4 on the enhancement of cardiac function during burn shock]**, Zhonghua Zheng Xing Shao Shang Wai Ke Za Zhi, 5: 275-8, 318.
- Zhu, H.S., Yang, X.L., Wang, L.B., Zhao, D.X. and Chen, L. (2000): **Effects of extracts from sporoderm-broken spores of Ganoderma lucidum on HeLa cells**, Cell Biol Toxicol, 16: 201-6.