

8 REFERENCES

Adams, P. J., J. H. Seinfeld, and D. M. Koch (1999) Global concentrations of tropospheric sulfate, nitrate, and ammonium aerosol simulated in a general circulation model, *J. Geophys. Res.*, 104, 13791-13824

Adams, P. J., J. H. Seinfeld, D. M. Koch, L. Mickley, and D. Jacob (2001) General circulation model assessment of direct radiative forcing by the sulfate-nitrate-ammonium-water inorganic aerosol system, *J. Geophys. Res.*, 107, 1097–1111.

Arimoto, R., R. A. Duce, B. J. Ray, W. G. Ellis Jr., J. D. Cullen, and J. Merrill (1995) Trace elements in the atmosphere over the North Atlantic, *J. Geophys. Res.*, 100, 1199–1214.

Beekmann, M., A. Kerschbaumer, E. Reimer, R. Stern, and D. Möller (2007) PM Measurement Campaign HOVERT in the Greater Berlin area: model evaluation with chemically specified particulate matter observations for a one year period. *Atmos. Chem. Phys.*, 7, 55-68.

Builtjes, P. J. H. (2003) Aerosols over Europe, Focus on Black carbon, TNO report R2003/146.

Bukowiecki, N., J. Dommen, A. S. H. Prevot, E. Weingartner, and U. Baltensperger (2003) Fine and ultrafine particles in the Zürich (Switzerland) area measured with a mobile laboratory. An assessment of the seasonal and regional variation throughout a year, *Atmos. Chem. Phys. Discuss.*, 3, 2739-2782.

Carter, W. (1996) Condensed atmospheric photooxidation mechanisms for isoprene, *Atmos. Environ.*, 30, 4275-4290.

Chow, J.C., J. G. Watson, E. M. Fujita., Z. Lu, and D. R. Lawson (1994) Temporal and spatial variations of PM_{2.5} and PM₁₀ aerosol in the Southern California air quality study, *Atmos. Environ.*, 28, 3773-3785.

Claiborn, C., B. Lamb, A. Miller, J. Beseda, B. Clode, J. Vaughan, L. Kang, and C. Nevine (1998) Regional measurements and modeling of windblown agricultural dust: The Columbia Plateau PM₁₀ Program, *J. Geophys. Res.*, 103, 19753-19767.

Cressman, G. P. (1959) An operational objective analysis system, *Mon. Wea. Rev.*, 87, 367–374.

Cuvelier, C., P. Thunis, R. Vautard, M. Amann, B. Bessagnet, M. Bedogni, R. Berkowicz, J. Brandt, F. Brocheton, P. Builtjes, C. Carnevale, A. Copalle, B. Dengy, J. Douros, A. Graff, O. Hellmuth, A. Hodzic, C. Honoré, J. Jonson, A. Kerschbaumer, F. de Leeuw, E. Minguzzi, N. Mousioulos, C. Pertot, V. H. Peuch, G. Pirovano, L. Rouil, F. Sauter, M. Schaap, R. Stern, L. Tarrason, E. Vignati, M. Volta, L. White, P. Wind, and A. Zuber (2006) CityDelta: A model intercomparison study to explore the impact of emission reductions in European cities in 2010, *Atmos. Environ.*, 41, 189-207.

Dentener, F. J., and P. J. Crutzen (1993) Reaction of N₂O₅ on tropospheric aerosols: Impact on the global distribution of NO_x, O₃, and OH, *J. Geophys. Res.*, 98, 7149-7163.

Erisman, J., and A. van Pul (1994) Parameterization of surface resistance for the quantification of atmospheric deposition of acidifying pollutants and ozone, *Atmos. Environ.*, 28, 2595-2607.

Fine, P., G. Cass, and B. Simoneit (2001) Chemical characterisation of fine particle emissions from the fireplace combustion of woods grown in the Northeastern United States, *Environ. Sci. Tech.*, 35, 2665–2675.

Fine, P., G. Cass, and B. Simoneit (2002) Chemical characterisation of fine particle emissions from the fireplace combustion of woods grown in the Southern United States, *Environ. Sci. Tech.*, 36, 1442–1451.

Flemming, J., E. Reimer, and R. Stern (2001) Long term evaluation of the ozone forecast by an Eulerian model, *Phys. Chem. Earth (B)*, 26, 775-779.

Garratt, J. R. (1977) Review of Drag Coefficients over Oceans and Continents, *Mon. Wea. Rev.*, 105, 915–929.

Gery, M. W., G. Z. Whitten, J. P. Killus, and M. C. Dodge (1989) A photochemical kinetics mechanism for urban and regional scale computing modeling, *J. Geophys. Res.*, 94, 12925–12956.

Gillette, D. A., and R. Passi (1988) Modeling dust emission caused by wind erosion, *J. Geophys. Res.*, 93, 14233–14242.

Gong, S. L., L. A. Barrie, and J.-P. Blanchet (1997) Modeling sea-salt aerosols in the atmosphere 1. Model development, *J. Geophys. Res.*, 102, 3805–3818.

Goudie, A.S., and N.J Middleton (2001) Saharan Dust Storms: Nature and Consequences, *Earth-Science Rev.*, 56, 179-204.

Grosjean, D., and J. H. Seinfeld. (1989) Parameterization of the formation potential of secondary organic aerosols, *Atmos. Environ.*, 23, 1733-1747.

Hainsch, A. (2004) Ursachenanalyse der PM10-Immission in urbanen Gebieten am Beispiel der Stadt Berlin, PhD-Thesis, TU-Berlin, available at http://edocs.tu-berlin.de/diss/2003/hainsch_andreas.pdf, in German.

Hanna, S. R. (1994) Random variability in mesoscale wind observations and implications for diffusion models, Proceedings of the 8th Joint Conference on Applications of Air Pollution Meteorology with A&WNA, Nashville, TN, January 23-28.

Hanna, S. R., and R. J. Paine (1989) Hybrid Plume Dispersion Model (HPDM) Development and Evaluation, *J. Appl. Met.*, 28, 206-224.

Hanna, S. R., L. L. Schulman, R. J. Paine, J. E. Pleim, and M. Baer (1985) Development and Evaluation of the Offshore and Coastal Dispersion Model, *J. Air Poll. Control Assoc.*, 35, 1039-1047.

Hass, H., M. van Loon, C. Kessler, R. Stern, J. Matthijsen, F. Sauter, Z. Zlatev, J. Langner, V. Foltescu, and M. Schaap (2003) Aerosol modelling: results and intercomparison from European regional scale modelling systems, EUROTRAC-2 special report, GSF, Munich, Germany.

Hass, H., P. Builtjes, D. Simpson, and R. Stern (1997) Comparison of model results obtained with several European regional air quality models, *Atmos. Environ.*, 31, 3259-3279.

Hedberg Larsson, E., C. Johansson, L. Johansson, E. Swietlicki, and E. Brorström-Lundén (2006) Is levoglucosan a suitable quantitative tracer for wood burning? - comparison with receptor modeling on trace elements in Lycksele, Sweden, *J. Air Waste Manage. Assoc.*, In Press.

Holtstag, A. A. M. (1987) Surface Fluxes and Boundary Layer Scaling: Models and Applications, Koninklijk Nederlands Meteorologisch Instituut, Scientific Report No. WR 87-2, 173 pp.

Holtstag, A. A. M., and A. P. van Ulden (1983) A Simple Scheme for Daytime Estimates of Surface Fluxes from Routine Weather Data, *J. Cli. Appl. Meteorol.*, 22, 517-529.

Hueglin, C., R., Gehrig, U. Baltensperger, M. Gysel, C. Monn, and H. Vonmont (2005) Chemical characterisation of PM2.5, PM10 and coarse

particles at urban, near-city and rural sites in Switzerland, *Atmos. Environ.*, 39, 637–651.

Israël, G. W., A. Erdmann, J. Shen, W. Frenzel, and E. Ulrich (1992) Analyse der Herkunft und Zusammensetzung der Schwebstaubbimmission, UBA F+E-Vorhaben. Nr. 104 025 97, in German.

Israël, G. W., C. Schlums, R. Treffeisen, and M. Pesch (1996) Rußimmission in Berlin - Herkunftsbestimmung, Kfz-Flottenemissionsfaktoren, Vergleichbarkeit von Probenahmemethoden, VDI Fortschrittberichte Reihe 15: Umwelttechnik, Nr. 152, in German.

Jaenicke, R. (1993) Tropospheric aerosols. In: Hobbs, P. V. (Ed.), *Aerosol-Cloud-Climate Interactions*. Academic Press Inc., San Diego.

Jang, J. C., H. E. Jeffries, and S. Tonnesen (1995b) Sensitivity of Ozone to Model Grid Resolution - II. Detailed Process Analysis for Ozone Chemistry, *Atmos. Environ.*, 29, 3101-3114.

Jang, J. C., H. E. Jeffries, D. Byun, and J. E. Pleim (1995a) Sensitivity of Ozone to Model Grid Resolution - I. Application of High-resolution Regional Acid Deposition Model, *Atmos. Environ.*, 29, 3085-3100.

Jeffries, H. E. (1995) Photochemical Air Pollution, Chapter 9 in *Composition, Chemistry, and Climate of the Atmosphere*, Ed. H. B. Singh, Van Nostrand-Reinhold, New York, N. Y.

Jeffries, H. E. (1996). Ozone Chemistry and Transport, presentation to the FACA subcommittee for Ozone, Particulate Matter and Regional Haze Implementation, March 21, Alexandria, Va.

Jeffries, H. E., and S. Tonnesen (1994) A Comparison of Two Photochemical Reaction Mechanisms Using Mass Balance and Process Analysis, *Atmos. Environ.*, 28, 2991-3003.

John, A., T. Kuhlbusch and M. Lutz (2004) Quellenzuordnung anhand aktueller Immissions- und Emissionsdaten in Berlin. Bericht zum Workshop: PM_x-Quellenidentifizierung: Ergebnisse als Grundlage für Maßnahmenpläne, ed. T. Kuhlbusch, A. John, S. Top (IUTA e.V. Duisburg) Hrsg. Umweltbundesamt, Berlin, 111-121, in German

Kerminen, V.-M., R. Hillamo, K. Teinilä, T. Pakkanen, I. Allegrini, and R. Sparapani (2001) Ion balances of size-resolved tropospheric aerosol samples: implications for the acidity and atmospheric processing of aerosols, *Atmos. Environ.*, 35, 5255-5265.

Kerschbaumer, A., and R. Reimer (2003) Erstellung meteorologischer Eingangsdaten für das REM/CALGRID Modell: Modellregion Berlin-Brandenburg, Berichte zum UBA Forschungsvorhaben 299 43 246, Freie Universität Berlin, Institut für Meteorologie, in German.

Lenschow, P., H.-J. Abraham, K. Kutzner, M. Lutz, J.-D. Preuss and W. Reichenbacher (2001). Some ideas about the sources of PM₁₀. *Atmos. Environ.* 35, 23-33.

Loosmore, G. A., and J. R. Hunt (2000) Dust resuspension without saltation, *J. Geophys. Res.*, 105, 20663–20672.

Mäkelä, J.M., P. Aalto, V. Jokinen, T. Pohja, A. Nissinen, S. Palmroth, T. Markkanen, K. Seitsonen, H. Lihavainen, and M. Kulmala (1997) Observations of ultrafine aerosol particle formation and growth in boreal forest, *Geophys. Res. Lett.*, 24, 1219–1222.

Malm, W. C., B. A. Schichtel, M. L. Pitchford, L. L. Ashbaugh, and R. A. Eldred (2004) Spatial and monthly trends in speciated fine particle concentration in the United States, *J. Geophys. Res.*, 109, doi:10.1029/2003JD003739.

Matta, E., M. C. Facchini, S. Decesari, M. Mircea, F. Cavalli, S. Fuzzi, J.-P. Putaud, and A. Dell'Acqua (2002) Chemical mass balance of size-segregated atmospheric aerosol in an urban area of the Po Valley, Italy, *Atmos. Chem. Phys. Discuss.*, 2, 2167-2208.

Memmesheimer, M., M. Roemer, and A. Ebel (1997) Budget calculations for ozone and its precursors: Seasonal and episodic features based on model simulations, *J. Atmos. Chem.*, 28, 283–317.

Mossetti, S., S. P. Angius, and E. Angelino (2005) Assessing the impact of particulate matter sources in the Milan urban area. *Int. J. Environ. Poll.*, 24, 247 – 259.

Myhre, G., A. Grini, and S. Metzger (2006) Modelling of nitrate and ammonium-containing aerosols in presence of sea salt, *Atmos. Chem. Phys.*, 6, 4809 – 4821.

Nenes, A., C. Pilinis, and S. N. Pandis (1999) Continued development and testing of a new thermodynamic aerosol module for urban and regional air quality models, *Atmos. Environ.* 33, 1553-1560.

Nenes, A., C. Plinis, and S. N. Pandis (1998) ISORROPIA: A new thermodynamic model for multiphase multicomponent inorganic aerosol, *Aquatic Geochemistry*, 4, 123-152.

Odum, J. R., T. Hoffmann, F. Bowman, D. Collins, R. C. Flagan, and J. H. Seinfeld (1996) Gas/Particle Partitioning and Secondary Organic Aerosol Yields, *Environ. Sci. Technol.*, 30, 2580-2585.

Oke, T. R. (1982) The Energetic Basis of the Urban Heat Island, *Quart. J. Royal Meteorol. Soc.*, 108, 1-24.

Pandis, S. N., R. A. Harley, G. R. Cass, and J. H. Seinfeld. (1992) Secondary organic aerosol formation and transport. *Atmos. Environ.*, 26A, 2269-2282.

Panitz, H.-J., K. Nester, and F. Fiedler (1999) Bestimmung der Massenbilanzen chemisch reaktiver Luftschadstoffe in Baden-Württemberg und den Teilregionen, Forschungsbericht FZKA-PEF – Projekt „Europäisches Forschungszentrum für Maßnahmen zur Luftreinhaltung“, Förderkennzeichen: PEF 2 93 002 und PEF 2 95 004, in German.

Platt, U. F., A. M. Winer, H. W. Biermann, R. Atkinson, and J. N. Pitts (1984) Measurement of Nitrate Radical Concentration in Continental Air. *Environ. Sci. Technol.*, 18, 365-369.

Pohjola, M., A. Kousa, P. Aarnio, T. Koskentalo, J. Kukkonen, J. Härkönen, and A. Karppinen (2000) Meteorological interpretation of measured urban PM_{2.5} and PM₁₀ concentrations in the Helsinki metropolitan area. In: Longhurst, J., C. Brebbia, J. Power (Eds.) *Air pollution VIII*. Wessex Institute of Technology Press, Southampton, UK, pp. 689-698.

Prado, J. (1993) Seasonal contrasts of modelled and observed dry deposition velocities of O₃, NO₂ and SO₂ over three surfaces, *Atmos. Environ.* 27, 807-814.

Putaud, J. P., F. Raes, R. Van Dingenen, E. Brüggemann, M.-C. Facchini, S. Decesari, S. Fuzzi, R. Gehrig, C. Hüglin, P. Laj, G. Lorbeer, W. Maenhaut, N. Mihalopoulos, K. Müller, X. Querol, S. Rodriguez, J. Schneider, G. Spindler, H. ten Brink, K. Tørseth and A. Wiedensohler (2004) European aerosol phenomenology-2: chemical characteristics of particulate matter at kerbside, urban, rural and background sites in Europe, *Atmos. Environ.*, 38, 2579-2595.

Rauterberg-Wulff, A. (1998) Beitrag des Reifen- und Bremsenabriebs zur Rußimmission an Straßen, Fortschrittberichte VDI Reihe 15: Umwelttechnik; Nr. 202. VDI-Verlag. Düsseldorf, in German.

Rauterberg-Wulff, A. (2000). Untersuchung über die Bedeutung der Staubaufwirbelung für die PM10-Immission an einer Hauptverkehrsstraße, Im Auftrag der Senatsverwaltung für Stadtentwicklung und Technologie. TU Berlin, Fachgebiet Luftreinhaltung. Berlin, in German.

Reimer, E. and B. Scherer (1992) An operational meteorological diagnostic system for regional air pollution analysis and long term modeling, in Air Pollution Modelling and its Application IX, eds. H. v. Dop and G. Kallos, NATO Challenges of Modern Society, Kluwer Academic/Plenum Publisher, New York.

Reimer, E., A. Kerschbaumer, and M. Beekmann (2004) Source/Receptor-Analyse für Aerosol-Messreihen und Modelloutput auf der Basis von Trajektorien, HOVERT (Sep 2001 – Oct 2002), Bericht zum Workshop: PMx-Quellenidentifizierung: Ergebnisse als Grundlage für Maßnahmenpläne: ed. T. Kuhlbusch, A. John, S. Top (IUTA e.V. Duisburg) Hrsg. Umweltbundesamt, Berlin, pp. 189-199, in German.

Restad, K., I. S. A. Isaksen, and T. K. Berntsen (1998) Global distributions of sulphate in the troposphere, a three-dimensional model study, Atmos. Environ., 32, 3593–3609.

Rodriguez, S., X. Querol, A. Alastney, G. Kallos, O. Kalaliagou (2001) Saharan dust contributions to PM10 and TSP levels in southern and eastern Spain. Atmos. Environ., 35, 2433–2447.

Rogge, W. F., L. M. Hildemann, M. A. Mazurek, G. R. Cass, and B. R. T. Simoneit (1996) Mathematical modeling of atmospheric fine particle-associated primary organic compound concentrations, J. Geophys. Res., 101, 19379–19394.

Römer, M., M. Beekmann, R. Bergström, G. Boersen, H. Feldmann, F. Flatoy, C. Honoré, J. Langner, J. E. Jonson, J. Matthijsen, M. Memmersheimer, D. Simpson, P. Smeets, S. Solberg, R. Stern, D. Stevenson, P. Zandveld, and Z. Zlatev (2003) Ozone trends according to ten dispersion models, EUROTRAC-2 special report, GSF, Munich, Germany.

Schaap, M., M. van Loon, H. M. ten Brink, F. J. Dentener, and P. J. H. Builtjes (2004) Secondary inorganic aerosol simulations for Europe with special attention to nitrate, *Atmos. Chem. Phys.* 4, 857-874.

Schauer, J., M. Kleeman, G. Cass, and B. Simoneit (2001) Measurements of emissions from air pollution sources. 3. C1-C29 organic compounds from fireplace combustion of wood, *Environ. Sci. Tech.*, 35, 1716–1728.

Schell, B., I. J. Ackermann, H. Hass, F. S. Binkowski, and A. Ebel (2001) Modeling the formation of secondary organic aerosol within a comprehensive air quality model system, *J. Geophys. Res.*, 106, 28275–28294.

Schlums, C. (1998) Charakterisierung der Quellgruppenbeiträge zur Immission von Ruß und anderen verkehrsrelevanten Schadstoffen an Hauptverkehrsstraßen, Dissertation, FB 6 - Verfahrenstechnik, Umwelttechnik, Werkstoffwissenschaften; Technische Universität Berlin, in German.

Schütz, L, R. Jaenicke, and H. Pietrek (1981) Saharan dust transport over the North Atlantic Ocean. *Geol. Soc. Am. Special Paper*, 186, 87–100.

Seinfeld, J. and S. N. Pandis (1998) *Atmospheric Chemistry and Physics*, John Wiley and Sons.

Simoneit, B. R. T., J. N. Cardoso, and N. Robinson (1990) An assessment of the origin and composition of higher molecular weight organic matter in aerosols over Amazonia, *Chemosphere*, 21, 1285-1301.

Simpson, D., A. Guenther, C. Nicholas Hewitt, and R. Steinbrecher (1995) Biogenic emissions in Europe 1. Estimates and uncertainties, *J. Geophys. Res.*, 100, 22875-22890.

Simpson, D., W. Winiwarter, G. Börjesson, S. Cinnerby, A. Ferreira, A. Guenther, C. N. Hewitt, R. Janson, M. A. K. Khalil, S. Owen, T. E. Pierce, H. Puxbaum, M. Shearer, U. Skiba, R. Steinbrecher, L. Tarrasón, and M. G. Öquist (1999) Inventorying emissions from nature in Europe, *J. Geophys. Res.* 104, 8113-8152.

Stark, B., H.-J. Abraham, P. Lenschow, M. Lutz, W. Reichenbacher, E. Reimer, B. Scherer (1995) Flugzeug- und Bodenmessungen von Ozon und Vorläuferstoffen zur Abschätzung der Wirksamkeit der emissionsmindernden Maßnahmen im Großraum Berlin/Brandenburg (FLuMOB-Projekt). Abschlußbericht im Auftrag der Senatsverwaltung für Stadtentwicklung und

Umweltschutz, Berlin, und des Ministeriums für Umwelt, Naturschutz und Raumordnung des Landes Brandenburg, Berlin, in German.

Stern, R. (1994) Entwicklung und Anwendung eines dreidimensionalen photochemischen Ausbreitungsmodells mit verschiedenen chemischen Mechanismen, Meteorologische Abhandlungen Serie A, Institut für Meteorologie der Freien Universität Berlin, Bd. 8, in German.

Stern, R. (2003) Entwicklung und Anwendung des chemischen Transportmodells REM/CALGRID. Berichte zum UBA Forschungsvorhaben 298 41 252, Freie Universität Berlin, Institut für Meteorologie, in German.

Stern, R., and A. Kerschbaumer (2004) Aufbereitung der Emissionsdaten Berlin-Brandenburg (Bezugsjahre 2002, 2005, 2010) für das chemische Transportmodell REM-CALGRID –Stand 25. Oktober 2004 -, Bericht zum Vorhaben der Senatsverwaltung für Stadtentwicklung: „Untersuchung des Potentials und der Umsetzbarkeit von Maßnahmen und der damit erzielbaren Minderung der Feinstaub- (PM10) und Stickoxidemission in Berlin“, in German.

Stern, R., R. Yamartino, and A. Graff (2003) Dispersion modelling within the European Community's Air Quality Directives: long term modelling of O₃, PM₁₀ and NO₂, 26th ITM on Air Pollution Modelling and its Application. May 26-30, 2003, Istanbul, Turkey.

Tilmes, S., J. Brand, F. Flatoy, R. Bergström, J. Flemming, J. Langner, J. H. Christensen, L. M. Frohn, Ø. Hov. I. Jacobson, E. Reimer, R. Stern, and J. Zimmermann (2002) Comparison of five eulerian air pollution systems for the summer 1999 using the German ozone monitoring data, *J. Atmos. Chem.*, 42, 91-121.

Tsyro, S. G. (2005). To what extent can aerosol water explain the discrepancy between model calculated and gravimetric PM₁₀ and PM_{2.5}?, *Atmos. Chem. Phys.*, 5, 515-532.

Turpin, B. J., and J. J. Huntzicker (1991) Identification of secondary organic aerosol episodes and quantisation of primary and secondary organic aerosol concentration during SCAQS, *Atmos. Environ.*, 25A, 207-215.

Väkevä, M., K. Hämeri, T. Puhakka, E. D. Nilsson, H. Hohti, and J. M. Mäkelä (2000) Effects of meteorological processes on aerosol particle size distribution in an urban background area, *J. Geophys. Res.*, 105, 9807–9822.

van Loon, M., M. Roemer, and P. J. H. Builtjes (2004) Model Intercomparison in the framework of the review of the Unified EMEP model, TNO-Report R 2004/282.

van Ulden, A. P., and A. A. M. Holtslag (1985) Estimation of Atmospheric Boundary Layer Parameters for Diffusion Applications, *J. Clim. Appl. Meteor.*, 24, 1196-1207.

Vautard, R., B. Bessagnet, M. Chin, and L. Menut (2005) On the contribution of natural Aeolian sources to particulate matter concentrations in Europe: testing hypotheses with a modelling approach, *Atmos. Environ.*, 39, 3291-3303.

Venkatram, A. (1980) Estimating the Monin-Obukhov Length in the Stable Boundary Layer for Dispersion Calculations, *Boundary-Layer Meteorol.*, 19, 481-485.

Vestreng, V. (2003), Review and revision of emissions reported to CLRTAP, EMEP status report July.

Visser, H., E. Buringh, and P. B. Breugel (2001) Composition and origin of airborne particulate matter in the Netherlands, RIVM No. 650010 029, Bilthoven, the Netherlands.

Walcek, C. J. (2000) Minor flux adjustment near mixing ratio extremes for simplified yet highly accurate monotonic calculation of tracer advection, *J. Geophys. Res.*, 105, 9335-9348.

Warneck, P., and C. Wurzinger (1988) Product Quantum Yields for the 305-nm Photodecomposition of NO_3^- in Aqueous Solution, *J. Phys. Chem.*, 92, 6278-6283.

WHO (2000) Air Quality Guidelines - Second Edition, Chapter 7.3 Particulate matter, WHO Regional Office for Europe, Copenhagen, Denmark.

Wieprecht, W., K. Acker, R. Auel, and K. Müller (2001). INTERCOMP2000 Melpitz Intercomparison of PM_{2.5} high volume sampler, *J. Aerosol Sci.*, 32, S1019-S1020.

Wieprecht, W., M. Lutz, A. John, C. Lüdtkke, D. Möller, and K. Acker (2004) PM₁₀ Aerosol mass and composition in and around Berlin (Germany), *J. Aerosol Sci.*, 35, S453-S454.

Yamartino, R. (2003) Refined 3-d Transport and Horizontal Diffusion for the REM/CALGRID Air Quality Model, Abschlussbericht zum Forschungs-

und Entwicklungsvorhaben 298 41 252 des Umweltbundesamts „Modellierung und Prüfung von Strategien zur Verminderung der Belastung durch Ozon“.

Yamartino, R. J., J. S. Scire, G. R. Chameichael, and Y. S. Chang (1992) The CALGRID mesoscale photochemical grid model-I. Model formulation, *Atmos. Environ.*, 26A, 1493-1512.