

6 References

- Abrahams, J.P. and A.G.W. Leslie. 1996. Methods used in the structure determination of bovine mitochondrial F1 ATPase. *Acta Cryst. Section D* **52**: 30-42.
- Ahnert, P. and S.S. Patel. 1997. Asymmetric interactions of hexameric bacteriophage T7 DNA helicase with the 5'- and 3'-tails of the forked DNA substrate. *J Biol Chem* **272**: 32267-32273.
- Allen, G.C., Jr. and A. Kornberg. 1991. Fine balance in the regulation of DnaB helicase by DnaC protein in replication in *Escherichia coli*. *J Biol Chem* **266**: 22096-22101.
- Altschul, S.F., T.L. Madden, A.A. Schaffer, J. Zhang, Z. Zhang, W. Miller, and D.J. Lipman. 1997. Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res* **25**: 3389-3402.
- Ayora, S., A. Stasiak, and J.C. Alonso. 1999. The *Bacillus subtilis* bacteriophage SPP1 G39P delivers and activates the G40P DNA helicase upon interacting with the G38P-bound replication origin. *J Mol Biol* **288**: 71-85.
- Bauer, A., S. Chauvet, O. Huber, F. Usseglio, U. Rothbacher, D. Aragnol, R. Kemler, and J. Pradel. 2000. Pontin52 and reptin52 function as antagonistic regulators of beta-catenin signalling activity. *Embo J* **19**: 6121-6130.
- Bauer, A., O. Huber, and R. Kemler. 1998. Pontin52, an interaction partner of beta-catenin, binds to the TATA box binding protein. *Proc Natl Acad Sci U S A* **95**: 14787-14792.
- Berman, H.M., J. Westbrook, Z. Feng, G. Gilliland, T.N. Bhat, H. Weissig, I.N. Shindyalov, and P.E. Bourne. 2000. The Protein Data Bank. *Nucl. Acids Res.* **28**: 235-242.
- Bienz, M. and H. Clevers. 2000. Linking colorectal cancer to Wnt signaling. *Cell* **103**: 311-320.
- Bochkarev, A., R.A. Pfuetzner, A.M. Edwards, and L. Frappier. 1997. Structure of the single-stranded-DNA-binding domain of replication protein A bound to DNA. *Nature* **385**: 176-181.
- Borowiec, J.A., F.B. Dean, P.A. Bullock, and J. Hurwitz. 1990. Binding and unwinding--how T antigen engages the SV40 origin of DNA replication. *Cell* **60**: 181-184.
- Carlson, M.L., E.T. Wilson, and S.M. Prescott. 2003. Regulation of COX-2 transcription in a colon cancer cell line by Pontin52/TIP49a. *Mol Cancer* **2**: 42.
- Cho, S.G., A. Bhoomik, L. Broday, V. Ivanov, B. Rosenstein, and Z. Ronai. 2001. TIP49b, a regulator of activating transcription factor 2 response to stress and DNA damage. *Mol Cell Biol* **21**: 8398-8413.
- Cole, M.D. 1986. The myc oncogene: its role in transformation and differentiation. *Annu Rev Genet* **20**: 361-384.
- Collaborative Computational Project Number 4, C. 1994. The CCP4 suite: programs for protein crystallography. *Acta Crystallogr., Sect D*, **50**: 760-763.
- Davey, M.J., C. Indiani, and M. O'Donnell. 2003. Reconstitution of the Mcm2-7p heterohexamer, subunit arrangement, and ATP site architecture. *J Biol Chem* **278**: 4491-4499.
- Dugan, K.A., M.A. Wood, and M.D. Cole. 2002. TIP49, but not TRRAP, modulates c-Myc and E2F1 dependent apoptosis. *Oncogene* **21**: 5835-5843.
- Enemark, E.J. and L. Joshua-Tor. 2006. Mechanism of DNA translocation in a replicative hexameric helicase. *Nature* **442**: 270-275.
- Eswar, N., M.A. Mari-Renom, B. Webb, M.S. Madhusudhan, D. Eramian, M. Shen, U. Pieper, and A. Sali. 2000. Comparative Protein Structure Modeling With MODELLER. In *Current Protocols in Bioinformatics*, pp. 5.6.1-5.6.30. John Wiley & Sons, Inc.

- Evan, G.I., A.H. Wyllie, C.S. Gilbert, T.D. Littlewood, H. Land, M. Brooks, C.M. Waters, L.Z. Penn, and D.C. Hancock. 1992. Induction of apoptosis in fibroblasts by c-myc protein. *Cell* **69**: 119-128.
- Feng, Y., N. Lee, and E.R. Fearon. 2003. TIP49 regulates beta-catenin-mediated neoplastic transformation and T-cell factor target gene induction via effects on chromatin remodeling. *Cancer Res* **63**: 8726-8734.
- Filipowicz, W. and V. Pogacic. 2002. Biogenesis of small nucleolar ribonucleoproteins. *Curr Opin Cell Biol* **14**: 319-327.
- Fletcher, R.J., B.E. Bishop, R.P. Leon, R.A. Sclafani, C.M. Ogata, and X.S. Chen. 2003. The structure and function of MCM from archaeal *M. Thermoautotrophicum*. *Nat Struct Biol* **10**: 160-167.
- Fuchs, M., J. Gerber, R. Drapkin, S. Sif, T. Ikura, V. Ogryzko, W.S. Lane, Y. Nakatani, and D.M. Livingston. 2001. The p400 complex is an essential E1A transformation target. *Cell* **106**: 297-307.
- Gai, D., R. Zhao, D. Li, C.V. Finkielstein, and X.S. Chen. 2004. Mechanisms of conformational change for a replicative hexameric helicase of SV40 large tumor antigen. *Cell* **119**: 47-60.
- Gartner, W., J. Rossbacher, B. Zierhut, T. Daneva, W. Base, M. Weissel, W. Waldhausl, M.S. Pasternack, and L. Wagner. 2003. The ATP-dependent helicase RUVBL1/TIP49a associates with tubulin during mitosis. *Cell Motil Cytoskeleton* **56**: 79-93.
- Gohshi, T., M. Shimada, S. Kawahire, N. Imai, T. Ichimura, S. Omata, and T. Horigome. 1999. Molecular cloning of mouse p47, a second group mammalian RuvB DNA helicase-like protein: homology with those from human and *Saccharomyces cerevisiae*. *J Biochem (Tokyo)* **125**: 939-946.
- Gorynia, S., P.M. Matias, S. Gonçalves, R. Coelho, M. Thomaz, B. Haendler, P. Donner, and M.A. Carrondo. 2006. Expression, purification, crystallization and preliminary X-ray analysis of the human RuvB-like protein RuvBL1. *Acta Crystallogr. F* **62**: 61-66.
- He, T.C., A.B. Sparks, C. Rago, H. Hermeking, L. Zawel, L.T. da Costa, P.J. Morin, B. Vogelstein, and K.W. Kinzler. 1998. Identification of c-MYC as a target of the APC pathway. *Science* **281**: 1509-1512.
- Hishida, T., Y.W. Han, S. Fujimoto, H. Iwasaki, and H. Shinagawa. 2004. Direct evidence that a conserved arginine in RuvB AAA+ ATPase acts as an allosteric effector for the ATPase activity of the adjacent subunit in a hexamer. *Proc Natl Acad Sci U S A* **101**: 9573-9577.
- Holm, L. and C. Sander. 1993. Protein structure comparison by alignment of distance matrices. *J Mol Biol* **233**: 123-138.
- Holzmann, K., C. Gerner, T. Korosec, A. Poltl, R. Grimm, and G. Sauermaun. 1998. Identification and characterisation of the ubiquitously occurring nuclear matrix protein NMP 238. *Biochem Biophys Res Commun* **252**: 39-45.
- Hubbard, S.J. and J.M. Thornton. 1993a. NACCESS. Department of Biochemistry and Molecular Biology, University College, London.
- Hubbard, S.J. and J.M. Thornton. 1993b. 'NACCESS' Computer Program. Department of Biochemistry and Molecular Biology, University College, London.
- Ikura, T., V.V. Ogryzko, M. Grigoriev, R. Groisman, J. Wang, M. Horikoshi, R. Scully, J. Qin, and Y. Nakatani. 2000. Involvement of the TIP60 histone acetylase complex in DNA repair and apoptosis. *Cell* **102**: 463-473.
- Jin, J., Y. Cai, B. Li, R.C. Conaway, J.L. Workman, J.W. Conaway, and T. Kusch. 2005a. In and out: histone variant exchange in chromatin. *Trends Biochem Sci* **30**: 680-687.

- Jin, J., Y. Cai, T. Yao, A.J. Gottschalk, L. Florens, S.K. Swanson, J.L. Gutierrez, M.K. Coleman, J.L. Workman, A. Mushegian, M.P. Washburn, R.C. Conaway, and J.W. Conaway. 2005b. A mammalian chromatin remodeling complex with similarities to the yeast INO80 complex. *J Biol Chem* **280**: 41207-41212.
- Jones, T.A., J.Y. Zou, S.W. Cowan, and M. Kjeldgaard. 1991. Improved methods for building protein models in electron density maps and the location of errors in these models. *Acta Crystallogr. A* **47**: 110-119.
- Jonsson, Z.O., S.K. Dhar, G.J. Narlikar, R. Auty, N. Wagle, D. Pellman, R.E. Pratt, R. Kingston, and A. Dutta. 2001. Rvb1p and Rvb2p are essential components of a chromatin remodeling complex that regulates transcription of over 5% of yeast genes. *J Biol Chem* **276**: 16279-16288.
- Jonsson, Z.O., S. Jha, J.A. Wohlschlegel, and A. Dutta. 2004. Rvb1p/Rvb2p recruit Arp5p and assemble a functional Ino80 chromatin remodeling complex. *Mol Cell* **16**: 465-477.
- Kabsch, W. 1993. Automatic processing of rotation diffraction data from crystals of initially unknown symmetry and cell constants. *J. Appl. Cryst.* **26**: 795-800.
- Kanemaki, M., Y. Kurokawa, T. Matsu-ura, Y. Makino, A. Masani, K. Okazaki, T. Morishita, and T.A. Tamura. 1999. TIP49b, a new RuvB-like DNA helicase, is included in a complex together with another RuvB-like DNA helicase, TIP49a. *J Biol Chem* **274**: 22437-22444.
- Kanemaki, M., Y. Makino, T. Yoshida, T. Kishimoto, A. Koga, K. Yamamoto, M. Yamamoto, V. Moncollin, J.M. Egly, M. Muramatsu, and T. Tamura. 1997. Molecular cloning of a rat 49-kDa TBP-interacting protein (TIP49) that is highly homologous to the bacterial RuvB. *Biochem Biophys Res Commun* **235**: 64-68.
- Kaplan, D.L. and T.A. Steitz. 1999. DnaB from *Thermus aquaticus* unwinds forked duplex DNA with an asymmetric tail length dependence. *J Biol Chem* **274**: 6889-6897.
- Kawasaki, H., L. Schiltz, R. Chiu, K. Itakura, K. Taira, Y. Nakatani, and K.K. Yokoyama. 2000. ATF-2 has intrinsic histone acetyltransferase activity which is modulated by phosphorylation. *Nature* **405**: 195-200.
- Kawasaki, H., J. Song, R. Eckner, H. Ugai, R. Chiu, K. Taira, Y. Shi, N. Jones, and K.K. Yokoyama. 1998. p300 and ATF-2 are components of the DRF complex, which regulates retinoic acid- and E1A-mediated transcription of the c-jun gene in F9 cells. *Genes Dev* **12**: 233-245.
- Kim, J.H., H.J. Choi, B. Kim, M.H. Kim, J.M. Lee, I.S. Kim, M.H. Lee, S.J. Choi, K.I. Kim, S.I. Kim, C.H. Chung, and S.H. Baek. 2006. Roles of sumoylation of a reptin chromatin-remodelling complex in cancer metastasis. *Nat Cell Biol* **8**: 631-639.
- King, T.H., W.A. Decatur, E. Bertrand, E.S. Maxwell, and M.J. Fournier. 2001. A well-connected and conserved nucleoplasmic helicase is required for production of box C/D and H/ACA snoRNAs and localization of snoRNP proteins. *Mol Cell Biol* **21**: 7731-7746.
- Kolligs, F.T., M.T. Nieman, I. Winer, G. Hu, D. Van Mater, Y. Feng, I.M. Smith, R. Wu, Y. Zhai, K.R. Cho, and E.R. Fearon. 2002. ITF-2, a downstream target of the Wnt/TCF pathway, is activated in human cancers with beta-catenin defects and promotes neoplastic transformation. *Cancer Cell* **1**: 145-155.
- Konarev, P.V., V.V. Volkov, A.V. Sokolova, M.H.J. Koch, and D.I. Svergun. 2003. A Windows PC-based system for small-angle scattering data analysis. *Journal of Applied Crystallography* **36**: 1277-1282.
- Kouzarides, T. 2007. Chromatin modifications and their function. *Cell* **128**: 693-705.
- Kusch, T., L. Florens, W.H. Macdonald, S.K. Swanson, R.L. Glaser, J.R. Yates, 3rd, S.M. Abmayr, M.P. Washburn, and J.L. Workman. 2004. Acetylation by Tip60 is required for selective histone variant exchange at DNA lesions. *Science* **306**: 2084-2087.

- La Fortelle, E.d. and G. Bricogne. 1997. Maximum-Likelihood Heavy-Atom Parameter Refinement for the Multiple Isomorphous Replacement and Multiwavelength Anomalous Diffraction Methods. *276*: 472-494.
- Lamzin, V.S. and K.S. Wilson. 1993. Automated refinement of protein models. *Acta Crystallogr D Biol Crystallogr* **49**: 129-147.
- Laskowski, R.A., M.W. MacArthur, D.S. Moss, and J.M. Thornton. 1993. PROCHECK - a program to check the stereochemical quality of proteins. *J Appl Crystallogr* **26**: 283-291.
- Lauscher, J.C., C. Loddenkemper, L. Kosel, J. Grone, H.J. Buhr, and O. Huber. 2007. Increased pntin expression in human colorectal cancer tissue. *Hum Pathol* **38**: 978-985.
- Lenzen, C.U., D. Steinmann, S.W. Whiteheart, and W.I. Weis. 1998. Crystal structure of the hexamerization domain of N-ethylmaleimide-sensitive fusion protein. *Cell* **94**: 525-536.
- Leslie, A.G.W. 1992. Recent changes to the MOSFLM package for processing film and image plate data. In *CCP4 and ESF-EACMB Newsletter on Protein Crystallography*.
- Li, D., R. Zhao, W. Lilyestrom, D. Gai, R. Zhang, J.A. DeCaprio, E. Fanning, A. Jochimiak, G. Szakonyi, and X.S. Chen. 2003. Structure of the replicative helicase of the oncoprotein SV40 large tumour antigen. *Nature* **423**: 512-518.
- Li, L.H., C. Nerlov, G. Prendergast, D. MacGregor, and E.B. Ziff. 1994. c-Myc represses transcription in vivo by a novel mechanism dependent on the initiator element and Myc box II. *Embo J* **13**: 4070-4079.
- Lim, C.R., Y. Kimata, H. Ohdate, T. Kokubo, N. Kikuchi, T. Horigome, and K. Kohno. 2000. The *Saccharomyces cerevisiae* RuvB-like protein, Tih2p, is required for cell cycle progression and RNA polymerase II-directed transcription. *J Biol Chem* **275**: 22409-22417.
- Makino, Y., M. Kanemaki, Y. Kurokawa, T. Koji, and T. Tamura. 1999. A rat RuvB-like protein, TIP49a, is a germ cell-enriched novel DNA helicase. *J Biol Chem* **274**: 15329-15335.
- Makino, Y., T. Mimori, C. Koike, M. Kanemaki, Y. Kurokawa, S. Inoue, T. Kishimoto, and T. Tamura. 1998. TIP49, homologous to the bacterial DNA helicase RuvB, acts as an autoantigen in human. *Biochem Biophys Res Commun* **245**: 819-823.
- Mancini, E.J., D.E. Kainov, J.M. Grimes, R. Tuma, D.H. Bamford, and D.I. Stuart. 2004. Atomic snapshots of an RNA packaging motor reveal conformational changes linking ATP hydrolysis to RNA translocation. *Cell* **118**: 743-755.
- Mezard, C., H. George, A.A. Davies, A.J. van Gool, D. Zerbib, A. Stasiak, and S.C. West. 1999. *Escherichia coli* RuvBL268S: a mutant RuvB protein that exhibits wild-type activities in vitro but confers a UV-sensitive *ruv* phenotype in vivo. *Nucleic Acids Res* **27**: 1275-1282.
- Mitchell, A.H. and S.C. West. 1994. Hexameric rings of *Escherichia coli* RuvB protein. Cooperative assembly, processivity and ATPase activity. *J Mol Biol* **243**: 208-215.
- Mizuguchi, G., X. Shen, J. Landry, W.H. Wu, S. Sen, and C. Wu. 2004. ATP-driven exchange of histone H2AZ variant catalyzed by SWR1 chromatin remodeling complex. *Science* **303**: 343-348.
- Murshudov, G.N., A.A. Vagin, and E.J. Dodson. 1997. Refinement of Macromolecular Structures by the Maximum-Likelihood Method. *Acta Crystallogr. Sect. D* **53**: 240-255.
- Neuwald, A.F., L. Aravind, J.L. Spouge, and E.V. Koonin. 1999. AAA+: A class of chaperone-like ATPases associated with the assembly, operation, and disassembly of protein complexes. *Genome Res* **9**: 27-43.

- Nieden zu, T., D. Roleke, G. Bains, E. Scherzinger, and W. Saenger. 2001. Crystal structure of the hexameric replicative helicase RepA of plasmid RSF1010. *J Mol Biol* **306**: 479-487.
- Niwa, H., D. Tsuchiya, H. Makyio, M. Yoshida, and K. Morikawa. 2002. Hexameric ring structure of the ATPase domain of the membrane-integrated metalloprotease FtsH from *Thermus thermophilus* HB8. *Structure (Camb)* **10**: 1415-1423.
- Ogura, T. and A.J. Wilkinson. 2001. AAA+ superfamily ATPases: common structure--diverse function. *Genes Cells* **6**: 575-597.
- Otwinowski, Z. and W. Minor. 1997. Processing of x-ray diffraction data collected in oscillation mode. *Methods Enzymol.* **276**: 307-326.
- Pape, T., H. Meka, S. Chen, G. Vicentini, M. van Heel, and S. Onesti. 2003. Hexameric ring structure of the full-length archaeal MCM protein complex. *EMBO Rep* **4**: 1079-1083.
- Pape, T. and T.R. Schneider. 2004. HKL2MAP: a graphical user interface for macromolecular phasing with SHELX programs. *J. Appl. Cryst.* **37**: 843-844.
- Parusel, C.T., E.A. Kritikou, M.O. Hengartner, W. Krek, and M. Gotta. 2006. URI-1 is required for DNA stability in *C. elegans*. *Development* **133**: 621-629.
- Peifer, M. and P. Polakis. 2000. Wnt signaling in oncogenesis and embryogenesis--a look outside the nucleus. *Science* **287**: 1606-1609.
- Penn, L.J., M.W. Brooks, E.M. Laufer, and H. Land. 1990. Negative autoregulation of c-myc transcription. *Embo J* **9**: 1113-1121.
- Perrakis, A., R. Morris, and V.S. Lamzin. 1999. Automated protein model building combined with iterative structure refinement. *Nat Struct Biol* **6**: 458-463.
- Petoukhov, M.V. and D.I. Svergun. 2005. Global rigid body modeling of macromolecular complexes against small-angle scattering data. *Biophys J* **89**: 1237-1250.
- Philippsen, A. 2002. DINO: Visualizing Structural Biology. <http://www.dino3d.org>.
- Puri, T., P. Wendler, B. Sigala, H. Saibil, and I.R. Tsaneva. 2007. Dodecameric structure and ATPase activity of the human TIP48/TIP49 complex. *J Mol Biol* **366**: 179-192.
- Putnam, C.D., S.B. Clancy, H. Tsuruta, S. Gonzalez, J.G. Wetmur, and J.A. Tainer. 2001. Structure and mechanism of the RuvB Holliday junction branch migration motor. *J Mol Biol* **311**: 297-310.
- Qiu, X.B., Y.L. Lin, K.C. Thome, P. Pian, B.P. Schlegel, S. Weremowicz, J.D. Parvin, and A. Dutta. 1998. An eukaryotic RuvB-like protein (RUVBL1) essential for growth. *J Biol Chem* **273**: 27786-27793.
- Rappas, M., J. Schumacher, H. Niwa, M. Buck, and X. Zhang. 2006. Structural basis of the nucleotide driven conformational changes in the AAA+ domain of transcription activator PspF. *J Mol Biol* **357**: 481-492.
- Rottbauer, W., A.J. Saurin, H. Lickert, X. Shen, C.G. Burns, Z.G. Wo, R. Kemler, R. Kingston, C. Wu, and M. Fishman. 2002. Reptin and pontin antagonistically regulate heart growth in zebrafish embryos. *Cell* **111**: 661-672.
- Roussel, A., J.C. Fontecilla-Camps, and C. Cambillau. 1990. TURBO-FRODO: a new program for protein crystallography and modelling. . In *XV IUCr Congress*, pp. 66-67., Bordeaux, France.
- Salzer, U., M. Kubicek, and R. Prohaska. 1999. Isolation, molecular characterization, and tissue-specific expression of ECP-51 and ECP-54 (TIP49), two homologous, interacting erythroid cytosolic proteins. *Biochim Biophys Acta* **1446**: 365-370.
- Samuelson, A.V., M. Narita, H.M. Chan, J. Jin, E. de Stanchina, M.E. McCurrach, M. Fuchs, D.M. Livingston, and S.W. Lowe. 2005. p400 is required for E1A to promote apoptosis. *J Biol Chem* **280**: 21915-21923.
- Sanner, M.F., A.J. Olson, and J.C. Spehner. 1996. Reduced surface: an efficient way to compute molecular surfaces. *Biopolymers* **38**: 305-320.

- Schiltz, R.L. and Y. Nakatani. 2000. The PCAF acetylase complex as a potential tumor suppressor. *Biochim Biophys Acta* **1470**: M37-53.
- Schneider, T.R. and G.M. Sheldrick. 2002. Substructure solution with SHELXD. *Acta Crystallogr. D Biol. Crystallogr.* **58**: 1772-1779.
- Schomaker, V. and K.N. Trueblood. 1968. On the rigid-body motion of molecules in crystals. *Acta Crystallogr. B* **24**: 63-76.
- Schwacha, A. and S.P. Bell. 2001. Interactions between two catalytically distinct MCM subgroups are essential for coordinated ATP hydrolysis and DNA replication. *Mol Cell* **8**: 1093-1104.
- Sheldrick, G.M. 2002. Macromolecular phasing with SHELXE. *Z. Kristallogr.* **217**: 644-650.
- Shen, X., G. Mizuguchi, A. Hamiche, and C. Wu. 2000. A chromatin remodelling complex involved in transcription and DNA processing. *Nature* **406**: 541-544.
- Shtutman, M., J. Zhurinsky, I. Simcha, C. Albanese, M. D'Amico, R. Pestell, and A. Ben-Ze'ev. 1999. The cyclin D1 gene is a target of the beta-catenin/LEF-1 pathway. *Proc Natl Acad Sci U S A* **96**: 5522-5527.
- Sigala, B., M. Edwards, T. Puri, and I.R. Tsaneva. 2005. Relocalization of human chromatin remodeling cofactor TIP48 in mitosis. *Exp Cell Res* **310**: 357-369.
- Singleton, M.R., M.R. Sawaya, T. Ellenberger, and D.B. Wigley. 2000. Crystal structure of T7 gene 4 ring helicase indicates a mechanism for sequential hydrolysis of nucleotides. *Cell* **101**: 589-600.
- Stone, J., T. de Lange, G. Ramsay, E. Jakobovits, J.M. Bishop, H. Varmus, and W. Lee. 1987. Definition of regions in human c-myc that are involved in transformation and nuclear localization. *Mol Cell Biol* **7**: 1697-1709.
- Storoni, L.C., A.J. McCoy, and R.J. Read. 2004. Likelihood-enhanced fast rotation functions. *Acta Crystallogr D Biol Crystallogr* **60**: 432-438.
- Struhl, K. 1998. Histone acetylation and transcriptional regulatory mechanisms. *Genes Dev* **12**: 599-606.
- Sullivan, C.S. and J.M. Pipas. 2002. T antigens of simian virus 40: molecular chaperones for viral replication and tumorigenesis. *Microbiol Mol Biol Rev* **66**: 179-202.
- Svergun, D.I. 1999. Restoring low resolution structure of biological macromolecules from solution scattering using simulated annealing. *Biophys J* **76**: 2879-2886.
- Svergun, D.I. and M.H. Koch. 2002. Advances in structure analysis using small-angle scattering in solution. *Curr Opin Struct Biol* **12**: 654-660.
- Tetsu, O. and F. McCormick. 1999. Beta-catenin regulates expression of cyclin D1 in colon carcinoma cells. *Nature* **398**: 422-426.
- Tsaneva, I.R., B. Muller, and S.C. West. 1993. RuvA and RuvB proteins of Escherichia coli exhibit DNA helicase activity in vitro. *Proc. Natl. Acad. Sci. U.S.A.* **90**: 1315-1319.
- Ustav, M., E. Ustav, P. Szymanski, and A. Stenlund. 1991. Identification of the origin of replication of bovine papillomavirus and characterization of the viral origin recognition factor E1. *EMBO J.* **10**: 4321-4329.
- Walker, J.E., M. Saraste, M.J. Runswick, and N.J. Gay. 1982. Distantly related sequences in the alpha- and beta-subunits of ATP synthase, myosin, kinases and other ATP-requiring enzymes and a common nucleotide binding fold. *Embo J* **1**: 945-951.
- Watkins, N.J., I. Lemm, D. Ingelfinger, C. Schneider, M. Hossbach, H. Urlaub, and R. Lührmann. 2004. Assembly and maturation of the U3 snoRNP in the nucleoplasm in a large dynamic multiprotein complex. *Mol Cell* **16**: 789-798.
- Weiske, J. and O. Huber. 2005. The histidine triad protein Hint1 interacts with Pontin and Reptin and inhibits TCF-beta-catenin-mediated transcription. *J Cell Sci* **118**: 3117-3129.
- Wood, M.A., S.B. McMahon, and M.D. Cole. 2000. An ATPase/helicase complex is an essential cofactor for oncogenic transformation by c-Myc. *Mol. Cell.* **5**: 321-330.

- Workman, J.L. and R.E. Kingston. 1998. Alteration of nucleosome structure as a mechanism of transcriptional regulation. *Annu Rev Biochem* **67**: 545-579.
- Yamada, K., N. Kunishima, K. Mayanagi, T. Ohnishi, T. Nishino, H. Iwasaki, H. Shinagawa, and K. Morikawa. 2001. Crystal structure of the Holliday junction migration motor protein RuvB from *Thermus thermophilus* HB8. *Proc. Natl. Acad. Sci. U.S.A.* **98**: 1442-1447.
- Yao, N., L. Coryell, D. Zhang, R.E. Georgescu, J. Finkelstein, M.M. Coman, M.M. Hingorani, and M. O'Donnell. 2003. Replication factor C clamp loader subunit arrangement within the circular pentamer and its attachment points to proliferating cell nuclear antigen. *J Biol Chem* **278**: 50744-50753.
- Yu, X., M.M. Hingorani, S.S. Patel, and E.H. Egelman. 1996. DNA is bound within the central hole to one or two of the six subunits of the T7 DNA helicase. *Nat Struct Biol* **3**: 740-743.