

## 9 Literverzeichnis

ABDEL-GHANY M., H.-C. CHENG, R. C. ELBLE, H. LIN, J. DIBAISIO u. B. U. PAULI (2003):

The interacting binding domains of the  $\beta_4$ -integrin and calcium-activated chloride channels (CLCAs) in metastasis

J. Biol. Chem. 278, 49406-49416

ABDEL-GHANY M., H.-C. CHENG, R. C. ELBLE u. B. U. PAULI (2001):

The breast cancer  $\beta_4$ -integrin and endothelial hCLCA2 mediate lung metastasis

J. Biol. Chem. 276, 25438-25446

ABDEL-GHANY M., H.-C. CHENG, R. C. ELBLE u. B. U. PAULI (2002):

Focal adhesion kinase activated by a  $\beta_4$ -integrin ligation to mCLCA1 mediates early metastatic growth

J. Biol. Chem. 277, 34391-34400

AGNEL M., T. VERMAT, J.-M. CULOUSCOU (1999):

Identification of three novel members of the calcium-dependent chloride channel (CaCC) family predominantly expressed in the digestive tract and trachea

FEBS Lett. 455, 295-301

AKABAS M. H. (2000):

Cystic fibrosis transmembrane conductance regulator: structure and function of an epithelial chloride channel

J. Biol. Chem. 275, 3729-3732

ANDERSON M. P. u. M. J. WELSH (1991):

Calcium and cAMP activate different chloride channels in the apical membrane of normal and cystic fibrosis epithelia

Proc. Natl. Acad. Sci. USA 88, 6003-6007

ANDERSON M. P., D. P. RICH, R. J. GREGORY, A. E. SMITH u. M. J. WELSH (1991):

Generation of cAMP-activated chloride currents by expression of CFTR

Science 251, 679-682

ANTON F., I. LEVERKOEHNE, L. MUNDHENK u. A.D. GRUBER (2005):

Overexpression of eCLCA1 in small airways of horses with recurrent airway obstruction

J. Histochem. Cytochem. 53, 1011-1021

BARASCH J., B. KISS, A. PRINCE, L. SAIMAN, D. GRUENERT u. Q. AL-AWQATI (1991):

Defective acidification of intracellular organelles in cystic fibrosis  
Nature 352, 70-73

BEAR C. E., C. LI, N. KARTNER, R. J. BRIDGES, T. J. JENSEN, M. RAMJEESINGH u. J. R. RIORDAN (1992):

Purification and functional reconstitution of the cystic fibrosis conductance regulator (CFTR)  
Cell 68, 809-818

BEAR C. E., F. DUGUAY, A. L. NAYSMITH, N. KARTNER, J. W. HANRAHAN u. J. R. RIORDAN (1991):

Cl<sup>-</sup> channel activity in Xenopus oocytes expressing the cystic fibrosis gene  
J. Biol. Chem. 266, 19142-19145

BECKLEY J. R., B. U. PAULI u. R. C. ELBLE (2004):

Re-expression of detachment-inducible chloride channel mCLCA5 suppresses growth of metastatic breast cancer cells

J. Biol. Chem. 279, 41634-41641

BERGER A. L., M. IKUMA u. M. J. WELSH (2005):

Normal gating of CFTR requires ATP binding to both nucleotide binding-domains and hydrolysis at the second nucleotide-binding domain

Proc. Natl. Acad. Sci. USA 102, 455-460

BERGER H. A., M. P. ANDERSON, R. J. GREGORY, S. THOMPSON, P. W. HOWARD, R. A. MAURER, R. MULLIGAN, A. E. SMITH u. M. J. WELSH (1991):

Identification and regulation of the cystic fibrosis transmembrane conductance regulator-generated chloride channel

J. Clin. Invest. 88, 1422-1431

BERSCHNEIDER H. M., M. R. KNOWLES, R. G. AZIZKHAN, R. C. BOUCHER, N. A. TOBEY, R. C. ORLANDO u. D. W. POWELL (1988):

Altered intestinal chloride transport in cystic fibrosis

FASEB J. 2, 2625-2629

BLAISDELL C. J., T. D. HOWARD, A. STERN, P. BAMFORD, E. R. BLEECKER u. O. C. STINE (2004):

ClC-2 single nucleotide polymorphisms (SNPs) as potential modifiers of cystic fibrosis disease severity

BMC Medical Genet. 5, 26

BLEICH E.-M. (2004):

Charakterisierung von Chloridströmen über das proximale Kolon bei *Cftr*<sup>TgH(neoim)1Hgu</sup> congenen Mäusen

Hannover, Stiftung Tierärztl. Hochschule Hann., Diss.

BÖHME M., M. DIENER u. W. RUMMEL (1991):

Calcium-and cyclic AMP-mediated secretory responses in isolated colonic crypts

Pflügers Arch. 419, 144-151

BÖSL M. R., V. STEIN, C. HÜBNER, A. A. ZDEBIK, S.-E. JORDT, A. K.

MUKHOPADHYAY, M. S. DAVIDOFF, A.-F. HOLSTEIN u. T. J. JENTSCH (2001):

Male germ cells and photoreceptors, both dependent on close cell-cell interactions, degenerate upon ClC-2 Cl<sup>-</sup> channel disruption

EMBO J. 20, 1289-1299

BOUCHER R. C., E. H. C. CHENG, A. M. PARADISO, M. J. STUTTS, M. R. KNOWLES u. H. S. EARP (1989):

Chloride secretory response of cystic fibrosis human airway epithelia

J. Clin. Invest. 84, 1424-1431

BOUCHER R. C., M. J. STUTTS, M. R. KNOWLES, L. CANTLEY u. J. T. GATZY (1986): Na<sup>2+</sup>-transport in cystic fibrosis epithelia. Abnormal basal rate and response to adenylate cyclase activity

J. Clin. Invest. 78, 1245-1252

BRADBURY N. A., J. A. COHN, C. J. VENGLARIK u. R. J. BRIDGES (1994):

Biochemical and biophysical identification of cystic fibrosis transmembrane conductance regulator chloride channels as components of endocytic clathrin-coated vesicles

J. Biol. Chem. 269, 8269-8302

BRADBURY N.A. (1999):

Intracellular cftr: localization and function

Physiol. Rev. 79, 175-191

BRAUNSTEIN G. M., R. M. ROMANS, J. P. CLANCY, B. A. KUDLOW, A. L. TAYLOR, V. G. SHYLONSKY, B. JOVOV, K. PETER, T. JILLING, I. I. ISMAILOV, D. J. BENOS, L. M. SCHWIEBERT, J. G. FITZ u. E. M. SCHWIEBERT (2001):

Cystic fibrosis transmembrane conductance regulator facilitates ATP release by stimulating a separate ATP release channel for autocrine control of cell volume regulation

J. Biol. Chem. 276, 6621-6630

- BRONSVELD I., F. MEKUS, J. BIJMAN, M. BALLMANN, J. GREIPEL, J. HUNDRIESER, D. J. HALLEY, U. LAABS, R. BUSCHE, H. R. DE JONGE, B. TÜMMLER u. H. J. VEEZE (2000):  
Residual chloride secretion in intestinal tissue of  $\Delta F508$  homozygous twins and siblings with cystic fibrosis. The European CF twin and sibling study consortium  
*Gastroenterology* 119, 32-40
- BRONSVELD I., F. MEKUS, J. BIJMAN, M. BALLMAN, H.R. DE JONGE, U. LAABS, D.J. HALLEY, H. ELLEMUNTER, G. MASTELLA, S. THOMAS, H.J. VEEZE u. B. TUEMMLER (2001):  
Chloride conductance and genetic background modulate the cystic fibrosis phenotype of  $\Delta F508$  homozygous twins and siblings  
*J. Clin. Invest.* 108, 1705-1715
- BUSTIN S. A.(2000):  
Absolute quantification of mRNA using real-time reverse transcription polymerase chain reaction assays  
*J. Mol. Endocrinol.* 25, 169-193
- BUSTIN S. A., S. R. LI u. S. DORUDI (2001):  
Expression of the  $Ca^{2+}$ -activated chloride channel genes CLCA1 and CLCA2 is downregulated in human colorectal cancer  
*DNA Cell. Biol.* 20, 331-338
- CHANG X. B., Y. X. HOU, T. J. JENSEN u. J. R. RIORDAN (1994):  
Mapping of cystic fibrosis transmembrane conductance regulator membrane topology by glycosylation site insertion  
*J. Biol. Chem.* 269, 18527-18525
- CHARIZOPOULOU N., S. JANSEN, M. DORSCH, F. STANKE, J. R. DORIN, H.-J. HEDRICH u. B. TUEMMLER (2004):  
Instability of the insertional mutation in  $Cftr^{TgH(neoim)Hgu}$  cystic fibrosis mouse model  
*BMC Genet.* 5, 6
- CHEN T. Y. u. C. MILLER (1996):  
Nonequilibrium gating and voltage dependence of the ClC-0  $Cl^-$  channel  
*J. Gen. Physiol.* 108, 237-250
- C. R. O'RIORDAN u. A. E. SMITH (1990):  
Defective intracellular transport and processing of cftr is the molecular basis of most cystic fibrosis  
*Cell* 63, 827-834

CHUNG C., I. FANG, V. NGUYEN, C. LUK, G. KENT u. R. ROZMAHEL (2001):  
Investigation of mCLCA3 as a modifier of CF lung disease in mice  
Pediatr. Pulm. (Suppl.) 22, A125

CLAIN J., J. FRITSCH, J. LEHMANN-CHE, M. BALI, N. AROUS, M. GOOSSENS, A. EDELMANN u. P. FANEN (2001):  
Two mild cystic fibrosis-associated mutations result in severe cystic fibrosis when combined in cis and reveal a residue important for cystic fibrosis transmembrane conductance regulator processing and function  
J. Biol. Chem. 276, 9045-9049

CLARKE L.L., L. R. GAWENIS, E. M. BRADFORD, L. M. JUDD, K. T. BOYLE, J. E. SIMPSON, G. E. SHULL, H. TANABE, A. J. OUELLETTE, C. L. FRANKLIN u. N. M. WALKER (2004):  
Abnormal paneth cell granule dissolution and compromised resistance to bacterial colonization in the intestine of cf mice  
Am. J. Physiol.- Gastr. Liver P. 286, 1050-1058

CLARKE L. L., B. R. GRUBB, J. R. YANKASKAS, C. U. COTTON, A. MC KENZIE u. R. C. BOUCHER (1994):  
Relationship of a non-CFTR mediated chloride conductance to organ-level disease in cftr (-/-) mice  
Proc. Natl. Acad. Sci. USA 91, 479-483

CLARKE L. L., L. R. GAWENIS, C. L. FRANKLIN u. M. C. HARLINE (1996):  
Increased survival of CFTR knockout mice with an oral osmotic laxative  
Lab. Anim. Sci. 46, 612-618

CLIFF W. H. u. R. A. FRIZELL (1990):  
Separate Cl<sup>-</sup>-conductances activated by cAMP and Ca<sup>2+</sup> in Cl<sup>-</sup>-secreting epithelial cells  
Proc. Natl. Acad. Sci. USA 87, 4956-4960

CLIFF W. H., R. A. SCHOUUMACHER u. R. A. FRIZELL (1992):  
cAMP-activated Cl channels in CFTR-transfected cystic fibrosis pancreatic epithelial cells  
Am. J. Physiol.-Cell P. 262, 1154-1160

CONNON C. J., K. YAMASAKI, S. KAWASAKI, A. J. QUANTOCK, N. KOIZUMI u. S. KINOSHITA (2004):  
Calcium-activated chloride channel-2 in human epithelia  
J. Histochem. Cytochem. 52, 415-418

CONNON C. J., S. KAWASAKI, K. YAMASAKI, A. J. QUANTOCK u. S. KINOSHITA (2005):

The quantification of hCLCA2 and colocalisation with integrin  $\beta 4$  in stratified human epithelia

Acta Histochem. 106, 421-425

CORMET-BOYAKA E., A. DI, S. Y. CHANG, A.P.NAREN, A. TOUSSON, D. J. NELSON u. K. L. KIRK (2002):

CFTR chloride channels are regulated by a SNAP-23/syntaxin 1A complex

Proc. Natl. Acad. Sci. USA 99, 12477-12482

CRAWFORD I., P., C. MALONEY, P. L. ZEITLIN, W. B. GUGGINO, S. C. HYDE, H. TURLEY, K. C. GATTER, A. HARRIS u. C. F. HIGGINS (1991):

Immunocytochemical localization of the cystic fibrosis gene product cftr

Proc. Natl. Acad. Sci. USA 88, 9262-9266

CUNNINGHAM S. A., M. S. AWAYDA, J. K. BUBIEN, I. I. ISMAILOV, M. P. ARRATE, B. K. BERDIEV, D. J. BENOS u. C. M. FULLER (1995):

Cloning of an epithelial chloride channel from bovine trachea

J. Biol. Chem. 270, 31016-31025

CUTHBERT A. W., L. J. MAC VINISH, M. E. HICKMAN, R. RATCLIFF, W. H. COLLEDGE u. M. J. EVANS (1994):

Ion-transporting activity in the murine colonic epithelium of normal animals and animals with cystic fibrosis

Pflügers Arch. 428, 508-515

D'ANGLEMENT DE TASSIGNY A., R. SOUKTANI, B. GHALEH, P. HENRY u. A. BERDEAUX (2003) :

Structure and Pharmacology of swelling-sensitive chloride channels,  $I_{Cl,swell}$

Fund. Clin. Pharm. 17, 539-553

DORIN J. R., B. J. STEVENSON, S. FLEMING, E. W. ALTON, P. DICKINSON u. D. J. PORTEUS (1994):

Long-term survival of the exon 10 insertional mutant mouse is a consequence of low level residual wild-type cftr gene expression

Mamm. Genome 5, 465-472

DORIN J. R., P. DICKINSON, E. W. ALTON, S. N. SMITH, D. M. GEDDES, B. J. SREVENSON, W. L. KIMBER, S. FLEMING, A. R. CLARKE, M. L. HOOPER, L. ANDERSON, R. S. P. BEDDINGTON u. D. J. PORTEOUS (1992):

Cystic fibrosis in the mouse by targeted insertional mutagenesis

Nature 359, 211-215

DORK T., U. WULBRAND, T. RICHTER, T. NEUMANN, H. WOLFES, B. WULF, G. MAASS u. B. TUEMMLER (1991):

Cystic fibrosis with three mutations in the cystic fibrosis conductance regulator gene  
Hum. Genet. 87, 441-446

DRUML M. L. (2001):

Modifier genes and variation in cystic fibrosis  
Respir. Res. 2, 125-128

DUAN D., C. WINTER, S. COWLEY, J. R. HUME u. B. HOROWITZ (1997):

Molecular identification of a volume-regulated chloride-channel

Nature 390, 417-421

DUTA V., A. J. SZKOTAK, D. NAHIRNEY u. M. DUSZYK (2004):

The role of bestrophin in airway epithelial ion transport

FEBS Lett. 577, 551-554

DUTZLER A., E. B. CAMPBELL, M. CADENE, B. T. CHAIT u. R. MCKINNON (2002):  
X-ray structure of a ClC chloride channel at 3.0 Å reveals the molecular basis of anion

selectivity

Nature 415, 287-294

ELBLE R. C. u. B. U. PAULI (2001) :

Tumor suppression by a proapoptotic calcium-activated chloride channel in mammary  
epithelium

J. Biol. Chem. 276, 40510-40517

ELBLE R. C., G. Ji, K. NEHRKE, J. DE BIASIO, P. D. KINGSLEY, M. I. KOTLIKOFF u.  
B. U. PAULI (2002):

Molecular and functional characterization of a murine Ca-activated chloride channel  
expressed in smooth muscle

J. Biol. Chem. 277, 18586-18591

ELBLE R. C., J. WIDOM, A. D. GRUBER, M. ABDEL-GHANY, R. LEVINE, A.  
GOODWIN, H.-C. CHENG u. B. U. PAULI (1997):

Cloning and Characterization of lung-endothelial cell adhesion molecule-1 suggest it is an  
endothelial chloride channel

J. Biol. Chem. 272, 27853-27861

ENGELHARDT J. F., J. R. YANKASKAS, S. A. ERNST, Y. YANG, C. R. MARINO, R. C.  
BOUCHER, J. A. COHN u. J. M. WILSON (1992):

Submucosal glands are the predominant site of CFTR expression in the human bronchus  
Nat. Genet. 2, 240-248

ENGELHARDT J. F., M. ZEPEDA, J. A. COHN, J. R. JANKASKAS u. J. M. WILSON (1993):

Expression of the cystic fibrosis gene in adult human lung  
J. Clin. Invest. 93, 737-749

ESKANDARI S., E. M. WRIGHT, M. KREMAN, D. M. STARACE u. G. A. ZAMPIIGHI (1998):

Structural analysis of cloned plasma membrane proteins by freeze-fracture electron microscopy  
Proc. Natl. Acad. Sci. USA 95, 11235-11240

EVANS S. R., W. B. THORESON u. C. L. BECK (2004):

Molecular and functional analysis of two new calcium-activated chloride channel family members from mouse eye and intestine

J. Biol. Chem. 279, 41792-41800

FULLER C. M., H.-L. JI, A. TOUSSON, R. C. ELBLE, B. U. PAULI u. D. J. BENOS (2001):

$\text{Ca}^{2+}$ -activated  $\text{Cl}^-$  channels : a newly emerging anion transport family  
Eur. J. Physiol. 443, 107-110

FULLER C. M., I. I. ISMAILOW, D. A. KEETON u. D. J. BENOS (1994):

Phosphorylation and activation of a bovine tracheal anion channel by  $\text{Ca}^{2+}$ /Calmodulin-dependent protein kinase II

J. Biol. Chem. 269, 26642-26650

FURUKAWA T., T. OGURA, Y. KATAYAMA u. M. HIRAOKA (1998).

Characteristics of rabbit ClC-2 current expressed in Xenopus oocytes and its contribution to volume regulation

Am. J. Physiol. 274, 500-512

GABRIEL S. E., K. N. BRIGMAN, B. H. KOLLER, R. C. BOUCHER u. M. J. STUTTS (1994):

Cystic fibrosis heterozygote resistance to cholera toxin in the cystic fibrosis mouse model  
Science 266, 107-109

GABRIEL S. E., L. L. CLARKE, R. C. BOUCHER u. M. J. STUTTS (1993):

CFTR and outward rectifying chloride channels are distinct proteins with regulatory relationship

Nature 363, 263-266

GALLAGHER A. M. u. R. A. GOTTLIEB (2001):  
Proliferation, not apoptosis, alters epithelial cell migration in small intestine of CFTR null mice  
Am. J. Physiol. 281, 681-687

GANDHI R., R. C. ELBLE, A. D. GRUBER, K. D. SCHREUR, H.-L. JI, J. M. FULLER u. B. U. PAULI (1998):  
Molecular and functional characterization of a calcium-sensitive chloride channel from mouse lung  
J. Biol. Chem. 273, 32096-32101

GASPAR K. J., K. J. RACETTE, J. R. GORDON, M. E. LOEWEN u. G. E. FORSYTH (2000):  
Cloning a chloride conductance mediator from the apical membrane of porcine ileal enterocytes  
Physiol. Genomics 3, 101-111

GIBSON A., A. P. LEWIS, K. AFFLECK, A. J.AITKEN, E. MELDRUM u. N. THOMPSON (2005):  
hCLCA1 and mCLCA3 are secreted non-integral membrane proteins and therefore are not ion channels  
J. Biol. Chem. 280, 27205-27212

GOLDSTEIN J. L., J. SAHI, M. BHUVA, T. J. LAYDEN u. M. C. RAO (1994):  
Escherichia coli heat-stable enterotoxin-mediated Kolonic Cl-secretion is absent in cystic fibrosis  
Gastroenterology 107, 950-956

GOTTLIEB R. A. u. A. DOSANJH (1996):  
Mutant cystic fibrosis conductance regulator inhibits acidification and apoptosis in C127 cells: possible relevance to cystic fibrosis  
Proc. Natl. Acad. Sci. USA 93, 3587-3591

GRAY M. A., J. P. WINPENNY, D. J. PORTEUS, J. R. DORIN u. B. E. ARGENT (1994):  
CFTR and calcium-activated chloride currents in pancreatic duct cells of a transgenic CF mouse  
Am. J. Physiol. Cell. P. 266, 213-221

GREENWOOD I. A., L. J. MILLER, S. OHYIA u. B. HOROWITZ (2002):  
The large conductance potassium channel beta-subunit can interact with and modulate the functional properties of a calcium-activated chloride channel, CLCA1  
J. Biol. Chem. 277, 22119-22122

GREGORY R. J., S. H. CHENG, D. P. RICH, J. MARSHALL, S. PAUL, K. HEHIR, L. OSTEDGAARD, K. W. KLINGER, M. J. WELSH u. A. E. SMITH (1990):  
Expression and characterization of the cystic fibrosis transmembrane conductance regulator  
*Nature* 347, 382-386

GRUBB B. R. (1997):  
Ion transport across the murine intestine in the absence and presence of cftr  
*Comp. Biochem. Physiol.* 118, 277-282

GRUBB B. R. u. R. S. BOUCHER (1999) :  
Pathophysiology of gene-targeted mouse models for cystic fibrosis  
*Physiol. Rev.* 79, 193-214

GRUBB B. R. u. S. E. GABRIEL (1997):  
Intestinal physiology and pathology in gene-targeted mouse models of cystic fibrosis  
*Am. J. Physiol.-Gastr. L.* 273, 258-266

GRUBB B. R., R. N. VICK u. R. C. BOUCHER (1994):  
Hyperabsorption of  $\text{Na}^+$  and raised  $\text{Ca}^{2+}$  -mediated  $\text{Cl}^-$  secretion in nasal epithelia of CF mice  
*Am. J. Physiol.-Cell P.* 266, 1478-1483

GRUBER A. D. u. B. U. PAULI (1999a):  
Clustering of the human CLCA gene family on the short arm of chromosome 1 (1p22-31)  
*Genome* 42, 1030-1032

GRUBER A. D. u. B. U. PAULI (1999b):  
Molecular cloning and biochemical characterization of a truncated, secreted member of the  
human family of  $\text{Ca}^{2+}$  -activated  $\text{Cl}^-$  channels  
*Biochem. Biophys. Acta* 1444, 418-423

GRUBER A. D. u. B. U. PAULI (1999c):  
Tumorigenicity of human breast cancer is associated with loss of the  $\text{Ca}^{2+}$ -activated chloride  
channel CLCA2  
*Cancer Res.* 59, 5488-5491

GRUBER A. D. u. R. A. LEVINE (1997):  
In situ assessment of mRNA accessibility in heterogeneous tissue samples using elongation  
factor-1 alpha (EF-1 alpha)  
*Histochem. Cell Biol.* 107, 411-416

GRUBER A. D., C. M. FULLER, R. C. ELBLE, D. J. BENOS u. B. U. PAULI (2000):  
The CLCA gene family: a novel family of putative chloride channels  
*Curr. Genomics* 1, 201-222

GRUBER A. D., K. D. SCHREUR, H.-L. JI, C. M. FULLER u. B. U. PAULI (1999):  
Molecular cloning and transmembrane structure of hCLCA2 from human lung, trachea, and  
mammary gland  
*Am. J. Physiol.-Cell Ph.* 276, 1261-1270

GRUBER A. D., R. C. ELBLE u. B. U. PAULI (2002):  
Discovery and cloning of the CLCA gene family  
*Curr. Top. Membr.* 53, 367-387

GRUBER A. D., R. C. ELBLE, H. L. JI, K. D. SCHREUR, C. M. FULLER u. B. U. PAULI  
(1998a):  
Genomic cloning, molecular characterization, and functional analysis of human CLCA1, the  
first human member of the family  $\text{Ca}^{2+}$  activated  $\text{Cl}^-$  channels  
*Genomics* 54, 200-214

GRUBER A. D., R. GANDHI u. B. U. PAULI (1998b):  
The murine calcium-sensitive chloride channel (mCaCC) is widely expressed in secretory  
epithelia and other select tissues  
*Histochem. Cell. Biol.* 110, 43-49

GYÖMÖREY K., E. GARAMI, K. GALLEY, J. M. ROMMENS u. C. E. BEAR (2001):  
Non-cftr chloride channels likely contribute to secretion in the murine small intestine  
*Eur. J. Physiol.* 443, 103-106

GYÖMÖREY K., R. ROZMAHEL u. C. E. BEAR (2000):  
Amelioration of disease severity in cystic fibrosis mice is associated with improved chloride  
secretory capacity  
*Pediatr. Res.* 48, 731-734

HALL P. A., P. J. COATES, B. ANSARI u. D. HOPWOOD (1994):  
Regulation of cell number in the mammalian gastrointestinal tract: the importance of  
apoptosis  
*J. Cell Sci.* 107, 3569-3577

HARDCASTLE J., P. T. HARDCASTLE, C. J. TAYLOR u. J. GOLDHILL (1991):  
Failure of cholinergic stimulation to induce a secretory response from the rectal mucosa in  
cystic fibrosis mice  
*Gut* 32, 1035-1039

HASTON C. K., C. MC KERLIE, S. NEWBIGGING, M. COREY, R. ROZMAHEL u. L.-C. TSUI (2002):

Detection of modifier loci influencing the lung phenotype of cystic fibrosis knockout mice  
Mamm. Genome 13, 605-613

HAYDEN U. L. u. H. V. CAREY (1996):

Cellular localization of cystic fibrosis transmembrane conductance regulator protein in piglet and mouse intestine

Cell Tissue Res. 283, 209-213

HIRTZ S., T. GONSKA, H. H. SEYDEWITZ, J. THOMAS, P. GREINER, J. KUEHR, M. BRANDI, I. EICHLER, H. ROCHA, A. I. LOCHAS, C. BARRETO, A. RAMALHO, M. D. AMARAL, K. KUNZELMANN u. M. MALL (2004):

CFTR Cl<sup>-</sup> channel function in native human Colon correlates with the genotype and phenotype in cystic fibrosis

Gastroenterology 127, 1085-1095

HOGENAUER C., C. A. SANTA-ANA, J. L. PORTER, M. MILLARD, A. GELFAND, R. L. ROSENBLATT, C.B. PRESTIDGE u. C. B. FORDTRAN (2000):

Active intestinal Chloride secretion in human carriers of cystic fibrosis mutations: an evaluation of the hypothesis that heterozygotes have subnormal active intestinal chloride secretion

Am. J. Hum. Genet. 67, 1422-1427

HOOGEVEEN A. T., J. KEULEMANS, R. WILLEMSSEN, B. J. SCHOLTE, J. BIJMAN, M. J. EDIXHOVEN, H. r. DE JONGR u. H. GALJAARD (1991):

Immunological localization of cystic fibrosis candidate gene products

Exp. Cell Res. 193, 435-437

HORSTMAYER B. A. (2003):

Vergleichende Expressionsstudien zur physiologischen und pathophysiologischen Relevanz der mCLCA1- und mCLCA2-Chloridkanäle bei der Maus

Hannover, Stiftung Tierärztl. Hochschule Hann., Diss.

HOSHINO M., S. MORITA, H. IWASHITA, Y. SAGIYA, T. NAGI, A. NAKANISHI, Y. ASHIDA, O. NISHIMURA, Y FUJISAWA u. M. FUJINO (2002):

Increased expression of the human Ca<sup>2+</sup> -activated Cl<sup>-</sup> channel 1 (Ca CC1) gene in asthmatic airway

Am. J. Resp. Crit. Care Med. 165, 1132-1136

HYDE S. C., D. R. GILL, C. F. HIGGINS, A. E. TREZISE, L. J. MC VINISH, A. W. CUTHBERT, R. RATCLIFF, M. J. EVANS u. W. H. COLLEDGE (1993):  
Correction of the ion transport defect in cystic fibrosis transgenic mice by gene therapy  
*Nature* 362, 250-255

ISHIDA-TAKAHASHI, A., H. OTANI, C. TAKAHASHI, T. WASHIZUKA, K. TSUJI, M. NODA, M. HORIE u. S. SASAYAMA (1998):  
Cystic fibrosis conductance regulator mediates sulfonylurea block of the inwardly rectifying  $K^+$  channel Kir6.1  
*J. Physiol.* 508, 23-30

ISMAILOV I. I., C. M. FULLER, B. K. BERDIEV, V. G. SHLYONSKY, D. J. BENOS u. K. E. BARRETT (1996):  
A biologic function for an orphan messenger: D-myo-Inositol 3,4,5,6-tetrakisphosphatase selectively blocks epithelial calcium-activated chloride channels  
*Proc. Natl. Acad. Sci. USA* 93, 10505-10509

JEONG S.M., H. K PARK, I. S. YOON, J. H. LEE, C. J. JANG, C. J. LEE u. S. Y. NAH (2005):  
Cloning and expression of  $Ca^{2+}$ -activated chloride channel from rat brain  
*Biochem. Biophys. Res. Commun.* 334, 569-576

JENTSCH T. J. u. W. GÜNTHER (1997):  
Chloride channels: an emerging molecular picture  
*BIOASSAYS* 19(2), 117-126

JENTSCH T. J., K. STEINMIREYER u. G. SCHWARZ (1990):  
Primary structure of *Torpedo marmorata* chloride channel isolated by expression cloning in *Xenopus* oocytes  
*Nature* 348, 510-514

JENTSCH T. J., T. FRIEDRICH, A. SCHRIEVER u. H. YAMADA (1999):  
The ClC chloride channel family  
*Eur. J. Physiol.* 437, 783-795

JENTSCH T. J., V. STEIN, F. WIENREICH u. A. A. ZDEBICK (2002):  
Molecular structure and physiological function of chloride channels  
*Physiol. Rev.* 82, 503-568

JI H.-L., M. D. DU VALL, H. K. PATTON, C. L. SATTERFIELD, C. M. FULLER u. D. J. BENOS (1998):

Functional expression of a truncated  $\text{Ca}^{2+}$ -activated  $\text{Cl}^-$ -channel and activation by phorbol ester

Am. J. Physiol.-Cell P. 43, 455-464

KAMADA F., Y. SUZUKI, M. TAMARI, K. HASEGAWA, T. HIROTA, M. SHIMIZU, N. TAKAHASHI, X. Q. MAO, S. DOI, H. FUJIWARA, A. MIYATAKE, K. FUJITA, Y.

CHIBA, Y. AOKI, S. KURE, G. TAMURA, T. SHIRAKAWA u. Y. MATSUBARA (2004): Association of the hCLCA1 gene with childhood and adult asthma

Genes Immun. 5, 540-547

KELLEY K. A., S. STAMM u. C. A. KOZAK (1992):

Expression and chromosome localisation of the murine cystic fibrosis transmembrane conductance regulator

Genomics 13, 281-388

KENT G., M. OLIVER, J. K. FOSKETT, H. FRNDOVA, P. DURIE, J. FORSTNER, G. G. FORTSNER J. R. RIORDAN, D. PERCY u. M. BUCHWALD (1996):

Phenotypic abnormalities in long-term surviving cystic fibrosis mice

Pediatr. Res. 40, 233-241

KENT G., R. ILES, C. E. BEAR, L.-J. HUAN, U. GRIESENBACH, C. MC KERLIE, H. FRNDOWA, C. ACKERLEY, D. GOSELIN, D. RADZIOCH, H. O'BRODOVICH, L.-C. TSUI, M. BUCHWALD u. A. K. TANSWELL (1997):

Lung disease in mice with cystic fibrosis

J. Clin. Invest. 100, 3060-3069

KOMIYA T., Y. TANIGAWA u. S. HIROHASHI (1999):

Cloning and identification of the gene Gob-5, which is expressed in intestinal goblet cells in mice

Biochem. Biophys. Res. Co. 255, 347-351

KOUMI S., R. SATO u. T. ARAMAKI (1994):

Characterization of the calcium-activated chloride channel in isolated guinea-pig hepatocytes

J. Gen. Physiol. 104, 357-373

KRAPIVINSKY G. B., M. J. ACKERMANN, E. A. GORDON, L. D. KRAPIVINSKY u. D. E. CLAPHAM (1994):

Molecular characterization of a swelling-induced chloride conductance regulatory protein, pICLn

Cell 76, 439-448

LARBIG M., S. JANSEN, M. DORSCH, W. BERNHARD, B. BELLMAN, J. R. DORIN, D. J. PORTEOUS, H. VON DER HARDT, I. STEINMRIETZ, H.-J. HEDRICH, B. TÜMMLER u. T. TSCHERNIG (2002):

Residual *cfr* expression varies with age in *cfr<sup>tm1Hgu</sup>* cystic fibrosis mice: impact on morphology and physiology

Pathobiology 70, 89-97

LEE D., S. HA, Y. KHO, J. KIM, K. CHO, M. BAIK u. Y. CHOI (1999):

Induction of mouse Ca<sup>2+</sup>-sensitive chloride channel 2 gene during involution of mammary gland

Biochem. Biophys. Res. Commun. 264, 933-937

LEIGH M. W., J. E. KYLANDER, J. R. YANKASKAS u. R. C. BOUCHER (1995):

Cell proliferation in bronchial epithelium and submucosal glands of cystic fibrosis patients

Am. J. Respir. Cell Mol. Biol. 12; 605-612

LEUNG A. Y., P. Y. WONG, S. E. GABRIEL, J. R. JANKASKAS u. R. C. BOUCHER (1995):

CAMP- but not Ca (2+)- regulated Cl- conductance in the oviduct is defective in mouse model of cystic fibrosis

Am. J. Physiol. 268, 708-712

LEVERKOEHNE I. u. A. D. GRUBER (2000):

Assignment of the murine calcium-activated chloride channel genes Clca1 and Clca3 (alias gob-5) to chromosome 3 band H2-H3 using somatic cell hybrids

Cytogenet. Cell Genet. 88, 208-209

LEVERKOEHNE I. u. A. D. GRUBER (2002):

The murine mCLCA3 (alias Gob-5) protein is located in the mucine granule membranes of intestinal, respiratory and uterine goblet cells

J. Histochem. Cytochem. 50, 829-838

LEVERKOEHNE I., B. A. HORSTMEIER, G. VON SAMSON-HIMMELSTJERNA, B. J. SCHOLTE u. A. D. GRUBER (2002):

Real-time RT-PCR quantitation of mCLCA1 and mCLCA2 reveals differentially regulated expression in pre- and postnatal murine tissues

Histochem. Cell Biol. 118, 11-17

LOEWEN M. E., L. K. BEKAR, W. WALZ, G. W. FORSYTH u. S. E. GABRIEL (2004):

PCLCA1 lacks inherent chloride channel activity in an epithelial Colon carcinoma cell line

Am. J. Physiol.-Gastr. L. 287, 33-41

LOEWEN M. E., S. E. GABRIEL u. G. W. FORSYTH (2002):  
The calcium-dependent chloride conductance mediator pc1ca1  
Am. J. Physiol.-Cell Ph. 283, 412-421

LUDEWIG U., M. PUSCH u. T. J. JENTSCH (1996):  
Two physically distinct pores in the dimeric ClC-0 chloride channel  
Nature 383, 340-343

MALL M., M. BLEICH, M. SCHÜRLEIN, J. KÜHR, H. H. SEYDEWITZ, M. BRANDIS,  
R. GREGER u. K. KUNZELMANN (1998):  
Cholinergic ion secretion in human Colon requires coactivation by cAMP  
Am. J. Physiol.-Gastr. L. 275, 1274-1281

MALL M., a. WISSLER, H. H. SEYDEWITZ, J. KUEHR, M. BRANDIS, R. GREGER u. K.  
KUNZELMANN (2000):  
Defective epithelial Cl<sup>-</sup>-secretion and detection of K<sup>+</sup>-secretion in rectal biopsies from cystic  
fibrosis patients  
Am. J. Physiol.-Gastr. L. 278, 617-624

MANDYAM C. D., R. D. NORRIS u. A. J. EISCH (2004):  
Chronic morphine induces premature mitosis of proliferating cells in the adult mouse  
subgranular zone  
J. Neurosci. Res. 76, 783-794

MARMORSTEIN A. D., L. Y. MARMORSTEIN, M. RAYBORN, X. WANG, J. g.  
HOLLYFIELD u. K. PETRUKHIN (2000):  
Bestrophin, the product of the Best vitelliform macular dystrophy gene (VMD2), localizes to  
the basolateral plasma membrane of the retinal pigment epithelium  
Proc. Natl. Acad. Sci. USA 97, 12758-12763

MARQUARDT A., H. STOHR, L. A . PASSMORE, F. KRAMER, A. RIVERA u. B. H.  
WEBER (1998):  
Mutations in a novel gene, VMD2 , encoding a protein of unknown properties cause juvenile-  
onset vitelliform macular dystrophy (Best's disease)  
Hum. Mol. Genet. 7, 1517-1525

MC NICHOLAS C. M., W. B. GUGGINO, E. M. SCHWIEBERT, S. C. HEBERT, G.  
GIEBISCH u. M. E. EGAN (1996):  
Sensitivity of a renal K<sup>+</sup>-channel (ROMK2) to the inhibitory sulfonylurea compound  
glibenclamide is enhanced by coexpression with the ATP-binding cassette transporter cystic  
fibrosis conductance regulator  
Proc. Natl. Acad. Sci. USA 93, 8083-8088

MILLER C. (1982):

Open-state substructure of single chloride channels from torpedo electroplax  
Philos. Trans. R. Soc. Lond. B. Biol. Sci. 299, 401-411

MOORMANN J. R., C. J. PALMER, J. E. JOHN, M. E. DURIEUX u. L. R. JONES (1992):  
Phospholeman expression induces a hyperpolarization-activated chloride current in  
Xenopus oocytes  
J. Biol. Chem. 267, 14551-14554

NAKANISHI A., S. MORITA, H. IWASHITA, Y. SAGYIA, Y. ASHIDA, H. SHIRAFUJI,  
Y. FUJISAWA, O. NISHIMURA u. M FUJINO (2001):  
Role of gob-5 in mucus overproduction and airway responsiveness in asthma  
Proc. Natl. Acad. Sci. USA 98, 5175-5180

NILIU B., J. PRENEN, G. SZUCS, L. Wie, F. TANZI, T. VOGTS u. G. DROOGMANS  
(1997):  
Calcium-activated chloride channels in bovine pulmonary artery endothelial cells  
J. Physiol. 498, 381-396

NISHIMOTO I., J. A. WAGNER, H. SCHULMAN u. P. GARDNER (1991):  
Regulation of chloride-channels by multifunctional CaM kinase  
Neuron 6, 547-555

O'LOUGHLIN E. V., D. M. HUNT, K. J. GASKIN, D. STIEL, I. M. BRUZUSZCAK, H. C.  
MARTIN, C. BAMBACH u. R. SMITH (1991):  
Abnormal epithelial transport in cystic fibrosis jejunum  
Am. J. Physiol. 260, 758-763

PETRUKHIN K., M. J. KOISTI, B. BAKALL, W. LI, G. XIE, T. MARKNELL, O.  
SANDGREN, K. FORSMAN, G. HOLMGREN, S. ANDREASSON, M. VUJIC, A. A.  
BERGEN, V. MC GARTY-DUGAN, D. FIGUEROA, C. P. AUSTIN, M. L. METZKER, C.  
T. CASKEY u. C. WADELius (1998):  
Identifikation of the gene responsible for Best macular dystrophy  
Nat. Genet. 19, 241-247

PIER G. B., M. GROUT, T. ZAIDI, G. MELULENI, S. S. MUESCHENBORN, G.  
BANTING, R. RATCLIFF, M. J. EVANS u. W. H. COLLEDGE (1998):  
Salmonelle typhi uses CFTR to enter intestinal epithelial cells  
Nature 393, 79-82

PRIGNET C. u. S. DIMITROV (2003):  
Phosphorylation of serine 10 in histone H3, what for?  
J. Cell Sci. 116, 3677-3685

QU Z., R. W. WIE, W. MANN u. H. C. HARTZELL (2003):  
Two bestrophins cloned from *Xenopus laevis* oocytes express  $\text{Ca}^{2+}$ -activated  $\text{Cl}^-$  currents  
*J. Biol. Chem.* 278, 49563-49572

RAN S. u. D. J. BENOS (1992):  
Immunopurification and structural analysis of a putative epithelial  $\text{Cl}^-$  channel protein isolated from bovine trachea  
*J. Biol. Chem.* 267, 3618-3625

RATCLIFF R., M. J. EVANS, A. W. CUTHBERT, L. J. MCVINISH, D. FOSTER, J. R. ANDERSON u. W. H. COLLEDGE (1993):  
Production of a severe cystic fibrosis mutation in mice by gene targeting  
*Nat. Genet.* 4, 35-41

REDDY M. M., M. J. LIGHT u. P. M. QUINTON (1999):  
Activation of the epithelial  $\text{Na}^+$  channel (EnaC) requires CFTR  $\text{Cl}^-$  channel function  
*Nature* 402, 301-304

REDDY M. M., P. M. QUITON u. C. HAWS (1996):  
Failure of the cystic fibrosis transmembrane conductance regulator to conduct ATP  
*Science* 271, 1876-1879

RICH D. P., H. A. BERGER, S. H. CHENG, S. M. TRAVIS, M. SAXENA, A. E. SMITH u. M. J. WELSH (1993):  
Regulation of the cystic fibrosis conductance regulator  $\text{Cl}^-$  channel by negative charge in the R domain  
*J. Biol. Chem.* 27, 20259-20267

RIORDAN J. R., J. M. ROMMENS, B. KEREM, N. ALON, R. ROZMAHEL, Z. GRZELCZAK, J. ZIELINSKI, S. LOK, N. PLAVSIC, J. L. CHOU, M. L. DRUMM, M.C. IANUZZI, F. S. COLLINS u. I.-C. TSUI (1989):  
Identification of the cystic fibrosis gene: cloning and characterization of complementary DNA  
*Science* 245, 1066-1073

RITZKA M., F. STANKE, S. JANSEN, A. D. GRUBER, L. PUSCH, H. J. VEEZE, D. J. HALLEY u. B. TUENMLER (2004):  
The CLCA gene locus as a modulator of the gastrointestinal basic defect in cystic fibrosis  
*Hum. Genet.* 115, 483-491

ROMEY M. C., C. GUILTARD, S. CARLES, J. DEMAILLE, M. CLAUSTRES u. M. RAMSAY (1999):  
First putative sequence alterations in the minimal CFTR promoter region  
*J. Med. Genet.* 36, 263-264

ROMIO L., L. MUSANTE, R. CINTI, M. SERI, O. MORAN, O. ZEGARRA-MORAN u. L. J. GALIETTA (1999):

Characterization of a murine gene homologous to the bovine CaCC chloride channel  
Gene 228, 181-188

ROMMENS J. M., M. C. JANNUZZI, B. S. KEREM, M. L. DRUMM, G. MELMER, M. DEAN, R. ROZMAHEL, J. L. COLE, D. KENNEDY u. N. HIDAKA (1989) :

Identification of the cystic fibrosis gene: chromosomal walking and jumping  
Science 245, 1059-1060

ROSENBERG M. F., A. B. KAMIS, L.A ALEKSANDROV, R. C. FORD u. J. R. RIORDAN (2004):

Purification and cristallization of the cystic fibrosis conductance regulator (CFTR)  
J. Biol. Chem. 279, 39051-39057

ROWNTREE R. u. A. HARRIS (2003):

The phenotypic consequences of CFTR  
Ann. Hum. Genet. 67, 471-485

ROZMAHEL R., M. WILSCHANSKY, A. MATIN, S. PLYTE, M. OLIVER, W.

AUERBACH, A. MOORE, J. FORSTNER, P. DURIE, J. NADEAU, C. BEAR u. L. C. TSUI (1996):

Modulation of disease severity in cystic fibrosis transmembrane conductance regulator deficient mice by a secondary genetic factor

Nat. Genet. 12, 280-287

SCHLENKER T. u. J. G. FITZ (1996):

$\text{Ca}^{2+}$ -activated  $\text{Cl}^-$ -channels in a human biliary cell line: regulation by  $\text{Ca}^{2+}$ /calmodulin-dependent protein kinase

Am. J. Physiol. 271, G304-G310

SCHWIEBERT E. M., L. P. CID-SOTO, D. STAFFORD, M. CARTER, C. J. BLAISDELL, P. L. ZEITLIN, W. B. GUGGINO u. G. A. CUTTING (1998):

Analysis of ClC-2 channels as an alternative pathway for chloride conduction in cystic fibrosis airway cells

Proc. Natl. Acad. Sci. USA 95, 3879-3884

SCHWIEBERT E. M., M. E. EGAN, T.H. HWANG, S. B. FULMER, S. S. ALLEN, G. R. CUTTING u. W. B. GUGGINO (1995):

CFTR regulates outwardly rectifying chloride channels through an autocrine mechanism involving ATP

Cell 81, 1063-1073

- SHEPPARD D. N. u. K. A. ROBINSON (1997):  
Mechanism of glibenclamide inhibition of cystic fibrosis transmembrane conductance regulator Cl-channels expressed in a murin cell line  
*J. Physiol.* 503, 333-346
- SLEE E. A., M. T. HARTE, R. M. KLICK, B. B. WOLF, C. A. CASIANO, D. D. NEWMEYER, H.-G. WANG, J. C. REED, D. W. NICHOLSON, E. S. ALNEMRI, D. R. GREEN u. S. J. MARTIN (1999):  
Ordering the cytochrome c-initiated caspase -cascade: hierarchical activation of caspases-2, -3, -6, -7, -8, and -10 in a caspase-9-dependent manner  
*J. Cell Biol.* 144, 281-292
- SMITH S. N., D. M. STEEL, P. G. MIDDLETON, F. M. MUNKONGE, D. M. GEDDES, N. J. CAPLEN, D. J. PORTEOUS, J. R. DORIN u. E. W. ALTON (1995):  
Bioelectric characteristics of exon 10 insertional cystic fibrosis mouse comparison with humans  
*Am. J. Physiol.* 268, C297-C307
- SNOWWAERT J., K. K. BRIGMAN, A. M. LATOUR, N. N. MALOUF, R. C. BOUCHER, O. SNITHIES u. B. H. KOLLER (1992):  
An animal model for cystic fibrosis made by gene targeting  
*Science* 257, 1083-1088
- SPICER Z., M. L. MILLER, A. ANDRINGA, T. M. RIDDLE, J. J. DUFFY, T. DOETSCHMANN u. G. E. SHULL (2000):  
Stomachs of mice lacking the gastric H, K-ATPase  $\alpha$ -subunit have achlorhydria, abnormal parietal cells, and ciliated metaplasia  
*J. Biol. Chem.* 275, 21555-21565
- STOHR H., A. MARQUARDT, I. NANDA, M. SCHMIDT u. B. H. WEBER (2002):  
Three novel human VMD2-like genes are members of the evolutionary highly conserved RFP-TM family  
*Eur. J. Hum. Genet.* 10, 281-284
- STRAUSS O. u. R. ROSENTHAL (2004):  
Funktion des Bestrophins  
*Der Ophthalmologe* 10, 347-357
- STUTTS M. J., C. M. CANESSA, J. C. OLSEN, M. HAMRICK, J. A. COHN, B. C. ROSSIER u. R. C. BOUCHER (1995):  
CFTR as a cAMP-dependent regulator of sodium channels  
*Science* 269, 847-850

SUN H., T. TSUNENARI, K. W. YAU u. J. NATHANS (2002):  
The vitelliform macular dystrophy protein defines a new family of chloride channels  
Proc. Natl. Acad. Sci. USA 99, 4008-4013

TAKAHASHI T., E. NEHER, u. B. SAKMANN (1987):  
Rat brain serotoninreceptors in Xenopus oocytes are coupled by intracellular calcium to  
endogenous channels  
Proc. Natl. Acad. Sci. USA 84, 5063-5067

TATA F., P. STANIER, C. WICKING, S. HALFORD, H. kRUYER, N. J. LENCH, P. J.  
SCAMBLER, C. HANSEN, J. C. BRAMANN, R. WILLIAMSON u. B. j. WAINWRIGHT  
(1991):  
Cloning the mouse homolog of the human cystic fibrosis transmembrane conductance  
regulator  
Genomics 10, 301-307

TAYLOR C. J., P. S. BAXTER, J. HARDCASTLE u. P. T. HARDCASTLE (1988):  
Failure to induce secretion in jejunal biopsies from children with cystic fibrosis  
Gut 29, 957-962

THEVENOD F., E. ROUSSA, D. J. BENOS u. C. M. FULLER (2002):  
Relationship between a HCO3- -permeable conductance and a CLCA protein from rat  
pancreatic zymogen granules  
Biochem. Biophys. Res. Comm. 300, 546-554

THIEMANN A., S. GRUNDER, M. PUSCH u. T. J. JENTSCH (1992):  
A chloride channel widely expressed in epithelial and non-epithelial cells  
Nature 356, 57-60

TREZISE A. E. O. u. M. BUCHWALD (1991):  
In vivo cell specific expression of the cystic fibrosis conductance regulator  
Nature 353, 434-437

TSUNENARI T., H. SUN, J. WILLIAMS, H. CAHILL, P. SMALLWOOD, K. W. YAU u. J.  
NATHANS (2003):  
Structure-function analysis of the bestrophin family of anion channels  
J. Biol. Chem. 278, 41114-411125

VALVERDE M. A., M. DIAZ, F. V. SEPULVEDA, D. R. GILLS, C. HYDE u. C. F.  
HIGGINS (1992):  
Volume-regulated chloride channels associated with the human multidrug-resistance P-  
glycoprotein  
Nature 355, 830-833

VEEZE H. J., D. J. J. HALLEY, J. BIJMAN, J. C. DE JONGSTE, H. R. DE JONGE u. M. SINAASAPPEL (1994) :

Determinants of mild clinical symptoms in cystic fibrosis patients  
J. Clin. Invest. 93, 461-466

WEI L., A. VANKEERBERGHEN, H. CUPPENS, J.J. CASSIMAN, G. DROOGMANN u. B. NILIUS (2001):

The C-terminal part of the R-domain, but not the PDZ binding motif, of CFTR is involved in interaction with Ca(2+)-activated Cl-channels  
Pflugers Arch. 442, 280-285

WIDDICOMBE J. H. (1986):

Cystic fibrosis and beta-adrenergic response of airway epithelial cell cultures  
Am. J. Physiol. 251, 818-822

WILLUMSEN N. J. u. R. C. BOUCHER (1989):

Activation of an apical Cl- conductance by Ca<sup>2+</sup> ionophores in cystic fibrosis airway epithelia  
Am. J. Physiol. Cell P. 256, 226-233

WILSCHANSKI M. A., R. ROZMAHEL, S. BEHARRY, G. KENT, C. LI, L. C. TSUI, P. DURIE u. C. E. BEAR (1996):

*In vivo* measurements of ion transport in long-living CF mice  
Biochem. Biophys. Res. Comm. 219, 753-759

YAMAZAKI J. u. K. KITAMURA (2003):

Regulation of the drug-sensitivity of anion channels via phosphorylation  
Nippon Yakurigaku Zasshi 122, 67-70

ZDEBIK A. A., J. E. CUFFES, M. BERTOG, C. KORBMACHER u. T. J. JENTSCH (2004):

Additional disruption of the CLC-2 Cl<sup>-</sup>-channel does not exacerbate the cystic fibrosis phenotype of cystic fibrosis conductance mediator mouse models

J. Biol. Chem. 279, 22276-22283

ZHOU Y., Q. DONG, J. LOUAHED, C. DRAGWA, D. SAVIO, M. HUANG, C. WEISS, Y. TOMER, M. P. MCLANE, N. C. NICOLAIDES u. R. C. LEVITT (2001):

Characterization of a calcium-activated chloride channel as a shared target of Th2 cytokine pathways and its potential involvement in asthma

Am. J. Respir. Cell. Mol. 25, 486-491

ZHU D. Z., C. F. CHENG u. B. U. PAULI (1991):  
Mediation of lung metastasis of murine melanomas by a lung-specific endothelial cell  
adhesion molecule  
Proc. Natl. Acad. Sci. USA 88, 9568-9572

ZHU D. Z. u. B. U. PAULI (1991):  
Generation of monoclonal antibodies directed against organ specific endothelial cell surface  
determinants  
J. Histochem. Cytochem. 39, 1137-1142

ZIELINSKY J., M. COREY, R. ROZMAHEL, D. MARKIEWICZ, I. AZNAREZ, T.  
CASALS, S. LARRIBA, B. MERCIER, G. R. CUTTING, A. KREBSOVA, M. MACEK, E.  
LANGFELDER-SCHWIND, B. C. MARSHALL, J. DE CELIE-GERMANA, M.  
CLAUSTRES, A. PALACIO, J. BAL, A. NOVAKOWSKA, C. FEREĆ, X. ESTIVILL, P.  
DURIE u. L. C. TSUI (1999):  
Detection of a cystic fibrosis modifier locus for meconium ileus on human chromosome  
19q13  
Nat. Genet. 22, 128-129