
8 LITERATURVERZEICHNIS

- AKASSOGLOU, K., BAUER, J., KASSIOTIS, G., PASPARAKIS, M., LASSMANN, H., KOLLIAS, G. & PROBERT, L.,** 1998: Oligodendrocyte apoptosis and primary demyelination induced by local TNF/p55 TNF receptor signaling in the central nervous system of transgenic mice: models for multiple sclerosis with primary oligodendropathy. *Am. J. Pathol.* 153, 801-813.
- AKIYAMA, H., KAWAMATA, T., YAMADA, T., TOOYAMA, I., ISHII, T. & MCGEER, P., L.,** 1993: Expression of intercellular adhesion molecule (ICAM)-1 by a subset of astrocytes in Alzheimer disease and some other degenerative neurological disorders. *Acta Neuropathol. Berl.* 85, 628-634
- AKIYAMA, H., TOOYAMA, I., KONDO, H., IKEDA, K., KIMURA, H., MCGEER, E. G. & MCGEER, P. L.,** 1994: Early response of brain resident microglia to kainic acid-induced hippocampal lesions. *Brain Res.* 635, 257-268.
- ALDSKOGIUS, H.,** 2001: Microglia in neuroregeneration. *Microsc. Res. Tech.* 54, 40-46.
- ALOISI, F., PENNA, G., CERASE, J., IGLESIAS, B. M. & ADORINI, L.,** 1997: IL-12 production by central nervous system microglia is inhibited by astrocytes. *J. Immunol.* 159, 1604-1612.
- ALOISI, F.,** 2001: Immune function of microglia. *Glia* 36, 165-179.
- ALTHAUS, F. R. & RICHTER, C.,** 1987: ADP-ribosylation of proteins. *Enzymology and biological significance. Mol. Biol. Biochem. Biophys.* 37, 1-127.
- AMARAL, D. G. & WITTER, M. P.,** 1989, The three-dimensional organization of the hippocampal formation: A review of anatomical data. *Neurosci.* 31, 571-591.
- AMARAL, D. G. & WITTER, M. P.,** 1995: The hippocampal formation. In: *The rat nervous system*, 2nd ed (Paxinos G, ed), San Diego: Academic Press, 443-493.
- AME, J. C., ROLLI, V., SCHREIBER, V., NIEDERGANG, C., APIOU, F., DECKER, P., MULLER, S., HOGER, T., MENISSIER-DE MURCIA, J. & DE MURCIA, G.,** 1999: PARP-2, a novel mammalian DNA damage-dependent poly(ADP-ribose) polymerase. *J. Biol. Chem.* 274, 17860-17868.
- ANNESER, J. M. H., COOKSON, M. R., INCE, P. G., SHAW, P. J. & BORASIO, G. D.,** 2001: Glial cells of the spinal cord and subcortical white matter upregulate nitric oxide synthase in sporadic amyotrophic lateral sclerosis. *Exp. Neurol.* 171, 418-421.
- ANTEL, J. P. & OWENS, T.,** 1999: Immune regulation and CNS autoimmune disease. *J. Neuroimmunol.* 100, 181-189.
- ASENSIO, V. C. & CAMPBELL, I. L.,** 1999: Chemokines in the CNS: plurifunctional mediators in diverse states. *TINS* 22, 504-512.
- BABIYCHUK, E., COTTRILL, P. B., STOROZHENKO, S., FUANGTHONG, M., CHEN, Y., O'FARRELL, M. K., VAN MONTAGU, M., INZE, D. & KUSHNIR, S.,** 1998: Higher plants possess two structurally different poly(ADP-ribose) polymerases. *Plant J.* 15, 635-645.
- BADIE, B. & SCHATNER, J,** 2001: Role of microglia in glioma biology. *Microsc. Res. Tech.* 54, 106-113.
- BANATI, R. B.,** 2002: Brain plasticity and microglia: is transsynaptic glial activation in the thalamus after limb denervation linked to cortical plasticity and central sensation? *J. Physiol. Paris* 96, 289-299.

- BANATI, R. B.**, 2003: Neuropathological imaging: *in vivo* detection of glial activation as a measure of disease and adaptive change in the brain. *British Medical Bulletin* 65, 121-131.
- BANATI, R. B. & GRAEBER, M.B.**, 1994: Surveillance, intervention and cytotoxicity-is there a protective role of microglia? *Develop. Neurosci.* 16, 114-127.
- BANATI, R. B.**, GEHRMANN, J., SCHUBERT, P. & KREUTZBERG, G. W., 1993a: Cytotoxicity of microglia. *Glia* 7, 111-118.
- BANATI, R. B.**, ROTHE, G., VALET, G. & KREUTZBERG, G. W., 1993b: Detection of lysosomal cysteine proteinases in microglia: flow cytometric measurement and histochemical localization of cathepsin B und L. *Glia* 7, 183-191.
- BARGER; S. W. & BASILE, A. S.**, 2001: Activation of microglia by secreted amyloid precursor protein evokes release of glutamate by cystine exchange and attenuates synaptic function. *J. Neurochem.* 76, 846-854.
- BARNUM, S. R.**, 1999: Inhibition of complement as a therapeutic approach in inflammatory central nervous system (CNS) disease. *Mol. Med.* 5, 569-582.
- BARRON, K. D.**, 1995: The microglial cell. A historical review. *J. Neurol. Sci.* 134, 57-68.
- BAUER, P. I.**, KIRSTEN, E., VARADI, G., YOUNG, L. J., HAKAM, A., COMSTOCK, J. A. & KUN, E., 1995: Reversion of malignant phenotype by 5-iodo-6-amino-1,2-benzopyrone a non-covalently binding ligand of poly(ADP-ribose polymerase. *Biochemie* 77, 374-377
- BEAMAN-HALL, C. M.**, LEAHY, C. L., BENMANSOUR, S. & VALLANO, M. L., 1998: Glial modulate NMDA-mediated signaling in primary cultures of cerebellar granule cells. *J. Neurochem.* 71, 1993-2005.
- BECHER, B.**, DODELET, V., FEDOROWICZ, V. & ANTEL, J. P., 1996: Soluble tumor necrosis factor receptor inhibits interleukin-12 production by stimulated human adult microglial cells in vitro. *J. Clin. Invest.* 98, 1539-1543.
- BECHER, B.**, PRAT, A. & ANTEL, J. P., 2000: Brain-immune connection: immunoregulatory properties of CNS-resident cells. *Glia* 29, 293-304.
- BECHMANN, I. & NITSCH, R.**, 1997: Astrocytes and microglial cells incorporate degenerating fibers following entorhinal lesion: A light, confocal and electron microscopical study using a phagocytosis-dependent labeling technique. *Glia* 20, 145-154.
- BERG, A. A.**, FINCO, T. S., NANTERMET, P. V. & BALDWIN, A. S. JR., 1993: Tumor necrosis factor and interleukin-1 lead to phosphorylation and loss of I kappa B alpha: a mechanism for NF-kappa B activation. *Mol. Cell. Biol.* 13, 3301-3310.
- BELL, M. D. & PERRY, V. H.**, 1995: Adhesion molecule expression on murine cerebral endothelium following the injection of a proinflammagen or during acute neuronal degeneration. *J. Neurocytol.* 24, 695-710.
- BENNET, R. M.**, GABOR, G. T. & MERRIT, M., 1985: DNA binding to human leucocytes: evidence for a receptor-mediated association, internalization and degradation of DNA. *J. Clin. Investig.* 76, 2182-2190.
- BENVENISTE, E. N.**, 1997: Role of macrophages/microglia in multiple sclerosis and experimental allergic encephalomyelitis. *J. Mol. Med* 75, 165-173.

- BENVENISTE, E. N.**, 1998: Cytokine actions in the central nervous system. *Cytol. Growth Factor Rev.* 9, 259-275.
- BENVENISTE, E. N.**, HUNEYCUTT, B. S., SHRIKANT, P. & BALLESTAS, M. E., 1995: Second messenger systems in the regulation of cytokines and adhesion molecules in the central nervous system. *Brain Behav. Immun.* 9, 304-314.
- BERGER, S. J.**, SUDAR, D. C. & BERGER, N. A., 1985: Metabolic consequences of DNA damage: DNA damage induces alterations in glucose metabolism by activation of poly (ADP-ribose) polymerase. *Biochem. Biophys. Res. Commun.* 134, 227-232.
- BERGHAMMER, H.**, EBNER, M., MARKSTEINER, R. & AUER, B., 1999: pADPRT-2: A novel mammalian polymerizing(ADP-ribosyl-)transferase gene related gene to truncated pADPRT homologues in plants and *Caenorhabditis elegans*. *FEBS Lett.* 449, 259-263.
- BIELINSKA, A. U.**, KUKOWSKA-LATALLO, J. F. & BAKER, J. R. JR., 1997: The interaction of plasmid DNA with polyamidoamine dendrimers: mechanism of complex formation and analysis of alterations induced in nuclease sensitivity and transcriptional activity of the complexed DNA. *BBA* 1353, 180-190.
- BLASI, E.**, BARLUZZI, R., BOCCHINI, V., MAZZOLLA, R. & BISTONI, F., 1990: Immortalization of murine microglial cells by a v-raf / v-myc carrying retrovirus. *J. Neuroimmun.* 27, 229-237.
- BOCCHINI, V.**, MAZZOLLA, R., BARLUZZI, R., BLASI, E., SICK, P. & KETTENMANN, H., 1992: An immortalized cell line express properties of activated microglial cells. *Neurosci. Res.* 31, 616-621.
- BRIERLY, J. B. & GRAHAM, D. I.**, 1984: Hypoxia and vascular disorders of the central nervous system, in Greenfield's Neuropathology (Adams, J. H., Corsellis, J. A. N. & Duchon, L. W., eds), John Wiley & Sons, New York, 125-156.
- BROSNAN, C. F.**, CANNELLA, B., BATTISTINI, L. & RAINE C. S., 1995: Cytokine localization in multiple sclerosis lesions: correlation with adhesion molecule expression and reactive nitrogen species. *Neurology* 45, 16-21.
- BRUCE-KELLER, A. J.**, 1999: Microglial-neuronal interactions in synaptic damage and recovery. *J. Neurosci. Res.* 58, 191-201.
- BÜRKLE, A.**, 2001: Physiology and pathophysiology of poly(ADP-ribosyl)ation. *BIOESSAYS* 23, 795-806.
- BURKE, B.**, SUMNER, S., MAITLAND, N. & LEWIS, C. E., 2002: Macrophages in gene therapy: cellular delivery vehicles and in vivo targets. *J. Leucocyte Biol.* 72, 417-428.
- BUYON, J. P.**, SLADE, S. G., REIBMAN, J., ABRAMSON, S. B., PHILIPS, M. R. & WEISMANN G. & Winchester, R., 1990: Constitutive and induced phosphorylation of the alpha- and beta-chains of the CD11/CD18 leukocyte integrin family. Relationship to adhesion-dependent functions. *J. Immunol.* 144, 191-197.
- CALABRESE, V.**, BATES, T. E., & STELLA, A. M. G., 2000: NO Synthase and NO-dependent signal pathways in brain aging and neurodegenerative disorders: The role of oxidant/antioxidant balance. *Neurochem. Res.* 25, 1315-1341.
- CALNE, D. B.**, HOCHBERG, F. H., SNOW, B. J. & NYGAARD, T., 1992: Theories of neurodegeneration. *Ann. NY Acad. Sci.* 648, 1-5.
- CAMPANELLA, M.**, SCIORATI, C., TAROZZO, G. & BELTRAMO, M., 2002: Flow cytometric analysis of inflammatory cells in ischemic rat brain. *Stroke* 33, 586-592.

- CAO, Z., TANAKA, M., REGNIER, C., ROTHE, M., YAMIT-HEZI, A., WORONICZ, J. D., FUENTES, M. E., DURNIN, M. H., DARLYMPLE, S. A. & GOEDEL, D. V., 1999:** NF-kappa B activation by tumor necrosis factor and interleukin-1. *Cold Spring Harb. Symp. Quant. Biol.* 64, 473-483.
- CARONI, P. & SCHWAB, M. E., 1988:** Two membrane protein fractions from rat central myelin with inhibitory properties of neurite growth and fibroblast spreading. *J. Cell Biol.* 106, 1281-1288.
- CARSON, M. J., 2002:** Microglia as liaisons between the immune and central nervous systems: Functional implications for Multiple Sclerosis. *Glia* 40, 218-231.
- CEPEDA, C., ARIANO, M. A., CALVERT, C. R., FLORES-HERNANDEZ, J., CHANDLER, S. H., LEAVITT, B. R., HAYDEN, M. R. & LEVINE, M. S., 2001:** NMDA receptors function in mouse models of Huntington disease. *J. Neurosci. Res.* 66, 525-539.
- CERVANTES-LAUREAN, D., LOFLIN, P. T., MINTER, D. E., JACOBSON, E. L. & JACOBSON, M. K., 1996:** Glycation and glycooxidation of histones by ADP-ribose. *J. Biol. Chem.* 271, 10461-10469.
- CHAMAK, B., MORANDI, V. & MALLAT, M., 1994:** Brain macrophages stimulate neurite growth and regeneration by secreting thrombospondin. *J. Neurosci. Res.* 38, 221-233.
- CHAMBON, P., WEILL, J. D. & MANDEL, P., 1963:** Nicotinamide mononucleotide activation of new DNA-dependent polyadenylic acid synthesizing nuclear enzyme. *Biochem. Biophys. Res. Commun.* 11, 39-43.
- CHANG, W. J. & ALVAREZ-GONZALEZ, R., 2001:** The sequence-specific DNA binding of NF- κ B is reversibly regulated by automodification-reaction of poly(ADP-ribose) polymerase-1. *J. Biol. Chem.* 276, 47664-47670.
- CHAO, C. C., HU, S., MOLITOR, T. W., SHASKAN, E. G. & PETERSON, P. K., 1992:** Activated microglia mediate neuronal cell injury via nitric oxide mechanism. *J. Immunol.* 149, 2736-2741.
- CHAO, C. C., HU, S. & PETERSON, P. K., 1995:** Glia, cytokines and neurotoxicity. *Crit. Rev. Neurobiol.* 9, 189-205.
- CHEN, Z., HAGLER, J., PALOMBELLA, V. J., MELANDRI, F., SCHERER, D., BALLARD, D. & MANIATIS, T., 1995:** Signal-induced site-specific phosphorylation targets I kappa B alpha to the ubiquitin-proteasome pathway. *Genes Dev.* 9, 1586-1597.
- CHENG, X. P., WANG, B. R., LIU, H. L., YOU, S. W., HUANG, W. J., JIAO, X. Y. & JU, G., 2003:** Phosphorylation of extracellular signal-regulated kinases 1/2 is predominantly enhanced in the microglia of the rat spinal cord following dorsal root transection. *Neurosci.* 119, 701-712.
- CHERNEY, B. W., MCBRIDE, O. W., CHEN, D. F., ALKHATIB, H., BHATIA, K., HENSLEY, P. & SMULSON, M. E., 1987:** cDNA sequence, protein structure and chromosomal location of the human gene for poly(ADP-ribose) polymerase. *Proc. Natl. Acad. Sci. USA* 84, 8370-8374.
- CHIARUGI, A., 2002:** PARP-1: killer or conspirator? The suicide hypothesis revisited. *Trends Pharmacol. Sci.* 23, 122-129.
- CHOI, D. W., 1998:** Glutamate neurotoxicity and diseases of the nervous system. *Neuron* 1, 623-634.
- CHRISTIE, R. H., FREEMAN, M. & HYMAN, B. T., 1996:** Expression of the macrophage scavenger receptor, a multifunctional lipoprotein receptor, in microglia associated with senile plaques in Alzheimer's disease. *Am. J. Pathology* 148, 399-403.

- CICCARELLI, R.** DI IORIO, P., D'ALIMONTE, I., GIULIANI, P., FLORIO, T., CACIAGLI, F., MIDDLEMISS, P. J. & RATHBONE, M. P., 2000: Cultured astrocyte proliferation induced by extracellular guanosine involves endogenous adenosine and is raised by the co-presence of microglia. *Glia* 29, 202-211.
- COHEN, G. & KESLER, N.**, 1999: Monamine oxidase and mitochondrial respiration. *J. Neurochem.* 73, 2310-2315.
- COLTON, C. A. & GILBERT, D. L.** 1993: Microglia, an *in vivo* source of reactive oxygen species in the brain. *Adv. Neurol.* 59, 321-326.
- COLTON, C. A., SNELL, J., CHERNYSHEV, O. & GILBERT, D. L.**, 1994: Induction of superoxide anion and nitric oxide production in cultured microglia. *Ann. NY Acad. Sci.* 738, 54-463.
- COMBS, C. K., KARLO, J. C., KAO, S.-C. & LANDRETH, G. E.**, 2001: β -Amyloid stimulation of microglia and monocytes results in TNF α -dependent expression of inducible nitric oxide synthase and neuronal apoptosis. *J. Neurosci.* 21, 1118.
- COTMAN, C. W., GEDDES, J. W. & KAHLE, J. S.**, 1990: Axon sprouting in the rodent and Alzheimer's disease brain: a reactivation of developmental mechanisms? *Prog. Brain Res.* 83, 427-434.
- CREGAN, S. P., FORTIN, A., MACLAURIN, J. G., CALLAGHAN, S. M., CECCONI, F., YU, S. W., DAWSON, T. M., DAWSON, V. L., PARK, D. S., KROEMER, G. & SLACK, R. S.**, 2002: Apoptosis-inducing factor is involved in the regulation of caspase-independent neuronal cell death. *J. Cell Biol.* 158, 507-517.
- CUZZOCREA, S., ZINGARELLI, B., COSTATINO, G., SABÓ, A., P., SALZMAN, A. L., CAPUTI, A. P. & SZABÓ, C.**, 1997: Beneficial effects of 3-aminobenzamide, an inhibitor of poly(ADP-ribose) synthetase in a rat model of splanchnic artery occlusion and reperfusion. *Br. J. Pharmacol.* 121, 1065-1074.
- CUZZOCREA, S., ZINGARELLI, B., GILAD, E., HAKE, P., SALZMAN, A. L., & SZABÓ, C.**, 1998: Protective effects of 3-aminobenzamide, an inhibitor of poly(ADP-ribose) synthetase in a carrageenan-induced model of local inflammation. *Eur. J. Pharmacol.* 342, 67-76.
- DAILEY, M. E. & WAITE, M.**, 1999: Confocal imaging of microglial cell dynamics in hippocampal slice cultures. *Methods* 18, 222-230.
- D'AMOURS, D., DESNOYERS, S., D'SILVA, I. & POIRIER, G. G.**, 1999: Poly(ADP-ribosylation) reactions in the regulation of nuclear functions, *Biochem. J.* 342, 249-268.
- DANTON, G. H. & DIETRICH, W. D.**, 2003: Inflammatory mechanisms after ischemia and stroke. *J. Neuropathol. Exp. Neurol.* 62, 127-136.
- DANTZER, F., SCHREIBER, V., NIEDERGANG, C., TRUCCO, C., FLATTER, E., DE-LA-RUBIA, G., OLIVER, J., ROLLI, V., MENISSIER-DE-MURCIA, J., DE MURCIA, G.**, 1999: Involvement of poly(ADP-ribose) polymerase in base excision repair. *Biochimie* 81, 69-75.
- DAVEY, G. P., PEUCHEN, S. & CLARK, J. B.**, 1998: Energy thresholds in brain mitochondria. *J. Biol. Chem.* 273, 12753-12757.
- DAWSON, V. L. & DAWSON, T. M.**, 1995: Physiological and toxicological actions of nitric oxide in the central nervous system. *Adv. Pharmacol.* 34, 323-342.

- DEL RIO-HORTEGA, P.**, 1919: El "tercer elemento" de los centros nerviosos. I. La microglia en estado normal. II. Intervencion de la en los procesos patologicos (Celulas en bastoncito y cuerpos granulo-adiposos). III. Naturaleza probable de la microglia. *Bol. Soc. Esp. Biol*, 69-120.
- DEL RIO-HORTEGA, P.**, 1932: Microglia. In W. Penfield (Ed.), *Cytology and Cellular Pathology of the Nervous System*, P. B. Hoeber, New York, 481-534.
- DE MURCIA, G., HULETSKY, A., LAMARRE, D., GAUDREAU, A., POUYET, J., DAUNE, M. & POIRIER, G. G.**, 1986: Modulation of chromatin superstructure induced by poly(ADP-ribose) synthesis and degradation. *J. Biol. Chem.* 261, 7011-7017.
- DE MURCIA, G & MENISSIER DE MURCIA, J.**, 1994: Poly(ADP-ribose) polymerase: A molecular nick-sensor. *Trends Biochem. Sci.* 19, 172-176.
- DE MURCIA J. M. & SHALL, S.**, 2000: Poly(ADP-ribosylation) reactions. From DNA damage and stress signalling to cell death. Oxford University Press.
- DENNIG, J. & DUNCAN, E.**, 2002: Gene transfer into eukaryotic cells using activated polyamidoamine dendrimers. *J. Biotechn.* 90, 339-347.
- DE SIMONE, R., GIAMPAOLO, A., GIOMETTO, B., GALL, P., LEVI, G., PESCHLE, C. & ALOISI, F.**, 1995: The costimulatory molecule B7 is expressed on human microglia in culture and in multiple sclerosis acute lesions. *J. Neuropathol. Exp. Neurol.* 54, 175-187.
- DEWITT, D. A., PERRY, G., COHEN, M., DOLLER, C. & SILVER, J.**, 1998: Astrocytes regulate microglial phagocytosis of senile plaque cores of Alzheimer's disease. *Exp. Neurol.* 149, 329-340.
- DICKSON, D. W.**, 1997: The pathogenesis of senile plaques. *J. Neuropathol. Exp. Neurol.* 56, 321-339.
- DIEMEL, L. T., COPELMAN, C. A. & CUZNER, M. L.** 1998: Macrophages in CNS remyelination: friend or foe? *Neurochem. Res.* 23, 341-347.
- DOKKA, S., TOLEDO, D., SHI, X., YE, J. & ROJANASAKUL, Y.**, 2000: High-efficiency gene transfection of macrophages by lipoplexes. *Int. J. Pharm.* 206, 97-104.
- DOPP, J. M., MACKENZIE-GRAHAM, A., OTERO, G. C. & MERRILL, J. E.**, 1997: Differential expression, cytokine modulation and specific functions of type-1 and type-2 tumor necrosis factor receptors in rat glia. *J. Neuroimmunol.* 75, 104-112.
- EICHMAN, J. D., BIELINSKA, A. U., KUKOWSKA-LATALLO, J. F. & BAKER, J. R. JR.**, 2000: The use of PAMAM dendrimers in the efficient transfer of genetic material into cells. *PSTT* 3, 232-245.
- ELBASHIR, S. M., HARBORTH, J., WEBER, K. & TUSCHL, T.**, 2002: Analysis of gene function in somatic mammalian cells using small interfering RNAs. *Methods* 26, 199-213.
- ELIASSON, M. J., SAMPEI, K., MANDIR, A. S., HURN, P. D., TRAYSTMAN, R. J., BAO, J., PIEPER, A., WANG, Z., DAWSON, T. M., SNYDER, S. H. & DAWSON, V. L.**, 1997: Poly(ADP-ribose) polymerase gene disruption renders mice resistant to cerebral ischemia. *Nature Med.* 3, 1089-1095.
- ELIASSON, M. J., HUANG, Z., FERRANTE, R. J., SASAMATA, M., MOLLIVER, M. E., SNYDER, S. H. & MOSKOWITZ, M. A.**, 1999: Neuronal nitric oxide synthase activation and peroxynitrite formation in ischemic stroke linked to neuronal damage. *J. Neurosci.* 19, 5910-5918.
- EL KHOURY, J., HICKMAN, S. E., THOMAS, C. A., CAO, L., SILVERSTEIN, S. C. & LOIKE, J. D.**, 1996: Scavenger receptor-mediated adhesion of microglia to β -amyloid fibrils. *Nature* 382, 716-719.

- EMIG, S., SCHMALZ, D., SHAKIBAEI, M. & BUCHNER, K.,**1995: The nuclear Pore Complex Protein p62 Is One Of Several Sialic Acid-containing Proteins of the Nuclear Envelope. *J. of Biological Chemistry* 270 (23), 13787-13793
- EMSLEY, H. C. A., & TYRRELL, P. J.,** 2002: Inflammation and infection in clinical stroke. *J. of Cereb. Blood Flow & Metab.* 22, 1399-1419.
- ENDRES, M., WANG, Z. Q., NAMURA, S., WAEBER, C. & MOSKOWITZ, M. A.,** 1997: Ischemic brain injury is mediated by the activation of poly(ADP-ribose) polymerase. *J. Cereb. Blood Flow Metab.* 17, 1143-1151.
- ESFAND, R. & TOMALIA, D. A.,** 2001: Poly(amidoamine) (PAMAM) dendrimers: from biomimicry to drug delivery and biomedical applications. *Drug Discovery Today* 6, 427-436.
- FABRY, Z., RAINE, C. S., & HART, M. N.,** 1994: Nervous tissue as an immune compartment: the dialect of the immune response in the CNS. *Immunol. Today* 15, 218-224.
- FADEN, A. I.,** 1993: Experimental neurobiology of central nervous system trauma. *Crit. Rev. Neurobiol.* 7, 175-186.
- FIELDS, R. D. & STEVENS-GRAHAM, B.,** 2002: New insights into neuron-glia communication. *Science* 298, 556-562.
- FLOYD, R. A.,** 1999: Antioxidants, oxidative stress and neurological disorders. *Proc. Soc. Exp. Biol. Med.* 222, 236-245.
- FRECHETTE, A., HULETSKY, A., AUBIN, R. J., DE MURCIA, G., MANDEL, P., LORD, A., GRONDIN, G. & POIRIER, G. G.,** 1985: Poly(ADP-ribosylation) of chromatin: kinetics of relaxation and its effect on chromatin solubility. *Can. J. Biochem. Cell Biol.* 63, 764-773.
- FREI, K., MALIPIERO, U. V., LEIST, T. P., ZINKERNAGEL, R. M., SCHWAB, M. E. & FONTANA, A.,** 1989: On the cellular source and function of interleukin 6 produced in the nervous system in viral diseases. *Eur. J. Immunol.* 19, 689-694.
- FREI, K., LINS, H., SCHWERDEL, C. & FONTANA, A.,** 1994: Antigen presentation in the central nervous system. The inhibitory effect of IL-10 on MHC class II expression and cytokine production depends on the inducing signals and the type of cell analyzed. *J. Immunol.* 152, 2720-2728.
- FROTSCHER M., ZAFIROV S., HEIMRICH B.,** 1995a: Development of identified neuronal types and of specific synaptic connections in slice cultures of rat hippocampus. *Prog. Neurobiol.* 45, 143-164.
- FROTSCHER, M., HEIMRICH, B., DELLER, T. & NITSCH, R.,** 1995b: Understanding the cortex through the hippocampus: lamina specific connections of the rat hippocampal neurons. *J. Anat.* 187, 539-545.
- GABRIEL, C., JUSTICIA, C., CAMINS, A. & PLANAS, A. M.,** 1999: Activation of nuclear factor- κ B in the rat brain after transient focal ischemia. *Brain Res. Mol. Brain Res.* 65, 61-69.
- GAHMBERG, C. G., VALMU, L., FAGERHOLM, S., KOTOVUORI, P., IHANUS, E., TIAN, L. & PESSA-MORIKAWA, T.,** 1998: Leukocyte integrins and inflammation. *Cell. Mol. Life Sci.* 54, 549-555.
- GARTNER, S. & LIU, Y.,** 2002: Insights into the role of immune activation in HIV neuropathogenesis. *J. Neurovirol.* 8, 69-75.
- GEBICKE-HAERTER, P. J.,** 2001: Microglia in neurodegeneration: molecular aspects. *Micros. Res. Technol.* 54, 47-58.

- GEBICKE-HAERTER, P. J., VAN CALKER, D., NORENBERG, W. & ILLES, P., 1996:** Molecular mechanisms of microglial activation. Implications for regeneration and neurodegenerative diseases. *Neurochem. Int.* 29, 1-12.
- GEBICKE-HAERTER, P. J., LIEB, K., ILLES, P. & BERGER, M., 1998:** Mikroglia: Mechanismen der Aktivierung und Bedeutung bei der Pathogenese neuropsychiatrischer Erkrankungen. *Nervenarzt* 69, 752-762.
- GEHRMANN, J., MATSUMOTO, Y. & KREUTZBERG, G. W., 1995:** Microglia: intrinsic immuneffector cell of the brain. *Brain Res. Brain Res. Rev.* 20, 269-287.
- GEMSA, D., KALDEN, J. R. & RESCH, K., 1991:** Immunologie. 3. Auflage, Thieme-Verlag, 124-143.
- GERTZ, S. D., 2001:** Basiswissen Neuroanatomie. 3. Auflage, Thieme-Verlag, 142-143.
- GIULIAN, D. & INGEMAN, J. E., 1988:** Colony-stimulating factors as promoters of amoeboid microglia. *J. Neurosci.* 8, 4707-4717.
- GLABINSKI, A. R. & RANSOHOFF, R. M., 1999:** Chemokines and chemokine receptors in CNS pathology. *J. Neurovirol.* 5, 3-12.
- GOTO, S., XUE, R., SUGO, N., SAWADA, M., BLIZZARD, K. K., POITRAS, M. F., JOHNS, D. C., DAWSON, T. M., DAWSON, V. L., CRAIN, B. J., TRAYSTMAN, R. J., MORI, S. & HURN, P. D., 2002:** Poly(ADP-ribose) polymerase impairs early and long-term experimental stroke recovery. *Stroke* 33, 1101-1106.
- GRAEBER, M. B., SCHEITHAUER, B. W. & KREUTZBERG, G. W., 2002:** Microglia in brain Tumors. *Glia* 40, 252-259.
- GREGERSEN, R., LAMBERTSEN, K. & FINSEN, B., 2000:** Microglia and macrophages are the major source of tumor necrosis factor in permanent middle cerebral artery occlusion in mice. *J. Cereb. Blood Flow Metab.* 20, 53-65.
- GRÜNDEMANN, D. & SCHÖMIG, E., 1996:** Protection of DNA during preparative agarose gel electrophoresis against damage induced by ultraviolet light. *Bio Techniques* 21, 898-903.
- GUMBINER, B. M., 1996:** Cell adhesion: The molecular basis of tissue architecture and morphogenesis. *Cell* 84, 345-357.
- HA, H. C. & SNYDER, S. H., 1999:** Poly(ADP-ribose) polymerase is a mediator of necrotic cell death by ATP depletion. *Proc. Natl. Acad. Sci. USA* 96, 13978-13982.
- HA, H. C. & SNYDER, S. H., 2000:** Poly(ADP-ribose) polymerase-1 in the nervous system. *Neurobiol. Dis.* 7, 225-239.
- HA, H.C., HESTER, L. D. & SNYDER, S., 2002:** Poly(ADP-ribose) polymerase-1 dependence of stress-induced transcription factors and associated gene expression in glia. *PNAS* 99, 3270-3275.
- HAILER, N., JÄRHULT, J. & NITSCH, R., 1996:** Resting microglial cells in vitro: analysis of morphology and adhesion molecule expression in organotypic hippocampal slice cultures. *Glia* 18, 319-331.
- HAILER, N. P., BECHMANN, I., HEIZMANN, S., NITSCH R., 1997:** Adhesion molecule expression on phagocytic microglial cells following anterograde degeneration of perforant path axons. *Hippocampus* 7, 341-349.

- HALLIDAY, G., ROBINSON, S. R., SHEPHERD, C. & KRIL, J., 2000:** Alzheimer's disease and inflammation: A review of cellular and therapeutic mechanisms. *Clin. Exp. Pharmacol. and Physiol.* 27, 1-8.
- HALLIWELL, B. 1989:** Oxidants and the central nervous system: some fundamental questions. Is oxidant damage relevant to Parkinson's disease, Alzheimer's disease, traumatic injury or stroke? *Acta Neurol. Scand. Suppl.* 126, 23-33.
- HALLIWELL, B., 1999:** Antioxidant defence mechanisms: from the beginning to the end (of the beginning). *Free Radic. Res.* 31, 261-272.
- HALLIWELL, B., 2001:** Role of free radicals in the neurodegenerative diseases: therapeutic implications for antioxidant treatment. *Drugs Aging*, 18, 685-716.
- HANISCH, U. K., 2002:** Microglia as a source and target of cytokines. *Glia* 40, 140-155.
- HANSSON, E. & RÖNNBÄCK, L., 2003:** Glial neuronal signaling in the central nervous system. *FASEB J.* 17, 341-348.
- HARRISON, J. K., JIANG, Y., CHEN, S., XIA, Y., MACIEJEWSKI, D., MCNAMARA, R. K., STREIT, W. J., SALAFRANCA, M. N., ADHIKARI, S., THOMPSON, D. A., BOTTI, P., BACON, K. B. & FENG, L., 1998:** Role for neuronally derived fractalkine in mediating interactions between neurons and CX3CR1-expressing microglia. *Proc. Natl. Acad. Sci. USA* 95, 10896-10901.
- HASKO, G., MABLEY, J. G., NEMETH, Z. H., PACHER, P., DEITCH, E. A. & SZABÓ, C., 2002:** Poly(ADP-ribose) polymerase is a regulator of chemokine production: relevance for the pathogenesis of shock and inflammation. *Mol. Med.* 8, 283-289.
- HASSA, P. O., COVIC, M., HASAN, S., IMHOF, R. & HOTTINGER, M. O., 2001:** The enzymatic and DNA binding activity of PARP-1 are not required for NF- κ B coactivator function. *J. Biol. Chem.* 276, 45588-45597.
- HASSA, P. O. & HOTTIGER, M. O., 1999:** A role of poly(ADP-ribose) polymerase in NF-kappa B transcriptional activation. *Biol.-Chem.* 380, 953-959.
- HATAKEYAMA, K., NEMOTO, Y., UEDA, K. & HAYAISHI, O., 1986:** Purification and characterization of poly(ADP-ribose) glycohydrolase: Different modes of action on large and small poly(ADP-ribose). *J. Biol. Chem.* 261, 14902-14911.
- HAUSSCHILDT, S., SCHEIPERS, P., BESSLER, W. G. & MULSCH, A., 1992:** Induction of nitric oxide synthase in L929 cells by tumor-necrosis factor alpha is prevented by inhibitors of poly(ADP-ribose) polymerase. *Biochem. J.* 288, 255-600.
- HEESE, K., FIEBICH, B. L., BAUER, J. & OTTEN, U., 2002:** NF- κ B modulates Lipopolysaccharid-induced microglial Nerve Growth Factor expression. *Glia* 22, 401-407.
- HEMMER, K., FRANSEN, L., VANDERSTICHELE, H., VANMECHELEN, E. & HEUSCHLING, P., 2001:** An *in vitro* model for study of microglia-induced neurodegeneration: involvement of nitric oxide and tumor necrosis factor-alpha. *Neurochem. Int.* 38, 557-565.
- HENKEL, T., MACHLEIDT, T., ALKALAY, I., KRONKE, M., BEN-NERIAH, Y. & BAEUERLE, P. A., 1993:** Rapid proteolysis of IkappaB-alpha is necessary for activation of transcription factor NF-kappaB. *Nature* 365, 182-185.

- HEPPNER, F, SKUTELLA T, HAILER NP, HAAS D, NITSCH R.,**1998: Activated microglial cells migrate towards site of excitotoxic neuronal injury inside organotypic hippocampal slice cultures. *Eur. J. Neurosci.* 10, 3284-3290.
- HERCEG, Z. & WANG, Z. Q.,** 1999: Failure of poly(ADP-ribose) polymerase cleavage by caspases leads to induction of necrosis and enhanced apoptosis. *Mol. Cell. Biol.* 19, 5124-5133.
- HESELGESSER, J. & HORUK, R.,** 1999: Chemokine and chemokine receptor expression in the central nervous system. *J. Neurovirol.* 5, 13-26.
- HEYEN, J. R., YE, S., FINCK, B. N. & JOHNSON, R. W.,** 2000: Interleukin (IL)-10 inhibits IL-6 production in microglia by preventing activation of NF- κ B. *Brain Res. Mol. Brain Res.* 77, 138-147.
- HIBBS, M. L., XU, H., STACKER, S. A. & SPRINGER, T. A.,** 1991: Regulation of adhesion to ICAM-1 by the cytoplasmic domain of LFA-integrin β subunit. *Science* 251, 1611-1613.
- HOEK, R. M., RUULS, S. R., MURPHY, C. A., WRIGHT, G. J., GODDARD, R., ZURAWSKI, S. M., BLOM, B., HOMOLA, M. E., STREIT, W. J., BROWN, M., BARCLAY, A. N. & SEDGWICK, J. D.,** 2000: Down-regulation of the macrophage lineage through interaction with OX2 (CD200). *Science* 290, 1768-1771.
- HUNOT, S. & HIRSCH, E. C.,** 2003: Neuroinflammatory process in Parkinson's Disease. *Ann. Neurol.* 53, 49-60.
- IBELGAUFTS, H.,** 1993: *Gentechnologie von A bis Z. 1., korrigierter Nachdruck, Studienausgabe, VCH Verlag.*
- IGNATIUS, M. J., GEBICKE-HAERTER, P. J., SKENE, J. H. P., SCHILLING, J. W., WEISGRABER, K. H., MAHLEY, R. W. & SHOOTER, E. M.,** 1986: Expression of apolipoprotein E during nerve degeneration and regeneration. *Proc. Natl. Acad. Sci. USA* 83, 1125-1129.
- ILLES, P., NORENBERG, W. & GEBICKE-HAERTER, P. J.,** 1996: Molecular mechanisms of microglial activation. Voltage- and purinoceptor-operated channels in microglia. *Neurochem. Int.* 29, 13-24.
- IMAI, Y. & KOHSAKA, S.,** 2002: Intracellular signaling in M-CSF-induced microglia activation: role of Iba1. *Glia* 40, 164-174.
- INOUE, K.,** 2002: Microglial activation by purines and pyrimidines. *Glia* 40, 156-163.
- INSAUSTI, R., HERRERO, M. T. & WITTER, M. P.,** 1997: Entorhinal cortex of the rat: Cytoarchitectonic subdivisions and the origin and distribution of cortical efferents. *Hippocampus* 7, 146-183.
- ISHIBASHI, N., PROKOPENKO, O., REUHL, K. R. & MIROCHNITCHENKO, O.,** 2002: Inflammatory response and Glutathione Peroxidase in a model of stroke. *J. Immunol.* 168, 1926-1933.
- JANEWAY, C. A. & TRAVERS, P.,** 1997: *Immunologie. 2. Aufl., Spektrum Akademischer Verlag.*
- JOHANSSON, M.,** 1999: A human poly(ADP-ribose) polymerase gene family (ADPRTL): cDNA cloning of two novel poly(ADP-ribose) polymerase homologues. *Genomics* 57, 442-445.
- JOHNSON, S. A., YOUNG-CHAN, C. S., LAPING, N. J. & FINCH, C. E.,** 1996: Perforant path transection induces complement C9 deposition in hippocampus. *Exp. Neurol.* 138, 198-205.
- KALARIA, R. N.,** 1999: Microglia and Alzheimer's disease. *Curr. Opin. Hematol.* 6, 15-24.

- KALB, L. Y.**, 1995: Recovery from spinal cord injury: new approaches. *Neuroscientist* 1, 321-327.
- KAMEOKA, M.**, OTA, K., TETSUKA, T., TANAKA, Y., ITAYA, A., OKAMOTO, T. & YOSHIHARA, K., 2000: Evidence for regulation of NF-kappaB by poly(ADP-ribose) polymerase. *Biochem. J.* 346, 641-649.
- KANDEL, E. R.**, SCHWARTZ, J. H. & JESSEL, T. M., 1996: *Neurowissenschaften*, 1. deutsche Auflage, Spektrum Akademischer Verlag.
- KATO, H. & WALZ, W.**, 2000: The initiation of microglial response. *Brain Pathol.* 10, 137-143.
- KAUFMANN, S. H.**, DESNOYERS, S., OTTAVIANO, Y., DAVIDSON, N. E. & POIRIER, G. G., 1993: Specific proteolytic cleavage of poly(ADP-ribose) polymerase: An early marker of chemotherapy-induced apoptosis. *Cancer Res.* 53, 3976-3985.
- KAWAMATA, T.**, AKIYAMA, H., YAMADA, T. & MCGEER, P. L., 1992: Immunologic reactions in amyotrophic lateral sclerosis brain and spinal cord tissue. *Am. J. Pathol.* 140, 691-707.
- KAWAMURA, T.**, HANAI, S., YOKOTA, T., HAYASHI, T., POLTRONIERI, P., MIWA, M. & UCHIDA, K., 1998: An alternative form of poly(ADP-ribose) polymerase in drosophila melanogaster and its ectopic expression in rat-1 cells. *Biochem. Biophys. Res. Commun.* 251, 35-40.
- KETTENMANN, H.**, HOPPE, D., GOTTMANN, K., BANATI, R. & KREUTZBERG, G. W., 1990: Cultured microglial cells have a distinct pattern of membrane channels different from peritoneal macrophages. *J. Neurosci. Res.* 26, 278-287.
- KETTENMANN, H.**, BANATI, R. & WALZ, W., 1993: Electrophysiological behavior of microglia. *Glia* 7, 93-101.
- KICKHOEFER, V. A.**, SIVA, A. C., KEDERSHA, N. L., INMAN, E. M., RULAND, C., STREULI, M. & ROME, L. H., 1999: The 113 kD vault protein, VPARP, is a novel poly(ADP-ribose) polymerase. *J. Cell Biol.* 146, 917-928.
- KIM, J. S.**, 1996: Cytokines and adhesion molecules in stroke and related diseases. *J. Neurol. Sci.* 137, 69-78.
- KIM, W. K. & KO, K. H.**, 1998: Potentiation of N-methyl-D-aspartate-mediated neurotoxicity by immunostimulated murine microglia. *J. Neurosci. Res.* 54, 17-26.
- KIMELMAN, D. & KIRSCHNER, M.**, 1989: An antisense mRNA directs the covalent modification of the transcript encoding fibroblast growth factor in *Xenopus* oocytes. *Cell* 59, 687-696.
- KIRCHNER, H.**, KRUSE, A., NEUSTOCK, P & RINK, L., 1993: *Cytokine und Interferone*. Spektrum Akademischer Verlag.
- KITCHENS, R. L.**, 2000: Role of CD14 in cellular recognition of bacterial lipopolysaccharides. *Chem. Immunol.* 74, 61-82.
- KOCH-BRANDT, C.**, 1993: *Gentransfer*. 1. Auflage, Thieme Verlag.
- KOEDEL, U. & BAYERLEIN, I.**, PAUL, R., SPORER, B. & PFISTER, H. W., 2000: Pharmacologic interference with NF-kappaB activation attenuates central nervous system complications in experimental Pneumococcal meningitis. *J.-Infect.-Dis.* 182, 1437-1445.
- KOUTSILIERI, E.**, SCHELLER, C., TRIBL, F. & RIEDERER, P., 2002: Degeneration of neuronal cells due to oxidative stress-microglial contribution. *Parkinsonism and Related Disorders* 8, 401-406.

- KREUTZBERG, G. W.**, 1995: Microglia, the first line of defence in brain pathologies. *Arzneimittelforschung* 45, 357-360.
- KREUTZBERG, G. W.**, 1996: Microglia: a sensor for pathological events in the CNS. *Trends Neurosci.* 19, 312-318.
- KUCUKKAYA, B., HAKLAR, G. & YALCIN, A. S.**, 1996: NMDA excitotoxicity and free radical generation in rat brain homogenates: application of a chemoluminescence assay. *Neurochem. Res.* 21, 1535-1538.
- KUSUMAWATI, A., COMMES, T., LIAUTARD, J. P. & WIDADA, J. S.**, 1999: Transfection of myelomonocytic cell lines: cellular response to a lipidbased reagent and electroporation. *Anal. Biochem.* 269, 219-221.
- LAM, T. T.**, 1997: The effect of 3-aminobenzamide, an inhibitor of poly-ADP-ribose polymerase, on ischemia/reperfusion damage in rat retina. *Res.-Commun.-Mol.-Pathol.-Pharmacol.* 95, 241-252.
- LAMARRE, D., TALBOT, B., DE MURCIA, G., LAPLANTE, C., LEDUC, Y., MAZEN, A. & POIRIER, G. G.**, 1988: Structural function analysis of poly(ADP-ribose) polymerase: an immunological study. *Biochem.-Biophys.-Acta* 950, 147-160.
- LASSMANN, H., ZIMPRICH, F., ROSSLER, K. & VASS, K.**, 1991: Inflammation in the nervous system. Basic mechanisms and immunological concepts. *Rev. Neurol. Paris.* 147, 763-781.
- LASSMANN, H., SCHMIED, M., VASS, K. & HICKEY, W. F.**, 1993: Bone marrow derived elements and resident microglia in brain inflammation. *Glia* 7, 19-24.
- LAURENZI, M. A., CATALDO, A., RUGGERO, R., PIERFRANCESCO, M. & BOCCHINI, V.**, 2001: Effects of microenvironment on morphology and function of the Microglial Cell Line BV-2. *Neurochem. Res.* 26, 1209-1216.
- LAWSON, L. J., PERRY, V. H. & GORDON, S.**, 1992: Turnover of resident microglia in the normal adult mouse brain. *Neurosci.* 48, 405-415.
- LE PAGE, C., SANCEAU, J., DRAPIER, J. C. & WIETZERBIN, J.**, 1998: Inhibitors of ADP-ribosylation impair inducible nitric oxide synthase gene transcription through inhibition of NF kappaB activation. *Biochem. Biophys. Res. Commun.* 243, 451-457.
- LEE, S. J. & BENVENISTE, E. N.**, 1999: Adhesion molecule expression and regulation on cells of the central nervous system. *J. Immunol.* 98, 77-88.
- LEONHARDT, H.**, 1985: *Histologie, Zytologie und Mikroanatomie des Menschen*, 7. Auflage, Thieme-Verlag, 233-241.
- LIAO, H. S., KODAMA, T., DOI, T., EMI, M., ASAOKA, H., ITAKURA, H. & MATSUMOTO, A.**, 1997: Novel elements located at -504 to -399bp of the promotor region regulated the expression of the human macrophage scavenger receptor gene in murine macrophages. *J. Lipid Res.* 38, 1433-1444.
- LIAUDET, L., SZABO, A., SORIANO, F. G., ZINGARELLI, B., SZABO & C., SALZMAN, A. L.**, 2000: Poly(ADP-ribose) synthetase mediates intestinal mucosal barrier dysfunction after mesenteric ischemia. *Shock* 14, 134-141.
- LIAUDET, L., SZABÓ, E., TIMASHPOLSKY, L., VIRÁG, L., CZIRÁKI, A. & SZABÓ, C.**, 2001: Localization of poly(ADP-ribose) polymerase (PARP) activation in a rat model of myocardial reperfusion injury: suppression of PARP activation and long-term morphological and functional improvement by 3-aminobenzamide. *Br. J. Pharmacol.* 133, 1424-1430.

- LIU, B.**, GAO, H. M., WANG, J. Y., JEON, G. H., COOPER, C. L. & HONG, J. S., 2002: Role of nitric oxide in inflammation-mediated neurodegeneration. *Ann. N. Y. Acad. Sci.* 962, 318-331.
- LIU, J.**, YING, W., MASSA, S., DURIEZ, P. J., SWANSON, R. A., POIRIER, G. G. & SHARP, F. R., 2000: Effects of transient global ischaemia and kainate on poly(ADP-ribose) polymerase (PARP) gene expression and proteolytic cleavage in gerbil and rat brains. *Brain Res. Mol. Brain Res.* 80, 7-16.
- LIU, J. S. H.**, AMARAL, T. D., BROSNAN, C. F. & LEE, S. C., 1998: IFNs are critical regulators of IL-1 receptor agonist and IL-1 expression in human microglia. *J. Immunol.* 161, 1989-1996.
- LIU, Y.**, MOUNKES, L. C., LIGGITT, H. D. BROWN, C. S., SOLODIN, I., HEATH, T. D. & DEBS, R. J., 1997: Factors influencing the efficiency of cationic liposome-mediated intravenous gene delivery. *Nat. Biotechnol.* 15, 167-173.
- LOVE, S.**, BARBER, R. & WILCOCK, G. K., 1999: Neuronal accumulation of poly(ADP-ribose) after brain ischaemia. *Neuropathol. Appl. Neurobiol.* 25, 98-103.
- MA, J.**, YEE, A., BREWER, H. B. JR., DAS, S. & POTTER, H., 1994: Amyloid-associated protein alpha1-antichymotrypsin and apolipoprotein E promote assembly of Alzheimer β -protein into filaments. *Nature* 372, 92-94.
- MABLEY, J.**, JAGTAP, P., PERRETTI, M., GETTING, S. J., SALZMAN, A. L., VIRAG, L., SZABÓ, E., SORIANO, F. G., LIAUDET, L., ABDELKARIM, G. E., HASKO, G., MARTON, A., SOUTHAN, G. J. & SZABÓ, C., 2001: Anti-inflammatory effects of a novel, potent inhibitor of poly (ADP-ribose) polymerase. *Inflamm. Res.* 50, 561-569.
- MABUCHI, T.**, KITAGAWA, K., OHTSUKI, T., KUWABARA, K., YAGITA, Y., YANAGIHARA, T., HORI, M. & MATSUMOTO, M., 2000: Contribution of microglia/macrophages to expansion of infarction and response of oligodendrocytes after focal cerebral ischemia in rats. *Stroke* 31, 1735-1743.
- MACIEJEWSKI-LENOIR, D.**, CHEN, S., FENG, L., MAKI, R. & BACON, K. B., 1999: Characterization of fractalkine in rat brain cells: migratory and activation signals for CX3CR-1-expressing microglia. *J. Immunol.* 163, 1628-1635.
- MACK, K. D.**, WIE, R., ELBAGARRI, A., ABBEY, N. & MCGRATH, M. S., 1998: A novel method for DEAE-dextran mediated transfection of adherent primary cultured human macrophages. *J. Immunol. Methods* 211, 79-86.
- MAHAJAN, P. B. & ZUO, Z.**, 1998: Purification and cDNA cloning of maize Poly(ADP)-ribose polymerase. *Plant Physiol.* 118, 895-905.
- MANDIR, A. S.**, POITRAS, M. F., BERLINER, A. R., HERRING, W. J., GUASTELLA, D. B., FELDMAN, A., POIRIER, G. G., WANG, Z. Q., DAWSON, T. M. & DAWSON, V. L., 2000: NMDA but not non-NMDA excitotoxicity is mediated by Poly(ADP-ribose) polymerase. *J. Neurosci.* 20, 8005-8511.
- MATTSON, M. P. & CAMANDOLA, S.**, 2001: NF- κ B in neuronal plasticity and neurodegenerative disorders. *J. Clin. Invest.* 107, 247-254.
- MAZEN, A.**, MENISSIER-DE MURCIA, J., MOLINETE, M., SIMONIN, F., GRADWOHL, G., POIRIER, G. & DE MURCIA, G., 1989: Poly(ADP-ribose) polymerase: A novel finger protein. *Nucleic Acids Res.* 17, 4689-4698.
- MCGEER, P. L. & MCGEER, E. G.**, 1998: Glial cell reactions in neurodegenerative diseases: pathophysiology and therapeutic interventions. *Alzheimer Dis. Assoc. Disord.* 12, 1-6

- MCGEER, P. L. & MCGEER, E. G.**, 2001: Inflammation autotoxicity and Alzheimer disease. *Neurobiol. Aging* 22, 799-809.
- MCGEER, P. L. & MCGEER, E. G.**, 2002: Inflammatory Processes in Amyotrophic Lateral Sclerosis. *Muscle & Nerve* 26, 459-470.
- MCMANUS, C. M., WEIDENHEIM, K., WOODAM, S. E., NUNEZ, J., HESSELGESSER, J., NATH, A. & BERMAN, J. W.**, 2000: Chemokine and chemokine-receptor expression in human glial elements: induction by HIV protein, Tat, and chemokine autoregulation. *Am. J. Pathol.* 156, 1441-1453.
- MCMANUS, M. T. & SHARP, P. A.**, 2002: Gene silencing in mammals by small interfering RNAs. *Nature Rev.* 3, 737-747.
- MEISTERERNST, M., STELZER, G. & ROEDER, R. G.**, 1997: Poly(ADP-ribose) polymerase enhances activator-dependent transcription *in vitro*. *Proc. Natl. Acad. Sci. USA* 94, 2261-2265.
- MENDOZA-ALVAREZ, H. & ALVAREZ-GONZALES, R.**, 1993: Poly(ADP-ribose) polymerase is a catalytic dimer and the automodification reaction is intermolecular. *J. Biol. Chem.* 268, 22575-22580.
- MERRILL, J. E.**, 1992: Tumor necrosis factor-alpha, interleukin 1 and related cytokines in brain development: normal and pathological. *Dev. Neurosci.* 14, 1-10.
- MICHAELIS, E. K.**, 1998: Molecular biology of glutamate receptors in the central nervous system and their role in excitotoxicity, oxidative stress and aging. *Prog. Neurobiol.* 54, 369-415.
- MINGHETTI, L. & LEVI, G.**, 1995: Induction of prostanoid biosynthesis by bacterial lipopolysaccharide and isoproterenol in rat microglial cultures. *J. Neurochem.* 65, 2690-2698.
- MINGHETTI, L. & LEVI, G.**, 1998: Microglia as effector cells in brain damage and repair: focus on prostanoids and nitric oxide. *Prog. Neurobiol.* 54, 99-125.
- MIWA, M. & SUGIMURA, T.**, 1971: Splitting of the ribose-ribose linkage of poly(adenosine diphosphate-ribose) by calf thymus extract. *J. Biol. Chem.* 246, 6362-6364.
- MODY, I. & MACDONALD, J. F.**, 1995: NMDA receptor-dependent excitotoxicity: the role of intracellular Ca^{2+} release. *TiPS* 16, 356-359.
- MÖLLER, T.**, 2002: Calcium signaling in microglial cells. *Glia* 40, 184-194.
- MORGAN, T. E., NICHOLS, N. R., PASINETTI, G. M. & FINCH, C. E.**, 1993: TGF-beta 1 mRNA increases in macrophages/microglial cells of the hippocampus in response to deafferentation and kainic acid-induced neurodegeneration. *Exp. Neurol.* 120, 291-301.
- MORGANTI-KOSSMANN, M. C., RANCAN, M., STAHEL, P. F. & KOSSMANN, T.**, 2002: Inflammatory response in acute traumatic brain injury: a double-edged sword. *Current Opinion in critical Care* 8, 101-105.
- MORIMOTO K., MURASUGI, T. & ODA, T.**, 2002: Acute neuroinflammation exacerbates excitotoxicity in rat hippocampus *in vivo*. *Exp. Neurol.* 177, 95-104.
- MURPHY, G. M. JR., JIA, X. C., SONG, Y., ONG, E., SHRIVASTAVA, R., BOCCHINI, V., LEE, Y. L. & ENG, L. F.**, 1995: Macrophage inflammatory protein 1-alpha mRNA expression in an immortalized microglial cell line and cortical astrocyte cultures. *J. Neurosci. Res.* 40, 755-763.

- NAGATA, Y., DIAMOND, B. & BLOOM, B. R., 1983:** The generation of human monocyte/macrophage cell lines. *Nature* 306, 597-599.
- NAKAJIMA, K. & KOHSAKA, S., 1998:** Functional roles of microglia in the central nervous system. *Hum. Cell* 11, 141-155.
- NAKAJIMA, K. & KOHSAKA, S., 2002:** Neuroprotective roles of microglia in the central nervous system. In: Streit W. J. editor. *Microglia in the regenerating and degenerating central nervous system*. New York: Springer-Verlag. 188-208.
- NATHAN, C. F., 1987:** Secretory products of macrophages. *J. Clin. Invest.* 79, 319-326.
- NEUMANN, H., MISGELD, T., MATSUMURO, K. & WECKERLE, H., 1998:** Neurotrophins inhibit major histocompatibility class II inducibility of microglia: Involvement of the p75 neurotrophin receptor. *Proc. Natl. Acad. Sci. USA* 95, 5779-5784.
- NEUMANN, S. & WOOLF, C. J., 1999:** Regeneration of dorsal column fibers into and beyond the lesion site following adult spinal cord injury. *Neuron* 23, 83-91.
- NGUYEN, M. D., JULIEN, J. P. & RIVEST, S., 2002:** Innate immunity: The missing link in neuroprotection and neurodegeneration? *Nat. Rev. Neurosci.* 3, 216-227.
- NGUYEN, V. T. & BENVENISTE, E. T., 2002:** Critical role of TNF- α and NF κ B in IFN- γ -induced CD40 expression in microglia/macrophages. *J. Biol. Chem.* 277, 13796-13803.
- NICHOLL, D. S. T., 1995:** *Gentechnische Methoden*. 1. deutsche Auflage, Spektrum Akademischer Verlag.
- NIRODI, C., NAGDAS, S., GYGI, S. P., OLSON, G., RUEDI, A. & RICHMOND, A., 2001:** A role for poly(ADP-ribose) polymerase (PARP) in the transcriptional regulation of the melanoma growth stimulatory activity (CXCL1) gene expression. *J. Biol. Chem.* 276, 9366-9374.
- NÖRENBERG, W., LANGOSCH, J. M., GEBICKE-HAERTER, P. J. & ILLES, P., 1994:** Characterization and possible function of adenosine-5'-triphosphate receptors in activated rat microglia. *Br. J. Pharmacol.* 111, 942-950.
- NOMOTO, Y., YAMAMOTO, M., FUKUSHIMA, T., KIMURA, H., OHSHIMA, K. & TOMONAGA, M., 2001:** Expression of nuclear factor κ B and tumor necrosis factor alpha in the mouse brain after experimental thermal ablation injury. *Neurosurgery* 48, 158-166.
- OBRENOVITCH, T. P. & URENJAK, J., 1997:** Altered glutamatergic transmission in neurological disorders: from high extracellular glutamate to excessive synaptic efficacy. *Prog. Neurobiol.* 51, 39-87.
- OIKAWA, A., TOHDA, H., KANAI, M., MIWA, M. & SUGIMURA, T., 1999:** Inhibitors of poly(adenosine diphosphate ribose) polymerase induce sister chromatid exchanges. *Biochem. Biophys. Res. Commun.* 97, 1311-1316.
- O'KEEFE, G.M., NGUYEN, V. T. & BENVENISTE, E. N., 1999:** Class II transactivator and class II MHC gene expression in microglia: modulation by the cytokines TGF beta, IL-4, IL-13 and IL-10. *Eur. J. Immunol.* 29, 1275-1285.
- OLIVER, F. J., MENISSIER-DE-MURCIA, J., NACCI, C., DECKER, P., ANDRIANTSITOHAINA, R., MULLER, S., DE LA RUBIA, G., STOCLET, J.C. & DE MURCIA, G.: 1999:** Resistance to endotoxic shock as a consequence of defective NF-kappaB activation in poly(ADP-ribose) polymerase-1 deficient mice. *EMBO J.* 18, 4446-4454.

- O'NEILL, L. A. & KALTSCHMIDT, C.**, 1997: NF-kappa B: a crucial transcription factor for glial and neuronal cell function. *Trends Neurosci.* 20, 252-258.
- OLSON, J. K.**, GIRVIN, A. M., & MILLER, S. D., 2001: Direct activation of innate and antigen-presenting functions of microglia following infection with Theiler's virus. *J. Virol.* 75, 9780-9789.
- OTUSAKA, A.**, HANAFUSA, T., MIYAGAWA, J., KONO, N. & TARUI, S., 1991: Nicotinamide and 3-aminobenzamide reduce interferon-gamma-induced class II MHC (HLA-DR and -DP) molecule expression on cultured human endothelial cells and fibroblasts. *Immunopharmacol. Immunotoxicol.* 13, 263-280.
- PALMER, A. M.**, 1998: Excitatory amino acids and neurodegeneration, in: Stephenson, F. A., Turner, A. J. (Eds.), *Amino Acids Neurotransmission*, Portland Press, London, 195-226.
- PASINETTI, G. M. & AISEN, P. S.**, 1998: Cyclooxygenase-2 expression is increased in frontal cortex of Alzheimer's disease brain. *Neurosci.* 87, 319-324.
- PASTI, L.**, VOLTERRA, A., POZZAN, T. & CARMIGNOTO, G., 1997: Intracellular calcium oscillations in astrocytes: a highly plastic, bidirectional form of communication between neurons and astrocytes in situ. *J. Neurosci.* 17, 7817-7830.
- PELLACANI, A.**, CHIN, M. T., WIESEL, P., IBANEZ, M., PATEL, A., YET, S.-F., HSIEH, C.-M., PAULASKIS, J. D., REEVES, R., LEE, M.-E. & PERRELLA, M. A., 1999: Induction of high mobility group-I(Y) protein by endotoxin and Interleukin-1 β in vascular smooth muscle cells. *J. Biol. Chem.* 274, 1525-1532.
- PERESS, N. S.**, FLEIT, B. H., PERILLO, E., KULJIS, R. & PEZZULLO, C., 1993: Identification of Fc γ RI, II and III on normal human brain ramified microglia and on microglia in senile plaques in Alzheimer's disease. *J. Neuroimmunol.* 48, 71-80.
- PERRELLA, M.**, PELLACANI, A., WIESEL, P., CHIN, M.-T., FOSTER, L. C., IBANEZ, M., HSIEH, G.-M., REEVES, R., YET, S.-H. & LEE, M.-E., 1999: High mobility group-I(Y) protein facilitates nuclear factor- κ B binding and transactivation of the inducible nitric-oxide synthase promoter/enhancer. *J. Biol. Chem.* 274, 9045-9052.
- PERRY, V. H.**, 1998: A revised view of the central nervous system microenvironment and major histocompatibility complex class II antigen presentation. *J. Neuroimmunol.* 90, 113-121.
- PESTALOZZA, I. F.**, DI LEGGE, S., CALABRESI, M. & LENZI, G. L., 2002: Ischaemic penumbra: Highlights. *Clin. Exp. Hypertens.* 24, 517-529.
- PETERSON, P. K.**, HU, S., SALAK-JOHNSON, J., MOLITOR, W. J. & CHAO, C. C., 1997: Differential production of and migratory response to beta chemokines by human microglia and astrocytes. *J. Infect. Dis.* 175, 478-481.
- PIANI, D.**, FEI, K., DO, K. Q., CUENOD, M. & FONTANA, A., 1991: Murine brain macrophages induce NMDA receptor mediated neurotoxicity by secreting glutamate. *Neurosci. Lett.* 133, 159-162.
- PIEHL, F. & LINDMAN, O.**, 2001: Neuroinflammation in the rat-CNS cells and their role in regulation of immune reactions. *Immunol. Rev.* 184, 212-225.
- PIEPER, A. A.**, 2000: Poly (ADP-ribosylation) basally activated by DNA strand breaks reflects glutamate-nitric oxide neurotransmission. *Proc. Natl. Acad. Sci. USA* 97, 1845-1850.

- PLASCHKE, K., KOPITZ, J., WEIGAND, M. A., MARTIN, E. & BARDENHEUER, H. J., 2000:** The neuroprotective effect of cerebral poly(ADP-ribose) polymerase inhibition in a rat model of global ischemia. *Neurosci. Lett.* 284, 109-112.
- POVLISHOCK, J. T. & JENKINS, L. W., 1995:** Are the pathological changes evoked by traumatic brain injury immediate and irreversible? *Brain Pathol.* 5, 415-426.
- PRAT, A., BIERNACKI, K., WOSIK, K. & ANTEL, J. P., 2001:** Glial cell influence on the human blood-brain barrier. *Glia* 36, 145-155.
- PRILLER, J., FLÜGEL, A., WEHNER, T., BOENTERT, M., HAAS, C. A., PRINZ, M., FERNÁNDEZ-KLETT, F., PRASS, K., BECHMANN, I., DE BOER, B. A., FROTSCHER, M., KREUTZBERG, G. W., PERSONS, A. & DIRNAGEL, U., 2001:** Targeting gene-modified hematopoietic cells to the central nervous system: Use of green fluorescent protein uncovers microglial engraftment. *Nat. Med.* 7, 1356-1361.
- PRINZ, M. & HANISCH, U. K., 1999:** Murine microglial cells produce and respond to interleukin-18. *J. Neurochem.* 72, 2215-2218.
- PRUDOVSKY, I., POPOV, K., AKIMOV, S., SEROV, S., ZELENIN, A., MEINHARDT, G., BAIER, P., SOHN, C. & HASS, R., 2002:** Antisense CD11b integrin inhibits the development of a differentiated monocyte/macrophage phenotype in human leukemia cells. *Eur. J. Cell Biol.* 81, 36-42.
- PULSINELLI, W. A., 1985:** Selective neuronal vulnerability: morphological and molecular characteristics. *Prog. Brain Res.* 63, 29-37.
- QUIN, Z. H., WANG, Y., NAKAI, M. & CHASE, T. N., 1998:** Nuclear factor- κ B contributes to excitotoxin-induced apoptosis in rat striatum. *Mol. Pharmacol.* 53, 33-42.
- RABCHEVSKY, A. G. & STREIT, W. J., 1997:** Grafting of cultured microglial cells into the lesioned spinal cord of adult rats enhances neurite outgrowth. *J. Neurosci. Res.* 47, 34-48.
- RAIVICH, G., 2002:** Microglial response in the axotomized facial motor nucleus. In: Streit, W. J., editor. *Microglia in the regenerating and degenerating central nervous system.* New York: Springer-Verlag. 166-187.
- RAIVICH, G. & KREUTZBERG, G. W., 1994:** Pathophysiology of glial growth factor receptors. *Glia* 11, 129-146.
- RAIVICH, G., GEHRMANN, J. & KREUTZBERG, G. W., 1991:** Increase of macrophage colony-stimulating factor and granulocyte-macrophage colony-stimulating factor receptors in the regenerating rat facial nucleus. *J. Neurosci. Res.* 30, 682-686.
- RAIVICH, G., BOHATSCHKE, M., KLOSS, C. U. A., WERNER, A., JONES, L. L. & KREUTZBERG, G. W., 1999:** Neurological activation repertoire in the injured brain: graded response, molecular mechanisms and cues to physiological function. *Brain Res. Rev.* 30, 77-105.
- RANSOHOFF, R. M., 2002:** The chemokine system in neuroinflammation: an update. *J. Infect. Dis.* 186, 152-156.
- RELIC, B., BENTIREN-ALJ., M., RIBBENS, C., FRANCHIMONT, N., GUERNE, P. A., BENOIT, V., MERVILLE, M. P., BOURS, V. & MALAISE, M. G., 2002:** TNF alpha protects human primary chondrocytes from nitric oxide-induced apoptosis via nuclear factor-kappaB. *Lab.-Invest.* 82, 1661-1672.
- ROEBUCK, K. A. & FINNEGAN, A., 1999:** Regulation of intercellular adhesion molecule-1 (CD54) gene expression. *J.-Leukoc.-Biol.* 66, 876-888.

- ROGGENDORF, W., STRUPP, S. & PAULUS, W., 1996:** Distribution and characterization of microglia/macrophages in human brain tumors. *Acta Neuropathol. (Berl.)* 92, 288-293.
- ROSSLER, K., NEUCHRIST, C. KITZ, K., SCHEINER, O., KRAFT, D. & LASSMANN, H., 1992:** Expression of leucocyte adhesion molecules at the human blood-brain barrier (BBB). *J. Neurosci. Res.* 31, 365-374.
- RUF, A., MENNISSIER DE MURCIA, J., DE MURCIA, G. & SCHULZ G. E., 1996:** Inhibitor and NAD⁺ binding to poly(ADP-ribose) polymerase as derived from crystal structures and homology modeling. *Biochemistry* 37, 3893-3900.
- RYAN, R. E., SLOANE, B. F., SAMENI, M. & WOOD, P. L., 1995:** Microglial cathepsin B: an immunological examination of cellular and secreted species. *J. Neurochem.* 65, 1035-1045.
- SALLMANN, F. R., VODENICHAROV, M. D., WANG, Z. Q. & POIRIER, G. G., 2000:** Characterization of sPARP-1. *J. Biol. Chem.* 275, 15504-15511.
- SAMBROOK, J., FRITSCH, E. F. & MANIATIS, T., 1989:** *Molecular Cloning: A laboratory Manual*, 1st edition, Cold Spring Laboratory, Cold Spring Harbor, New York.
- SANGER, F., NICKLEN, S. & COULSON, A. R., 1977:** DNA sequencing with chain-terminating inhibitors. *Proc. Natl. Acad. Sci. USA* 74, 5463-5467.
- SANZ, O., ACARIN, L., GONZALEZ, B. & CASTELLANO, B., 2002:** NF-kappaB and IkappaBalpha expression following traumatic brain injury to the immature rat brain. *J. Neurosci. Res.* 67, 772-780.
- SAVILL, J. S., WYLLIE, A. H., HENSON, J. E., WALPORT, M. J., HENSON, M. & HASLETT, C., 1989:** Macrophage phagocytosis of aging neutrophils in inflammation. *J. Clin. Invest.* 83, 865-875.
- SCHMITZ, M. L., DOS SANTOS SILVA, M. A. & BAEUERLE, P. A., 1995:** Transactivation domain 2 (TA2) of p65 NF-kappaB. Similarity to TA1 and phorbol-ester-stimulated activity and phosphorylation in intact cells. *J. Biol. Chem.* 270, 15576-15584.
- SCHUBERT, P. & RUDOLPHI, K., 1998:** Interfering with the pathologic activation of microglial cells and astrocytes in dementia. *Alzheimer-Dis.-Assoc.-Disord.* 12, 21-28.
- SCHWAB, M. E. & BARTHOLDI, D., 1996:** Degeneration and regeneration of axons in the lesioned spinal cord. *Physiol. Rev.* 76, 319-370.
- SCHWARTZ, M., 2003:** Macrophages and microglia in central nervous system injury: Are they helpful or harmful? *J. Cereb. Blood Flow Metab.* 23, 385-394.
- SCHWARTZ, M., MOALEM, G., LEIBOWITZ AMIT, R. & COHEN, I. R., 1999:** Innate and adaptive immune response can be beneficial for CNS repair. *Trends Neurosci.* 22, 295-299.
- SEDGWICK, J. D. & HICKEY, W. F., 1997:** Antigen presentation in the nervous system. In: Keane R. W., Hickey, W. F., editors. *Immunology of the nervous system*. New York: Oxford University Press. 364-418.
- SEDGWICK, J. D., RIMINTON, D. S., CYSTER, J. G. & KÖRNER, H., 2000:** Tumor necrosis factor: a master-regulator of leukocyte movement. *Immunol. Today* 21, 110-113.
- SHAFER, L. L., MCNULTY, J. A. & YOUNG, M. R., 2003:** Brain activation of monocyte lineage cells: Brain-derived soluble factors differentially regulate BV-2 microglia and peripheral macrophage immune functions. *Neuroimmunomodulation* 10, 283-294.

- SHIEH, W. M., AME, J. C., WILSON, M. V., WANG, Z. Q., KOH, D. W. & JACOBSON M. K. & JACOBSON, E. L., 1998:** Poly(ADP-ribose) polymerase null mouse cells synthesize ADP-ribose polymers. *J. Biol. Chem.* 273, 30069-30072.
- SHIMIZU, Y., NEWMAN, W., TANAKA, Y. & SHAW, S. 1992:** Lymphocyte interaction with endothelial cells. *Immunol. Today* 13, 106-112.
- SIMBULAN-ROSENTHAL, C. M., LY, D. H., ROSENTHAL, D. S., KONOPKA, G., LUO, R., WANG, Z. Q., SCHULTZ, P. G. & SMULSON, M. E., 2000:** Misregulation of gene expression in primary fibroblasts lacking poly(ADP-ribose) polymerase. *PNAS* 97, 11274-11279.
- SIMPSON, J., REZAIE, P., NEWCOMBE, J., CUZNER, M.L., MALE, D., WOODROOFE, M. N., 2000:** Expression of the beta-chemokine receptors CCR2, CCR3 and CCR5 in multiple sclerosis central nervous system tissue. *J. Neuroimmunol.* 108, 192-200.
- SMITH, S., 2001:** The world according to PARP. *Trends Biochem. Sci.*, 26, 174-179.
- SMITH, M. F., VAN DER MAESEN, K. & SOMERA, F. P., 1998a:** Macrophages and microglial responses to cytokines in vitro: phagocytotic activity, proteolytic enzyme release and free radical production. *J. Neurosci. Res.* 54, 68-78.
- SMITH, S., GIRIAT, I., SCÖHMITE, A. & LANGE, T., 1998b:** Tankyrase, a poly (ADP-ribose) polymerase at human telomeres. *Science* 282, 1484-1487.
- SONG, E., SANG-KYUNG L., DYKXHOORN, D. M., NOVINA, C., ZHANG, D., CRAWFORD, K., CERNY, J., SHARP, P. A., LIEBERMAN, J., MANJUNATH, N. & SHANKAR, P., 2003:** Sustained small interfering RNA-mediated human immunodeficiency virus type 1 inhibition in primary macrophages. *J. Virology* 77, 7174-7181.
- SORIANO, S. G., AMARAVADI, L. S., WANG, Y. F., ZHOU, H., YU, G. X., TONRA, J. R., FAIRCHILD-HUNTRESS, V., FANG, Q., DUNMORE, J. H., HUSZAR, D. & PAN, Y., 2002:** Mice deficient in fractalkine are less susceptible to cerebral ischemia-reperfusion injury. *J. Neuroimmunol.* 125, 59-65.
- SPRINGER, T. A., 1990:** Adhesion receptors of the immune system. *Nature* 346, 425-434.
- STACEY, K. J., SWEET, M. J. & HUME, D. A., 1996:** Macrophages ingest and are activated by bacterial DNA. *J. Immunol.* 157, 2116-2122.
- STOPPINI, L., BUCHS, P. A. & MULLER, D., 1991:** A simple method for organotypic cultures of nervous tissue. *J. Neurosci. Methods* 37, 173-182.
- STREIT, W. J., 2002:** Microglia as neuroprotective, immunocompetent cells of the CNS. *Glia* 40, 133-139.
- STREIT, W. J., WALTER, S. A. & PENNEL, N. A., 1999:** Reactive microgliosis. *Progress in Neurobiol.* 57, 563-581.
- STREIT, W. J., GRAEBER, M. B. & KREUTZBERG, G. W., 1988:** Functional plasticity of microglia: A review. *Glia* 1, 301-307.
- SZABÓ, C., 1998:** Role of poly(ADP-ribose) synthetase in inflammation. *Eur. J. Pharmacol.* 350, 1-19.
- SZABÓ, C., LIM, L. H., CUZZOCREA, S., GETTING, S. J., ZINGARELLI, B., FLOWER, R. J., SALZMAN, A. L. & PERRETTI, M., 1997:** Inhibition of poly(ADP-ribose) synthetase attenuates neutrophil recruitment and exerts antiinflammatory effects. *J. Exp. Med.* 186, 1041-1049

- SZABÓ, E., VIRÁG, L., BAKONDI, E., GYÜRE, L., HASKO, G., BAI, P., HUNYADI, J., GERGELY, P. & SZABÓ, C., 2001:** Peroxynitrite production, DNA breakage and poly(ADP-ribose) polymerase activation in a mouse model of oxazolone-induced contact hypersensitivity. *J. Invest. Dermatol.* 117, 74-80.
- SZABÓ, C. & DAWSON, V. L., 1998:** Role of poly(ADP-ribose) synthetase in inflammation and ischaemia-reperfusion. *TIPS* 19, 287-298.
- TAKAHASHI, K. & GREENBERG, J. H., 1999:** The effect of reperfusion on neuroprotection using an inhibitor of poly(ADP-ribose) polymerase. *Neuroreport.* 10, 2017-2022.
- TAKEUCHI, A., MIYAISHI, O., KIUCHI, K. & ISOBE, K., 2001:** Macrophage colony-stimulating factor is expressed in neuron and microglia after focal brain injury. *J. Neurosci. Res.* 65, 38-44.
- TANUMA, S. & JOHNSON, G. S., 1983:** ADP-ribosylation of nonhistone high mobility group proteins in intact cells. *J. Biol. Chem.* 258, 4067-4070.
- TAUPIN, V., RENNO, T., BOURBONNIERE, L., PETERSON, A. C., RODRIGUEZ, M. & OWENS, T., 1997:** Increased severity of experimental autoimmune encephalomyelitis, chronic macrophage/microglial reactivity and demyelination in transgenic mice producing tumor necrosis factor-alpha in the central nervous system. *Eur. J. Immunol.* 27, 905-913.
- THANOS, D. & MANIATIS, T., 1995:** Virus induction of human IFN- β gene expression requires the assembly of an enhanceosome. *Cell* 83, 1091-1100.
- THOMAS, W. E., 1999:** Brain macrophages: on the role of pericytes and perivascular cells. *Brain Res. Rev.* 31, 42-57.
- TOKIME, T., NOZAKI, K., SUGINO, T., KIKUCHI, H., HASHIMOTO, N. & UEDA, K., 1998:** Enhanced poly(ADP-ribosylation) after focal ischemia in rat brain. *J. Cereb. Blood Flow Metab.* 18, 999-997.
- TORTAROLO, M., VEGLIANESE, P., CALVARESI, N., BOTTURI, A., ROSSI, C., GIORGINI, A., MIGHELI, A. & BENDOTTI, C., 2003:** Persistent activation of p38 mitogen-activated protein kinase in a mouse model of familial amyotrophic lateral sclerosis correlates with disease progression. *Mol. Cell. Neurosci.* 23, 180-192.
- TSUTSUMI, M., MASUTANI, M., NOZAKI, T., KUSUOKA, O., TSUJUCHI, T., NAKAGAMA, H., SUZUKI, H., KONISHI, Y. & SUGIMURA, T., 2001:** Increased susceptibility of poly(ADP-ribose) polymerase-1 knockout mice to nitrosamine carcinogenicity. *Carcinogenesis.* 22, 1-3.
- UCHIDA, K., MORITA, T., SATO, T., OGURA, T., YAMASHITA, R., NOGUCHI, S., SUZUKI, H., NYUNOYA, H., MIWA, M. & SUGIMURA, T., 1987:** Nucleotide sequence of full-length cDNA for human fibroblast poly(ADP-ribose) polymerase. *Biochem. Biophys. Res. Commun.* 148, 617-622.
- ULLRICH, O., DIESTEL, A., BECHMANN, I., HOMBERG, M., GRUNE, T., HASS, R. & NITSCH, R., 2001:** Turnover of oxidatively-damaged proteins in BV-2 microglial cells is linked to their activation state by poly(ADP-ribose) polymerase. *FASEB J.* 15, 1460-1462.
- ULVESTAD, E., WILLIAMS, K., BO, L., TRAPP, B., ANTEL, J. & MORK, S., 1994a:** HLA class II molecules (HLA-DR, -DP, -DQ) on cells in the human CNS studied *in situ* and *in vitro*. *Immunol.* 82, 535-541.
- ULVESTAD, E., WILLIAMS, K., VEDELER, C., ANTEL, J., NYLAND, H., MORK, S. & MATRE, R., 1994b:** Reactive microglia in multiple sclerosis lesions have an increased expression of receptors for the Fc part of IgG. *J. Neurol. Sci.* 121, 125-131.

- VALMU, L., AUTERO, M., SILJANDER, P., PATARROYO, M. & GAHMBERG, C. G., 1991:** Phosphorylation of the β -subunit of CD11/CD18 integrins by protein kinase C correlates with leukocyte adhesion. *Eur. J. Immunol.* 21, 2857-2862
- VAN DER LAAN, L. J. W., RUULS, S. R., WEBER, K. S., LODDER, I. J., DOPP, E. A. & DIJKSTRA, C. D., 1996:** macrophage phagocytosis of myelin *in vitro* determined by flow cytometry: phagocytosis is mediated by CR3 and induces production of tumor necrosis factor alpha and nitric oxide. *J. Neuroimmunol.* 70, 145-152.
- VAN SEVENTER, G. A., SHIMIZU, Y., HORGAN, K. J. & SHAW, S., 1990:** The LFA-1 ligand ICAM-1 provides an important costimulatory signal for T cell receptor-mediated activation of resting T cells. *J. Immunol.* 144, 4579-4586.
- VARGA, L. V., TOTH, S., NOVAK, I. & FALUS, A., 1999:** Antisense strategies: functions and applications in immunology. *Immunol.-Lett.* 69, 217-224.
- VINOGRADOVA, O. S., 2001:** Hippocampus as comparator: role of the two input and two output systems of the hippocampus in selection and registration of information. *Hippocampus* 11, 578-598.
- VIRÁG, L. & SZABÓ, C., 2001:** Purines inhibit poly(ADPribose) polymerase activation and modulate oxidant-induced cell death. *FASEB* 15, 99-106.
- VIRÁG, L. & SZABÓ, C., 2002:** The therapeutic potential of poly(ADP-ribose) polymerase inhibitors. *Pharmacol. Rev.* 54, 375-429.
- WANG, Z. Q., STINGL, L., MORRISON, C., JANTSCH, M., LOS, M., SCHULZE-OSTHOFF, K. & WAGNER, E. F., 1997:** PARP is important for genomic stability but dispensable in apoptosis. *Genes Dev.* 11, 2347-2358.
- WANG X., WANG, H., XU, L., ROZANSKI, D. J., SUGAWARA, T., CHAN, P. H., TRZASKOS, J. M., FEUERSTEIN, G. Z., 2003:** Significant neuroprotection against ischemic brain injury by inhibition of the MEK1 protein kinase in mice: exploration of potential mechanism associated with apoptosis. *J. Pharmacol. Exp. Ther.* 304, 172-178.
- WEHNER, R. & GEHRING, W., 1990:** Zoologie, 22. Auflage, Thieme Verlag, 349-350.
- WEI, R. & JONAKAIT, G. M., 1999:** Neutrophins and the anti-inflammatory agents interleukin-4 (IL-4), IL-10, IL-11 and transforming growth factor-beta1 (TGF-beta1) down-regulate T cell costimulatory molecules B7 and CD40 on cultured microglia. *J. Neuroimmunol.* 95, 8-18.
- WEINTRAUB, H., 1990:** Antisense RNA and DNA. *Sci. Amer.* 262, 40-46.
- WEIR, J. P. & MELTZER, M. S., 1993:** Transfection of human immunodeficiency virus type 1 proviral DNA into primary human monocytes. *Cell. Immunol.* 148, 157-165.
- WEISS, B., DAVIDKOVA, G. & ZHANG, S. P., 1997:** Antisense strategies in neurobiology. *Neurochem. Int.* 31, 321-348.
- WENTHOLD, R. J. & PETRALIA, R. S., 1998:** Non-N-methyl-D-aspartate (NMDA) glutamate receptors, in: Stephenson, F. A., Turner, A. J. (Eds.), *Amino Acids Neurotransmission*, Portland Press, London, 129-151.
- WESIERKA-GADEK, J., SCHMIDT, G. & CERNI, C., 1996:** ADP-ribosylation of wild-type p53 *in vitro*: binding of p53 protein to specific p53 consensus sequence prevents its modification. *Biophys. Res. Commun.* 224, 96-102.

- WHITING, P. J. & PRIESTLY, T.**, 1998: Molecular biology of N-methyl-D-aspartate (NMDA)-type glutamate receptors, in Stephenson, F. A., Turner, A. J. (Eds.), *Amino Acids Neurotransmission*, Portland Press, London, 153-176.
- WIELCKENS, K.**, SCHMIDT, A., GEORGE, B., BREDEHORST, R. & HILZ, H., 1982: DNA fragmentation and NAD depletion. Their relation to the turnover of endogenous mono(ADP-ribosyl) and poly(ADP-ribosyl) proteins. *J. Biol. Chem.* 257, 12872-12877.
- WILLIAMS, K. C. & HICKEY, W. F.**, 2002: Central nervous system damage, monocytes and macrophages and neurological disorders in AIDS. *Annu. Rev. Neurosci.* 25, 537-562.
- WILLIAMS, K.**, ULVESTAD, E., WAAGE, A., ANTEL, J. P. & MCLAURIN, J., 1994: Activation of adult human derived microglia by myelin phagocytosis *in vitro*. *J. Neurosci. Res.* 38, 433-443.
- WILMS, H.**, ROSENSTIEL, P., SIEVERS, J., DEUSCHL, G., ZECCA, L. & LUCIUS, R., 2003: Activation of microglia by human neuromelanin is NF- κ B dependent and involves p38 mitogen-activated protein kinase: implications for Parkinson's disease. *FASEB J.* 17, 500-502.
- WISNIEWSKI, T.**, GHISO, J. & FRANGIONE, B., 1997: Biology of A β amyloid in Alzheimer's disease. *Neurobiol. Dis.* 4, 313-328.
- WOO, M. S.**, JANG, P. G., PARK, J. S., KIM, W. K., JOH, T. H. & KIM, H. S., 2003: Selective modulation of lipopolysaccharide-stimulated cytokine expression and mitogen-activated protein kinase pathways by dibutyryl-cAMP in BV-2 microglial cells. *Brain Res. Mol. Brain Res.* 113, 86-96.
- WOOD, P. L.**, 1995: Microglia as a unique cellular target in the treatment of stroke: potential neurotoxic mediators produced by activated microglia. *Neurol. Res.* 17, 242-248.
- WRIGHT, G. J.**, PUKLAVEC, M. J., WILLIS, A. C., HOEK, R. M., SEDGWICK, J. D., BROWN, M. H. & BARCLAY, A. N., 2000: Lymphoid/neuronal cell surface OX 2 glycoprotein recognize a novel receptor on macrophages implicated in the control of their function. *Immunity* 13, 233-242.
- WÜLLNER, U. & KLOCKGETHER, T.**, 2003: Inflammation in Parkinson's disease. *J. Neurol.* 250, 135-138.
- XIA, H.**, MAO, Q., PAULSON, H. L. & DAVIDSON, B. L., 2002: siRNA-mediated gene silencing *in vitro* and *in vivo*. *Nature Biotechnology* 20, 1006-1010.
- YANG, Z.**, ZINGARELLI, B. & SZABÓ, C., 2000: Effect of genetic disruption of poly(ADP-ribose) synthetase on delayed production of inflammatory mediators and delayed necrosis during myocardial ischemia-reperfusion injury. *Shock* 13, 60-66.
- YANG, H.**, WANG, H. & TRACEY, K. J., 2001: HMG-1 rediscovered as a cytokine. *Shock* 15, 247-253.
- YU, S. W.**, WANG, H., POITRAS, M. F., COOMBS, C., BOWERS, W. J., FEDEROFF, H. J., POIRIER, G. G., DAWSON, T. M. & DAWSON, V. L., 2002: Mediation of Poly(ADP-Ribose) Polymerase-1 dependent cell death by Apoptosis-Inducing Factor. *Science* 297, 259-263.
- YU, Z. F.**, ZHOU, D., BRUCE-KELLER, A. J., KINDY, M. S. & MATTSON, M. P., 1999: Lack of the p50 subunit of NF- κ B increases the vulnerability of hippocampal neurons to excitotoxic injury. *J. Neurosci.* 19, 8856-8865.
- ZAMZAMI, N.**, HIRSCH, T., DALLAPORTA, B., PETIT, P. X. & KROEMER, G., 1997: Mitochondrial implication in accidental and programmed cell death: apoptosis and necrosis. *J. Bioenerg. Biomembr.* 29, 185-193.

- ZHANG, J.**, DAWSON, V. L., DAWSON, T. M. & SNYDER, S. H., 1994: Nitric oxide activation of poly(ADP-ribose)synthetase in neurotoxicity. *Science* 263, 687-689.
- ZHANG, X.**, MORERA, S., BATES, P. A., WHITEHEAD, P. C., COFFER, A. I., HAINBUCHER, K., NASH, R. A., STERNBERG, M. J., LINDAHL, T. & FREEMONT, P. S., 1998: Structure of an XRCC1 BRCT domain: A new protein-protein interaction module. *EMBO J.* 17, 6404-6411.
- ZHANG, X. M. & VERDINE, G. L.**, 1999: A small region in HMG I (Y) is critical for cooperation with NF- κ B on DNA. *J. Biol. Chem.* 274, 20235-20243.
- ZERON, M.**, HANSSON, O., CHEN, N., WELLINGTON, C. L., LEAVITT, B. R., BRUNDIN, P., HAYDEN, M. R. & RAYMOND, L. A., 2002: Increased sensitivity to N-methyl-D-aspartate receptor-mediated excitotoxicity in a mouse model of huntington's disease. *Neuron* 33, 849-860.
- ZILLES, K. & REHKÄMPER, G.**, 1998: Funktionelle Neuroanatomie. 3. Auflage, Springer Verlag Berlin Heidelberg New York, 305-309.
- ZINGARELLI, B.**, CUZZOCREA, S., ZSENGELLER, Z., SALZMAN, A. L. & SZABÓ, C., 1997: Inhibition of poly(ADP-ribose) synthetase protects against myocardial ischemia and reperfusion injury. *Cardiovasc. Res.* 36, 205-215.
- ZINGARELLI, B.**, SALZMAN, A. L. & SZABO, C., 1998: Genetic disruption of poly (ADP-ribose) synthetase inhibits the expression of P-selectin and intercellular adhesion molecule-1 in myocardial ischemia/reperfusion injury. *Circ. Res.* 83, 85-94.
- ZINGARELLI, B.**, SZABÓ, C. & SALZMAN, A. L., 1999: Blockade of poly(ADP-ribose) synthetase inhibits neutrophil recruitment, oxidant generation and mucosal injury in murine colitis. *Gastroenterol.* 116, 335-345.
- ZWILLING, S.**, KONIG, H. & WIRTH, T., 1995: High mobility group protein 2 functionally interacts with the POU domains of octamer transcription factors. *EMBO J.* 14, 1198-1208.