

## 8 Literaturverzeichnis

- Ablashi, D.V., Schirm, S., Fleckenstein, B., Faggioni, A., Dahlberg, J., Rabin, H., Loeb, W., Armstrong, G., Peng, J.W., Aulakh, G. & Torrisi, M.R. (1985)  
Herpesvirus saimiri-induced lymphoblastoid rabbit cell line: growth characteristics, virus persistence, and oncogenic properties.  
*J Virol* **55**(3), 623-633
- Agius, C.T., Crabb, B.S., Telford, E.A., Davison, A.J. & Studdert, M.J. (1994)  
Comparative studies of the structural proteins and glycoproteins of equine herpesviruses 2 and 5.  
*J Gen Virol* **75**(10), 2707-2717
- Agius, C.T. & Studdert, M.J. (1994)  
Equine herpesviruses 2 and 5: comparisons with other members of the subfamily gammaherpesvirinae.  
*Adv Virus Res* **44**, 357-379
- Ahuja, S.K. & Murphy, P.M. (1993)  
Molecular piracy of mammalian interleukin-8 receptor type B by herpesvirus saimiri.  
*J Biol Chem* **268**(28), 20691-20694
- Albrecht, J.C., Nicholas, J., Biller, D., Cameron, K.R., Biesinger, B., Newman, C., Wittmann, S., Craxton, M.A., Coleman, H., Fleckenstein, B. & Honess, R.W. (1992)  
Primary structure of the herpesvirus saimiri genome.  
*J Virol* **66**(8), 5047-5058
- Albrecht, J.C. (2000)  
Primary structure of the Herpesvirus ateles genome.  
*J Virol* **74**(2), 1033-1037
- Apparailly, F., Verwaerde, C., Jacquet, C., Auriault, C., Sany, J. & Jorgensen, C. (1998)  
Adenovirus-mediated transfer of viral IL-10-gene inhibits murine collagen-induced arthritis.  
*J Immunol* **160**(11), 5213-5220
- Arvanitakis, L., Geras-Raaka, E., Varma, A., Gershengorn, M.C. & Cesarman, E. (1997)  
Human herpesvirus KSHV encodes a constitutively active G-protein-coupled receptor linked to cell proliferation.  
*Nature* **385**(6614), 347-350
- Baer, R., Bankier, A.T., Biggin, M.D., Deininger, P.L., Farrell, P.J., Gibson, T.J., Hatfull, G., Hudson, G.S., Satchwell, S.C., Seguin, C., Tuffnell, P.S. & Barrell, B.G. (1984)  
DNA sequence and expression of the B95-8 Epstein-Barr virus genome.  
*Nature* **310**(5974), 207-211
- Bejarano, M.T. & Masucci, M.G. (1998)  
Interleukin-10 abrogates the inhibition of Epstein-Barr Virus-induced B-cell transformation by memory T-cell responses.  
*Blood* **92**(11), 4256-4262
- Belak, S., Palfi, V., Tuboly, S. & Bartha, L. (1980)  
Passive immunization of foals to prevent respiratory disease caused by equine herpesvirus type 2.  
*Zentralbl Veterinärmed B* **27**(9-10), 826-830

- Berman, R.M., Suzuki, T., Tahara, H., Robbins, P.D., Narula, S.K. & Lotze, M.T. (1996)  
Systemic administration of cellular IL-10 induces an effective, specific, and long-lived immune response against established tumors in mice.  
*J Immunol* **157**(1), 231-238
- Bertin, J., Armstrong, R.C., Otilie, S., Martin, D.A., Wang, Y., Banks, S., Wang, G.H., Senkevich, T.G., Alnemri, E.S., Moss, B., Lenardo, M.J., Tomaselli, K.J. & Cohen, J.I. (1997)  
Death effector domain-containing herpesvirus and poxvirus proteins inhibit both Fas- and TNFR1-induced apoptosis.  
*Proc Natl Acad Sci U S A* **94**(4), 1172-1176
- Biggin, M., Bodescot, M., Perricaudet, M. & Farrell, P. (1987)  
Epstein-Barr virus gene expression in P3HR1-superinfected Raji cells.  
*J Virol* **61**(10), 3120-3132
- Blakeslee, J.J., Olsen, R.G., McAllister, E.S., Fassbender, J. & Dennis, R. (1975)  
Evidence of respiratory tract infection induced by equine herpesvirus type 2 in the horse.  
*Can J Microbiol* **21**(12), 1940-1946
- Blaskovic, D., Stancekova, M., Svobodova, J. & Mistrikova, J. (1980)  
Isolation of five strains of herpesviruses from two species of free living small rodents.  
*Acta Virol* **24**(6), 468-472
- Börner, B., Weigelt, W., Buhk, H.J., Castrucci, G. & Ludwig, H. (1999)  
A sensitive and specific PCR/Southern blot assay for detection of bovine herpesvirus 4 in calves infected experimentally.  
*J Virol Methods* **83**(1-2), 169-180
- Borchers, K. & Slater, J. (1993)  
A nested PCR for the detection and differentiation of EHV-1 and EHV-4.  
*J Virol Methods* **45**(3), 331-336
- Borchers, K. & Frölich, K. (1997)  
Antibodies against equine herpesviruses in free-ranging mountain zebras from Namibia.  
*J Wildl Dis* **33**(4), 812-817
- Borchers, K., Wolfinger, U., Goltz, M., Broll, H. & Ludwig, H. (1997)  
Distribution and relevance of equine herpesvirus type 2 (EHV-2) infections.  
*Arch Virol* **142**(5), 917-928
- Borchers, K., Wolfinger, U., Ludwig, H., Thein, P., Baxi, S., Field, H.J. & Slater, J.D. (1998)  
Virological and molecular biological investigations into equine herpes virus type 2 (EHV-2) experimental infections.  
*Virus Res* **55**(1), 101-106
- Borchers, K., Frölich, K. & Ludwig, H. (1999a)  
Detection of equine herpesvirus types 2 and 5 (EHV-2 and EHV-5) in Przewalski's wild horses.  
*Arch Virol* **144**(4), 771-780

- Borchers, K., Wolfinger, U. & Ludwig, H. (1999b)  
Latency-associated transcripts of equine herpesvirus type 4 in trigeminal ganglia of naturally infected horses.  
*J Gen Virol* **80**(8), 2165-2171
- Borchers, K., Wolfinger, U., Schellenbach, A., Lawrenz, B., Glitz, F. & Ludwig, H. (1999c)  
Equine herpesvirus type 1 and trigeminal ganglia of naturally infected horses: Detection of DNA and latency associated transcripts.  
In: Proc. 18th Int. Conf. Equine Inf. Dis. VIII, U. Wernery, J.A. Mumford, O.-R. Kaaden (Hrsg.), R & W Publications, Newmarket, pp. 147-152
- Borchers, K., Brackmann, J. & Kershaw, O. (2002)  
The mouse is not permissive for equine herpesvirus 2 (EHV-2), however viral DNA persisted in lung and spleen depending on the inoculation route.  
*Arch Virol* **147**(7), 1437-1444
- Browning, G.F. & Studdert, M.J. (1987a)  
Genomic heterogeneity of equine betaherpesviruses.  
*J Gen Virol* **68**(5), 1441-1447
- Browning, G.F. & Studdert, M.J. (1987b)  
Epidemiology of equine herpesvirus 2 (equine cytomegalovirus).  
*J Clin Microbiol* **25**(1), 13-16
- Browning, G.F. & Studdert, M.J. (1988)  
Equine herpesvirus 2 (equine cytomegalovirus).  
*Veterinary Bulletin* **58**(10), 775-790
- Browning, G.F. & Studdert, M.J. (1989)  
Physical mapping of a genome of equine herpesvirus 2 (equine cytomegalovirus).  
*Arch Virol* **104**(1-2), 77-86
- Bublot, M., Lomonte, P., Lequarre, A.S., Albrecht, J.C., Nicholas, J., Fleckenstein, B., Pastoret, P.P. & Thiry, E. (1992)  
Genetic relationships between bovine herpesvirus 4 and the gammaherpesviruses Epstein-Barr virus and herpesvirus saimiri.  
*Virology* **190**(2), 654-665
- Camarda, G., Spinetti, G., Bernardini, G., Mair, C., Davis-Poynter, N.J., Capogrossi, M.C. & Napolitano, M. (1999)  
The equine herpesvirus 2 E1 open reading frame encodes a functional chemokine receptor.  
*J Virol* **73**(12), 9843-9848
- Castrucci, G., Frigeri, F., Ferrari, M., Pedini, B., Aldrovandi, V., Cilli, V., Rampichini, L. & Gatti, R. (1987)  
Reactivation in calves of latent infection by Bovid herpesvirus-4.  
*Microbiologica* **10**(1), 37-45
- Cesarman, E., Moore, P.S., Rao, P.H., Inghirami, G., Knowles, D.M. & Chang, Y. (1995)  
*In vitro* establishment and characterization of two acquired immunodeficiency syndrome-related lymphoma cell lines (BC-1 and BC-2) containing Kaposi's sarcoma-associated herpesvirus-like DNA sequences.  
*Blood* **86**(7), 2708-2714

- Cesarman, E., Nador, R.G., Bai, F., Bohenzky, R.A., Russo, J.J., Moore, P.S., Chang, Y. & Knowles, D.M. (1996)  
Kaposi's sarcoma-associated herpesvirus contains G protein-coupled receptor and cyclin D homologs which are expressed in Kaposi's sarcoma and malignant lymphoma.  
*J Virol* **70**(11), 8218-8223
- Chang, Y., Cesarman, E., Pessin, M.S., Lee, F., Culpepper, J., Knowles, D.M. & Moore, P.S. (1994)  
Identification of herpesvirus-like DNA sequences in AIDS-associated Kaposi's sarcoma.  
*Science* **266**(5192), 1865-1869
- Chowdhury, S.I., Kubin, G. & Ludwig, H. (1986)  
Equine herpesvirus type 1 (EHV-1) induced abortions and paralysis in a Lipizzaner stud: a contribution to the classification of equine herpesviruses.  
*Arch Virol* **90**(3-4), 273-288
- Cole, C.N., Smoler, D., Wimmer, E. & Baltimore, D. (1971)  
Defective interfering particles of poliovirus. I. Isolation and physical properties.  
*J Virol* **7**(4), 478-485
- Davis-Poynter, N.J. & Farrell, H.E. (1996)  
Masters of deception: a review of herpesvirus immune evasion strategies.  
*Immunol Cell Biol* **74**(6), 513-522
- de Waal Malefyt, R., Haanen, J., Spits, H., Roncarolo, M.G., te Velde, A., Figdor, C., Johnson, K., Kastelein, R., Yssel, H. & de Vries, J.E. (1991)  
Interleukin 10 (IL-10) and viral IL-10 strongly reduce antigen-specific human T cell proliferation by diminishing the antigen-presenting capacity of monocytes via downregulation of class II major histocompatibility complex expression.  
*J Exp Med* **174**(4), 915-924
- Decker, L.L., Klaman, L.D. & Thorley-Lawson, D.A. (1996a)  
Detection of the latent form of Epstein-Barr virus DNA in the peripheral blood of healthy individuals.  
*J Virol* **70**(5), 3286-3289
- Decker, L.L., Shankar, P., Khan, G., Freeman, R.B., Dezube, B.J., Lieberman, J. & Thorley-Lawson, D.A. (1996b)  
The Kaposi's sarcoma-associated herpesvirus (KSHV) is present as an intact latent genome in KS tissue but replicates in the peripheral blood mononuclear cells of KS patients.  
*J Exp Med* **184**(1), 283-288
- Delecluse, H.J. & Hammerschmidt, W. (1993)  
Status of Marek's Disease Virus in established lymphoma cell lines: Herpesvirus Integration is common  
*J Virol* **67**(1), 82-92
- Ding, Y., Qin, L., Kotenko, S.V., Pestka, S. & Bromberg, J.S. (2000)  
A single amino acid determines the immunostimulatory activity of interleukin 10.  
*J Exp Med* **191**(2), 213-224

- Donofrio, G. & van Santen, V.L. (2001)  
A bovine macrophage cell line supports bovine herpesvirus-4 persistent infection.  
*J Gen Virol* **82**(5), 1181-1185
- Drummer, H.E., Reubel, G.H. & Studdert, M.J. (1996)  
Equine gammaherpesvirus 2 (EHV2) is latent in B lymphocytes.  
*Arch Virol* **141**(3-4), 495-504
- Dutia, B.M., Hunt, P., Sargan, D.R., Dalziel, R.G. & Hopkins, J. (1994)  
Sequence of the sheep interleukin-10-encoding cDNA.  
*Gene* **149**(2), 393-394.
- Dutta, S.K. & Campbell, D.L. (1978)  
Pathogenicity of equine herpesvirus: *in vivo* persistence in equine tissue macrophages of herpesvirus type 2 detected in monolayer macrophage cell culture.  
*Am J Vet Res* **39**(9), 1422-1427
- Ebrahimi, B., Dutia, B.M., Roberts, K.L., Garcia-Ramirez, J.J., Dickinson, P., Stewart, J.P., Ghazal, P., Roy, D.J. & Nash, A.A. (2003)  
Transcriptome profile of murine gammaherpesvirus-68 lytic infection.  
*J Gen Virol* **84**(1), 99-109
- Edington, N., Welch, H.M. & Griffiths, L. (1994)  
The prevalence of latent Equid herpesviruses in the tissues of 40 abattoir horses.  
*Equine Vet J* **26**(2), 140-142
- Entrez database*, NCBI, USA (2002)  
National Center for Biotechnology Information, USA  
[www.ncbi.nlm.nih.gov/](http://www.ncbi.nlm.nih.gov/)
- Fiorentino, D.F., Bond, M.W. & Mosmann, T.R. (1989)  
Two types of mouse T helper cell. IV. Th2 clones secrete a factor that inhibits cytokine production by Th1 clones.  
*J Exp Med* **170**(6), 2081-2095
- Flano, E., Husain, S.M., Sample, J.T., Woodland, D.L. & Blackman, M.A. (2000)  
Latent murine gamma-herpesvirus infection is established in activated B cells, dendritic cells, and macrophages.  
*J Immunol* **165**(2), 1074-1081
- Fleckenstein, B. & Desrosiers, R.C. (1982)  
Herpesvirus saimiri and herpesvirus atèles.  
In: *The Herpesviruses*, B. Roizman (Hrsg.), Vol. 1, Plenum Press, New York,
- Fleming, S.B., McCaughan, C.A., Andrews, A.E., Nash, A.D. & Mercer, A.A. (1997)  
A homolog of interleukin-10 is encoded by the poxvirus orf virus.  
*J Virol* **71**(6), 4857-4861
- Fleming, S.B., Haig, D.M., Nettleton, P., Reid, H.W., McCaughan, C.A., Wise, L.M. & Mercer, A. (2000)  
Sequence and functional analysis of a homolog of interleukin-10 encoded by the parapoxvirus orf virus.  
*Virus Genes* **21**(1-2), 85-95

- Flemington, E. & Speck, S.H. (1990)  
Identification of phorbol ester response elements in the promoter of Epstein-Barr virus putative lytic switch gene BZLF1.  
*J Virol* **64**(3), 1217-1226
- Fresen, K.O., Cho, M.S. & zur Hausen, H. (1978)  
Recovery of transforming EBV from non-producer cells after superinfection with non-transforming P3HR-1 EBV.  
*Int J Cancer* **22**(4), 378-383
- Gao, X., Ikuta, K., Tajima, M. & Sairenji, T. (2001)  
12-O-tetradecanoylphorbol-13-acetate induces Epstein-Barr virus reactivation via NF-kappa B and AP-1 as regulated by protein kinase C and mitogen-activated protein kinase.  
*Virology* **286**(1), 91-99
- Garcia-Blanco, M.A. & Cullen, B.R. (1991)  
Molecular basis of latency in pathogenic human viruses.  
*Science* **254**(5033), 815-820
- Gardella, T., Medveczky, P., Sairenji, T. & Mulder, C. (1984)  
Detection of circular and linear herpesvirus DNA molecules in mammalian cells by gel electrophoresis.  
*J Virol* **50**(1), 248-254
- Gesser, B., Leffers, H., Jinquan, T., Vestergaard, C., Kirstein, N., Sindet-Pedersen, S., Jensen, S.L., Thestrup-Pedersen, K. & Larsen, C.G. (1997)  
Identification of functional domains on human interleukin 10.  
*Proc Natl Acad Sci USA* **94**(26), 14620-14625
- Go, N.F., Castle, B.E., Barrett, R., Kastelein, R., Dang, W., Mosmann, T.R., Moore, K.W. & Howard, M. (1990)  
Interleukin 10, a novel B cell stimulatory factor: unresponsiveness of X chromosome-linked immunodeficiency B cells.  
*J Exp Med* **172**(6), 1625-1631
- Haig, D.M., Thomson, J., McInnes, C.J., Deane, D.L., Anderson, I.E., McCaughan, C.A., Imlach, W., Mercer, A.A., Howard, C.J. & Fleming, S.B. (2002)  
A comparison of the anti-inflammatory and immuno-stimulatory activities of orf virus and ovine interleukin-10.  
*Virus Res* **90**(1-2), 303-316
- Hall, K.T., Giles, M.S., Goodwin, D.J., Calderwood, M.A., Markham, A.F. & Whitehouse, A. (2000)  
Characterization of the herpesvirus saimiri ORF-73 gene product.  
*J Gen Virol* **81**(11), 2653-2658
- Henke, P.K., DeBrunye, L.A., Strieter, R.M., Bromberg, J.S., Prince, M., Kadell, A.M., Sarkar, M., Londy, F. & Wakefield, T.W. (2000)  
Viral IL-10 gene transfer decreases inflammation and cell adhesion molecule expression in a rat model of venous thrombosis.  
*J Immunol* **164**(4), 2131-2141
- Holloway, S.A., Studdert, M.J. & Drummer, H.E. (1998)  
Characterization of glycoprotein B of the gammaherpesvirus equine herpesvirus-2.  
*J Gen Virol* **79**(7), 1619-1629

- Holloway, S.A., Lindquester, G.J., Studdert, M.J. & Drummer, H.E. (2000)  
Analysis of equine herpesvirus 2 strain variation using monoclonal antibodies to glycoprotein B.  
*Arch Virol* **145**(8), 1699-1713
- Hoover, D.M., Schalk-Hihi, C., Chou, C.C., Menon, S., Wlodawer, A. & Zdanov, A. (1999)  
Purification of receptor complexes of interleukin-10 stoichiometry and the importance of deglycosylation in their crystallization.  
*Eur J Biochem* **262**(1), 134-341
- Hsu, D.H., Moore, K.W. & Spits, H. (1992)  
Differential effects of IL-4 and IL-10 on IL-2-induced IFN-gamma synthesis and lymphokine-activated killer activity.  
*Int Immunol* **4**(5), 563-569
- Hudson, G.S., Gibson, T.J. & Barrell, B.G. (1985)  
The BamHI F region of the B95-8 Epstein-Barr virus genome.  
*Virology* **147**(1), 99-109
- Hurley, E.A., Agger, S., McNeil, J.A., Lawrence, J.B., Calendar, A., Lenoir, G. & Thorley-Lawson, D.A. (1991)  
When Epstein-Barr virus persistently infects B-cell lines, it frequently integrates.  
*J Virol* **65**(3), 1245-1254
- Imlach, W., McCaughan, C.A., Mercer, A.A., Haig, D. & Fleming, S.B. (2002)  
Orf virus-encoded interleukin-10 stimulates the proliferation of murine mast cells and inhibits cytokine synthesis in murine peritoneal macrophages.  
*J Gen Virol* **83**(5), 1049-1058
- ICTV Index of viruses (2002)  
International committee on taxonomy of viruses  
[www.ncbi.nlm.nih.gov/ICTVdb/index.htm](http://www.ncbi.nlm.nih.gov/ICTVdb/index.htm)
- Jenkins, C., Abendroth, A., & Slobedman, B. (2004)  
A novel viral transcript with homology to human Interleukin-10 is expressed during latent human Cytomegalovirus Infection  
*J Virol*, **78**(3), 1440-1447
- Josephson, K., Logsdon, N.J. & Walter, M.R. (2001)  
Crystal structure of the IL-10/IL-10R1 complex reveals a shared receptor binding site.  
*Immunity* **15**(1), 35-46
- Kanegane, H., Wakiguchi, H., Kanegane, C., Kurashige, T. & Tosato, G. (1997)  
Viral interleukin-10 in chronic active Epstein-Barr virus infection.  
*J Infect Dis* **176**(1), 254-257
- Kaschka-Dierich, C., Bauer, I., Fleckenstein, B. & Desrosiers, R.C. (1981)  
Episomal and nonepisomal herpesvirus DNA in lymphoid tumor cell lines.  
*Haematol Blood Transfus* **26**, 197-203
- Kemeny, L. & Pearson, J.E. (1970)  
Isolation of herpesvirus from equine leukocytes: comparison with equine rhino-pneumonitis virus.  
*Can J Comp Med* **34**(1), 59-65

Kershaw, O. (2001)

Das equine Herpesvirus Typ 2: Pathogenese-, Gewebetropismus- und Latenzstudien unter besonderer Berücksichtigung der Keratokonjunktivitis beim Pferd.  
Vet med Dissertation, Journal Nr. 2567, Freie Universität Berlin

Kershaw, O., von Oppen, T., Glitz, F., Deegen, E., Ludwig, H. & Borchers, K. (2001)

Detection of equine herpesvirus type 2 (EHV-2) in horses with keratoconjunctivitis.  
Virus Res **80**(1-2), 93-99

Kieff, E. (1996)

Epstein-Barr Virus and its Replication.  
In: Virology, B.N. Fields, D.M. Knipe, P.M. Howley (Hrsg.), Third ed, Lippincott-Raven Publishers, Philadelphia, pp. 2343-2396

Knappe, A., Hiller, C., Niphuis, H., Fossiez, F., Thurau, M., Wittmann, S., Kuhn, E.M., Lebecque, S., Banchereau, J., Rosenwirth, B., Fleckenstein, B., Heeney, J. & Fickenscher, H. (1998)

The interleukin-17 gene of herpesvirus saimiri.  
J Virol **72**(7), 5797-5801

Kotenko, S.V., Saccani, S., Izotova, L.S., Mirochnitchenko, O.V. & Pestka, S. (2000)

Human cytomegalovirus harbors its own unique IL-10 homolog (cmvIL-10).  
Proc Natl Acad Sci USA **97**(4), 1695-1700

Kurokawa, M., Hozumi, T., Tsurita, M., Kadota, S., Namba, T. & Shiraki, K. (2001)

Biological characterization of eugeniin as an anti-herpes simplex virus type 1 compound *in vitro* and *in vivo*.

J Pharmacol Exp Ther **297**(1), 372-379.

Lau, R., Middeldorp, J. & Farrell, P.J. (1993)

Epstein-Barr virus gene expression in oral hairy leukoplakia.  
Virology **195**(2), 463-474

Lewin, B. (2000)

Genes VII.

In: Genes VII, 7th ed, Oxford university press, Oxford, pp. 650-651

Liu, Y., de Waal Malefyt, R., Briere, F., Parham, C., Bridon, J.M., Banchereau, J., Moore, K.W. & Xu, J. (1997)

The EBV IL-10 homologue is a selective agonist with impaired binding to the IL-10 receptor.

J Immunol **158**(2), 604-613

Lockridge, K.M., Zhou, S.S., Kravitz, R.H., Johnson, J.L., Sawai, E.T., Blewett, E.L. & Barry, P.A. (2000)

Primate cytomegaloviruses encode and express an IL-10-like protein.  
Virology **268**(2), 272-280

Lopez, O.J., Galeota, J.A. & Osorio, F.A. (1996)

Bovine herpesvirus type-4 (BHV-4) persistently infects cells of the marginal zone of spleen in cattle.

Microb Pathog **21**(1), 47-58

- Ludwig, H. (1983)  
Herpesviruses of bovidae.  
In: The Herpesviruses, B. Roizman (Hrsg.), Vol. 2, Plenum Press, New York, London, 135-214.
- MacNeil, I.A., Suda, T., Moore, K.W., Mosmann, T.R. & Zlotnik, A. (1990)  
IL-10, a novel growth cofactor for mature and immature T cells.  
*J Immunol* **145**(12), 4167-4173
- Mao, J.C. & Robishaw, E.E. (1975)  
Mode of inhibition of herpes simplex virus DNA polymerase by phosphonoacetate.  
*Biochemistry* **14**(25), 5475-5479
- Mattsson, K., Kiss, C., Platt, G.M., Simpson, G.R., Kashuba, E., Klein, G., Schulz, T.F. & Szekely, L. (2002)  
Latent nuclear antigen of Kaposi's sarcoma herpesvirus / human herpesvirus-8 induces and relocates RING3 to nuclear heterochromatin regions.  
*J Gen Virol* **83**(1), 179-188
- Miyazaki, I., Cheung, R.K. & Dosch, H.M. (1993)  
Viral interleukin 10 is critical for the induction of B cell growth transformation by Epstein-Barr virus.  
*J Exp Med* **178**(2), 439-447
- Modrow, S. & Wolf, H. (1983)  
Herpesvirus saimiri-induced proteins in lytically infected cells. I. Time-ordered synthesis.  
*J Gen Virol* **64**(1), 37-46
- Moore, K.W., Vieira, P., Fiorentino, D.F., Trounstein, M.L., Khan, T.A. & Mosmann, T.R. (1990)  
Homology of cytokine synthesis inhibitory factor (IL-10) to the Epstein-Barr virus gene BCRFI.  
*Science* **248**(4960), 1230-1234
- Moore, K.W., O'Garra, A., de Waal Malefyt, R., Vieira, P. & Mosmann, T.R. (1993)  
Interleukin-10.  
*Annu Rev Immunol* **11**(165), 165-190
- Moore, K.W., de Waal Malefyt, R., Coffman, R.L. & O'Garra, A. (2001)  
Interleukin-10 and the interleukin-10 receptor.  
*Annu Rev Immunol* **19**, 683-765
- Müller, A., Raftery, M. & Schonrich, G. (1999)  
T cell stimulation upon long-term secretion of viral IL-10.  
*Eur J Immunol* **29**(9), 2740-2747
- Mullis, K.B. (1990)  
The unusual origin of the polymerase chain reaction.  
*Sci Am* **262**(4), 56-61
- Neipel, F., Albrecht, J.C., Ensser, A., Huang, Y.Q., Li, J.J., Friedman-Kien, A.E. & Fleckenstein, B. (1997a)  
Human herpesvirus 8 encodes a homolog of interleukin-6.  
*J Virol* **71**(1), 839-842

- Neipel, F., Albrecht, J.C. & Fleckenstein, B. (1997b)  
Cell-homologous genes in the Kaposi's sarcoma-associated rhadinovirus human herpesvirus 8: determinants of its pathogenicity?  
*J Virol* **71**(6), 4187-4192
- Nicholas, J. (2003)  
Human herpesvirus-8-encoded signalling ligands and receptors.  
*J Biomed Sci* **10**(5), 475-489
- Nordengrahn, A., Rusvai, M., Merza, M., Ekstrom, J., Morein, B. & Belak, S. (1996)  
Equine herpesvirus type 2 (EHV-2) as a predisposing factor for Rhodococcus equi pneumonia in foals: prevention of the bifactorial disease with EHV-2 immuno-stimulating complexes.  
*Vet Microbiol* **51**(1-2), 55-68
- Nordengrahn, A., Merza, M., Ros, C., Lindholm, A., Palfi, V., Hannant, D. & Belak, S. (2002)  
Prevalence of equine herpesvirus types 2 and 5 in horse populations by using type-specific PCR assays.  
*Vet Res* **33**(3), 251-259
- Osorio, F.A., Reed, D.E., Van der Maaten, M.J. & Metz, C.A. (1985)  
Comparison of the herpesviruses of cattle by DNA restriction endonuclease analysis and serologic analysis.  
*Am J Vet Res* **46**(10), 2104-2109
- Overby, L.R., Duff, R.G. & Mao, J.C. (1977)  
Antiviral potential of phosphonoacetic acid.  
*Ann N Y Acad Sci* **284**, 310-320
- Palfi, V., Belak, S. & Molnar, T. (1978)  
Isolation of equine herpesvirus type 2 from foals, showing respiratory symptoms.  
*Zentralbl Veterinärmed B* **25**(2), 165-167
- Plummer, G. & Waterson, A.P. (1963)  
Equine herpes viruses.  
*Virology* **19**, 412-416
- Purewal, A.S., Smallwood, A.V., Allsopp, R., Welch, H.M. & Edington, N. (1993)  
Cross-hybridization of equid herpesvirus-2 (EHV-2) and herpes simplex virus-1 (HSV-1) genes to equid herpesvirus-1 (EHV-1).  
*Vet Microbiol* **35**(1-2), 1-10
- Rizvi, S.M., Slater, J.D., Slade, A.J. & Field, H.J. (1997a)  
Transmission of equine herpesvirus 2 to the mouse: characterization of a new laboratory infection model.  
*J Gen Virol* **78**(5), 1119-1124
- Rizvi, S.M., Slater, J.D., Wolfinger, U., Borchers, K., Field, H.J. & Slade, A.J. (1997b)  
Detection and distribution of equine herpesvirus 2 DNA in the central and peripheral nervous systems of ponies.  
*J Gen Virol* **78**(5), 1115-1118
- Rode, H.J., Janssen, W., Rosen, W.A., Bugert, J.J., Thein, P., Becker, Y. & Darai, G. (1993)  
The genome of equine herpesvirus type 2 harbors an interleukin 10 (IL10)-like gene.  
*Virus Genes* **7**(1), 111-116

- Rode, H.J., Bugert, J.J., Handermann, M., Schnitzler, P., Kehm, R., Janssen, W., Delius, H. & Darai, G. (1994)  
Molecular characterization and determination of the coding capacity of the genome of equine herpesvirus type 2 between the genome coordinates 0.235 and 0.258 (the EcoRI DNA fragment N; 4.2 kbp).  
*Virus Genes* **9**(1), 61-75
- Roeder, P.L. & Scott, G.R. (1975)  
The prevalence of equid herpes virus 2 infections.  
*Vet Rec* **96**(18), 404-405
- Roizman, B. & Sears, A. (1996)  
Herpes Simplex Viruses and Their Replication.  
In: Virology, B. Fields, D. Knipe, P. Howley (Hrsg.), Third ed, Lippincott-Raven Publishers, Philadelphia, pp. 2231-2295
- Roizman, B., Sears, A., Whitley, R., Kieff, E., Rickinson, A., Mocarski, J.E., Britt, W., Alford, C., Cohen, J., Straus, E., Arvin, A., Pellett, P., Black, J., Frenkel, N. & Roffman, E. (1996)  
Herpesviridae.  
In: Virology, B.N. Fields, D.M. Knipe, P.M. Howley (Hrsg.), Third ed, Lippincott-Raven Publishers, Philadelphia, pp. 2221-2635
- Rosbottom, J., Dalziel, R.G., Reid, H.W. & Stewart, J.P. (2002)  
Ovine herpesvirus 2 lytic cycle replication and capsid production.  
*J Gen Virol* **83**(12), 2999-3002
- Rousset, F., Garcia, E., Defrance, T., Peronne, C., Vezzio, N., Hsu, D.H., Kastelein, R., Moore, K.W. & Banchereau, J. (1992)  
Interleukin 10 is a potent growth and differentiation factor for activated human B lymphocytes.  
*Proc Natl Acad Sci USA* **89**(5), 1890-1893
- Russo, J.J., Bohenzky, R.A., Chien, M.C., Chen, J., Yan, M., Maddalena, D., Parry, J.P., Peruzzi, D., Edelman, I.S., Chang, Y. & Moore, P.S. (1996)  
Nucleotide sequence of the Kaposi sarcoma-associated herpesvirus (HHV8).  
*Proc Natl Acad Sci USA* **93**(25), 14862-14867
- Ryon, J.J., Hayward, S.D., MacMahon, E.M., Mann, R.B., Ling, Y., Charache, P., Phelan, J.A., Miller, G. & Ambinder, R.F. (1993)  
*In situ* detection of lytic Epstein-Barr virus infection: expression of the NotI early gene and viral interleukin-10 late gene in clinical specimens.  
*J Infect Dis* **168**(2), 345-351
- Sambrook, J., Fritsch, E.F. & Maniatis, T. (1989)  
Molecular cloning: a laboratory manual.  
Cold Spring Harbor Laboratory Press, New York
- Sanger, F., Nickler, S. & Coulson, A.R. (1977)  
DNA sequencing with chain-terminating inhibitors.  
*Proc Natl Acad Sci USA* **74**, 5463-5467

- Saulquin, X., Bodinier, M., Peyrat, M.A., Hislop, A., Scotet, E., Lang, F., Bonneville, M. & Houssaint, E. (2001)  
Frequent recognition of BCRF1, a late lytic cycle protein of Epstein-Barr virus, in the HLA-B\*2705 context: evidence for a TAP-independent processing  
*Eur J Immunol* **31**, 708-715
- Schäfer, A., Lengenfelder, D., Grillhösl, C., Wieser, C., Fleckenstein, B. & Ensser, A. (2003)  
The latency-associated nuclear antigen homolog of herpesvirus saimiri inhibits lytic virus replication.  
*J Virol* **77**(10), 5911-5925
- Schlocker, N., Gerber-Brettscher, R. & von Fellenberg, R. (1995)  
Equine herpesvirus 2 in pulmonary macrophages of horses.  
*Am J Vet Res* **56**(6), 749-754
- Schulz, T.F. (1998)  
Kaposi's sarcoma-associated herpesvirus (human herpesvirus-8).  
*J Gen Virol* **79**(7), 1573-1591
- Schulz, T.F. (2000a)  
KSHV (HHV8) infection.  
*J Infect* **41**(2), 125-129
- Schulz, T.F. (2000b)  
Kaposi's sarcoma-associated herpesvirus (human herpesvirus 8): epidemiology and pathogenesis.  
*J Antimicrob Chemother* **45**(Suppl T3), 15-27
- Scott, T.A. & Mercer, E.I. (1997)  
Concise Encyclopedia Biochemistry and Molecular Biology.  
Walter de Gruyter, Berlin, New York, 183-185
- Simms, D., Cizdziel, P.E. & Chomczynski, P. (1999)  
Trizol: A new reagent for optimal single-step isolation of RNA.  
*Lifetechnologies Focus* **15**, 98-99
- Slater, J.D., Borchers, K., Thackray, A.M. & Field, H.J. (1994)  
The trigeminal ganglion is a location for equine herpesvirus 1 latency and reactivation in the horse.  
*J Gen Virol* **75**(8), 2007-2016
- Southern, E.M. (1975)  
Detection of specific sequences among DNA fragments separated by gel electrophoresis.  
*J Mol Biol* **98**(3), 503-517
- Spriggs, M.K. (1996)  
One step ahead of the game: viral immunomodulatory molecules.  
*Annu Rev Immunol* **14**, 101-130
- Staczek, J., Wharton, J.H., Dauenhauer, S.A. & O'Callaghan, D.J. (1984)  
Coestablishment of persistent infection and oncogenic transformation of hamster embryo cells by equine cytomegalovirus.  
*Virology* **132**(2), 339-351

- Stewart, J.P., Usherwood, E.J., Ross, A., Dyson, H. & Nash, T. (1998)  
Lung epithelial cells are a major site of murine gammaherpesvirus persistence.  
*J Exp Med* **187**(12), 1941-1951
- Storz, J., Ehlers, B., Todd, W.J. & Ludwig, H. (1984)  
Bovine cytomegaloviruses: identification and differential properties.  
*J Gen Virol* **65**(4), 697-706
- Stryer, L. (1994)  
Biochemie.  
Spektrum Akademischer Verlag, Heidelberg, Berlin, Oxford
- Sunil-Chandra, N.P., Efstatouli, S. & Nash, A.A. (1992)  
Murine gammaherpesvirus 68 establishes a latent infection in mouse B lymphocytes  
*in vivo*.  
*J Gen Virol* **73**(12), 3275-3279
- Suzuki, T., Tahara, H., Narula, S., Moore, K.W., Robbins, P.D. & Lotze, M.T. (1995)  
Viral interleukin 10 (IL-10), the human herpes virus 4 cellular IL-10 homologue,  
induces local anergy to allogeneic and syngeneic tumors.  
*J Exp Med* **182**(2), 477-486
- Swaminathan, S., Hesselton, R., Sullivan, J. & Kieff, E. (1993)  
Epstein-Barr virus recombinants with specifically mutated BCRF1 genes.  
*J Virol* **67**(12), 7406-7413
- Swiderski, C.E., Klei, T.R. & Horohov, D.W. (1999)  
Quantitative measurement of equine cytokine mRNA expression by polymerase chain  
reaction using target-specific standard curves.  
*J Immunol Methods* **222**(1-2), 155-169
- Taga, H., Taga, K., Wang, F., Chretien, J. & Tosato, G. (1995)  
Human and viral interleukin-10 in acute Epstein-Barr virus-induced infectious  
mononucleosis.  
*J Infect Dis* **171**(5), 1347-1350
- Tanner, J.E., Diaz-Mitoma, F., Rooney, C.M. & Alfieri, C. (1997)  
Anti-interleukin-10 antibodies in patients with chronic active Epstein-Barr virus  
infection.  
*J Infect Dis* **176**(6), 1454-1461
- Telford, E.A., Watson, M.S., McBride, K. & Davison, A.J. (1992)  
The DNA sequence of equine herpesvirus-1.  
*Virology* **189**(1), 304-316
- Telford, E.A., Studdert, M.J., Agius, C.T., Watson, M.S., Aird, H.C. & Davison, A.J. (1993)  
Equine herpesviruses 2 and 5 are gamma-herpesviruses.  
*Virology* **195**(2), 492-499
- Telford, E.A., Watson, M.S., Aird, H.C., Perry, J. & Davison, A.J. (1995)  
The DNA sequence of equine herpesvirus 2.  
*J Mol Biol* **249**(3), 520-528
- Telford, E.A., Watson, M.S., Perry, J., Cullinane, A.A. & Davison, A.J. (1998)  
The DNA sequence of equine herpesvirus-4.  
*J Gen Virol* **79**(5), 1197-1203

- Thein, P. (1974)  
Diagnosis and prophylaxis of the most important infectious diseases of the respiratory tract in the horse.  
*Folia Vet Lat* **4**(3), 455-485
- Thein, P. (1976)  
Virusbedingte Keratitis beim Pferd.  
*Fortschritte der Veterinärmedizin* **25**, 235-239
- Thein, P. & Böhm, D. (1976)  
Etiology and clinical aspects of a viral keratoconjunctivitis in foals.  
*Zentralbl Veterinärmed B* **23**(5-6), 507-559
- Thein, P. & Härtl, G. (1976)  
Untersuchungen zur Virusätiologie respiratorischer Erkrankungen des Pferdes.  
*Praktischer Tierarzt Colleg. Vet.* **57**, 24-29
- Thein, P. (1978)  
The association of EHV-2 Infection with keratitis and research on the occurrence of equine coital exanthema (EHV-3) of horses in Germany.  
In: *Equine Inf. Dis. IV*, J.T. Bryans and H. Gerber (Hrsg.), Veterinary Publications, Princeton, New Jersey USA, pp. 33-41
- Thome, M., Gaide, O., Micheau, O., Martinon, F., Bonnet, D., Gonzalez, M. & Tschopp, J. (2001)  
Equine herpesvirus protein E10 induces membrane recruitment and phosphorylation of its cellular homologue, bcl-10.  
*J Cell Biol* **152**(5), 1115-1122
- Thompson, J.D., Higgins, D.G. & Gibson, T.J. (1994)  
CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice.  
*Nucleic Acids Res* **22**(22), 4673-4680
- Thurau, M., Whitehouse, A., Wittmann, S., Meredith, D. & Fickenscher, H. (2000)  
Distinct transcriptional and functional properties of the R transactivator gene orf50 of the transforming herpesvirus saimiri strain C488.  
*Virology* **268**(1), 167-177
- Touitou, R., Cochet, C. & Joab, I. (1996)  
Transcriptional analysis of the Epstein-Barr virus interleukin-10 homologue during the lytic cycle.  
*J Gen Virol* **77**(6), 1163-1168
- Uchida, S., Watanabe, S. & Kato, M. (1966)  
Incomplete growth of simian virus 40 in African green monkey kidney culture induced by serial undiluted passages.  
*Virology* **28**(1), 135-141
- Usherwood, E.J., Ross, A.J., Allen, D.J. & Nash, A.A. (1996a)  
Murine gammaherpesvirus-induced splenomegaly: a critical role for CD4 T cells.  
*J Gen Virol* **77**(4), 627-630

- Usherwood, E.J., Stewart, J.P. & Nash, A.A. (1996b)  
Characterization of tumor cell lines derived from murine gammaherpesvirus-68-infected mice.  
*J Virol* **70**(9), 6516-6518
- Vieira, P., de Waal-Malefyt, R., Dang, M.N., Johnson, K.E., Kastelein, R., Fiorentino, D.F., DeVries, J.E., Roncarolo, M.G., Mosmann, T.R. & Moore, K.W. (1991)  
Isolation and expression of human cytokine synthesis inhibitory factor cDNA clones: homology to Epstein-Barr virus open reading frame BCRFI.  
*Proc Natl Acad Sci USA* **88**(4), 1172-1176
- Weck, K.E., Kim, S.S., Virgin, H.I. & Speck, S.H. (1999)  
Macrophages are the major reservoir of latent murine gammaherpesvirus 68 in peritoneal cells.  
*J Virol* **73**(4), 3273-3283
- Welch, H.M., Bridges, C.G., Lyon, A.M., Griffiths, L. & Edington, N. (1992)  
Latent equid herpesviruses 1 and 4: detection and distinction using the polymerase chain reaction and co-cultivation from lymphoid tissues.  
*J Gen Virol* **73**(2), 261-268
- Whitehouse, A. (2003)  
Herpesvirus saimiri: a potential gene delivery vector (review).  
*Int J Mol Med* **11**(2), 139-148
- Willer, D.O. & Speck, S.H. (2003)  
Long-term latent murine Gammaherpesvirus 68 infection is preferentially found within the surface immunoglobulin D-negative subset of splenic B cells *in vivo*.  
*J Virol* **77**(15), 8310-8321
- Wolfinger, U. (1998)  
Verbreitung und Bedeutung von Infektionen mit equinen Herpesviren vom Typ 1, 2 und 4 (EHV-1, -2, -4) beim Pferd.  
Vet med Dissertation, Journal Nr. 2133, Freie Universität Berlin
- Xu, Z.G., Iwatsuki, K., Oyama, N., Ohtsuka, M., Satoh, M., Kikuchi, S., Akiba, H. & Kaneko, F. (2001)  
The latency pattern of Epstein-Barr virus infection and viral IL-10 expression in cutaneous natural killer/T-cell lymphomas.  
*Br J Cancer* **84**(7), 920-925
- Yao, Z., Fanslow, W.C., Seldin, M.F., Rousseau, A.M., Painter, S.L., Comeau, M.R., Cohen, J.I. & Spriggs, M.K. (1995)  
Herpesvirus Saimiri encodes a new cytokine, IL-17, which binds to a novel cytokine receptor.  
*Immunity* **3**(6), 811-821
- Zdanov, A., Schalk-Hihi, C., Gustchina, A., Tsang, M., Weatherbee, J. & Wlodawer, A. (1995)  
Crystal structure of interleukin-10 reveals the functional dimer with an unexpected topological similarity to interferon gamma.  
*Structure* **3**(6), 591-601

- Zdanov, A., Schalk-Hihi, C., Menon, S., Moore, K.W. & Wlodawer, A. (1997)  
Crystal structure of Epstein-Barr virus protein BCRF1, a homolog of cellular interleukin-10.  
*J Mol Biol* **268**(2), 460-467
- Zeidler, R., Eissner, G., Meissner, P., Uebel, S., Tampe, R., Lazis, S. & Hammerschmidt, W. (1997)  
Downregulation of TAP1 in B lymphocytes by cellular and Epstein-Barr virus-encoded interleukin-10.  
*Blood* **90**(6), 2390-2397
- Zhu, F.X., Cusano, T. & Yuan, Y. (1999)  
Identification of the immediate-early transcripts of Kaposi's sarcoma-associated herpesvirus.  
*J Virol* **73**(7), 5556-5567
- Zimmermann, W., Broll, H., Ehlers, B., Buhk, H.J., Rosenthal, A. & Goltz, M. (2001)  
Genome sequence of bovine herpesvirus 4, a bovine Rhadinovirus, and identification of an origin of DNA replication.  
*J Virol* **75**(3), 1186-1194
- zur Hausen, H., O'Neill, F.J., Freese, U.K. & Hecker, E. (1978)  
Persisting oncogenic herpesvirus induced by the tumour promotor TPA.  
*Nature* **272**(5651), 373-375