

Literaturverzeichnis

- Aldridge, P., Paul, R., Goymer, P., Rainey, P. and Jenal U. 2003. Role of the GGDEF regulator PleD in polar development of *Caulobacter crescentus*. *Mol Microbiol* **47**: 1695-1708.
- Altuvia, S., Almiron, M., Huisman, G., Kolter, R. and Storz G. 1994. The *dps* promoter is activated by OxyR during growth and by IHF and sigma S in stationary phase. *Mol Microbiol* **13**: 265-272.
- Amikam, D. and Galperin M.Y. 2006. PilZ domain is part of the bacterial c-di-GMP binding protein. *Bioinformatics* **22**: 3-6.
- Andersen, J., Forst, S.A., Zhao, K., Inouye, M. and Delihias N. 1989. The function of *micF* RNA. *micF* RNA is a major factor in the thermal regulation of OmpF protein in *Escherichia coli*. *J Biol Chem* **264**: 17961-17970.
- Andrade, M.O., Alegria, M.C., Guzzo, C.R., Docena, C., Rosa, M.C.P., Ramos, C.H.I. and Farah C.S. 2006. The HD-GYP domain of RpfG mediates a direct linkage between the Rpf quorum-sensing pathway and a subset of diguanylate cyclase proteins in the phytopathogen *Xanthomonas axonopodis* pv citri. *Mol Microbiol* **62**: 537-551.
- Anjum, M.F., Green, J. and Guest J.R. 2000. YeiL, the third member of the CRP-FNR family in *Escherichia coli*. *Microbiology* **146 Pt 12**: 3157-3170.
- Arfin, S.M., Long, A.D., Ito, E.T., Toller, L., Riehle, M.M., Paegle, E.S. and Hatfield G.W. 2000. Global gene expression profiling in *Escherichia coli* K12. The effects of integration host factor. *J Biol Chem* **275**: 29672-29684.
- Audia, J.P., Webb, C.C. and Foster J.W. 2001. Breaking through the acid barrier: an orchestrated response to proton stress by enteric bacteria. *Int J Med Microbiol* **291**: 97-106.
- Bailey, T.L. and Elkan C. 1994. Fitting a mixture model by expectation maximization to discover motifs in biopolymers. *Proc Int Conf Intell Syst Mol Biol* **2**: 28-36.
- Balandina, A., Claret, L., Hengge-Aronis, R. and Rouviere-Yaniv J. 2001. The *Escherichia coli* histone-like protein HU regulates *rpoS* translation. *Mol Microbiol* **39**: 1069-1079.
- Barnhart, M.M. and Chapman M.R. 2006. Curli biogenesis and function. *Annu Rev Microbiol* **60**: 131-147.
- Barnhart, M.M., Lynem, J. and Chapman M.R. 2006. GlcNAc-6P levels modulate the expression of Curli fibers by *Escherichia coli*. *J Bacteriol* **188**: 5212-5219.
- Barth, M., Marschall, C., Muffler, A., Fischer, D. and Hengge-Aronis R. 1995. Role for the histone-like protein H-NS in growth phase-dependent and osmotic regulation of sigma S and many sigma S-dependent genes in *Escherichia coli*. *J Bacteriol* **177**: 3455-3464.
- Bearson, S.M., Benjamin, W.H.J., Swords, W.E. and Foster J.W. 1996. Acid shock induction of RpoS is mediated by the mouse virulence gene *mviA* of *Salmonella typhimurium*. *J Bacteriol* **178**: 2572-2579.
- Becker, G. and Hengge-Aronis R. 2001. What makes an *Escherichia coli* promoter sigma(S) dependent? Role of the -13/-14 nucleotide promoter positions and region 2.5 of sigma(S). *Mol Microbiol* **39**: 1153-1165.
- Becker, G., Klauck, E. and Hengge-Aronis R. 2000. The response regulator RssB, a recognition factor for sigmaS proteolysis in *Escherichia coli*, can act like an anti-sigmaS factor. *Mol Microbiol* **35**: 657-666.
- Becker, G., Klauck, E. and Hengge-Aronis R. 1999. Regulation of RpoS proteolysis in *Escherichia coli*: the response regulator RssB is a recognition factor that interacts with the turnover element in RpoS. *Proc Natl Acad Sci U S A* **96**: 6439-6444.
- Ben Nasr, A., Olsen, A., Sjobring, U., Muller-Esterl, W. and Bjorck L. 1996. Assembly of human contact phase proteins and release of bradykinin at the surface of curli-expressing *Escherichia coli*. *Mol Microbiol* **20**: 927-935.

- Bernstein, J.A., Khodursky, A.B., Lin, P., Lin-Chao, S. and Cohen S.N. 2002. Global analysis of mRNA decay and abundance in *Escherichia coli* at single-gene resolution using two-color fluorescent DNA microarrays. *Proc Natl Acad Sci U S A* **99**: 9697-9702.
- Bian, Z. and Normark S. 1997. Nucleator function of CsgB for the assembly of adhesive surface organelles in *Escherichia coli*. *EMBO J* **16**: 5827-5836.
- Bian, Z., Brauner, A., Li, Y. and Normark S. 2000. Expression of and cytokine activation by *Escherichia coli* curli fibers in human sepsis. *J Infect Dis* **181**: 602-612.
- Bian, Z., Yan, Z.Q., Hansson, G.K., Thoren, P. and Normark S. 2001. Activation of inducible nitric oxide synthase/nitric oxide by curli fibers leads to a fall in blood pressure during systemic *Escherichia coli* infection in mice. *J Infect Dis* **183**: 612-619.
- Bohannon, D.E., Connell, N., Keener, J., Tormo, A., Espinosa-Urgel, M., Zambrano, M.M. and Kolter R. 1991. Stationary-phase-inducible "gearbox" promoters: differential effects of *katF* mutations and role of sigma 70. *J Bacteriol* **173**: 4482-4492.
- Bohringer, J., Fischer, D., Mosler, G. and Hengge-Aronis R. 1995. UDP-glucose is a potential intracellular signal molecule in the control of expression of sigma S and sigma S-dependent genes in *Escherichia coli*. *J Bacteriol* **177**: 413-422.
- Boles, B.R. and McCarter L.L. 2002. *Vibrio parahaemolyticus* *scrABC*, a novel operon affecting swarming and capsular polysaccharide regulation. *J Bacteriol* **184**: 5946-5954.
- Bordes, P., Conter, A., Morales, V., Bouvier, J., Kolb, A. and Gutierrez C. 2003. DNA supercoiling contributes to disconnect sigmaS accumulation from sigmaS-dependent transcription in *Escherichia coli*. *Mol Microbiol* **48**: 561-571.
- Bordes, P., Repoila, F., Kolb, A. and Gutierrez C. 2000. Involvement of differential efficiency of transcription by esigmegas and esigma70 RNA polymerase holoenzymes in growth phase regulation of the *Escherichia coli* *osmE* promoter. *Mol Microbiol* **35**: 845-853.
- Bouche, S., Klauck, E., Fischer, D., Lucassen, M., Jung, K. and Hengge-Aronis R. 1998. Regulation of RssB-dependent proteolysis in *Escherichia coli*: a role for acetyl phosphate in a response regulator-controlled process. *Mol Microbiol* **27**: 787-795.
- Bougdour, A., Lelong, C. and Geiselman J. 2004. Crl, a low temperature-induced protein in *Escherichia coli* that binds directly to the stationary phase sigma subunit of RNA polymerase. *J Biol Chem* **279**: 19540-19550.
- Bougdour, A., Wickner, S. and Gottesman S. 2006. Modulating RssB activity: IraP, a novel regulator of sigma(S) stability in *Escherichia coli*. *Genes Dev* **20**: 884-897.
- Bouvier, J., Gordia, S., Kampmann, G., Lange, R., Hengge-Aronis, R. and Gutierrez C. 1998. Interplay between global regulators of *Escherichia coli*: effect of RpoS, Lrp and H-NS on transcription of the gene *osmC*. *Mol Microbiol* **28**: 971-980.
- Brombacher, E., Baratto, A., Dorel, C. and Landini P. 2006. Gene expression regulation by the Curli activator CsgD protein: modulation of cellulose biosynthesis and control of negative determinants for microbial adhesion. *J Bacteriol* **188**: 2027-2037.
- Brombacher, E., Dorel, C., Zehnder, A.J.B. and Landini P. 2003. The curli biosynthesis regulator CsgD coordinates the expression of both positive and negative determinants for biofilm formation in *Escherichia coli*. *Microbiology* **149**: 2847-2857.
- Brown, L. and Elliott T. 1996. Efficient translation of the RpoS sigma factor in *Salmonella typhimurium* requires host factor I, an RNA-binding protein encoded by the *hfq* gene. *J Bacteriol* **178**: 3763-3770.
- Brown, L., Gentry, D., Elliott, T. and Cashel M. 2002. DksA affects ppGpp induction of RpoS at a translational level. *J Bacteriol* **184**: 4455-4465.

- Brown, N.L., Stoyanov, J.V., Kidd, S.P. and Hobman J.L. 2003. The MerR family of transcriptional regulators. *FEMS Microbiol Rev* **27**: 145-163.
- Brown, P.K., Dozois, C.M., Nickerson, C.A., Zuppardo, A., Terlonge, J. and Curtiss R.3. 2001. MlrA, a novel regulator of curli (AgF) and extracellular matrix synthesis by *Escherichia coli* and *Salmonella enterica* serovar Typhimurium. *Mol Microbiol* **41**: 349-363.
- Brown, P.O. and Botstein D. 1999. Exploring the new world of the genome with DNA microarrays. *Nat Genet* **21**: 33-37.
- Busby, S. and Ebright R.H. 1999. Transcription activation by catabolite activator protein (CAP). *J Mol Biol* **293**: 199-213.
- Camilli, A. and Bassler B.L. 2006. Bacterial small-molecule signaling pathways. *Science* **311**: 1113-1116.
- Capitani, G., De Biase, D., Aurizi, C., Gut, H., Bossa, F. and Grutter M.G. 2003. Crystal structure and functional analysis of *Escherichia coli* glutamate decarboxylase. *EMBO J* **22**: 4027-4037.
- Casadaban, M.J. 1976. Transposition and fusion of the lac genes to selected promoters in *Escherichia coli* using bacteriophage lambda and Mu. *J Mol Biol* **104**: 541-555.
- Castanie-Cornet, M., Treffandier, H., Francez-Charlot, A., Gutierrez, C. and Cam K. 2007. The glutamate-dependent acid resistance system in *Escherichia coli*: essential and dual role of the His-Asp phosphorelay RcsCDB/AF. *Microbiology* **153**: 238-246.
- Castanie-Cornet, M.P. and Foster J.W. 2001. *Escherichia coli* acid resistance: cAMP receptor protein and a 20 bp cis-acting sequence control pH and stationary phase expression of the *gadA* and *gadBC* glutamate decarboxylase genes. *Microbiology* **147**: 709-715.
- Castanie-Cornet, M.P., Penfound, T.A., Smith, D., Elliott, J.F. and Foster J.W. 1999. Control of acid resistance in *Escherichia coli*. *J Bacteriol* **181**: 3525-3535.
- Chae, C., Sharma, S., Hoskins, J.R. and Wickner S. 2004. CbpA, a DnaJ homolog, is a DnaK co-chaperone, and its activity is modulated by CbpM. *J Biol Chem* **279**: 33147-33153.
- Chan, C., Paul, R., Samoray, D., Amiot, N.C., Giese, B., Jenal, U. and Schirmer T. 2004. Structural basis of activity and allosteric control of diguanylate cyclase. *Proc Natl Acad Sci U S A* **101**: 17084-17089.
- Chang, A.L., Tuckerman, J.R., Gonzalez, G., Mayer, R., Weinhouse, H., Volman, G., Amikam, D., Benziman, M. and Gilles-Gonzalez M.A. 2001. Phosphodiesterase A1, a regulator of cellulose synthesis in *Acetobacter xylinum*, is a heme-based sensor. *Biochemistry* **40**: 3420-3426.
- Chapman, M.R., Robinson, L.S., Pinkner, J.S., Roth, R., Heuser, J., Hammar, M., Normark, S. and Hultgren S.J. 2002. Role of *Escherichia coli* curli operons in directing amyloid fiber formation. *Science* **295**: 851-855.
- Cherny, I., Rockah, L., Levy-Nissenbaum, O., Gophna, U., Ron, E.Z. and Gazit E. 2005. The formation of *Escherichia coli* curli amyloid fibrils is mediated by prion-like peptide repeats. *J Mol Biol* **352**: 245-252.
- Chirwa, N.T. and Herrington M.B. 2003. CsgD, a regulator of curli and cellulose synthesis, also regulates serine hydroxymethyltransferase synthesis in *Escherichia coli* K-12. *Microbiology* **149**: 525-535.
- Christen, B., Christen, M., Paul, R., Schmid, F., Folcher, M., Jenoe, P., Meuwly, M. and Jenal U. 2006. Allosteric control of cyclic di-GMP signaling. *J Biol Chem* **281**: 32015-32024.
- Christen, M., Christen, B., Folcher, M., Schauerte, A. and Jenal U. 2005. Identification and characterization of a cyclic di-GMP-specific phosphodiesterase and its allosteric control by GTP. *J Biol Chem* **280**: 30829-30837.
- Chung, C.T., Niemela, S.L. and Miller R.H. 1989. One-step preparation of competent *Escherichia coli*: transformation and storage of bacterial cells in the same solution. *Proc Natl Acad Sci U S A* **86**: 2172-2175.

- Clegg, S.J., Jia, W. and Cole J.A. 2006. Role of the *Escherichia coli* nitrate transport protein, NarU, in survival during severe nutrient starvation and slow growth. *Microbiology* **152**: 2091-2100.
- Colland, F., Barth, M., Hengge-Aronis, R. and Kolb A. 2000. sigma factor selectivity of *Escherichia coli* RNA polymerase: role for CRP, IHF and Irp transcription factors. *EMBO J* **19**: 3028-3037.
- Cookson, A.L., Cooley, W.A. and Woodward M.J. 2002. The role of type 1 and curli fimbriae of Shiga toxin-producing *Escherichia coli* in adherence to abiotic surfaces. *Int J Med Microbiol* **292**: 195-205.
- Cunning, C., Brown, L. and Elliott T. 1998. Promoter substitution and deletion analysis of upstream region required for *rpoS* translational regulation. *J Bacteriol* **180**: 4564-4570.
- Datsenko, K.A. and Wanner B.L. 2000. One-step inactivation of chromosomal genes in *Escherichia coli* K-12 using PCR products. *Proc Natl Acad Sci U S A* **97**: 6640-6645.
- De Biase, D., Tramonti, A., Bossa, F. and Visca P. 1999. The response to stationary-phase stress conditions in *Escherichia coli*: role and regulation of the glutamic acid decarboxylase system. *Mol Microbiol* **32**: 1198-1211.
- De Wulf, P., McGuire, A.M., Liu, X. and Lin E.C.C. 2002. Genome-wide profiling of promoter recognition by the two-component response regulator CpxR-P in *Escherichia coli*. *J Biol Chem* **277**: 26652-26661.
- Delgado-Nixon, V.M., Gonzalez, G. and Gilles-Gonzalez M.A. 2000. Dos, a heme-binding PAS protein from *Escherichia coli*, is a direct oxygen sensor. *Biochemistry* **39**: 2685-2691.
- Delihias, N. and Forst S. 2001. MicF: an antisense RNA gene involved in response of *Escherichia coli* to global stress factors. *J Mol Biol* **313**: 1-12.
- Djaman, O., Outten, F.W. and Imlay J.A. 2004. Repair of oxidized iron-sulfur clusters in *Escherichia coli*. *J Biol Chem* **279**: 44590-44599.
- Dow, J.M., Fouhy, Y., Lucey, J.F. and Ryan R.P. 2006. The HD-GYP domain, cyclic di-GMP signaling, and bacterial virulence to plants. *Mol Plant Microbe Interact* **19**: 1378-1384.
- Drenkard, E. and Ausubel F.M. 2002. *Pseudomonas* biofilm formation and antibiotic resistance are linked to phenotypic variation. *Nature* **416**: 740-743.
- Dukan, S. and Nystrom T. 1998. Bacterial senescence: stasis results in increased and differential oxidation of cytoplasmic proteins leading to developmental induction of the heat shock regulon. *Genes Dev* **12**: 3431-3441.
- Ernsting, B.R., Atkinson, M.R., Ninfa, A.J. and Matthews R.G. 1992. Characterization of the regulon controlled by the leucine-responsive regulatory protein in *Escherichia coli*. *J Bacteriol* **174**: 1109-1118.
- Espinosa-Urgel, M., Chamizo, C. and Tormo A. 1996. A consensus structure for sigma S-dependent promoters. *Mol Microbiol* **21**: 657-659.
- Flardh, K., Garrido, T. and Vicente M. 1997. Contribution of individual promoters in the *ddlB-ftsZ* region to the transcription of the essential cell-division gene *ftsZ* in *Escherichia coli*. *Mol Microbiol* **24**: 927-936.
- Flynn, J.M., Neher, S.B., Kim, Y.I., Sauer, R.T. and Baker T.A. 2003. Proteomic discovery of cellular substrates of the ClpXP protease reveals five classes of ClpX-recognition signals. *Mol Cell* **11**: 671-683.
- Foster, J.W. 2004. *Escherichia coli* acid resistance: tales of an amateur acidophile. *Nat Rev Microbiol* **2**: 898-907.
- Gaal, T., Ross, W., Estrem, S.T., Nguyen, L.H., Burgess, R.R. and Gourse R.L. 2001. Promoter recognition and discrimination by EsigmaS RNA polymerase. *Mol Microbiol* **42**: 939-954.
- Gajiwala, K.S. and Burley S.K. 2000. HDEA, a periplasmic protein that supports acid resistance in pathogenic enteric bacteria. *J Mol Biol* **295**: 605-612.
- Galperin, M.Y., Nikolskaya, A.N. and Koonin E.V. 2001. Novel domains of the prokaryotic two-component signal transduction systems. *FEMS Microbiol Lett* **203**: 11-21.

- Garcia, B., Latasa, C., Solano, C., Garcia-del Portillo, F., Gamazo, C. and Lasa I. 2004. Role of the GGDEF protein family in *Salmonella* cellulose biosynthesis and biofilm formation. *Mol Microbiol* **54**: 264-277.
- Germer, J., Becker, G., Metzner, M. and Hengge-Aronis R. 2001. Role of activator site position and a distal UP-element half-site for sigma factor selectivity at a CRP/H-NS-activated sigma(s)-dependent promoter in *Escherichia coli*. *Mol Microbiol* **41**: 705-716.
- Gerstel, U. and Romling U. 2003. The *csgD* promoter, a control unit for biofilm formation in *Salmonella typhimurium*. *Res Microbiol* **154**: 659-667.
- Gerstel, U. and Romling U. 2001. Oxygen tension and nutrient starvation are major signals that regulate *agfD* promoter activity and expression of the multicellular morphotype in *Salmonella typhimurium*. *Environ Microbiol* **3**: 638-648.
- Gerstel, U., Park, C. and Romling U. 2003. Complex regulation of *csgD* promoter activity by global regulatory proteins. *Mol Microbiol* **49**: 639-654.
- Gjermansen, M., Ragas, P., Sternberg, C., Molin, S. and Tolker-Nielsen T. 2005. Characterization of starvation-induced dispersion in *Pseudomonas putida* biofilms. *Environ Microbiol* **7**: 894-906.
- Gong, S., Ma, Z. and Foster J.W. 2004. The Era-like GTPase TrmE conditionally activates *gadE* and glutamate-dependent acid resistance in *Escherichia coli*. *Mol Microbiol* **54**: 948-961.
- Gophna, U., Barlev, M., Seiffers, R., Oelschlager, T.A., Hacker, J. and Ron E.Z. 2001. Curli fibers mediate internalization of *Escherichia coli* by eukaryotic cells. *Infect Immun* **69**: 2659-2665.
- Gorden, J. and Small P.L. 1993. Acid resistance in enteric bacteria. *Infect Immun* **61**: 364-367.
- Gut, H., Pennacchietti, E., John, R.A., Bossa, F., Capitani, G., De Biase, D. and Grutter M.G. 2006. *Escherichia coli* acid resistance: pH-sensing, activation by chloride and autoinhibition in GadB. *EMBO J* **25**: 2643-2651.
- Guzman, L.M., Belin, D., Carson, M.J. and Beckwith J. 1995. Tight regulation, modulation, and high-level expression by vectors containing the arabinose PBAD promoter. *J Bacteriol* **177**: 4121-4130.
- Hacker, J., Hochhut, B., Middendorf, B., Schneider, G., Buchrieser, C., Gottschalk, G. and Dobrindt U. 2004. Pathogenomics of mobile genetic elements of toxigenic bacteria. *Int J Med Microbiol* **293**: 453-461.
- Hammar, M., Arnqvist, A., Bian, Z., Olsen, A. and Normark S. 1995. Expression of two *csg* operons is required for production of fibronectin- and congo red-binding curli polymers in *Escherichia coli* K-12. *Mol Microbiol* **18**: 661-670.
- Hammar, M., Bian, Z. and Normark S. 1996. Nucleator-dependent intercellular assembly of adhesive curli organelles in *Escherichia coli*. *Proc Natl Acad Sci U S A* **93**: 6562-6566.
- Hasegawa, K., Masuda, S. and Ono T. 2006. Light induced structural changes of a full-length protein and its BLUF domain in YcgF(Blrp), a blue-light sensing protein that uses FAD (BLUF). *Biochemistry* **45**: 3785-3793.
- Hecht, G.B. and Newton A. 1995. Identification of a novel response regulator required for the swarmer-to-stalked-cell transition in *Caulobacter crescentus*. *J Bacteriol* **177**: 6223-6229.
- Henderson, I.R., Meehan, M. and Owen P. 1997. Antigen 43, a phase-variable bipartite outer membrane protein, determines colony morphology and autoaggregation in *Escherichia coli* K-12. *FEMS Microbiol Lett* **149**: 115-120.
- Hengge-Aronis, R. 2002. Stationary phase gene regulation: what makes an *Escherichia coli* promoter sigmaS-selective?. *Curr Opin Microbiol* **5**: 591-595.
- Hengge-Aronis, R. 2002. Signal transduction and regulatory mechanisms involved in control of the sigma(S) (RpoS) subunit of RNA polymerase. *Microbiol Mol Biol Rev* **66**: 373-95.

- Hengge-Aronis, R. and Fischer D. 1992. Identification and molecular analysis of *glgS*, a novel growth-phase-regulated and *rpoS*-dependent gene involved in glycogen synthesis in *Escherichia coli*. *Mol Microbiol* **6**: 1877-1886.
- Hersh, B.M., Farooq, F.T., Barstad, D.N., Blankenhorn, D.L. and Slonczewski J.L. 1996. A glutamate-dependent acid resistance gene in *Escherichia coli*. *J Bacteriol* **178**: 3978-3981.
- Hersh, D., Monack, D.M., Smith, M.R., Ghori, N., Falkow, S. and Zychlinsky A. 1999. The *Salmonella* invasin SipB induces macrophage apoptosis by binding to caspase-1. *Proc Natl Acad Sci U S A* **96**: 2396-2401.
- Hickman, J.W., Tifrea, D.F. and Harwood C.S. 2005. A chemosensory system that regulates biofilm formation through modulation of cyclic diguanylate levels. *Proc Natl Acad Sci U S A* **102**: 14422-14427.
- Hirsch, M. and Elliott T. 2002. Role of ppGpp in *rpoS* stationary-phase regulation in *Escherichia coli*. *J Bacteriol* **184**: 5077-5087.
- Hisert, K.B., MacCoss, M., Shiloh, M.U., Darwin, K.H., Singh, S., Jones, R.A., Ehrt, S., Zhang, Z., Gaffney, B.L., Gandotra, S. et al. 2005. A glutamate-alanine-leucine (EAL) domain protein of *Salmonella* controls bacterial survival in mice, antioxidant defence and killing of macrophages: role of cyclic diGMP. *Mol Microbiol* **56**: 1234-1245.
- Hoffman, L.R., D'Argenio, D.A., MacCoss, M.J., Zhang, Z., Jones, R.A. and Miller S.I. 2005. Aminoglycoside antibiotics induce bacterial biofilm formation. *Nature* **436**: 1171-1175.
- Hommais, F., Krin, E., Coppee, J., Lacroix, C., Yeramian, E., Danchin, A. and Bertin P. 2004. GadE (YhiE): a novel activator involved in the response to acid environment in *Escherichia coli*. *Microbiology* **150**: 61-72.
- Hommais, F., Krin, E., Laurent-Winter, C., Soutourina, O., Malpertuy, A., Le Caer, J.P., Danchin, A. and Bertin P. 2001. Large-scale monitoring of pleiotropic regulation of gene expression by the prokaryotic nucleoid-associated protein, H-NS. *Mol Microbiol* **40**: 20-36.
- Huang, B., Whitchurch, C.B. and Mattick J.S. 2003. FimX, a multidomain protein connecting environmental signals to twitching motility in *Pseudomonas aeruginosa*. *J Bacteriol* **185**: 7068-7076.
- Huitema, E., Pritchard, S., Matteson, D., Radhakrishnan, S.K. and Viollier P.H. 2006. Bacterial birth scar proteins mark future flagellum assembly site. *Cell* **124**: 1025-1037.
- Jenal, U. and Malone J. 2006. Mechanisms of Cyclic-di-GMP Signaling in Bacteria. *Annu Rev Genet* **40**: 385-407.
- Jishage, M. and Ishihama A. 1997. Variation in RNA polymerase sigma subunit composition within different stocks of *Escherichia coli* W3110. *J Bacteriol* **179**: 959-963.
- Johnson, M.R., Montero, C.I., Conners, S.B., Shockley, K.R., Bridger, S.L. and Kelly R.M. 2005. Population density-dependent regulation of exopolysaccharide formation in the hyperthermophilic bacterium *Thermotoga maritima*. *Mol Microbiol* **55**: 664-674.
- Jonas, K., Tomenius, H., Romling, U., Georgellis, D. and Melefors O. 2006. Identification of YhdA as a regulator of the *Escherichia coli* carbon storage regulation system. *FEMS Microbiol Lett* **264**: 232-237.
- Jubelin, G., Vianney, A., Beloin, C., Ghigo, J., Lazzaroni, J., Lejeune, P. and Dorel C. 2005. CpxR/OmpR interplay regulates curli gene expression in response to osmolarity in *Escherichia coli*. *J Bacteriol* **187**: 2038-2049.
- Jung, I.L., Phyto, K.H. and Kim I.G. 2005. RpoS-mediated growth-dependent expression of the *Escherichia coli* *tkl* genes encoding transketolases isoenzymes. *Curr Microbiol* **50**: 314-318.
- Kader, A., Simm, R., Gerstel, U., Morr, M. and Romling U. 2006. Hierarchical involvement of various GGDEF domain proteins in rdar morphotype development of *Salmonella enterica* serovar Typhimurium. *Mol Microbiol* **60**: 602-616.
- Kang, Y., Durfee, T., Glasner, J.D., Qiu, Y., Frisch, D., Winterberg, K.M. and Blattner F.R. 2004. Systematic mutagenesis of the *Escherichia coli* genome. *J Bacteriol* **186**: 4921-4930.

- Karatan, E., Duncan, T.R. and Watnick P.I. 2005. NspS, a predicted polyamine sensor, mediates activation of *Vibrio cholerae* biofilm formation by norspermidine. *J Bacteriol* **187**: 7434-7443.
- Kazmierczak, B.I., Lebron, M.B. and Murray T.S. 2006. Analysis of FimX, a phosphodiesterase that governs twitching motility in *Pseudomonas aeruginosa*. *Mol Microbiol* **60**: 1026-1043.
- Kern, R., Malki, A., Abdallah, J., Tagourti, J. and Richarme G. 2007. *Escherichia coli* HdeB Is an Acid Stress Chaperone. *J Bacteriol* **189**: 603-610.
- Kim, M.S., Bae, S., Yun, S.H., Lee, H.J., Ji, S.C., Lee, J.H., Srivastava, P., Lee, S., Chae, H., Lee, Y. et al. 2005. Cnu, a novel oriC-binding protein of *Escherichia coli*. *J Bacteriol* **187**: 6998-7008.
- Klauck, E., Bohringer, J. and Hengge-Aronis R. 1997. The LysR-like regulator LeuO in *Escherichia coli* is involved in the translational regulation of *rpoS* by affecting the expression of the small regulatory DsrA-RNA. *Mol Microbiol* **25**: 559-569.
- Klauck, E., Lingnau, M. and Hengge-Aronis R. 2001. Role of the response regulator RssB in sigma recognition and initiation of sigma proteolysis in *Escherichia coli*. *Mol Microbiol* **40**: 1381-1390.
- Klose, K.E., Weiss, D.S. and Kustu S. 1993. Glutamate at the site of phosphorylation of nitrogen-regulatory protein NTRC mimics aspartyl-phosphate and activates the protein. *J Mol Biol* **232**: 67-78.
- Ko, M. and Park C. 2000. Two novel flagellar components and H-NS are involved in the motor function of *Escherichia coli*. *J Mol Biol* **303**: 371-382.
- Kobayashi, A., Hirakawa, H., Hirata, T., Nishino, K. and Yamaguchi A. 2006. Growth phase-dependent expression of drug exporters in *Escherichia coli* and its contribution to drug tolerance. *J Bacteriol* **188**: 5693-5703.
- Kuchma, S.L., Connolly, J.P. and O'Toole G.A. 2005. A three-component regulatory system regulates biofilm maturation and type III secretion in *Pseudomonas aeruginosa*. *J Bacteriol* **187**: 1441-1454.
- Kulasakara, H., Lee, V., Brencic, A., Liberati, N., Urbach, J., Miyata, S., Lee, D.G., Neely, A.N., Hyodo, M., Hayakawa, Y. et al. 2006. Analysis of *Pseudomonas aeruginosa* diguanylate cyclases and phosphodiesterases reveals a role for bis-(3'-5')-cyclic-GMP in virulence. *Proc Natl Acad Sci U S A* **103**: 2839-2844.
- Kulasekara, H.D., Ventre, I., Kulasekara, B.R., Lazdunski, A., Filloux, A. and Lory S. 2005. A novel two-component system controls the expression of *Pseudomonas aeruginosa* fimbrial cup genes. *Mol Microbiol* **55**: 368-380.
- Kurihara, S., Oda, S., Kato, K., Kim, H.G., Koyanagi, T., Kumagai, H. and Suzuki H. 2005. A novel putrescine utilization pathway involves gamma-glutamylated intermediates of *Escherichia coli* K-12. *J Biol Chem* **280**: 4602-4608.
- Kusano, S., Ding, Q., Fujita, N. and Ishihama A. 1996. Promoter selectivity of *Escherichia coli* RNA polymerase E sigma 70 and E sigma 38 holoenzymes. Effect of DNA supercoiling. *J Biol Chem* **271**: 1998-2004.
- La Ragione, R.M., Collighan, R.J. and Woodward M.J. 1999. Non-curliation of *Escherichia coli* O78:K80 isolates associated with IS1 insertion in *csgB* and reduced persistence in poultry infection. *FEMS Microbiol Lett* **175**: 247-253.
- La Ragione, R.M., McLaren, I.M., Foster, G., Cooley, W.A. and Woodward M.J. 2002. Phenotypic and genotypic characterization of avian *Escherichia coli* O86:K61 isolates possessing a gamma-like intimin. *Appl Environ Microbiol* **68**: 4932-4942.
- Lacour, S., Kolb, A. and Landini P. 2003. Nucleotides from -16 to -12 determine specific promoter recognition by bacterial sigmaS-RNA polymerase. *J Biol Chem* **278**: 37160-37168.
- Laemmli, U.K. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* **227**: 680-685.

- Landini, P., Hajec, L.I., Nguyen, L.H., Burgess, R.R. and Volkert M.R. 1996. The leucine-responsive regulatory protein (Lrp) acts as a specific repressor for sigma s-dependent transcription of the *Escherichia coli* aidB gene. *Mol Microbiol* **20**: 947-955.
- Lange, R. and Hengge-Aronis R. 1991. Identification of a central regulator of stationary-phase gene expression in *Escherichia coli*. *Mol Microbiol* **5**: 49-59.
- Lange, R. and Hengge-Aronis R. 1994. The cellular concentration of the sigma S subunit of RNA polymerase in *Escherichia coli* is controlled at the levels of transcription, translation, and protein stability. *Genes Dev* **8**: 1600-1612.
- Lange, R. and Hengge-Aronis R. 1994. The *nlpD* gene is located in an operon with *rpoS* on the *Escherichia coli* chromosome and encodes a novel lipoprotein with a potential function in cell wall formation. *Mol Microbiol* **13**: 733-743.
- Lange, R., Barth, M. and Hengge-Aronis R. 1993. Complex transcriptional control of the sigma s-dependent stationary-phase-induced and osmotically regulated *osmY* (*csi-5*) gene suggests novel roles for Lrp, cyclic AMP (cAMP) receptor protein-cAMP complex, and integration host factor in the stationary-phase response of *Escherichia coli*. *J Bacteriol* **175**: 7910-7917.
- Lange, R., Fischer, D. and Hengge-Aronis R. 1995. Identification of transcriptional start sites and the role of ppGpp in the expression of *rpoS*, the structural gene for the sigma S subunit of RNA polymerase in *Escherichia coli*. *J Bacteriol* **177**: 4676-4680.
- Lee, S.J. and Gralla J.D. 2002. Promoter use by sigma 38 (*rpoS*) RNA polymerase. Amino acid clusters for DNA binding and isomerization. *J Biol Chem* **277**: 47420-47427.
- Lee, S.J. and Gralla J.D. 2003. Open complex formation in vitro by sigma38 (*rpoS*) RNA polymerase: roles for region 2 amino acids. *J Mol Biol* **329**: 941-948.
- Lee, S.J. and Gralla J.D. 2001. Sigma38 (*rpoS*) RNA polymerase promoter engagement via -10 region nucleotides. *J Biol Chem* **276**: 30064-30071.
- Levchenko, I., Seidel, M., Sauer, R.T. and Baker T.A. 2000. A specificity-enhancing factor for the ClpXP degradation machine. *Science* **289**: 2354-2356.
- Lin, J., Lee, I.S., Frey, J., Slonczewski, J.L. and Foster J.W. 1995. Comparative analysis of extreme acid survival in *Salmonella typhimurium*, *Shigella flexneri*, and *Escherichia coli*. *J Bacteriol* **177**: 4097-4104.
- Lin, J., Smith, M.P., Chapin, K.C., Baik, H.S., Bennett, G.N. and Foster J.W. 1996. Mechanisms of acid resistance in enterohemorrhagic *Escherichia coli*. *Appl Environ Microbiol* **62**: 3094-3100.
- Liu, X. and DeMoss J.A. 1997. Characterization of NarJ, a system-specific chaperone required for nitrate reductase biogenesis in *Escherichia coli*. *J Biol Chem* **272**: 24266-24271.
- Liu, X. and Ferenci T. 2001. An analysis of multifactorial influences on the transcriptional control of *ompF* and *ompC* porin expression under nutrient limitation. *Microbiology* **147**: 2981-2989.
- Liu, X., Brutlag, D.L. and Liu J.S. 2001. BioProspector: discovering conserved DNA motifs in upstream regulatory regions of co-expressed genes. *Pac Symp Biocomput* : 127-138.
- Loferer, H., Hammar, M. and Normark S. 1997. Availability of the fibre subunit CsgA and the nucleator protein CsgB during assembly of fibronectin-binding curli is limited by the intracellular concentration of the novel lipoprotein CsgG. *Mol Microbiol* **26**: 11-23.
- Lucht, J.M., Dersch, P., Kempf, B. and Bremer E. 1994. Interactions of the nucleoid-associated DNA-binding protein H-NS with the regulatory region of the osmotically controlled proU operon of *Escherichia coli*. *J Biol Chem* **269**: 6578-6578.
- Lundmark, K., Westermarck, G.T., Olsen, A. and Westermarck P. 2005. Protein fibrils in nature can enhance amyloid protein A amyloidosis in mice: Cross-seeding as a disease mechanism. *Proc Natl Acad Sci U S A* **102**: 6098-6102.

- Ma, Z., Gong, S., Richard, H., Tucker, D.L., Conway, T. and Foster J.W. 2003. GadE (YhiE) activates glutamate decarboxylase-dependent acid resistance in *Escherichia coli* K-12. *Mol Microbiol* **49**: 1309-1320.
- Ma, Z., Masuda, N. and Foster J.W. 2004. Characterization of EvgAS-YdeO-GadE branched regulatory circuit governing glutamate-dependent acid resistance in *Escherichia coli*. *J Bacteriol* **186**: 7378-7389.
- Ma, Z., Richard, H. and Foster J.W. 2003. pH-Dependent modulation of cyclic AMP levels and GadW-dependent repression of RpoS affect synthesis of the GadX regulator and *Escherichia coli* acid resistance. *J Bacteriol* **185**: 6852-6859.
- Ma, Z., Richard, H., Tucker, D.L., Conway, T. and Foster J.W. 2002. Collaborative regulation of *Escherichia coli* glutamate-dependent acid resistance by two AraC-like regulators, GadX and GadW (YhiW). *J Bacteriol* **184**: 7001-7012.
- Majdalani, N., Chen, S., Murrow, J., St John, K. and Gottesman S. 2001. Regulation of RpoS by a novel small RNA: the characterization of RprA. *Mol Microbiol* **39**: 1382-1394.
- Majdalani, N., Cunning, C., Sledjeski, D., Elliott, T. and Gottesman S. 1998. DsrA RNA regulates translation of RpoS message by an anti-antisense mechanism, independent of its action as an antisilencer of transcription. *Proc Natl Acad Sci U S A* **95**: 12462-12467.
- Majdalani, N., Hernandez, D. and Gottesman S. 2002. Regulation and mode of action of the second small RNA activator of RpoS translation, RprA. *Mol Microbiol* **46**: 813-826.
- Mangan, S. and Alon U. 2003. Structure and function of the feed-forward loop network motif. *Proc Natl Acad Sci U S A* **100**: 11980-11985.
- Marschall, C. and Hengge-Aronis R. 1995. Regulatory characteristics and promoter analysis of *csiE*, a stationary phase-inducible gene under the control of sigma S and the cAMP-CRP complex in *Escherichia coli*. *Mol Microbiol* **18**: 175-184.
- Marschall, C., Labrousse, V., Kreimer, M., Weichart, D., Kolb, A. and Hengge-Aronis R. 1998. Molecular analysis of the regulation of *csiD*, a carbon starvation-inducible gene in *Escherichia coli* that is exclusively dependent on sigma s and requires activation by cAMP-CRP. *J Mol Biol* **276**: 339-353.
- Masuda, N. and Church G.M. 2003. Regulatory network of acid resistance genes in *Escherichia coli*. *Mol Microbiol* **48**: 699-712.
- McLeod, S.M., Xu, J. and Johnson R.C. 2000. Coactivation of the RpoS-dependent proP P2 promoter by fis and cyclic AMP receptor protein. *J Bacteriol* **182**: 4180-4187.
- Mendez-Ortiz, M.M., Hyodo, M., Hayakawa, Y. and Membrillo-Hernandez J. 2006. Genome-wide transcriptional profile of *Escherichia coli* in response to high levels of the second messenger 3',5'-cyclic diguanylic acid. *J Biol Chem* **281**: 8090-8099.
- Menon, N.K., Robbins, J., Wendt, J.C., Shanmugam, K.T. and Przybyla A.E. 1991. Mutational analysis and characterization of the *Escherichia coli* hya operon, which encodes [NiFe] hydrogenase 1. *J Bacteriol* **173**: 4851-4861.
- Merkel, T.J., Stibitz, S., Keith, J.M., Leef, M. and Shahin R. 1998. Contribution of regulation by the bvg locus to respiratory infection of mice by *Bordetella pertussis*. *Infect Immun* **66**: 4367-4373.
- Metzner, M., Germer, J. and Hengge R. 2004. Multiple stress signal integration in the regulation of the complex sigma S-dependent *csiD-ygaF-gabDTP* operon in *Escherichia coli*. *Mol Microbiol* **51**: 799-811.
- Mika, F. and Hengge R. 2005. A two-component phosphotransfer network involving ArcB, ArcA, and RssB coordinates synthesis and proteolysis of sigmaS (RpoS) in *E. coli*. *Genes Dev* **19**: 2770-2781.
- Miller, J.H.. 1972. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.
- Miroslavova, N.S., Mitchell, J.E., Tebbutt, J. and Busby S.J.W. 2006. Recruitment of RNA polymerase to Class II CRP-dependent promoters is improved by a second upstream-bound CRP molecule. *Biochem Soc Trans* **34**: 1075-1078.

- Mizuno, T., Chou, M.Y. and Inouye M. 1984. A unique mechanism regulating gene expression: translational inhibition by a complementary RNA transcript (micRNA). *Proc Natl Acad Sci U S A* **81**: 1966-1970.
- Muffler, A., Barth, M., Marschall, C. and Hengge-Aronis R. 1997. Heat shock regulation of sigmaS turnover: a role for DnaK and relationship between stress responses mediated by sigmaS and sigma32 in *Escherichia coli*. *J Bacteriol* **179**: 445-452.
- Muffler, A., Fischer, D. and Hengge-Aronis R. 1996. The RNA-binding protein HF-I, known as a host factor for phage Qbeta RNA replication, is essential for *rpoS* translation in *Escherichia coli*. *Genes Dev* **10**: 1143-1151.
- Muffler, A., Fischer, D., Altuvia, S., Storz, G. and Hengge-Aronis R. 1996. The response regulator RssB controls stability of the sigma(S) subunit of RNA polymerase in *Escherichia coli*. *EMBO J* **15**: 1333-1339.
- Muffler, A., Traulsen, D.D., Lange, R. and Hengge-Aronis R. 1996. Posttranscriptional osmotic regulation of the sigma(s) subunit of RNA polymerase in *Escherichia coli*. *J Bacteriol* **178**: 1607-1613.
- Mukhopadhyay, S., Audia, J.P., Roy, R.N. and Schellhorn H.E. 2000. Transcriptional induction of the conserved alternative sigma factor RpoS in *Escherichia coli* is dependent on BarA, a probable two-component regulator. *Mol Microbiol* **37**: 371-381.
- Mulvey, M.R., Switala, J., Borys, A. and Loewen P.C. 1990. Regulation of transcription of *katE* and *katF* in *Escherichia coli*. *J Bacteriol* **172**: 6713-6720.
- Nagai, H., Yuzawa, H. and Yura T. 1991. Interplay of two cis-acting mRNA regions in translational control of sigma 32 synthesis during the heat shock response of *Escherichia coli*. *Proc Natl Acad Sci U S A* **88**: 10515-10519.
- Olsen, A., Arnqvist, A., Hammar, M., Sukupolvi, S. and Normark S. 1993. The RpoS sigma factor relieves H-NS-mediated transcriptional repression of *csgA*, the subunit gene of fibronectin-binding curli in *Escherichia coli*. *Mol Microbiol* **7**: 523-536.
- Olsen, A., Jonsson, A. and Normark S. 1989. Fibronectin binding mediated by a novel class of surface organelles on *Escherichia coli*. *Nature* **338**: 652-655.
- Opdyke, J.A., Kang, J. and Storz G. 2004. GadY, a small-RNA regulator of acid response genes in *Escherichia coli*. *J Bacteriol* **186**: 6698-6705.
- Oshima, T., Aiba, H., Masuda, Y., Kanaya, S., Sugiura, M., Wanner, B.L., Mori, H. and Mizuno T. 2002. Transcriptome analysis of all two-component regulatory system mutants of *Escherichia coli* K-12. *Mol Microbiol* **46**: 281-291.
- Outten, F.W., Outten, C.E., Hale, J. and O'Halloran T.V. 2000. Transcriptional activation of an *Escherichia coli* copper efflux regulon by the chromosomal MerR homologue, *cueR*. *J Biol Chem* **275**: 31024-31029.
- Patten, C.L., Kirchhof, M.G., Schertzberg, M.R., Morton, R.A. and Schellhorn H.E. 2004. Microarray analysis of RpoS-mediated gene expression in *Escherichia coli* K-12. *Mol Genet Genomics* **272**: 580-591.
- Paul, R., Weiser, S., Amiot, N.C., Chan, C., Schirmer, T., Giese, B. and Jenal U. 2004. Cell cycle-dependent dynamic localization of a bacterial response regulator with a novel di-guanylate cyclase output domain. *Genes Dev* **18**: 715-727.
- Pei, J. and Grishin N.V. 2001. GGDEF domain is homologous to adenylyl cyclase. *Proteins* **42**: 210-216.
- Perry, R.D., Bobrov, A.G., Kirillina, O., Jones, H.A., Pedersen, L., Abney, J. and Fetherston J.D. 2004. Temperature regulation of the hemin storage (Hms+) phenotype of *Yersinia pestis* is posttranscriptional. *J Bacteriol* **186**: 1638-1647.
- Peters, J.E., Thate, T.E. and Craig N.L. 2003. Definition of the *Escherichia coli* MC4100 genome by use of a DNA array. *J Bacteriol* **185**: 2017-2021.
- Peterson, C.N., Carabetta, V.J., Chowdhury, T. and Silhavy T.J. 2006. LrhA regulates *rpoS* translation in response to the Rcs phosphorelay system in *Escherichia coli*. *J Bacteriol* **188**: 3175-3181.

- Phadtare, S. and Inouye M. 2001. Role of CspC and CspE in regulation of expression of RpoS and UspA, the stress response proteins in *Escherichia coli*. *J Bacteriol* **183**: 1205-1214.
- Powell, B.S., Rivas, M.P., Court, D.L., Nakamura, Y. and Turnbough C.L.J. 1994. Rapid confirmation of single copy lambda prophage integration by PCR. *Nucleic Acids Res* **22**: 5765-5766.
- Pratt, L.A. and Silhavy T.J. 1996. The response regulator SprE controls the stability of RpoS. *Proc Natl Acad Sci U S A* **93**: 2488-2492.
- Prigent-Combaret, C., Brombacher, E., Vidal, O., Ambert, A., Lejeune, P., Landini, P. and Dorel C. 2001. Complex regulatory network controls initial adhesion and biofilm formation in *Escherichia coli* via regulation of the *csgD* gene. *J Bacteriol* **183**: 7213-7223.
- Pruteanu, M. and Hengge-Aronis R. 2002. The cellular level of the recognition factor RssB is rate-limiting for sigmaS proteolysis: implications for RssB regulation and signal transduction in sigmaS turnover in *Escherichia coli*. *Mol Microbiol* **45**: 1701-1713.
- Raphael, B.H., Pereira, S., Flom, G.A., Zhang, Q., Ketley, J.M. and Konkel M.E. 2005. The *Campylobacter jejuni* response regulator, CbrR, modulates sodium deoxycholate resistance and chicken colonization. *J Bacteriol* **187**: 3662-3670.
- Robbe-Saule, V., Jaumouille, V., Prevost, M., Guadagnini, S., Talhouarne, C., Mathout, H., Kolb, A. and Norel F. 2006. Crl activates transcription initiation of RpoS-regulated genes involved in the multicellular behavior of *Salmonella enterica* serovar Typhimurium. *J Bacteriol* **188**: 3983-3994.
- Robinson, L.S., Ashman, E.M., Hultgren, S.J. and Chapman M.R. 2006. Secretion of curli fibre subunits is mediated by the outer membrane-localized CsgG protein. *Mol Microbiol* **59**: 870-881.
- Rockabrand, D., Livers, K., Austin, T., Kaiser, R., Jensen, D., Burgess, R. and Blum P. 1998. Roles of DnaK and RpoS in starvation-induced thermotolerance of *Escherichia coli*. *J Bacteriol* **180**: 846-854.
- Rohankhedkar, M.S., Mulrooney, S.B., Wedemeyer, W.J. and Hausinger R.P. 2006. The AidB component of the *Escherichia coli* adaptive response to alkylating agents is a flavin-containing, DNA-binding protein. *J Bacteriol* **188**: 223-230.
- Romling, U. 2005. Characterization of the rdar morphotype, a multicellular behaviour in Enterobacteriaceae. *Cell Mol Life Sci* **62**: 1234-1246.
- Romling, U. 2002. Molecular biology of cellulose production in bacteria. *Res Microbiol* **153**: 205-212.
- Romling, U., Bian, Z., Hammar, M., Sierralta, W.D. and Normark S. 1998. Curli fibers are highly conserved between *Salmonella typhimurium* and *Escherichia coli* with respect to operon structure and regulation. *J Bacteriol* **180**: 722-731.
- Romling, U., Bokranz, W., Rabsch, W., Zogaj, X., Nimtz, M. and Tschape H. 2003. Occurrence and regulation of the multicellular morphotype in *Salmonella* serovars important in human disease. *Int J Med Microbiol* **293**: 273-285.
- Romling, U., Rohde, M., Olsen, A., Normark, S. and Reinkoster J. 2000. AgfD, the checkpoint of multicellular and aggregative behaviour in *Salmonella typhimurium* regulates at least two independent pathways. *Mol Microbiol* **36**: 10-23.
- Romling, U., Sierralta, W.D., Eriksson, K. and Normark S. 1998. Multicellular and aggregative behaviour of *Salmonella typhimurium* strains is controlled by mutations in the *agfD* promoter. *Mol Microbiol* **28**: 249-264.
- Ross M, Weinhouse H, Aloni Y, Michaeli D, Weinberger-Ohana P, Mayer R, Braun S, de Vroom E, van der Marel GA, van Boom JH, Benziman M 1989. Regulation of cellulose synthesis in *Acetobacter xylinum* by cyclic diguanylic acid. *Nature* **325**: 279-281.

- Ross, P., Mayer, R., Weinhouse, H., Amikam, D., Huggirat, Y., Benziman, M., de Vroom, E., Fidder, A., de Paus, P. and Sliedregt L.A. 1990. The cyclic diguanylic acid regulatory system of cellulose synthesis in *Acetobacter xylinum*. Chemical synthesis and biological activity of cyclic nucleotide dimer, trimer, and phosphothioate derivatives. *J Biol Chem* **265**: 18933-18943.
- Ryan, R.P., Fouhy, Y., Lucey, J.F. and Dow J.M. 2006. Cyclic di-GMP signaling in bacteria: recent advances and new puzzles. *J Bacteriol* **188**: 8327-8334.
- Ryan, R.P., Fouhy, Y., Lucey, J.F., Crossman, L.C., Spiro, S., He, Y., Zhang, L., Heeb, S., Camara, M., Williams, P. et al. 2006. Cell-cell signaling in *Xanthomonas campestris* involves an HD-GYP domain protein that functions in cyclic di-GMP turnover. *Proc Natl Acad Sci U S A* **103**: 6712-6717.
- Ryjenkov, D.A., Simm, R., Romling, U. and Gomelsky M. 2006. The PilZ domain is a receptor for the second messenger c-di-GMP: the PilZ domain protein YcgR controls motility in enterobacteria. *J Biol Chem* **281**: 30310-30314.
- Sakellaris, H., Hannink, N.K., Rajakumar, K., Bulach, D., Hunt, M., Sasakawa, C. and Adler B. 2000. Curli loci of *Shigella* spp. *Infect Immun* **68**: 3780-3783.
- Sambrook J, Fritsch E F, Maniatis T. 1989. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y.
- Schmidt, A.J., Ryjenkov, D.A. and Gomelsky M. 2005. The ubiquitous protein domain EAL is a cyclic diguanylate-specific phosphodiesterase: enzymatically active and inactive EAL domains. *J Bacteriol* **187**: 4774-4781.
- Schuster, M., Hawkins, A.C., Harwood, C.S. and Greenberg E.P. 2004. The *Pseudomonas aeruginosa* RpoS regulon and its relationship to quorum sensing. *Mol Microbiol* **51**: 973-985.
- Schweder, T., Lee, K.H., Lomovskaya, O. and Martin A. 1996. Regulation of *Escherichia coli* starvation sigma factor (sigma s) by ClpXP protease. *J Bacteriol* **178**: 470-476.
- Serres, M.H. and Riley M. 2000. MultiFun, a multifunctional classification scheme for *Escherichia coli* K-12 gene products. *Microb Comp Genomics* **5**: 205-222.
- Serres, M.H., Goswami, S. and Riley M. 2004. GenProtEC: an updated and improved analysis of functions of *Escherichia coli* K-12 proteins. *Nucleic Acids Res* **32**: D300-2.
- Sevcik, M., Sebkova, A., Volf, J. and Rychlik I. 2001. Transcription of *arcA* and *rpoS* during growth of *Salmonella typhimurium* under aerobic and microaerobic conditions. *Microbiology* **147**: 701-708.
- Shen-Orr, S.S., Milo, R., Mangan, S. and Alon U. 2002. Network motifs in the transcriptional regulation network of *Escherichia coli*. *Nat Genet* **31**: 64-68.
- Shiba, T., Tsutsumi, K., Yano, H., Ihara, Y., Kameda, A., Tanaka, K., Takahashi, H., Munekata, M., Rao, N.N. and Kornberg A. 1997. Inorganic polyphosphate and the induction of *rpoS* expression. *Proc Natl Acad Sci U S A* **94**: 11210-11215.
- Shin, S., Castanie-Cornet, M.P., Foster, J.W., Crawford, J.A., Brinkley, C. and Kaper J.B. 2001. An activator of glutamate decarboxylase genes regulates the expression of enteropathogenic *Escherichia coli* virulence genes through control of the plasmid-encoded regulator, Per. *Mol Microbiol* **41**: 1133-1150.
- Shultzaberger, R., Chen, Z., Lewis, K. and Schneider T. 2006. Anatomy of *Escherichia coli* {sigma}70 promoters. *Nucleic Acids Res* : .
- Simm, R., Lusch, A., Kader, A., Andersson, M. and Romling U. 2007. Role of EAL containing proteins in multicellular behavior of *Salmonella enterica* serovar Typhimurium. *J Bacteriol* : .
- Simm, R., Morr, M., Kader, A., Nimtz, M. and Romling U. 2004. GGDEF and EAL domains inversely regulate cyclic di-GMP levels and transition from sessility to motility. *Mol Microbiol* **53**: 1123-1134.
- Simons, R.W., Houtman, F. and Kleckner N. 1987. Improved single and multicopy lac-based cloning vectors for protein and operon fusions. *Gene* **53**: 85-96.

- Sjobering, U., Pohl, G. and Olsen A. 1994. Plasminogen, absorbed by *Escherichia coli* expressing curli or by *Salmonella enteritidis* expressing thin aggregative fimbriae, can be activated by simultaneously captured tissue-type plasminogen activator (t-PA). *Mol Microbiol* **14**: 443-452.
- Sledjeski, D.D., Gupta, A. and Gottesman S. 1996. The small RNA, DsrA, is essential for the low temperature expression of RpoS during exponential growth in *Escherichia coli*. *EMBO J* **15**: 3993-4000.
- Small, P., Blankenhorn, D., Welty, D., Zinser, E. and Slonczewski J.L. 1994. Acid and base resistance in *Escherichia coli* and *Shigella flexneri*: role of *rpoS* and growth pH. *J Bacteriol* **176**: 1729-1737.
- Smith, D.K., Kassam, T., Singh, B. and Elliott J.F. 1992. *Escherichia coli* has two homologous glutamate decarboxylase genes that map to distinct loci. *J Bacteriol* **174**: 5820-5826.
- Straus, D.B., Walter, W.A. and Gross C.A. 1987. The heat shock response of *E. coli* is regulated by changes in the concentration of sigma 32. *Nature* **329**: 348-351.
- Studemann, A., Noirclerc-Savoie, M., Klauck, E., Becker, G., Schneider, D. and Hengge R. 2003. Sequential recognition of two distinct sites in sigma(S) by the proteolytic targeting factor RssB and ClpX. *EMBO J* **22**: 4111-4120.
- Studemann, A., Noirclerc-Savoie, M., Klauck, E., Becker, G., Schneider, D. and Hengge R. 2003. Sequential recognition of two distinct sites in sigma(S) by the proteolytic targeting factor RssB and ClpX. *EMBO J* **22**: 4111-4120.
- Takayanagi, Y., Tanaka, K. and Takahashi H. 1994. Structure of the 5' upstream region and the regulation of the *rpoS* gene of *Escherichia coli*. *Mol Gen Genet* **243**: 525-531.
- Tal, R., Wong, H.C., Calhoon, R., Gelfand, D., Fear, A.L., Volman, G., Mayer, R., Ross, P., Amikam, D., Weinhouse, H. et al. 1998. Three cdg operons control cellular turnover of cyclic di-GMP in *Acetobacter xylinum*: genetic organization and occurrence of conserved domains in isoenzymes. *J Bacteriol* **180**: 4416-4425.
- Tamayo, R., Tischler, A.D. and Camilli A. 2005. The EAL domain protein VieA is a cyclic diguanylate phosphodiesterase. *J Biol Chem* **280**: 33324-33330.
- Tani, T.H., Khodursky, A., Blumenthal, R.M., Brown, P.O. and Matthews R.G. 2002. Adaptation to famine: a family of stationary-phase genes revealed by microarray analysis. *Proc Natl Acad Sci U S A* **99**: 13471-13476.
- Taylor, B.L. and Zhulin I.B. 1999. PAS domains: internal sensors of oxygen, redox potential, and light. *Microbiol Mol Biol Rev* **63**: 479-506.
- Tischler, A.D. and Camilli A. 2004. Cyclic diguanylate (c-di-GMP) regulates *Vibrio cholerae* biofilm formation. *Mol Microbiol* **53**: 857-869.
- Tischler, A.D. and Camilli A. 2005. Cyclic diguanylate regulates *Vibrio cholerae* virulence gene expression. *Infect Immun* **73**: 5873-5882.
- Tramonti, A., De Canio, M., Bossa, F. and De Biase D. 2003. Stability and oligomerization of recombinant GadX, a transcriptional activator of the *Escherichia coli* glutamate decarboxylase system. *Biochim Biophys Acta* **1647**: 376-380.
- Tramonti, A., Visca, P., De Canio, M., Falconi, M. and De Biase D. 2002. Functional characterization and regulation of *gadX*, a gene encoding an AraC/XylS-like transcriptional activator of the *Escherichia coli* glutamic acid decarboxylase system. *J Bacteriol* **184**: 2603-2613.
- Tu, Q.P., Genevaux, P., Pajunen, M., Savilahti, H., Georgopoulos, C., Schrenzel, J. and Kelley W. 2006. Isolation and characterization of biofilm formation-defective mutants of *Staphylococcus aureus*. *Infect Immun* : .
- Tucker, D.L., Tucker, N. and Conway T. 2002. Gene expression profiling of the pH response in *Escherichia coli*. *J Bacteriol* **184**: 6551-6558.

- Tucker, D.L., Tucker, N., Ma, Z., Foster, J.W., Miranda, R.L., Cohen, P.S. and Conway T. 2003. Genes of the GadX-GadW regulon in *Escherichia coli*. *J Bacteriol* **185**: 3190-3201.
- Typas, A. and Hengge R. 2006. Role of the spacer between the -35 and -10 regions in sigmas promoter selectivity in *Escherichia coli*. *Mol Microbiol* **59**: 1037-1051.
- Typas, A. and Hengge R. 2005. Differential ability of sigma(s) and sigma70 of *Escherichia coli* to utilize promoters containing half or full UP-element sites. *Mol Microbiol* **55**: 250-260.
- Typas, A., Becker, G. and Hengge R. 2007. The molecular basis of selective promoter activation by the sigma subunit of RNA polymerase. *Mol Microbiol* **63**: 1296-1306.
- Typas, A., Stella, S., Johnson, R.C. and Hengge R. 2007. The -35 sequence location and the Fis-sigma factor interface determine sigmas selectivity of the *proP* (P2) promoter in *Escherichia coli*. *Mol Microbiol* **63**: 780-796.
- Ueguchi, C., Misonou, N. and Mizuno T. 2001. Negative control of *rpoS* expression by phosphoenolpyruvate: carbohydrate phosphotransferase system in *Escherichia coli*. *J Bacteriol* **183**: 520-527.
- Uhlich, G.A., Keen, J.E. and Elder R.O. 2002. Variations in the *csgD* promoter of *Escherichia coli* O157:H7 associated with increased virulence in mice and increased invasion of HEp-2 cells. *Infect Immun* **70**: 395-399.
- Uhlich, G.A., Keen, J.E. and Elder R.O. 2001. Mutations in the *csgD* promoter associated with variations in curli expression in certain strains of *Escherichia coli* O157:H7. *Appl Environ Microbiol* **67**: 2367-2370.
- Vacic, V., Iakoucheva, L.M. and Radivojac P. 2006. Two Sample Logo: a graphical representation of the differences between two sets of sequence alignments. *Bioinformatics* **22**: 1536-1537.
- Vidal, O., Longin, R., Prigent-Combaret, C., Dorel, C., Hooreman, M. and Lejeune P. 1998. Isolation of an *Escherichia coli* K-12 mutant strain able to form biofilms on inert surfaces: involvement of a new *ompR* allele that increases curli expression. *J Bacteriol* **180**: 2442-2449.
- Wang, Q. and Calvo J.M. 1993. Lrp, a major regulatory protein in *Escherichia coli*, bends DNA and can organize the assembly of a higher-order nucleoprotein structure. *EMBO J* **12**: 2495-2501.
- Wang, Q. and Calvo J.M. 1993. Lrp, a global regulatory protein of *Escherichia coli*, binds co-operatively to multiple sites and activates transcription of *ilvIH*. *J Mol Biol* **229**: 306-318.
- Wang, X., Smith, D., Jones, J. and Chapman M. 2006. In vitro polymerization of a functional *E.coli* amyloid protein. *J Biol Chem* : .
- Waterman, S.R. and Small P.L. 1996. Identification of sigma S-dependent genes associated with the stationary-phase acid-resistance phenotype of *Shigella flexneri*. *Mol Microbiol* **21**: 925-940.
- Weber, H., Pesavento, C., Possling, A., Tischendorf, G. and Hengge R. 2006. Cyclic-di-GMP-mediated signalling within the sigma network of *Escherichia coli*. *Mol Microbiol* **62**: 1014-1034.
- Weber, H., Polen, T., Heuveling, J., Wendisch, V.F. and Hengge R. 2005. Genome-wide analysis of the general stress response network in *Escherichia coli*: sigmaS-dependent genes, promoters, and sigma factor selectivity. *J Bacteriol* **187**: 1591-1603.
- Xu, J. and Johnson R.C. 1995. *aldB*, an RpoS-dependent gene in *Escherichia coli* encoding an aldehyde dehydrogenase that is repressed by Fis and activated by Crp. *J Bacteriol* **177**: 3166-3175.
- Xu, J. and Johnson R.C. 1995. Identification of genes negatively regulated by Fis: Fis and RpoS comodulate growth-phase-dependent gene expression in *Escherichia coli*. *J Bacteriol* **177**: 938-947.
- Xu, J. and Johnson R.C. 1995. Fis activates the RpoS-dependent stationary-phase expression of *proP* in *Escherichia coli*. *J Bacteriol* **177**: 5222-5231.

- Yamamoto, K., Hirao, K., Oshima, T., Aiba, H., Utsumi, R. and Ishihama A. 2005. Functional characterization in vitro of all two-component signal transduction systems from *Escherichia coli*. *J Biol Chem* **280**: 1448-1456.
- Yamashino, T., Ueguchi, C. and Mizuno T. 1995. Quantitative control of the stationary phase-specific sigma factor, sigma S, in *Escherichia coli*: involvement of the nucleoid protein H-NS. *EMBO J* **14**: 594-602.
- Yoshimura-Suzuki, T., Sagami, I., Yokota, N., Kurokawa, H. and Shimizu T. 2005. DOS(Ec), a heme-regulated phosphodiesterase, plays an important role in the regulation of the cyclic AMP level in *Escherichia coli*. *J Bacteriol* **187**: 6678-6682.
- Zhang, A., Altuvia, S., Tiwari, A., Argaman, L., Hengge-Aronis, R. and Storz G. 1998. The OxyS regulatory RNA represses *rpoS* translation and binds the Hfq (HF-I) protein. *EMBO J* **17**: 6061-6068.
- Zheng, M., Wang, X., Templeton, L.J., Smulski, D.R., LaRossa, R.A. and Storz G. 2001. DNA microarray-mediated transcriptional profiling of the *Escherichia coli* response to hydrogen peroxide. *J Bacteriol* **183**: 4562-4570.
- Zhou, Y. and Gottesman S. 2006. Modes of regulation of RpoS by H-NS. *J Bacteriol* **188**: 7022-7025.
- Zhou, Y. and Gottesman S. 1998. Regulation of proteolysis of the stationary-phase sigma factor RpoS. *J Bacteriol* **180**: 1154-1158.
- Zogaj, X., Nimtz, M., Rohde, M., Bokranz, W. and Romling U. 2001. The multicellular morphotypes of *Salmonella typhimurium* and *Escherichia coli* produce cellulose as the second component of the extracellular matrix. *Mol Microbiol* **39**: 1452-1463.