

10 Literaturverzeichnis

1. Krozowski Z. 11 β -hydroxysteroid dehydrogenase and the short-chain alcohol dehydrogenase (SCAD) superfamily. *Mol Cell Endocrinol* 1992; 84:C25-31
2. Chapman KE, Kotelevtsev YV, Jamieson PM, Williams LJS, Mullins JJ, Seckl JR. Tissue-specific modulation of glucocorticoid action by the 11 β -hydroxysteroid dehydrogenases. *Biochemical Society Transactions* 1997; 25:583-587
3. Braunwald et al. Harrison's Principles of Internal Medicine. 15th Edition 2001. Chapter 331 "Disorders of the adrenal cortex" by Williams GH & Dluhy RG. p. 2084
4. Stewart PM, Krozowski ZS. 11 β -Hydroxysteroid Dehydrogenase. *Vitamines and Hormones* 1999; 57:249-324
5. Keightley MC, Fuller PJ. Anomalies in the Endocrine Axes of the Guinea Pig: Relevance to Human Physiology and Disease. *Endocrine Reviews* 1996; 17:30-44
6. Claman HN. Glucocorticoids and lymphoid cells. *N Engl J Med* 1972; 287:388-397
7. Fujieda K, Goff AK, Pugeat M, Strott CA. Regulation of the pituitary-adrenal axis and corticosteroid-binding globulin-cortisol interaction in the guinea pig. *Endocrinology* 1982; 111:1944-1950
8. Westphal U. Steroid-protein interactions. XIII. Concentrations and binding affinities of corticosteroid-binding globulins in sera of man, monkey, rat, rabbit, and guinea pig. *Arch Biochem Biophys* 1967; 118:556-567
9. Smith AI, Wallace CA, Moritz RL, Simpson RJ, Schmauk-White LB, Woodcock EA, Funder JW. Isolation, amino acid sequence and action of guinea-pig ACTH on aldosterone production by glomerulosa cells. *J Endocrinol* 1987; 115:R5-R8
10. Keightley MC, Funder JW, Fuller PJ. Molecular cloning and sequencing of a guinea-pig pro-opiomelanocortin cDNA. *Mol Cell Endocrinol* 1991; 82:89-98
11. Keightley MC, Fuller PJ. Unique sequence in the guinea pig glucocorticoid receptor induce constitutive transactivation and decrease steroid sensitivity. *Mol Endocrinol* 1994; 8:431-439
12. Kraft N, Hodgson AJ, Funder JW. Glucocorticoid receptor and effector mechanisms: a comparison between the corticoid-sensitive mouse and the corticoid-resistant guinea pig. *Endocrinology* 1979; 104:344-349
- 13 Purves *et al.* Life: The Science of Biology, 4th Edition. Sinauer Assoc. World Wide Web: <http://gened.emc.maricopa.edu/bio/bio181/BIOBK/BioBook/ENDOOCR.html>

14. Adcock IM. Molecular Mechanisms of Glucocorticosteroid Actions. *Pulmonary Pharmacology and Therapeutics* 2000; 13:115-126
15. Bamberger CM, Schulte HM, Chrousos GP. Molecular determinants of glucocorticoid receptor function and tissue sensitivity to glucocorticoids. *Endocrine Reviews* 1996; 17:245-261
16. Al-Mohaisen M, Cardounel A, Kalimi M. Repeated immobilization stress increases total cytosolic glucocorticoid receptor in rat liver. *Steroids* 2000; 65: 8-15
17. Bellingham DL, Sar M, Cidlowski JA. Ligand-dependent down-regulation of stably transfected human glucocorticoid receptors is associated with loss of functional glucocorticoid responsiveness. *Mol Endocrinol* 1992; 6:2090-2102
18. Webster JC, Jewell CM, Bodwell JE, Munck A, Sar M, Cidlowski JA. Mouse glucocorticoid receptor phosphorylation status influences multiple functions of the receptor protein. *J Biol Chem* 1997; 272:9287-9293
19. Ortí E, Bodwell JE, Munck A. Phosphorylation of steroid hormone receptors. *Endocrine Reviews* 1992; 13:105-128.
20. McEwen BS. Non-genomic and genomic effects of steroids on neural activity. *TiPS* 1991; 12:141-146
21. Wehling H. Specific, nongenomic actions of steroid hormones. *Annu Rev Physiol* 1997; 59:365-393
22. Schmidt BM, Gerdes D, Feuring M, Falkenstein E, Christ M, Wehling M. Rapid, nongenomic steroid actions: a new age? *Frontiers in Neuroendocrinology* 2000; 21:57-94
23. Majewska MD, Harrison N, Schwartz R, Barker J, Paul S. Steroid Hormone Metabolites Are Barbiturate-like Modulators of the GABA Receptor. *Science* 1986; 1004-1007
24. Baulieu EE. Neurosteroids: a novel function of the brain. *Psychoneuroendocrinology* 1998; 8:963-987
25. Baulieu EE. Neurosteroids: of the nervous system, by the nervous system, for the nervous system. *Recent Progress in Hormone Research* 1997; 52:1-32
26. El-Etr M, Akwa Y, Fiddes RJ, Robel P, Baulieu EE. A progesterone metabolite stimulates the release of gonadotropin-releasing hormone from GT1-1 hypothalamic neurones via the gamma-aminobutyric acid type A receptor. *Proc Natl Acad Sci USA* 1995; 92:3769-3773
27. McGuire JS, Tomkins GS. The multiplicity and specificity of Δ^4 -3-ketosteroid dehydrogenases. *Arch Biochem Biophys* 1959; 82:476-481.

28. Cope, CL. Metabolic breakdown. In "Adrenal Steroids and Disease"(C.L. Cope, Ed.), 2nd ed., pp. 80-104. Pitman Medical, London
29. Fukushima, DK, Bradlow HL, Hellmann L, Gallagher TF. Metabolic transformation of hydrocortisone-4-C¹⁴ in normal men. *J Biol Chem* 1960; 235:2246-2253
30. Quinkler M, Kosmale B, Bähr V, Oelkers W, Diederich S. Evidence for isoforms of 11 β -hydroxysteroid dehydrogenase in the liver and kidney of the guinea pig. *J Endocrinol* 1997; 153:291-298
31. Agarwal AK, Monder C, Eckstein B, White PC. Cloning and expression of rat cDNA encoding corticosteroid 11 β -dehydrogenase. *J Biol Chem* 1989; 264:18939-18943
32. Tannin GM, Agarwal AK, Monder C, New MI, White PC. The human gene for 11 β -hydroxysteroid dehydrogenase. Structure, tissue distribution, and chromosomal localization. *J Biol Chem* 1991; 266:16653-16658
33. Pu X, Yang K. Guinea pig 11 β -hydroxysteroid dehydrogenase type 1: primary structure and catalytic properties. *Steroids* 2000; 65:148-156
34. Lakshmi V, Monder C. Purification and characterisation of the corticosteroid 11 β -dehydrogenase component of the rat liver 11 β -hydroxysteroid dehydrogenase complex. *Endocrinology* 1988; 123:2390-2398
35. Bujalska IJ, Kumar S, Stewart PM. Does central obesity reflect "Cushing's disease of the omentum"? *The Lancet* 1997; 349:1210-1213
36. Hundertmark S, Buhler, H, Ragosch, V, Dinkelborg, L, Arabin B, Weitzel HK. Correlation of surfactant phosphatidylcholine synthesis and 11 β -hydroxysteroid dehydrogenase in the fetal lung. *Endocrinology* 1995; 136:2573-2578
37. Jamieson PM, Chapman KE, Edwards, CRW, Seckl JR. 11 β -Hydroxysteroid dehydrogenase is an exclusive 11 β -reductase in primary cultured rat hepatocytes: effect of physicochemical and hormonal manipulations. *Endocrinology* 1995; 136:4754-4761
38. Jamieson PM, Walker BR, Chapman KE, Andrew R, Rossiter S. 11 β -Hydroxysteroid dehydrogenase type 1 is a predominant 11 β -reductase in the intact perfused rat liver. *J Endocrinol* 2000; 165:685-692
39. Walker BR, Campell JC, Fraser R, Stewart PM, Edwards CRW. Mineralocorticoid excess and inhibition of 11 β -hydroxysteroid dehydrogenase in patients with ectopic ACTH syndrome. *Clin Endocrinol* 1992; 37:483-492
40. Whorwood CB, Franklyn JA, Sheppard MC, Stewart PM. Tissue localization of 11 β -hydroxysteroid dehydrogenase and its relation to the glucocorticoid receptor. *J Steroid Biochem Mol Biol* 1992; 41:21-28

41. Krozowski Z, Li KXZ, Koyama K, Smith RE, Obeyesekere VR, Stein-Oakley A, Sasano H, Coulter C, Sheppard KE. The type I and type II 11 β -hydroxysteroid dehydrogenase enzymes. *Steroid Biochem Mol Biol* 1999; 66:391-401
42. Kotelevtsev Y, Holmes MC, Burchell A, Houston PM, Schmoll P, Jamieson P, Best R, Brown R, Edwards CRW, Seckl JR, Mullins JJ. 11 β -hydroxysteroid dehydrogenase type 1 knockout mice show attenuated glucocorticoid-inducible responses and resist hyperglycemia on obesity or stress. *Proc Natl Acad Sci USA* 1997; 94:14924-14929
43. Maser E. Xenobiotic carbonyl reduction and physiological steroid oxidoreduction - the pluripotency of several hydroxysteroid dehydrogenases. *Biochem Pharmacol.* 1995; 49:421-440
44. Seckl JR, Kelly PA, Sharkey J. Glycyrrhetic acid, an inhibitor of 11 β -hydroxysteroid dehydrogenase, alters local cerebral glucose utilization in vivo: *J Steroid Biochem Mol Biol* 1991; 39:777-779
45. Gao HB, Ge RS, Lakshmi V, Marandici A, Hardy MP. Hormonal regulation of oxidative and reductive activities of 11 β -hydroxysteroid dehydrogenase in rat Leydig cells. *Endocrinology* 1997; 138:156-161
46. Gao HB, Shan LX, Monder C, Hardy MP. Suppression of endogenous corticosterone levels *in vivo* increases the steroidogenic capacity of purified rat Leydig cells *in vitro*. *Endocrinology* 1989; 137:1714-1718
47. Maser E. 11 β -hydroxysteroid dehydrogenase responsible for carbonyl reduction of the tobacco-specific nitrosamine 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone in mouse lung microsomes. *Cancer Res.* 1998; 58:2996-3003
48. Michael AE, Gregory L, Walker SM, Antoniow JW, Shaw RW, Edwards CR, Cooke BA. Ovarian 11 β -hydroxysteroid dehydrogenase: potential predictor of conception by *in-vitro* fertilisation and embryo transfer. *The Lancet* 1993; 342:711-712
49. Brem AS, Bina RB, King TC, Morris DJ. Localization of 2 11 β -hydroxysteroid dehydrogenase isoforms in aortic endothelial cells. *Hypertension* 1998; 31:459-462
50. Walker BR, Yau JL, Brett JR, Seckl JR, Monder C, Williams BC, Edwards CR. 11 β -hydroxysteroid dehydrogenase in vascular smooth muscle and heart: implications for cardiovascular responses to glucocorticoids. *Endocrinology* 1991; 129:3305-3312
51. Davani B, Khan A, Hult M, Martensson E, Okret S, Efendic S, Jornvall H, Oppermann UC. Type 1 11 β -hydroxysteroid dehydrogenase mediates glucocorticoid activation and insulin release in pancreatic islets. *J Biol Chem* 2000; 275:34841-34844
52. Albiston AL, Obeyesekere VR, Smith RE, Krozowski ZS. Cloning and tissue distribution of the human 11 β -hydroxysteroid dehydrogenase type 2 enzyme. *Molecular and Cellular Endocrinology* 1994; 105:R11-R17

53. Diederich S, Hanke B, Oelkers W, Bähr V. Metabolism of Dexamethasone in the Human Kidney: Nicotinamide Adenosine Dinucleotide-Dependent 11-Reduction. *Journal of Clinical Endocrinology and Metabolism* 1997; 82:1598-1602
54. Oelkers W, Buchen S, Diederich S, Krain J, Muhme S, Schöneshöfer M. Impaired renal 11 β -oxidation of 9 α -fluorocortisol: an explanation for its mineralocorticoid potency. *Journal of Clinical Endocrinology and Metabolism* 1994; 78:928-932
55. Li KXZ, Obeyesekere VR, Krozowski ZS, Ferrari P. Oxoreductase and Dehydrogenase activities of the human and rat 11 β -Hydroxysteroid Dehydrogenase Type 2 enzyme. *Endocrinology* 1997; 138:2948-2952
56. Rusvai E, Náráy-Fejes-Tóth A. A new isoform of 11 β -hydroxysteroid dehydrogenase in aldosterone target cells. *Journal of Biological Chemistry* 1993; 268:10717-10720
57. Best R, Nelson S, Walker BR. Dexamethasone and 11-dehydrodexamethasone as tools to investigate the isoenzymes of 11 β -hydroxysteroid dehydrogenase in vitro and in vivo. *Journal of Endocrinology* 1997; 153:41-48
58. Arriza JL, Weinberger C, Cerelli G, Glaser TM, Handelin BL, Housman DE, Evans RM. Cloning of human mineralocorticoid receptor complementary DNA: structural and functional kinship with the glucocorticoid receptor. *Science* 1987; 237:268-275
59. Funder JW, Pearce PT, Smith R, Smith AI. Mineralocorticoid action: target tissue specificity is enzyme not receptor, mediated. *Science* 1988; 242:583-585
60. Edwards CR, Stewart PM, Burt D, Brett L, McIntyre MA, Sutanto WS, deKloet ER, Monder C. Localisation of 11 β -hydroxysteroid dehydrogenase-tissue specific protector of the mineralocorticoid receptor. *Lancet* 1988; 2:986-989
61. Quinkler M. Einflüsse durch ACTH und Steroide auf die menschliche renale 11 β -Hydroxysteroid-Dehydrogenase und die Charakterisierung der Isoenzyme der 11 β -Hydroxysteroid-Dehydrogenase in Leber und Niere des Meerschweinchens. *Inaugural-Dissertation* 1998 Fachbereich Humanmedizin, FU Berlin
62. Maser-Gluth C, Reincke M, Allolio B, Schulze E. Metabolism of glucocorticoids and mineralocorticoids in patients with adrenal incidentalomas. *Eur J Clin Invest* 2000; 30:83-86
63. Shackleton CH, Whitney JO. Use of Sep Pak cartridges for urinary steroid extraction evaluation of the method for use prior to gas chromatographic analysis. *Clin Chim Acta* 1980; 107:231-243
64. Eckhoff C, Oelkers W, Bähr V. Effects of two oral antimycotics, ketoconazole and fluconazole, upon steroidogenesis in rat cells *in vitro*. *J Steroid Biochem* 1988; 31:819-823
- 65 WorldWideWeb: http://matweb.hcuge.ch/endo/Reproductive_health_/Steroid_hormone_metabolism_Fig2.html

- 66 Hanke B. Enzymkinetische Untersuchungen zur 11 β -Hydroxysteroid-Dehydrogenase I und II mit humanen Mikrosomenpräparationen. Inaugural-Dissertation 1998 Fachbereich Humanmedizin, FU Berlin
67. Abel SM, Back DJ, Maggs JL, Park BK. Cortisol metabolism *in vitro* - II. Species difference. *J Steroid Biochem Mol Biol* 1993; 45:445-453
68. Hundertmarck S, Ragosch V, Schein B, Bühler H, Fromm M, Lorenz U, Weitzel HK. 11 β -hydroxysteroid dehydrogenase of rat lung: enzyme kinetic, oxidase-reductase ratio, electrolyte and trace element dependence. *Enzyme Protein* 1993; 47:83-91
69. Agarwal A.K, Tusie-Luna MT, Monder C, White PC. Expression of 11 β -hydroxysteroid dehydrogenase using recombinant vaccinia virus. *Mol Endocrinol* 1990; 4:1827-1832
70. Lakshmi V, Nath N, Muneyyirci-Delale O. Characterization of 11 beta-hydroxysteroid dehydrogenase of human placenta: evidence for the existence of two species of 11 beta-hydroxysteroid dehydrogenase. *J Steroid Biochem Mol Biol* 1993; 45:391-397
- 71 Tomlinson JW, Stewart PM. Cortisol metabolism and the role of 11 β -hydroxysteroid dehydrogenase. *Best Practice & Research Clin Endocrin Metab* 2001; 15:61-78
72. Sapolsky RM, Romero LM, Munck AU. How do glucocorticoids influence stress responses? Integrating permissive, suppressive, stimulatory, and preparative actions. *Endocrine Reviews* 2000; 21:55-89
73. Provencher PH, Tremblay Y, Caron S, Belanger A. Effect of chronic ACTH treatment on guinea-pig adrenal steroidogenesis: steroid plasma levels, steroid adrenal levels, activity of steroidogenic enzymes and their steady-state mRNA levels. *J Steroid Biochem Mol Biol* 1992; 41:69-78
- 74 Redmann A, Möbius K, Hiller HH, Oelkers W, Bähr V. Ascorbate depletion prevents aldosterone stimulation by sodium deficiency in the guinea pig. *Eur J Endocrinol* 1995; 133:499-506
75. Fenske M. Role of cortisol in the ACTH-induced suppression of testicular steroidogenesis in guinea pigs. *J Endocrinol* 1997; 154:407-414
76. Rindt W, Braunberger G, Menzel P, Oertel GW. Steroidhormone beim Meerschweinchen. *Steroidologia* 1970; 1:343-355.
- 77 Belanger B, Couture J, Caron S, Bodou P, Fiet J, Belanger A. Production and secretion of C-19 steroids by rat and guinea pig adrenals. *Steroids* 1990; 55:360-365
78. Jiang Q, Huang Y, Voigt JM, DeBolt K, Kominami S, Takemori S, Funae Y, Colby HD. Differential Effects of Adrenocorticotropin *in vivo* on cytochromes P450d16 and P450c17 in the guinea pig adrenal cortex. *Endocrinology* 1996; 137:4811-4816

- 79 Quinkler, M. *et al.* Progesterone metabolism in the human kidney and inhibition of 11 β -hydroxysteroid dehydrogenase type 2 by progesterone and its metabolites. *J Clin Endocrinol Metab* 1999; 84: 4165-4171
- 80 Ricketts, M. L. *et al.* Regulation of 11 β -hydroxysteroid dehydrogenase type 1 in primary cultures of rat and human hepatocytes. *J Endocrinol* 1998;156:159-168.
81. Best R, Walker BR. Additional value of measurement of urinary cortisone and unconjugated cortisol metabolites in assessing the activity of 11 β -hydroxysteroid dehydrogenase *in vivo*. *Clin Endocrinol* 1997; 47:231-236
82. Palermo M, Shackleton CH, Mantero F, Stewart PM. Urinary free cortisone and the assessment of 11 β -hydroxysteroid dehydrogenase activity in man. *Clin Endocrinol* 1996; 45:605-611
83. Phillipov G. Effect of hypercortisolism and ACTH on the metabolism of cortisol. *Exp Clin Endocrinol Diabetes* 1998; 106:57-60
84. Stewart PM, Walker BR, Holder G, O'Halloran D, Shackleton CH. 11 β -Hydroxysteroid dehydrogenase activity in Cushing's syndrome: explaining the mineralocorticoid excess state of the ectopic adrenocorticotropin syndrome. *J Clin Endocrinol Metab* 1995; 80:3617-1620
85. Andrew R, Phillips D, Walker BR. Obesity and gender influence cortisol secretion and metabolism in man. *J Clin Endocrinol Metab* 1998; 83:1806
86. Kuhlmann K, Bühler H, Ragosch V, Halis G, Weitzel HK, Hundertmark S. Kinetic studies on rabbit liver glucocorticoid 5 α -reductase. *Horm Metab Res* 2000; 32:20-25
- 87 Brown RW, Chapman KE, Edwards CR, Seckl JR. Human placental 11 beta-hydroxysteroid dehydrogenase: evidence for and partial purification of a distinct NAD-dependent isoform. *Endocrinology* 1993; 132:2614-2621
- 88 Low SC, Moisan MP, Noble JM, Edwards CR, Seckl JR. Glucocorticoids regulate hippocampal 11 β -hydroxysteroid dehydrogenase activity and gene expression *in vivo* in the rat. *J Neuroendocrinol* 1994;6: 285-290
89. Diederich S, Quinkler M, Miller K, Heilmann P, Schöneshöfer M, Oelkers W. Human kidney 11 β -hydroxysteroid dehydrogenase: regulation by adrenocorticotropin? *Eur J Endocrinol* 1996; 134: 301-307
90. Hundertmarck S, Ragosch V, Schein B, Bühler H, Lorenz U, Fromm M, Weitzel HK. Gestational age dependence of 11 β -hydroxysteroid dehydrogenase and its relationship to the enzymes of phosphatidylcholine synthesis in lung and liver of fetal rat. *Biochim Biophys Acta* 1994; 1210:348-354

- 91 Voice MW, Seckl JR., Edwards CR, Chapman KE. 11 β -hydroxysteroid dehydrogenase type 1 expression in 2S FAZA hepatoma cells is hormonally regulated: a model system for the study of hepatic glucocorticoid metabolism. *Biochem J* 1996; 317:621-625
- 92 Monder C, Shackleton CH. 11 β -Hydroxysteroid dehydrogenase: fact or fancy? *Steroids* 1984; 44:383-417
- 93 Li KXZ, Smith RE, Ferrari P, Funder JW, Krozowski ZS. Rat 11 β -hydroxysteroid dehydrogenase type 2 enzyme is expressed at low levels in the placenta and is modulated by adrenal steroids in the kidney. *Mol Cell Endocrinol* 1996; 120:67-75
- 94 Darnel AD, Archer TK, Yang K. Regulation of 11 β -hydroxysteroid dehydrogenase type 2 by steroid hormones and epidermal growth factor in the Ishikawa human endometrial cell line. *J Steroid Biochem Mol Biol* 1999; 70:203-210
95. Low SC, Moisan MP, Edwards CRW, Seckl JR. Glucocorticoids and chronic stress up-regulate 11 β -hydroxysteroid dehydrogenase activity and gene expression in the hippocampus. *Journal of Neuroendocrinology* 1994; 6:285-290
- 96 Tomlinson JW, Stewart PM. Cortisol metabolism and the role of 11 β -hydroxysteroid dehydrogenase. *Best Practice Research Clin Endocrinol Metab* 2001; 15:61-78
97. Myles K, Funder PJ. Type I (mineralocorticoid) receptors in the guinea pig. *Am J Physiol* 1994; 267:E268-E272
98. Okamoto K, Tanaka H, Ogawa H, Makino Y, Eguchi H, Hayashi S-I, Yoshikawa N, Poellinger L, Umesono K. Redox-dependent regulation of nuclear import of the glucocorticoid receptor. *J Biol Chem* 1999; 274:10363-10371
99. Atalla A, Maser E. Carbonyl reduction of the tobacco-specific nitrosamine 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone (NNK) in cytosol of mouse liver and lung. *Toxicology* 1999; 139: 155-166
100. Suzuki T, Sasano H, Suzuki S, Hirasawa G, Takeyama J, Muramatsu Y, Date F, Nagura H, Krozowski ZS. 11 β -hydroxysteroid dehydrogenase type 2 in human lung: possible regulator of mineralocorticoid action. *J Clin Endocrinol Metab* 1998; 83:4022-4025
101. Nicholas TE, Kim PA. The metabolism of 3H-cortisone and 3H-cortisol by the isolated perfused rat and guinea pig lungs. *Steroids* 1975; 25:387-401
102. Nicholas TE, Lugg MA. The physiological significance of 11 β -hydroxysteroid dehydrogenase in the rat lung. *J Steroid Biochem* 1982; 17:113-118
- 103 Shimojo M, Condon J, Whorwood CB, Stewart PM. Adrenal 11 beta-hydroxysteroid dehydrogenase. *Endocr Res* 1996; 22:771-80

- 104 Shimojo M, Whorwood CB, Stewart PM. 11 beta-Hydroxysteroid dehydrogenase in the rat adrenal. *J Mol Endocrinol* 1996; 17:121-130
- 105 Musajo F, Neri G, Tortorella C, Mazzocchi G, Nussdorfer GG. Intra-adrenal 11 β -hydroxysteroid dehydrogenase plays a role in the regulation of corticosteroid secretion: An in vitro study in the rat. *Life Sciences* 1996; 59:1401-1406
106. Burton PJ, Waddell BJ. Inactivation of corticosteroids in intestinal mucosa by 11 β -hydroxysteroid dehydrogenase. *Am J Gastroenterol* 1983; 78:627-631
107. Reeves WB. NAD-dependent 11 β -hydroxysteroid dehydrogenase in cultured human colonic epithelial cells. *Am J Physiol Cell Physiol* 1995; 268:C1467-1473
108. Hirasawa G, Sasano H, Takahashi K, Fukushima K, Suzuki T, Hiwatashi N, Tpooyota T, Krozowski ZS, Nagura H. Colocalization of 11 β -hydroxysteroid dehydrogenase type II and mineralocorticoid receptor in human epithelia. *J Clin Endocrinol Metab* 1997; 82:3859-3863
109. Sheppard K, Li KX, Autelitano DJ. Corticosteroid receptors and 11 β -hydroxysteroid dehydrogenase isoforms in rat intestinal epithelia. *Am J Physiol* 1999; 277:G541-G547
110. Vylitova M, Miksik I, Pacha J. Metabolism of corticosterone in mammalian and avian intestine. *Gen Comp Endocrinology* 1998; 109:315-324
111. Sellin JH, DeSoignie R. Steroids alter ion transport and absorptive capacity in proximal distal colon. *Am J Physiol* 1993; 249:G113-G119
112. Roland BL, Funder JW. Localization of 11 β -hydroxysteroid dehydrogenase type 2 in rat tissues: *In situ* studies. *Endocrinology* 1996; 137:1123-1128
113. Kayes-Wandover KM, White PC. Steroidogenic enzyme gene expression in the human heart. *J Clin Endocrinol Metab* 2000; 85:2519-2525
114. Lombes M, Alfaidy N, Lessana A, Farman N, Bonvalet JP. Prerequisite for cardiac aldosterone action. Mineralocorticoid receptor and 11 β -hydroxysteroid dehydrogenase in the human heart. *Circulation* 1992; 92:175-182
115. Slight SH, Ganjam VK, Gómez-Sánchez CE, Zhou MY, Weber KT. High affinity NAD⁺-dependent 11 β -hydroxysteroid dehydrogenase in the human heart. *J Mol Cell Cardiol* 1996; 28:781-787
116. Slight S, Ganjam VK, Weber KT. Species diversity of 11 β -hydroxysteroid dehydrogenase in the cardiovascular system. *J Lab Clin Med* 1994; 124:821-826
117. Young M, Fellerton M, Dillely R, Funder J. Mineralocorticoids, hypertension, and cardiac fibrosis. *J Clin Invest* 1994; 93:2578-2583

118. Bonvalet JP, Alfaidy N, Farman N, Lombes M. Aldosterone: intracellular receptors in human heart. *Eur Heart J* 1995;16(Suppl.):92-97