

## 8 Literaturverzeichnis

1. Epstein FH, *The epidemiology of essential hypertension*. Robertson JIS (ed) Handbook of Hypertension, Elsevier. Vol. 1. 1983, Amsterdam New York Oxford: Robertson JIS.
2. Janetta PJ, Gendell H, *Clinical observations on etiology of essential hypertension*. Surg. Forum, 1979. 30: p. 431-432.
3. Naraghi R, Schuster H et al., *Neurovascular Compression at the ventrolateral medulla in autosomal dominant hypertension and brachydaktyly*. Stroke 1997; 28(9):1749-1754.
4. Subcommittee of the World Health Organisation-International Society of Hypertension, WHO-ISH, *1999 World Health Organization-International Society of Hypertension Guidelines for the Management of Hypertension*. Journal of Hypertension, 1999. 17: p. 151-183.
5. Granata A, Ruggiero D, Park DH, Joh TH, Reis DJ, *Brainstem area with C1 epinephrine neurons mediates baroreflex vasodepressor responses*. The American physiological society, 1985;248(4):547-567.
6. Drolet G, Chalmers J, Blessing W, *Vasodepressor neurons in medulla alter cardiac contractility and cardiac output*. Hypertension, 1993. 21: p. 210-215.
7. Halliday G, Li Y, Joh T, Cotton R et al., *Distribution of monoamine synthesizing neurons in the human medulla oblongata*. J Comp Neurol, 1988. 273: p. 301-317.
8. Palkovits M., Mezey E., Fodor M., Ganten D. et al., *Neurotransmitters and neuropeptides in the baroreceptor reflex arc: connections between the nucleus of the solitary tract and the ventrolateral medulla oblongata in the rat*. Clin Exp Hypertens, 1995. 17: p. 101-113.
9. Fein J, Frishmann W, *Neurogenic hypertension related to vascular compression of the lateral medulla*. Neurosurgery, 1980. 6: p. 615-622.
10. Ciriello J, Caverson M, Polosa C, *Function of the ventrolateral medulla in the control of the circulation*. Brain Research Reviews, 1986. 11: p. 359-391.
11. Ross CA, Ruggiero DA, Park DH et al., *Tonic vasomotor control by the rostral ventrolateral medulla: effect of electrical or chemical stimulation of the area containing C1 adrenaline neurons on arterial pressure, heart rate, and plasma catecholamines and vasopressin*. Society of Neuroscience 1984 Feb;4(2):474-494.
12. Hökfelt T, Fuxe K, *Immunohistochemical evidence for the existence of adrenaline neurons in rat brain*. Brain Res., 1974. 66:235 - 251.
13. Mancina G, Mark A, *Arterial baroreflexes in humans*, in *Handbook of Physiology 2/III,2- The cardiovascular System III*. 1983, SR Geiger, JT Shepard,: Department of Internal Medicine, University of Iowa College of Medicine, Iowa City, Iowa. p. 755 - 791.
14. Ross CA, Ruggiero DA, Park DH et al., *Tonic vasomotor control by the rostral ventrolateral medulla: effect of electrical or chemical stimulation of the area containing C1 adrenaline neurons on arterial pressure, heart rate, and plasma catecholamines and vasopressin*. Society of Neuroscience 1984 Feb;4(2):474-494 .
15. Kiely J, Gordon F, *Role of rostral ventrolateral medulla in centrally mediated pressor responses*. American J Physiol, 1994. 267: p. 1549-1556.
16. Willette R, Krieger A, Barcas P, Sapru H, *Medullary gamma-aminobutyric acid (GABA) receptors and the regulation of blood pressure in the rat*. J Pharmacol Exp Ther, 1983. 226: p. 893-899.

17. Vasquez E, Lewis S, Varner K, Brody M, *Chronic lesion of rostral ventrolateral medulla in spontaneously hypertensive rats*. Hypertension, 1992. 19(II): p. 154-158.
18. Janetta PJ, *Observations on the etiology of trigeminal neuralgia, hemifacial spasm, acoustic nerve dysfunction and glossopharyngeal neuralgia. Definitive microsurgical treatment and results in 117 patients*. Neurochirurgia, 1977. 20: p. 145-154.
19. Janetta PJ, *Treatment of trigeminal neuralgia by suboccipital and transtentorial cranial operations*. Clin. Neurosurg, 1977. 24: p. 538-549.
20. Seller H, *Carl Ludwig and the localisation of the medullary vasomotor center: old and new concepts of the generation of sympathetic tone*. Eur J Physiol, 1996. 432(3): p. 94-98.
21. Owsjannikow P, *Die tonischen und reflektorischen Zentra der Gefässnerven*. Sächsische Akademie der Wissenschaft, 1871. 23: p. 135-147.
22. Dittmar C, *Ueber die Lage des sogenannten Gefässcentrums in der Medulla oblongata*, ed. Mathematisch-Physische Classe Berichte Über Die Verhandlungen Der Königlich-Sächsischen Gesellschaft Der Wissenschaften Zu Leipzig. Vol. I. II. 1873, Leipzig: S. Hirzel. 103 - 123.
23. Cushing H, *Concerning a definite regulatory mechanism of the vasomotor center which controls blood pressure during cerebral compression*. John Hopkins Hosp Bull, 1901. 12: p. 290-292.
24. Hering HE, *Der Karotissinusreflex auf Herz und Gefässe*, ed. Steinkopff. 1927, Leipzig. 150.
25. Koch E, Mies H, *Chronischer arterieller Hochdruck durch experimentelle Daueraus-schaltung der Blutdruckzügler*. Krankheitsforschung, 1929. 7: p. 241-265.
26. Carlsten A, Folkow B, Grimby G, Hamberger C, Thulesius O, *Cardiovascular effects of direct stimulation of the carotid sinus nerves in man*. Acta Physiol. Scand., 1958. 44: p. 138-145.
27. Shepherd RI, *The effects of carotid artery compression in man with special reference to changes in vascular resistance in the limbs*. J. Physiol. London, 1957. 139: p. 377-384.
28. Janetta PJ, *Treatment of trigeminal neuralgia by suboccipital and transtentorial cranial operations*. Cli. Neurosurg, 1977: p. 24:538-549.
29. Janetta PJ, Segal R, Wolfson SK, *Neurogenic Hypertension: Etiology and Surgical Treatment I. Observations in 53 Patients*. Ann. Surg., March 1985. 201 No. 3: p. 391-398.
30. Naraghi R, Gaab MR, Walter GF, Kleineberg B, *Arterial hypertension and neurovascular compression at the ventrolateral medulla, a comparative microanatomical and pathological study*. J Neurosurg 77, 1992: p. 103-112.
31. Janetta PJ, Gendell HM, *Clinical observations on etiology of essential hypertension*. Surg. Forum, 1979. 30: p. 431-432.
32. Lassere A, Blohm L, *Allgemeine und spezielle Radiologie*, ed. 2. Auflage. 2000: Urban und Fischer Verlag München.
33. Schmitz S, Hohenbleicher H, Koennecke HC et al. *Neurogenic Hypertension. A new MRI protocol for the evaluation of neurovascular compression of the cranial nerves IX and X root - entry zone*. Invest Radiol., 1999, Dec. 34(12): p. 774-80.
34. De Lange E, Vielvoye G, Voormolen J, *Arterial compression of the fifth cranial nerve causing trigeminal neuralgia: angiographic findings*. Radiology, 1986. 158: p. 721-727.

35. Kleineberg B, Becker H, Gaab MR, Naraghi R, *Essential hypertension associated with neurovascular compression: Angiographic Findings*. Neurosurgery, 1992. 30(6): p. 834-841.
36. Wong B, Steineberg G, Rosen L, *Magnetic resonance imaging of vascular compression in trigeminal neuralgia*. J Neurosurg, 1989. 70(132-134).
37. Naraghi R, Geiger H, Crnac J, *Posterior fossa neurovascular anomalies in essential hypertension*. The Lancet, 1994. 344: p. 1466-1470.
38. Akimura T, Furutani Y, Jimi Y, Saito K, Kashiwagi S, Kato S, Ito H, *Essential Hypertension and neurovascular compression at the ventrolateral medulla oblongata: MR evaluation*. AJNR AM J Neuroradiol, 1995. 16: p. 401-405.
39. Morimoto S, Sasaki S, Miki S, *Neurovascular compression of the rostral ventrolateral medulla related to essential hypertension*. Hypertension, 1997. 30: p. 77-82.
40. Janetta PJ, *Neurovascular Compression in Cranial Nerve and Systemic Disease*. Ann. Surg., October 1980. 192 No. 4: p. 518-525.
41. Levy E, Clyde B, Mc Laughlin M, Janetta PJ, *Microvascular Decompression of the left lateral medulla oblongata for severe refractory neurogenic hypertension*. Neurosurgery, 1998. 43, No.1: p. 1-9.
42. Segal R, Gendell HM, Canfield D, Dujovny M, Janetta PJ, *Cardiovascular response to pulsatile pressure applied to ventrolateral Medulla*. Surgical Forum, Neurologic Surgery, 1979;30:433-435.
43. Janetta PJ, Segal R, Wolfson SK, *Neurogenic Hypertension: Etiology and Surgical Treatment II. Observations in an Experimental Nonhuman Primate Model*. Neurological Surgery, Presbyterian University Hospital, Veterans Administration Medical Center and Montefiore Hospital, August 1985. 202, No. 2: p. 253-261.
44. Segal R, Janetta PJ, Wolfson SK, Dujovny M, Cook EE, *Implanted pulsatile balloon device for simulation of neurovascular compression syndromes in animals*. J Neurosurg, 1982. 57: p. 646-650.
45. Meaney J, Elridge P, Dunn L, Nixon T, Whitehouse G, Miles J, *Demonstration of neurovascular compression in trigeminal neuralgia with magnetic resonance imaging*. J Neurosurg, 1995. 83: p. 799-805.
46. Vörös E., Palkó A., Horvath K., Barzó P., Kardos L., Kuncz Á. *Three-dimensional time-of-flight MR angiography in trigeminal neuralgia on a 0,5-T system*. Eur.Radiol., 2001. 11: p. 642-647.
47. Casselmann J, Kuhweide R, Deimling M, Ampe W, Dehaene I, Meeus L, *Constructive Interference in Steady State-3DTF MR Imaging of the Inner Ear and Cerebellopontine Angle*. American Society of Neuroradiology, 1993. 14: p. 47-57.
48. Casselmann J, Offeciers F, Govaerts P et al.. *Aplasia and Hypoplasia of the vestibulocochlear Nerve: Diagnosis with MR Imaging*. Radiology, 1997. 202: p. 773-781.
49. Girard N, Poncet M, Caces F et al., *Three-dimensional MRI of hemifacial spasm with surgical correlation*. Neuroradiology, 1997. 39: p. 46-51.
50. Žižka J, Ceral J, Elias P et al, *Vascular compression of rostral medulla oblongata: prospective MR imaging study in hypertensive and normotensive subjects*. Radiology, 2004. 230: p. 65-69.
51. Johnson D, Coley S, Brown J, *The role of MRI in screening for neurogenic hypertension*. Neuroradiology, 1999. 42: p. 99-103.
52. Colón GP, Qiunt DJ, Dickinson LD et al., *Magnetic resonance evaluation of ventrolateral medullary compression in essential hypertension*. J Neurosurg, 1998. 88: p. 226-231.

53. Watters M, Burton B, Turner G, *MR screening for brain stem compression in hypertension*. AJNR AM J Neuroradiol, 1996. 17: p. 217-221.
54. Janetta PJ, Segal R, Wolfson SK, *Neurogenic Hypertension: Etiology and Surgical Treatment I. Observations in 53 Patients*. Ann. Surg., March 1985. 201 No. 3: p. 391-398.
55. Fein J, Frishmann W, *Neurogenic hypertension related to vascular compression of the lateral medulla*. Neurosurgery, 1980. 6: p. 615-622.
56. Janetta PJ, Gendell HM., *Clinical observations on etiology of essential hypertension*. Surg. Forum, 1979. 30: p. 431-432.
57. Morimoto S, Sasaki S, Miki S, Kawa T, Itoh H, *Pulsatile compression of the rostral ventrolateral medulla in hypertension*. Hypertension, 1997. 29(2): p. 514-518.
58. Säglitz SA, Gaab MR, *Investigations using magnetic resonance imaging: is neurovascular compression present in patients with essential hypertension?* J Neurosurg, 2002. 96: p. 1006-1012.
59. Janetta PJ, Gendell HM., *Neurovascular compression associated with essential hypertension*. Neurosurgery, 1978. 2: p. 165.
60. Morimoto S, Sasaki S, Itoh H, Nakata T, Takeda K, Nakagawa M, *Sympathetic activation and contribution of genetic factors in hypertension with neurovascular compression of the rostral ventrolateral medulla*. J Hypertension, 1999. 17: p. 1577-1582.
61. Thoren P, *Role of cardiac vagal C-fibers in cardiovascular control*. Rev Physiol Biochem Pharmacol., 1979. 86: p. 1-94.
62. Mitchell G, *Cardiovascular Innervation*. 1956, Livingstone: Edinburgh. p. 220-229.
63. Schobel HP, Frank H, Naraghi R, Geiger H, Titz E, Heusser K, *Hypertension in patients with neurovascular compression is associated with increased central sympathetic outflow*. J American Society of Nephrology, 2002. 13: p. 35-41.
64. Morimoto S, Sasaki S, Takeda K et al., *Decrease in blood pressure and sympathetic nerve activity by microvascular decompression of rostral ventrolateral medulla in essential hypertension*. Stroke, 1999. 30: p. 1707-1710.
65. Sunderland S, *Neurovascular relationships and anomalies at the base of the brain*. Neurol Neurosurg Psychiatr, 1948. 11: p. 243-247.
66. Thuerl C, Rump LC, Otto M, *Neurovascular contact of the brain stem in Hypertensive and Normotensive subjects: MR findings and clinical significance*. AJNR AM J Neuroradiol, 2001. 22: p. 476-480.
67. Wilkins RH, *Neurovascular compression syndromes*. Neurologic Clinics, 1985. 3: p. 359-372.
68. Lascaux-Lefebvre V, Ruidavets J, Arveiler D, Amouyel P, Haas B, Cottel D, *Influence of parental history of hypertension on blood pressure*. Journal of Human Hypertension, 1999. 13: p. 631-636.
69. Naraghi R, Schuster H et al. *Neurovascular Compression at the ventrolateral medulla in autosomal dominant hypertension and brachydaktyly*. Stroke 1997; 28(9):1749-1754.
70. Geiger H, Naraghi R, Schobel HP, Frank H, Sterzel RB, Fahlbusch R, *Decrease of blood pressure by ventrolateral medullary decompression in essential hypertension*. Lancet, 1998. 352: p. 446-449.
71. Reis DJ, *The brain and hypertension*. Arch Neurol, 1988. 45: p. 180-182.
72. Heros R, *Comments to: Microvascular Decompression of the left lateral medulla oblongata for severe refractory neurogenic hypertension*. Neurosurgery, 1998. 43: p. 7.
73. Weir B, *Comments to: Microvascular Decompression of the left lateral medulla oblongata for severe refractory neurogenic hypertension*. Neurosurgery, 1998. 43: p. 7-8.

74. Giannotta SL, *Comments to: Microvascular Decompression of the left lateral medulla oblongata for severe refractory neurogenic hypertension*. Neurosurgery, 1998. 43: p. 8.
75. Frank H, Schobel HP, Heusser K, Geiger H, Fahlbusch R, Naraghi R, *Long-term results after microvascular decompression in essential hypertension*. Stroke, 2001. 32: p. 2950-2955.
76. Kaplan NM, *Resistant Hypertension*. Journal of Hypertension, 2005. 23: p. 1441-1444.
77. Geiger H, Naraghi R, Schobel H, Frank H, Sterzel R, Fahlbusch R, *Decrease of blood pressure by ventrolateral medullary decompression in essential hypertension*. Lancet, 1998. 352: p. 446-449.
78. Geiger H, Naraghi R, *Authors reply*. The Lancet, 1998. 352: p.1550.
79. Adams CTB, *Microvascular compression: an alternative view and hypothesis*. J Neurosurg, 1989. 57: p. 1-12.
80. Taarnhoj P, *The place of decompression of the posterior root in the treatment of trigeminal neuralgia*. J Neurol Neurosurg Psychiatry, 1961. 24: p. 295-296.
81. Aoki N, Nagao T, *Resolution of hemifacial spasm after posterior fossa exploration without vascular decompression*. Neurosurgery, 1986. 18: p. 478-479.
82. Kaplan NM, *Comments to ventrolateral medullary decompression in essential hypertension*. The Lancet, 1998. 352: p. 1549-1550.
83. Makino Y, Kawano Y, Okuda N et al., *Autonomic function in hypertensive patients with neurovascular compression of the ventrolateral medulla oblongata*. J. Hypertension, 1999. 17: p. 1257-1263.