

6 Literaturverzeichnis

1. Abdulhadi NH. Protection against severe clinical manifestations of Plasmodium falciparum malaria among sickle cell trait subjects is due to modification of the release of cytokines and/or cytoadherence of infected erythrocytes to the host vascular beds. *Med Hypothesis* 60, 912-914 (2003)
2. Abdulsalam AA *et al.* Pregnancy outcomes among Palestinian refugee women with sickle cell trait in Damascus, Syria. *Saudi Med J* 24, 986-990 (2003)
3. Abu-Zeid YA *et al.* Lymphoproliferative responses to Plasmodium falciparum antigens in children with and without the sickle cell trait. *Scand J Immun* 34, 237-242 (1991)
4. Abu-Zeid YA *et al.* Seasonal changes in cell mediated immune responses to soluble Plasmodium falciparum antigens in children with haemoglobin AA and haemoglobin AS. *Trans R Soc Trop Med Hyg* 86, 20-22 (1992)
5. Abu-Zeid *et al.* Modulation of the cellular immune response during Plasmodium falciparum infections in sickle cell trait individuals. *Clin Exp Immunol* 88, 112-118 (1992)
6. Agarwal A *et al.* Hemoglobin C associated with protection from severe malaria in the Dogon of Mali, a West African population with a low prevalence of hemoglobin S. *Blood* 96, 2358-2363 (2000)
7. Aidoo M *et al.* Protective effects of the sickle cell gene against malaria morbidity and mortality. *Lancet* 359, 1311-12 (2002)
8. Allen SJ *et al.* Morbidity from malaria and immune responses to defined Plasmodium falciparum antigens in children with sickle cell trait in the Gambia. *Trans R Soc Trop Med Hyg* 86, 494-498 (1992)
9. Allen SJ *et al.* Causes of preterm delivery and intrauterine growth retardation in a malaria endemic region of Papua New Guinea. *Arch Dis Child Fetal Neonatal Ed* 79, 135-140 (1998)
10. Allison AC. Protection afforded by sickle cell trait against subtropical malarial infection. *B M J* 1, 290-295 (1954)
11. Allison AC. Genetic factors in resistance to malaria. *Ann NY Acad Sci* 91, 710-729 (1961)
12. Allison AC. Cellular immunity to malaria and Babesia parasites: a personal viewpoint. *Contemp Top Immunol* 12, 463-90 (1984)

13. Allison AC. Mini-series: Significant contributions to biological chemistry over the past 125 years. The discovery of resistance to malaria of sickle-cell heterozygotes. *Biochem Mol Biol Edu* 30, 279-287 (2002)
14. Al-Yaman *et al.* Reduced risk of clinical malaria in children infected with multiple clones of Plasmodium falciparum in a highly endemic area: a prospective community study. *Trans R Soc Trop Med Hyg* 91, 602-605 (1997)
15. Ashley-Koch A *et al.* Sickle hemoglobin (Hb S) allele and sickle cell disease: a HuGE review. In: human genome epidemiology reviews, *Am J Epidemiol* 151, 839-845 (2000)
16. Ayi K *et al.* Enhanced phagocytosis of ring-parasitized mutant erythrocytes: a common mechanism that may explain protection against falciparum malaria in sickle trait and beta-thalassemia trait. *Blood* 1004, 3364-3371 (2004)
17. Bayoumi RA. Cell-mediated immune responses to Plasmodium falciparum purified soluble antigens in sickle-cell trait subjects. *Immun Letters* 25, 243-250 (1990)
18. Beeson JG *et al.* Parasite adhesion and immune invasion in placental malaria. *Trends Parasitol* 17, 331-7 (2001)
19. Bienzle U *et al.* Plasmodium falciparum malaria and human red cells.I.A genetic and clinical study in children. *Int J Epidemiol* 10, 9-15 (1980)
20. Bottius E *et al.* Malaria: even more chronic in nature than previously thought; evidence for subpatent parasitaemia detectable by the polymerase chain reaction. *Trans R Soc Trop Med Hyg* 90, 15-19 (1996)
21. Bouyou-Akotet MK *et al.* Prevalence of Plasmodium falciparum infection in pregnant women in Gabon. *Malaria J* 2:18, (2003)
22. Brabin BJ. An analysis of malaria in pregnancy. *Bull WHO* 61, 1005-1016 (1983)
23. Brabin BJ. An analysis of malaria parasite rates in infants: 40 years after Ian Mc Gregor. *Trop Dis Bull* 87, R 1-16 (1990)
24. Brabin BJ *et al.* Consequenses of maternal anaemia on outcome of pregnancy in a malaria endemic area in Papua New Guinea. *Ann Trop Med Parasitol* 84, 11-28 (1990)
25. Bradley DJ. Malaria. in: Warrell DA (Hrsg.): Infektionskrankheiten. VCH Verlagsgesellschaft, Weinheim, 587-620 (1990)
26. Branch OH *et al.* Plasmodium falciparum genotypes, low complexity of infection, and resistance to subsequent malaria in participants in the Asembo Bay Cohort Project. *Infect Immun* 69, 7783-92 (2001)

27. Breman JG *et al.* Conquering the intolerable burden of malaria: what's new, what's needed: a summary. *Am J Trop Med Hyg* 71, 1-15 (2004)
28. Browne EN *et al.* Malaria metric update for the rainforest and savanna of Ashanti region, Ghana. *Ann Trop Med Parasitol* 94, 15-22 (2000)
29. Bull PC *et al.* Parasite antigens to the infected red cell surface are targets for naturally acquired immunity to malaria. *Nature Med* 4, 358-360 (1998)
30. Bulmer JN *et al.* Placental malaria I. Pathological classification. *Histopathology* 22, 211-218 (1993)
31. Bulmer JN *et al.* Placental malaria II. A semi-quantitative investigation of the pathological features. *Histopathology* 22, 219-225 (1993)
32. Bunn FH. Pathogenesis and treatment of sickle cell disease. Review article. *N Eng J Med* 337, 762-769 (1997)
33. Chen Q *et al.* Identification of Plasmodium falciparum Erythrocyte Membrane Protein 1 (PfEMP1) as the rosetting ligand of the malaria parasite P. falciparum. *J Exp Med* 187, 15-23 (1998)
34. Cot M *et al.* Risk factors of malaria infection during pregnancy in Burkina Faso: suggestion of a genetic influence. *Am J Trop Med Hyg* 48, 358-64 (1993)
35. Desowitz RS, Alpers MP. Placental Plasmodium falciparum parasitaemia in East Sepik (Papua New Guinea) women of different parity: the apparent absence of acute effects on mother and foetus. *Ann Trop Med Parasitol* 86, 95-102 (1992)
36. Devoucoux R *et al.* Population genetics of abnormal haemoglobins in Burkina Faso, West Africa. *Ann Hum Biol* 18, 295-302 (1991)
37. Diagne N *et al.* Incidence of clinical malaria in pregnant women exposed to intense perennial transmission. *Trans R Soc Trop Med Hyg* 91, 166-70 (1997)
38. Diagne N *et al.* Increased susceptibility to malaria during the early post partum period. *N Engl J Med* 343, 598-603 (2000)
39. Diallo DA *et al.* A comparison of anaemia in hemoglobin C and normal hemoglobin A children with Plasmodium falciparum malaria. *Acta Trop* 90, 295-299 (2004)
40. Duffy PE, Fried M. Antibodies that inhibit Plasmodium falciparum adhesion to Chondroitin Sulfate A are associated with increased birth weight and the gestational age of newborns. *Infect Immun* 71, 6620-23 (2003)
41. Duflo B *et al.* Hemoglobin C in a hospital milieu in Bamako, Mali. *Bull Soc Pathol Exot Filiales* 78, 393-400 (1985)

42. Eaton WA, Hofrichter J. Hemoglobin S gelation and sickle cell disease. *Blood* 70, 1245-66 (1987)
43. Edington GM, Laing WN. Relationship between haemoglobins S and C and malaria in Ghana. *Br Med J* 2, 143-5 (1957)
44. Fabry ME *et al.* Some aspects of the pathophysiology of homozygous Hb CC erythrocytes. *J Clin Invest* 67, 1284-91 (1981)
45. Fairhurst RM *et al.* Aberrant development of *Plasmodium falciparum* in hemoglobin CC red cells: implications for the malaria protective effect of the homozygous state. *Blood* 101, 3309-3315 (2003)
46. Fairhurst RM *et al.* Abnormal display of PfEMP-1 on erythrocytes carrying haemoglobin C may protect against malaria. *Nature* 435, 1117-1121 (2005)
47. Farnert A *et al.* Complexity of *Plasmodium falciparum* infections is consistent over time and protects against clinical disease in Tanzanian children. *J Infect Dis* 179, 989-995 (1999)
48. Fievet N *et al.* Malaria and pregnancy in cameroonian primigravidae: humoral and cellular immune responses to *Plasmodium falciparum* blood-stage antigens. *Am J Trop Med Hyg* 53, 612-617 (1995)
49. Finnström O. Studies on maturity in newborn infants. IX. Further observations on the use of external characteristics in estimating gestational age. *Acta Paediatr Scand* 66, 601-4 (1977)
50. Fleming AF *et al.* Splenomegaly and sickle cell trait. *Lancet* 2 (7567), 574-75 (1968)
51. Fleming AF *et al.* Abnormal haemoglobins in the Sudan savanna of Nigeria I. Prevalence of haemoglobins and relationships between sickle cell trait, malaria and survival. *Ann Trop Med Parasitol* 73, 161-172 (1979)
52. Fleming AF *et al.* Anaemia in young primigravidae in the guinea savanna of Nigeria: sickle - cell trait gives partial protection. *Ann Trop Med Parasitol* 78, 395-404 (1984)
53. Fleming AF *et al.* Malaria and haemoglobin genotype in young northern Nigerian children. *Ann Trop Med Hyg* 79, 1-5 (1985)
54. Fleming AF. Tropical obstetrics and gynecology. 1. Anaemia in pregnancy in tropical Africa. *Trans R Soc Trop Med Hyg* 83, 441-448 (1989)
55. Flint J *et al.* The population genetics of the haemoglobinopathies. *Baillieres Clin Haematol* 11, 1-51 (1998)
56. Fried M, Duffy PE. Adherence of *Plasmodium falciparum* to Chondroitin sulfate A in the human placenta. *Science* 272, 1502-1504 (1996)

57. Fried M *et al.* Malaria elicits type 1 cytokines in the human placenta : IFN- γ and TNF- α associated with pregnancy outcomes. *J Immun* 160, 2523-30 (1998)
58. Fried M *et al.* Maternal antibodies block malaria. *Nature* 395 (6705), 851-2 (1998)
59. Fried M, Duffy PE. Maternal malaria and parasite adhesion. *J Mol Med* 76, 162-71 (1998)
60. Friedman MJ. Erythrocytic mechanism of sickle cell resistance to malaria. *Proc Natl Acad Sci USA* 75, 1994-7 (1978)
61. Friedman MJ *et al.* The role of hemoglobins C, S and Nbalt in the inhibition of malaria parasite development *in vitro*. *Am J Trop Med Hyg* 28, 777-780 (1979)
62. Garrod AE. The inborn factors in disease. An essay. *Oxford University Press*, Oxford, 1933
63. Gendrel D *et al.* Paludisme et hémoglobin S : interactions chez l'enfant africain. *La Presse Médicale* 21, 887-890 (1992)
64. Gilles HM *et al.* Glucose-6-Phosphate-Dehydrogenase deficiency, sickling, and malaria in African children in South Western Nigeria. *Lancet* 1, 138-140 (1967)
65. Gilles HM (Hrsg.). Management of severe and complicated malaria. *WHO*, Genf, (1991)
66. Gillespie DA, Hardman. Microbubbles in replicating nuclear desoxyribonucleic acid from Physarum polycephalum. *N Biochem* 1 183, 477-480 (1979)
67. Granja AC *et al.* Malaria-related maternal mortality in urban Mozambique. *Ann Trop Med Parasitol* 92, 257-63 (1998)
68. Greenwood B *et al.* Why do some African children develop severe malaria? *Parasitol Today* 7, 277-81 (1991)
69. Guyatt HL, Snow RW. Malaria in pregnancy as an indirect cause of infant mortality in sub-Saharan Africa. *Trans R Soc Trop Med Hyg* 95, 569-76 (2001)
70. Guyatt HL, Snow RW. Impact of malaria during pregnancy on low birth weight in sub-Saharan Africa. *Clin Microbiol Rev* 17, 760-769 (2004)
71. Haldane JBS. The rate of mutation of human genes. Proceedings of the Eighth International Congress of genetics and Heredity. *Hereditas Suppl* 35, (1949)
72. Hebbel RP. Beyond hemoglobin polymerisation: the red blood cell membrane and sickle disease pathophysiology. *Blood* 77, 214-37 (1991)
73. Hebbel RP. Sickle hemoglobin instability: a mechanism for malarial protection. *Redox Report* 8, 238-40 (2003)

74. Henning L *et al.* A prospective study of Plasmodium falciparum multiplicity of infection and morbidity in Tanzanian children. *Trans R Soc Trop Med Hyg* 98, 687-94 (2004)
75. Hill AVS *et al.* Common West African antigens are associated with protection from severe malaria. *Nature* 352, 595-600 (1991)
76. Hill AVS. Malaria resistance genes: a natural selection. *Trans R Soc Trop Med Hyg* 86, 225-226 & 232 (1992)
77. Hoff C *et al.* Protection afforded by the sickle cell trait (HbAS) : What happens when malarial selection pressures are alleviated? *Hum Biol* 73, 583-586 (2001)
78. Hogh B *et al.* relationship between maternally derived anti-Plasmodium falciparum antibodies and risk of infection and disease in infants living in an area of Liberia, West Africa, where malaria ist highly endemic. *Inf Immun* 63, 4034-38 (1995)
79. Holder AA *et al.* Merozoite surface protein 1, immune evasion, and vaccines against asexual blood stage malaria. *Parassitologia* 41, 409-14 (1999)
80. Huisman THJ. Separation of hemoglobins and hemoglobin chains by high performance liquid chromatography. *J Chromatography* 418, 277-304 (1987)
81. Ibhanesebhor SE, Okolo AA. Placental malaria and pregnancy outcome. *Int J Gynecol Obstet* 37, 247-52 (1992)
82. Ingram VM. Gene mutations in human haemoglobin: the chemical diffrence between normal and sickle cell haemoglobin. *Nature* 180 (4581), 326-8 (1957)
83. Isiugo-Abanihe UC *et al.* Urban nuptiality patterns and marital fertility in Nigeria. *J Biosoc Sci* 25, 483-98 (1993)
84. Ismail MR *et al.* Placental pathology in malaria : A histological, immunohistochemical, and quantitative study. *Human Pathology* 31, 85-93 (2000)
85. Kaul DK *et al.* *In vivo* demonstration of red cell-endothelial interaction, sickling and altered microvascular response to oxygen in the sickle transgenic mouse. *J Clin Invest* 96, 2845-53 (1995)
86. Khattab A *et al.* Analysis of IgG with specificity for variant surface antigens expressed by placental Plasmodium falciparum isolates. *Malaria J* 3:21, (2004)
87. Kirkwood BR. Essentials of medical statistics. *Blackwell Sciences Publications*, Oxford (1988)
88. Kohne E *et al.* Elektrophoretischer Nachweis normaler und anormaler Hämoglobine. Screening-Programm mit Zellulose-Azetat-Folien. *Fortschritte der Medizin* 91, 100-105 (1973)

89. Konate L *et al.* Biology of the vectors and transmission of Plasmodium falciparum, P. malariae and P. ovale in a village in the savanna of West Africa (Dielmo, Senegal). *Parasite* 1, 325-33 (1994)
90. Konate L *et al.* Variation of Plasmodium falciparum msp1 block 2 and msp2 allele prevalence and of infection complexity in two neighboring Senegalese villages with different transmission conditions. *Trans R Soc Trop Med Hyg* 93, 21-28 (1999)
91. Kreienbock L, Schach S. Epidemiologische Methoden. Gustav Fischer Verlag Stuttgart (1997)
92. Larrabee KD, Monga M. Women with sickle cell trait are at increased risk for preeclampsia. *Am J Obstet Gynecol* 177, 425-8 (1997)
93. Le Hesran JY *et al.* Longitudinal study of Plasmodium falciparum infection and immune responses in infants with or without the sickle cell trait. *Int J Epidemiol* 28, 793-798 (1999)
94. Lell B *et al.* The role of red blood cell polymorphisms in resistance to malaria. *Clin Infect Dis* 28, 794-9 (1999)
95. Leke RFG *et al.* Detection of the Plasmodium falciparum antigen Histidine-Rich Protein 2 in blood of pregnant women: Implications for diagnosing placental malaria. *J Clin Microbiol* 37, 2992-6 (1999)
96. Li CC. First Course in Population Genetics. Pacific Grove, CA: *The Boxwood Press* (1976)
97. Lone FW *et al.* Maternal anaemia and its impact on perinatal outcome. *Trop Med Int Health* 9, 486-90 (2004)
98. Luzzatto L *et al.* Increased sickling of parasitized erythrocytes as mechanism of resistance against malaria in the sickle cell trait. *Lancet* 1, 319-322 (1970)
99. Luzzatto L. About hemoglobins, G6PD and parasites in red cells. *Experientia* 51, (1995)
100. Madrigal L. Hemoglobin genotype, fertility, and the malaria hypothesis. *Hum Biol* 61, 311-25 (1989)
101. Marchant T *et al.* Anaemia in pregnancy and infant mortality in Tanzania. *Trop Med Int Health* 9, 262-6 (2004)
102. Marsh K *et al.* Antibodies to blood stage antigens of Plasmodium falciparum in rural Gambians and their relation to protection against infection. *Trans R Soc Trop Med Hyg* 83, 293-303 (1989)

103. Matteelli A *et al.* Malaria and anaemia in pregnant women in urban Zanzibar, Tanzania. *Ann Trop Med Parasitol* 88, 475-83 (1994)
104. Matteelli A *et al.* Malarial infection and birthweight in urban Zanzibar, Tanzania. *Ann Trop Med Parasitol* 90, 125-34 (1996)
105. Matteelli A *et al.* The placenta and malaria. *Ann Trop Med Parasitol* 92, 803-810 (1997)
106. Maubert B *et al.* Development of antibodies against chondroitin sulfate A-adherent *Plasmodium falciparum* in pregnant women. *Infect Immun* 67, 5367-71 (1999)
107. May J *et al.* High rate of mixed and subpatent malarial infections in southwest Nigeria. *Am J Trop Med Hyg* 61, 339-343 (1999)
108. Mc Gready R *et al.* Haemozoin as a marker of placental parasitization. *Trans R Soc Trop Med Hyg* 96, 644-646 (2002)
109. Mc Gregor IA *et al.* Malaria infection in the placenta in The Gambia, West Africa: its incidence and relationship to stillbirth, birthweight and placental weight. *Trans R Soc Trop Med Hyg* 77, 232-244 (1983)
110. Mc Gregor IA. Epidemiology, malaria and pregnancy. *Am J Trop Med Hyg* 33, 517-525 (1984)
111. Meda N *et al.* Anaemia during pregnancy in Burkina Faso, West Africa, 1995-96: prevalence and associated factors. *Bull WHO* 77, 916-922 (1999)
112. Menendez C *et al.* The response to iron supplementation of pregnant women with the haemoglobin genotype AA or AS. *Trans R Soc Trop Med Hyg* 89, 289-292 (1995)
113. Menendez C *et al.* Malaria-related anaemia. *Parasitology Today* 16, 469-476 (2000)
114. Menendez C *et al.* The impact of placental malaria on gestational age and birth weight. *J Inf Dis* 181, 1740-5 (2000)
115. Meuris S *et al.* Gestational malaria: assessment of its consequences on fetal growth. *Am J Trop Med Hyg* 48, 603-9 (1993)
116. Miller LH. Impact of malaria on genetic polymorphism and genetic diseases in Africans and African Americans. *Proc Natl Acad Sci USA* 91, 2415-2419 (1994)
117. Miller LH *et al.* The pathogenetic basis of malaria. *Nature* 415, 673-679 (2002)
118. Miller LH, Greenwood B. Malaria – a shadow over Africa. *Science* 298, 121-122 (2002)
119. Mockenhaupt FP *et al.* Submicroscopic *Plasmodium falciparum* infections in pregnancy in Ghana. *Trop Med Int Health* 5, 167-173 (2000 a)

120. Mockenhaupt FP *et al.* Anaemia in pregnant Ghanaian women: importance of malaria, iron deficiency, and haemoglobinopathies. *Trans R Soc Trop Med Hyg* 94, 477-483 (2000 b)
121. Mockenhaupt FP *et al.* Diagnosis of placental malaria. *J Clin Microbiol* 40, 306-308 (2002)
122. Mockenhaupt FP *et al.* Hemoglobin C and resistance to severe malaria in Ghanaian children. *J Infect Dis* 190, 1006-1009 (2004)
123. Modiano D *et al.* Hemoglobin C protects against clinical Plasmodium falciparum malaria. *Nature* 414, 305-308 (2001)
124. Morgan HG. Placental malaria and low birth weight in neonates in urban Sierra Leone. *Ann Trop Med Parasitol* 88, 575-80 (1994)
125. Mozzarelli A *et al.* Delay time of hemoglobin S polymerization prevents most cells from sickling in vivo. *Science* 237, 500-506 (1987)
126. Msolla MJ *et al.* Prevalence of anaemia in pregnant women during the last trimester. *Int J Food Sci Nutr* 48, 265-70 (1997)
127. Muller DA *et al.* Prospective risk of morbidity in relation to multiplicity of infection with Plasmodium falciparum in Sao Tome. *Acta Trop* 78, 155-62 (2001)
128. Nagel RL *et al.* Structural basis of the inhibitory effects of hemoglobin F and hemoglobin A² on the polymerisation of hemoglobin S. *Proc Natl Acad Sci USA* 76, 670-2 (1979)
129. Nagel RL. Innate resistance to malaria: the intraerythrocytic cycle. *Blood Cells* 16, 321-339 (1990)
130. Nagel RL, Fleming AF. Genetic epidemiology of the β-S gene. *Baillieres Clin Haematol* 11, 331-362 (1998)
131. Newbold C *et al.* Receptor-specific adhesion and clinical disease in Plasmodium falciparum. *Am J Trop Med Hyg* 57, 389-398 (1997)
132. Ntoumi F *et al.* Plasmodium falciparum: Sickle-cell trait is associated with higher prevalence of multiple infections in Gabonese children with asymptomatic infections. *Exp Parasitol* 87, 39-46 (1997)
133. Ntoumi F *et al.* Sickle cell trait carriage: imbalanced distribution of IgG subclass antibodies reactive to Plasmodium falciparum family-specific MSP2 peptides in serum samples from Gabonese children. *Immun Letters* 84, 9-16 (2002)

134. Ofori MF *et al.* Expression of variant surface antigens by Plasmodium falciparum parasites in the peripheral blood of clinically immune pregnant women indicates ongoing placental infection. *Infect Immun* 71, 1584-6 (2003)
135. Okoko BJ *et al.* Influence of placental malaria infection on foetal outcome in the Gambia: Twenty years after Ian Mc Gregor. *J Health Popul Nutr* 20, 4-11 (2002)
136. Okonofua FE *et al.* Maternal sickle cell trait is not a cause of low birth weight in Nigerian neonates. *Int J Gynecol Obstet* 32, 331-333 (1990)
137. Olson JA, Nagel RL. Synchronized cultures of P. falciparum in abnormal red cells: the mechanism of the inhibition of growth in HbCC cells. *Blood* 67, 997-1001 (1986)
138. Ordi J *et al.* Massive chronic intervillitis of the placenta associated with malaria infection. *Am J Surg Pathol* 22, 1006-11 (1998)
139. Osman NB *et al.* Perinatal outcome in an obstetric cohort of Mozambican women. *J Trop Pediatr* 47, 30-8 (2001)
140. Pasvol G *et al.* Fetal hemoglobin and malaria. *Lancet* 1, 1296-1272 (1976)
141. Pasvol G *et al.* Effects of foetal hemoglobin susceptibility of red cells to Plasmodium falciparum. *Nature* 270, 171-173 (1977)
142. Pasvol G. The interaction between sickle haemoglobin and the malarial parasite Plasmodium falciparum. *Trans R Soc Trop Med Hyg* 74, 701-705 (1980)
143. Pasvol G, Wilson RJ. The interaction of malaria parasites with red blood cells. *Br Med Bull* 38, 133-140 (1982)
144. Pasvol G. Malaria and resistance genes - they work in wondrous ways. *Lancet* 348, 1532-1534 (1996)
145. Pauling L *et al.* Sickle cell anaemia: a molecular disease. *Science* 110, 902-909 (1949)
146. Philips RE, Pasvol G. Anaemia of Plasmodium falciparum malaria. *Baillière's Clin Haematol* 5, 315-330 (1992)
147. Prazuck T *et al.* Risk factors for preterm delivery in Burkina Faso (West Africa). *Int J Epidemiol* 22, 489-94 (1993)
148. Rasheed FN *et al.* Suppressed peripheral and placental blood lymphoproliferative responses in first pregnancies: relevance to malaria. *Am J Trop Med Hyg* 48, 154-60 (1993)
149. Reeder JC *et al.* The adhesion of Plasmodium falciparum-infected erythrocytes to chondroitin sulfate A is mediated by P. falciparum erythrocyte membrane protein 1. *Proc Natl Acad Sci USA* 96, 5198-5202 (1999)

150. Ricke HR *et al.* Plasma antibodies from malaria-exposed pregnant women recognize variant surface antigens on Plasmodium falciparum-infected erythrocytes in a parity-dependent manner and block parasite adhesion to Chondroitin sulfate A. *J Immun* 165, 3309-3316 (2000)
151. Rihet P *et al.* Hemoglobin C is associated with reduced Plasmodium falciparum parasitaemia and low risk of mild malaria attack. *Human Mol Gen* 13, 1-6 (2004)
152. Ringelmann B *et al.* A new look at the protection of hemoglobin AS and AC genotypes against Plasmodium falciparum infection: a census trait approach. *Am J Hum Genet* 28, 270-279 (1976)
153. Roberts DJ, Williams TN. Haemoglobinopathies and resistance to malaria. *Redox Report* 8, 304-310 (2003)
154. Rogerson SJ *et al.* Malaria and anaemia in antenatal women in Blantyre, Malawi: a twelve-month survey. *Am J Trop Med Hyg* 62, 335-40 (2000)
155. Rogerson SJ *et al.* Placental monocyte infiltrates in response to Plasmodium falciparum malaria infection and their association with adverse pregnancy outcomes. *Am J Trop Med Hyg* 68, 115-19 (2003)
156. Roth EF *et al.* Sickling rates of human AS red cells infected in vitro with Plasmodium falciparum malaria. *Science* 202, 650-52 (1978)
157. Rowe A *et al.* Plasmodium falciparum rosetting is associated with malaria severity in Kenya. *Infect Immun* 63, 2323-2326 (1995)
158. Saiki RK *et al.* Enzymatic amplification of beta-globin genomic sequences and restriction site analysis for diagnosis of sickle cell anaemia. *Science* 230, 1350-54 (1985)
159. Salanti A *et al.* Evidence for the involvement of VAR2CSA in pregnancy-associated malaria. *J Exp Med* 200, 1197-1203 (2004)
160. Sautte F *et al.* Malaria in pregnancy in rural Mozambique: The role of parity, submicroscopic and multiple Plasmodium falciparum infections. *Trop Med Int Health* 7, 19-28 (2002)
161. Sergeant GR *et al.* Outcome of pregnancy in homozygous sickle cell disease. *Obstet Gynecol* 103, 1278-85 (2004)
162. Sharp PA *et al.* Detection of two restriction endonuclease activities in *Haemophilus parainfluenzae* using analytical agarose-thidium bromide electrophoresis. *Biochemistry* 12, 3055 (1973)

163. Shear HL *et al.* Transgenic mice expressing human sickle hemoglobin are partially resistant to rodent malaria. *Blood* 81, 222-226 (1993)
164. Shulman CE *et al.* Malaria is an important cause of anaemia in primigravidae: evidence from a district hospital in coastal Kenya. *Trans R Soc Trop Med Hyg* 90, 535-9 (1996)
165. Smith T *et al.* The epidemiology of multiple Plasmodium falciparum infections: 11. Premunition in Plasmodium falciparum infection: insights from the epidemiology of multiple infections. *Trans R Soc Trop Med Hyg* 93, S1 95-64 (1999)
166. Snounou G *et al.* High sensitivity of human malaria parasites by use of nested polymerase chain reaction. *Mol Biochem Parasitol* 61, 315-320 (1993)
167. Snow RW *et al.* A preliminary continental risk map for malaria mortality among African children. *Parasitol Today* 15, 105-11 (1999)
168. Staalsoe T *et al.* Variant surface antigen-specific IgG and protection against clinical consequences of pregnancy-associated Plasmodium falciparum malaria. *Lancet* 363, 283-98 (2004)
169. Stamilio DM *et al.* Pregnant women with the sickle cell trait are not at increased risk for developing preeclampsia. *Am J Perinatol* 20, 41-48 (2003)
170. Steketee RW *et al.* The effect of malaria and malaria prevention in pregnancy on offspring birthweight, prematurity, and intrauterine growth retardation in rural Malawi. *Am J Trop Med Hyg* 55, 33-41 (1996)
171. Steketee RW *et al.* The burden of malaria in pregnancy in malaria-endemic areas. *Am J Trop Med Hyg* 64, 28-35 (2001)
172. Stirnadel HA *et al.* Malaria infection and morbidity in relation to genetic polymorphisms in Tanzania. *Trop Med Int Health* 4, 187-193 (1999)
173. Stoltzfus RJ. Rethinking anaemia surveillance. *Lancet* 349, 1764-66 (1997)
174. Stuart MJ, Nagel RL. Sickle cell disease. *Lancet* 364, 1343-60 (2004)
175. Sugitan AL *et al.* Malaria-associated cytokine changes in the placenta of women with preterm deliveries in Yaounde, Cameroon. *Am J Trop Med Hyg* 69, 574-581 (2003)
176. Sullivan AD *et al.* Malaria infection during pregnancy: Intrauterine growth retardation and preterm delivery in Malawi. *J Infect Dis* 179, 1580-3 (1999)
177. Sullivan AD *et al.* Placental haemozoin and malaria in pregnancy. *Placenta* 21, 417-421 (2000)
178. Sun PM *et al.* Sickle cell disease in pregnancy: twenty years of experience at Grady Memorial Hospital, Atlanta, Georgia. *Am J Obstet Gynecol* 184, 1127-30 (2001)

179. Tako EA *et al.* Risk factors for placental malaria and its effect on pregnancy outcome in Yaounde, Cameroon. *Am J Trop Med Hyg* 72, 236-42 (2005)
180. Tian LP *et al.* Red cell age and susceptibility to malaria during pregnancy. *Acta Obstet Gynecol Scand* 77, 717-21 (1998)
181. Tjitra E *et al.* Field evaluation of the ICT malaria P.f/P.v immunochromatographic test for detection of Plasmodium falciparum and Plasmodium vivax in patients with a presumptive clinical diagnosis of malaria in eastern Indonesia. *J Clin Microbiol* 37, 2412-7 (1999)
182. Thompson GR. Significance of hemoglobin S and C in Ghana. *Br Med J* 1, 682-85 (1962)
183. Thompson GR. Malaria and stress in relation to haemoglobin S and C. *Br Med J* 2, 976-78 (1963)
184. Trabuchet G *et al.* Nucleotide sequence evidence of the unicentric origin of the beta C mutation in Africa. *Hum Genet* 87, 597-601 (1991)
185. Trape JF *et al.* The Dielmo project. A longitudinal study of natural malaria infection in a community living in a holoendemic area of Senegal. *Am J Trop Med Hyg* 51, 123-137 (1994)
186. Tuck SM *et al.* Pregnancy in women with sickle cell trait. *Br J Obstet Gynaecol* 90, 108-111 (1983)
187. Udomsangpetch R *et al.* The effects of hemoglobin genotype and ABO blood group on the formation of rosettes by Plasmodium falciparum-infected red blood cells. *Am J Trop Med Hyg* 48, 149-153 (1993)
188. Urban BC *et al.* Plasmodium falciparum infected erythrocytes modulate the maturation of dendritic cells. *Nature* 400, 73-77 (1999)
189. Van den Broek N. Anaemia in pregnancy in developing countries. *Br J Obstet Gynaecol* 105, 385-390 (1998)
190. Van Dongen PWJ, Van't Hof MA. Sickle cell trait, malaria and anaemia in pregnant Zambian women. *Trans R Soc Trop Med Hyg*. 77, 402-404 (1983)
191. Van Geertruyden JP, Thomas F, Erhart A, D'Alessandro U. The contribution of malaria in pregnancy to perinatal mortality. *Am J Trop Med Hyg* 71, 35-40 (2004)
192. Verhoeff FH *et al.* Malaria in pregnancy and its consequences for the infant in rural Malawi. *Ann Trop Med Parasitol* 93, 25-33 (1999)
193. Von Schenck H *et al.* Evaluation of „Hemo-Cue“, a new device for determining hemoglobin. *Clin Chem* 32, 526-29 (1986)

194. Walter PR *et al.* Placental pathologic changes in malaria. A histologic and ultrastructural study. *Am J Pathol* 109, 330-342 (1982)
195. Weatherall D *et al.* The role of genomics in studying genetic susceptibility to infectious diseases. *Genome Research* 7, 967-973 (1997)
196. Wilkinson RJ, Pasvol P. Host resistance to malaria runs into swampy water. *Trends Microbiol* 5, 213-215 (1997)
197. Williams TN *et al.* An immune basis for malaria protection by the sickle cell trait. *PLoS Medicine* 2, 441-445 (2005)
198. Willcox M *et al.* A case-control study in northern Liberia of Plasmodium falciparum malaria in haemoglobin S and β-thalassaemia traits. *Ann Trop Med Parasitol* 77, 239-246 (1983)
199. Wright S. Evolution and the Genetics of Populations. 1- 4, Chicago, IL; *The University of Chicago Press* (1978)
200. WHO. Expert Committee on malaria. *World Health Organ Tech Rep Ser* 892, i-v, 1-74 (2000)
201. WHO. The use of antimalarial drugs. Report of a WHO Informal consultation. 13.-17. November, 2000
202. WHO. Africa malaria report (2003)